

## SOIL INFORMATION

## TRIAL INFORMATION

TEXTURE: SIL  
 PH: 6.4  
 %OM: 4.6  
 PREV.CROP: GLXMA - SOYBEAN  
 %RESIDUE: 0  
 PLOT WIDTH: 10 X 30 FEET  
 PLOT AREA: 300 FEET

DESIGN: RCB  
 REPS: 3

| APPL. NUMBER     | 01        | 02        | UNIT |
|------------------|-----------|-----------|------|
| TIMINGS          | 09        | 12        |      |
| TYPE             | LIQMIX    | LIQMIX    |      |
| APPLICATION DATE | 05/30/08  | 06/27/08  | AME  |
| AIR TEMPERATURE  | 75        | 79        | F    |
| % REL.HUMIDITY   | 65        | 65        |      |
| WIND DIRECTION   | SOUTH     | SOUTHWEST |      |
| WIND SPEED       | 7.0       | 8.0       | M/H  |
| CLOUD COVER      | CLEAR     | PARTCLDY  |      |
| DEW              | NO        | YES       |      |
| SOIL MOISTURE    | DRY/MOIST | DRY/MOIST |      |
| SOIL CONDITION   | ---       | ---       |      |
| METHOD           | SPRAY     | SPRAY     |      |
| EQUIPMENT        | SPRBAC    | SPRBAC    |      |
| PROPELLANT       | COMCO2    | COMCO2    |      |
| PLACEMENT        | BRFOSO    | BRFOSO    |      |
| NOZZLE           | FLATFAN   | FLATFAN   |      |
| NOZZLE NUMBER    | 6         | 6         |      |
| NOZZLE SPACING   | 20.000    | 20.000    | IN   |
| SCREEN SIZE      |           |           |      |
| SCREEN SZ DESC   | NA        | NA        |      |
| SWATH WIDTH      | 10.0      | 10.0      | FT   |
| SPRAY VOLUME     | 20.00     | 20.00     |      |
| SCREEN SIZE      | GPA       | GPA       |      |
| PRESSURE         | 32.00     | 32.00     | PSI  |
| DILUENT          | WATER     | WATER     |      |
| INC. DATE        |           |           | AME  |
| INC. START       |           |           | 24H  |
| INC. END         |           |           | 24H  |
| INC. DEPTH       |           |           | IN   |
| INC. EQUIPMENT   | ---       | ---       |      |
| DN/SG/MMZ        |           |           |      |
| *** CROP ***     |           |           |      |
| SOYBEAN          |           | ---/01    |      |
| ASGROW 3302 RR/S |           | /         | IN   |
| 05/30/2008       |           |           |      |
| *** PEST ***     |           |           |      |
| WATERHEMP, COMMO |           | ---/19    |      |
|                  |           | 2.00/4.00 | IN   |
| HORSEWEED / MARE |           | ---/19    |      |
|                  |           | 2.00/8.00 | IN   |
| MORNINGGLORY, TA |           | ---/18    |      |
|                  |           | 2.00/4.00 | IN   |
| FOXTAIL, GIANT   |           | ---/14    |      |
|                  |           | 2.00/4.00 | IN   |
| CHICKWEED, COMMO |           | ---/19    |      |
|                  |           | 2.00/4.00 | IN   |

## \* TIMING CODES

09 = ----- / PREEMERGENCE  
 12 = ----- / POST

## \* STAGE CODE

01 = BEGINNING OF SEED IMBIBITION  
 14 = 4 LEAVES UNFOLDED  
 18 = 8TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED  
 19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

TITLE: Herbicide Strategies for Weed Control in non-RR No-till Soybean. 261-68

CREATED: 05/12/2008 REVISED: 11/10/2008

COMPLETED: N

PROJECT TYPE: HERBICIDE

LOCATION: Urbana

RESEARCHED BY: UNIV. OF ILL

DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN

PLOT SIZE: 10.00 FT WIDE X 30.00 FT LONG

PLOT AREA: 300.00 SFT

REPS: 03

| TRT  | TREATMENT       | DOSAGE |         | GLXMA    | STEME    | ERICA    | SETFA    | AMATA    | PHBPU    |
|------|-----------------|--------|---------|----------|----------|----------|----------|----------|----------|
| NUM  | COMPONENT       | RATE   | UNIT TM | CON %    | CON %    | CON %    | CON %    | CON %    | CON %    |
|      |                 |        |         | 06/26/08 | 06/26/08 | 06/26/08 | 06/26/08 | 06/26/08 | 06/26/08 |
| 1A   | CHECK           | 0.00   | NA 0    | 0        | 0        | 0        | 0        | 0        | 0        |
| 2A   | FLEXSTAR 1.88   | 0.294  | LAA 12  | 0        | C        | C        | C        | C        | C        |
|      | B FUSION 2.56EC | 0.24   | LAA 12  |          |          |          |          |          |          |
|      | C»MSO           | 1.00   | PMV 12  |          |          |          |          |          |          |
|      | D 28% UAN       | 2.50   | PMV 12  |          |          |          |          |          |          |
| 3A»  | SONIC 70DF      | 0.14   | LAA 9   | 0        | 99       | 99       | 47       | 89       | 45       |
|      | B FLEXSTAR 1.88 | 0.294  | LAA 12  |          |          |          |          |          |          |
|      | C FUSION 2.56EC | 0.24   | LAA 12  |          |          |          |          |          |          |
|      | D»MSO           | 1.00   | PMV 12  |          |          |          |          |          |          |
|      | E 28% UAN       | 2.50   | PMV 12  |          |          |          |          |          |          |
| 4A»  | SONIC 70DF      | 0.28   | LAA 9   | 0        | 99       | 99       | 68       | 96       | 72       |
|      | B FLEXSTAR 1.88 | 0.294  | LAA 12  |          |          |          |          |          |          |
|      | C FUSION 2.56EC | 0.24   | LAA 12  |          |          |          |          |          |          |
|      | D»MSO           | 1.00   | PMV 12  |          |          |          |          |          |          |
|      | E 28% UAN       | 2.50   | PMV 12  |          |          |          |          |          |          |
| 5A   | CANOPY 75WG     | 0.14   | LAA 9   | 0        | 99       | 99       | 33       | 55       | 40       |
|      | B FLEXSTAR 1.88 | 0.294  | LAA 12  |          |          |          |          |          |          |
|      | C FUSION 2.56EC | 0.24   | LAA 12  |          |          |          |          |          |          |
|      | D»MSO           | 1.00   | PMV 12  |          |          |          |          |          |          |
|      | E 28% UAN       | 2.50   | PMV 12  |          |          |          |          |          |          |
| 6A   | CANOPY 75WG     | 0.28   | LAA 9   | 0        | 99       | 99       | 73       | 96       | 83       |
|      | B FLEXSTAR 1.88 | 0.294  | LAA 12  |          |          |          |          |          |          |
|      | C FUSION 2.56EC | 0.24   | LAA 12  |          |          |          |          |          |          |
|      | D»MSO           | 1.00   | PMV 12  |          |          |          |          |          |          |
|      | E 28% UAN       | 2.50   | PMV 12  |          |          |          |          |          |          |
| 7A   | PROWL H2O 3.8   | 0.59   | LAA 9   | 0        | 99       | 99       | 47       | 50       | 30       |
|      | B FLEXSTAR 1.88 | 0.294  | LAA 12  |          |          |          |          |          |          |
|      | C FUSION 2.56EC | 0.24   | LAA 12  |          |          |          |          |          |          |
|      | D»MSO           | 1.00   | PMV 12  |          |          |          |          |          |          |
|      | E 28% UAN       | 2.50   | PMV 12  |          |          |          |          |          |          |
| 8A   | PROWL H2O 3.8   | 1.19   | LAA 9   | 0        | 99       | 99       | 67       | 77       | 42       |
|      | B FLEXSTAR 1.88 | 0.294  | LAA 12  |          |          |          |          |          |          |
|      | C FUSION 2.56EC | 0.24   | LAA 12  |          |          |          |          |          |          |
|      | D»MSO           | 1.00   | PMV 12  |          |          |          |          |          |          |
|      | E 28% UAN       | 2.50   | PMV 12  |          |          |          |          |          |          |
| 9A»  | VALOR XLT 40WG  | 0.075  | LAA 0   | 0        | 99       | 99       | 58       | 77       | 42       |
|      | B VALOR 51WG    | 0.058  | LAA 9   |          |          |          |          |          |          |
|      | C CLASSIC 25WG  | 0.019  | LAA 9   |          |          |          |          |          |          |
|      | D FLEXSTAR 1.88 | 0.294  | LAA 12  |          |          |          |          |          |          |
|      | E FUSION 2.56EC | 0.24   | LAA 12  |          |          |          |          |          |          |
|      | F»MSO           | 1.00   | PMV 12  |          |          |          |          |          |          |
|      | G 28% UAN       | 2.50   | PMV 12  |          |          |          |          |          |          |
| 10A» | VALOR XLT 40WG  | 0.125  | LAA 0   | 0        | 99       | 99       | 75       | 96       | 65       |
|      | B VALOR 51WG    | 0.093  | LAA 9   |          |          |          |          |          |          |
|      | C CLASSIC 25WG  | 0.032  | LAA 9   |          |          |          |          |          |          |
|      | D FLEXSTAR 1.88 | 0.294  | LAA 12  |          |          |          |          |          |          |
|      | E FUSION 2.56EC | 0.24   | LAA 12  |          |          |          |          |          |          |
|      | F»MSO           | 1.00   | PMV 12  |          |          |          |          |          |          |
|      | G 28% UAN       | 2.50   | PMV 12  |          |          |          |          |          |          |
| 11A  | PURSUIT +       | 0.45   | LAA 9   | 0        | 99       | 99       | 80       | 58       | 65       |
|      | B FLEXSTAR 1.88 | 0.294  | LAA 12  |          |          |          |          |          |          |
|      | C FUSION 2.56EC | 0.24   | LAA 12  |          |          |          |          |          |          |
|      | D»MSO           | 1.00   | PMV 12  |          |          |          |          |          |          |
|      | E 28% UAN       | 2.50   | PMV 12  |          |          |          |          |          |          |

TITLE: Herbicide Strategies for Weed Control in non-RR No-till Soybean. 261-68

| TRT                | TREATMENT        | DOSAGE |         | GLXMA    | STEME    | ERICA    | SETFA    | AMATA    | PHBPU    |
|--------------------|------------------|--------|---------|----------|----------|----------|----------|----------|----------|
| NUM                | COMPONENT        | RATE   | UNIT TM | CON %    | CON %    | CON %    | CON %    | CON %    | CON %    |
|                    |                  |        |         | 06/26/08 | 06/26/08 | 06/26/08 | 06/26/08 | 06/26/08 | 06/26/08 |
| 12A                | PURSUIT +        | 0.91   | LAA 9   | 0        | 99       | 99       | 89       | 87       | 82       |
|                    | B FLEXSTAR 1.88  | 0.294  | LAA 12  |          |          |          |          |          |          |
|                    | C FUSION 2.56EC  | 0.24   | LAA 12  |          |          |          |          |          |          |
|                    | D»MSO            | 1.00   | PMV 12  |          |          |          |          |          |          |
|                    | E 28% UAN        | 2.50   | PMV 12  |          |          |          |          |          |          |
| 13A»               | PREFIX 5.32SL    | 0.67   | LAA 9   | 0        | 99       | 99       | 82       | 88       | 47       |
|                    | B FLEXSTAR 1.88  | 0.294  | LAA 12  |          |          |          |          |          |          |
|                    | C FUSION 2.56EC  | 0.24   | LAA 12  |          |          |          |          |          |          |
|                    | D»MSO            | 1.00   | PMV 12  |          |          |          |          |          |          |
|                    | E 28% UAN        | 2.50   | PMV 12  |          |          |          |          |          |          |
| 14A»               | PREFIX 5.32SL    | 1.33   | LAA 9   | 0        | 99       | 99       | 89       | 96       | 77       |
|                    | B FLEXSTAR 1.88  | 0.294  | LAA 12  |          |          |          |          |          |          |
|                    | C FUSION 2.56EC  | 0.24   | LAA 12  |          |          |          |          |          |          |
|                    | D»MSO            | 1.00   | PMV 12  |          |          |          |          |          |          |
|                    | E 28% UAN        | 2.50   | PMV 12  |          |          |          |          |          |          |
| 15A                | CLASSIC 25WG     | 0.02   | LAA 9   | 0        | 99       | 99       | 84       | 96       | 80       |
|                    | B HARMONY GT     | 0.0065 | LAA 9   |          |          |          |          |          |          |
|                    | C VALOR 51WG     | 0.063  | LAA 9   |          |          |          |          |          |          |
|                    | D FLEXSTAR 1.88  | 0.294  | LAA 12  |          |          |          |          |          |          |
|                    | E FUSION 2.56EC  | 0.24   | LAA 12  |          |          |          |          |          |          |
|                    | F»MSO            | 1.00   | PMV 12  |          |          |          |          |          |          |
|                    | G 28% UAN        | 2.50   | PMV 12  |          |          |          |          |          |          |
| 16A»               | WEED FREE        | 0.00   | NA 0    | 0        | 99       | 99       | 99       | 99       | 99       |
|                    | B DUAL II MAGNUM | 1.91   | LAA 9   |          |          |          |          |          |          |
|                    | C AUTHORITY 75WG | 0.20   | LAA 9   |          |          |          |          |          |          |
|                    | D CLASSIC 25WG   | 0.04   | LAA 9   |          |          |          |          |          |          |
|                    | E»WEATHERMAX 4.5 | 0.75   | LAA 12  |          |          |          |          |          |          |
|                    | F»N-PAK AMS      | 2.50   | PMV 12  |          |          |          |          |          |          |
| LSD (0.05)         |                  |        |         | 0.00     | 0.00     | 0.00     | 15.18    | 11.11    | 15.61    |
| STANDARD DEVIATION |                  |        |         | 0.00     | 0.00     | 0.00     | 7.44     | 5.44     | 7.64     |

**TITLE:** Herbicide Strategies for Weed Control in non-RR No-till Soybean. 261-68  
**CREATED:** 05/12/2008 **REVISED:** 11/10/2008 **COMPLETED:** N  
**PROJECT TYPE:** HERBICIDE  
**LOCATION:** Urbana **RESEARCHED BY:** UNIV. OF ILL  
**DESIGN:** RANDOMIZED COMPLETE BLOCK DESIGN  
**PLOT SIZE:** 10.00 FT WIDE X 30.00 FT LONG  
**PLOT AREA:** 300.00 SFT

REPS: 03

| TRT<br>NUM | TREATMENT<br>COMPONENT | DOSAGE<br>RATE | UNIT | TM | GLXMA<br>CON %<br>07/10/08 | STEME<br>CON %<br>07/10/08 | ERICA<br>CON %<br>07/10/08 | SETFA<br>CON %<br>07/10/08 | AMATA<br>CON %<br>07/10/08 | PHBPU<br>CON %<br>07/10/08 |
|------------|------------------------|----------------|------|----|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| 1A         | CHECK                  | 0.00           | NA   | 0  | 0                          | 0                          | 0                          | 0                          | 0                          | 0                          |
| 2A         | FLEXSTAR 1.88          | 0.294          | LAA  | 12 | 0                          | 99                         | 83                         | 90                         | 93                         | 78                         |
|            | B FUSION 2.56EC        | 0.24           | LAA  | 12 |                            |                            |                            |                            |                            |                            |
|            | C»MSO                  | 1.00           | PMV  | 12 |                            |                            |                            |                            |                            |                            |
|            | D 28% UAN              | 2.50           | PMV  | 12 |                            |                            |                            |                            |                            |                            |
| 3A»        | SONIC 70DF             | 0.14           | LAA  | 9  | 0                          | 99                         | 96                         | 92                         | 97                         | 90                         |
|            | B FLEXSTAR 1.88        | 0.294          | LAA  | 12 |                            |                            |                            |                            |                            |                            |
|            | C FUSION 2.56EC        | 0.24           | LAA  | 12 |                            |                            |                            |                            |                            |                            |
|            | D»MSO                  | 1.00           | PMV  | 12 |                            |                            |                            |                            |                            |                            |
|            | E 28% UAN              | 2.50           | PMV  | 12 |                            |                            |                            |                            |                            |                            |
| 4A»        | SONIC 70DF             | 0.28           | LAA  | 9  | 0                          | 99                         | 99                         | 98                         | 99                         | 96                         |
|            | B FLEXSTAR 1.88        | 0.294          | LAA  | 12 |                            |                            |                            |                            |                            |                            |
|            | C FUSION 2.56EC        | 0.24           | LAA  | 12 |                            |                            |                            |                            |                            |                            |
|            | D»MSO                  | 1.00           | PMV  | 12 |                            |                            |                            |                            |                            |                            |
|            | E 28% UAN              | 2.50           | PMV  | 12 |                            |                            |                            |                            |                            |                            |
| 5A         | CANOPY 75WG            | 0.14           | LAA  | 9  | 0                          | 99                         | 99                         | 95                         | 97                         | 95                         |
|            | B FLEXSTAR 1.88        | 0.294          | LAA  | 12 |                            |                            |                            |                            |                            |                            |
|            | C FUSION 2.56EC        | 0.24           | LAA  | 12 |                            |                            |                            |                            |                            |                            |
|            | D»MSO                  | 1.00           | PMV  | 12 |                            |                            |                            |                            |                            |                            |
|            | E 28% UAN              | 2.50           | PMV  | 12 |                            |                            |                            |                            |                            |                            |
| 6A         | CANOPY 75WG            | 0.28           | LAA  | 9  | 0                          | 99                         | 99                         | 99                         | 99                         | 98                         |
|            | B FLEXSTAR 1.88        | 0.294          | LAA  | 12 |                            |                            |                            |                            |                            |                            |
|            | C FUSION 2.56EC        | 0.24           | LAA  | 12 |                            |                            |                            |                            |                            |                            |
|            | D»MSO                  | 1.00           | PMV  | 12 |                            |                            |                            |                            |                            |                            |
|            | E 28% UAN              | 2.50           | PMV  | 12 |                            |                            |                            |                            |                            |                            |
| 7A         | PROWL H2O 3.8          | 0.59           | LAA  | 9  | 0                          | 99                         | 78                         | 93                         | 89                         | 83                         |
|            | B FLEXSTAR 1.88        | 0.294          | LAA  | 12 |                            |                            |                            |                            |                            |                            |
|            | C FUSION 2.56EC        | 0.24           | LAA  | 12 |                            |                            |                            |                            |                            |                            |
|            | D»MSO                  | 1.00           | PMV  | 12 |                            |                            |                            |                            |                            |                            |
|            | E 28% UAN              | 2.50           | PMV  | 12 |                            |                            |                            |                            |                            |                            |
| 8A         | PROWL H2O 3.8          | 1.19           | LAA  | 9  | 0                          | 99                         | 88                         | 93                         | 97                         | 86                         |
|            | B FLEXSTAR 1.88        | 0.294          | LAA  | 12 |                            |                            |                            |                            |                            |                            |
|            | C FUSION 2.56EC        | 0.24           | LAA  | 12 |                            |                            |                            |                            |                            |                            |
|            | D»MSO                  | 1.00           | PMV  | 12 |                            |                            |                            |                            |                            |                            |
|            | E 28% UAN              | 2.50           | PMV  | 12 |                            |                            |                            |                            |                            |                            |
| 9A»        | VALOR XLT 40WG         | 0.075          | LAA  | 0  | 0                          | 98                         | 98                         | 91                         | 99                         | 94                         |
|            | B VALOR 51WG           | 0.058          | LAA  | 9  |                            |                            |                            |                            |                            |                            |
|            | C CLASSIC 25WG         | 0.019          | LAA  | 9  |                            |                            |                            |                            |                            |                            |
|            | D FLEXSTAR 1.88        | 0.294          | LAA  | 12 |                            |                            |                            |                            |                            |                            |
|            | E FUSION 2.56EC        | 0.24           | LAA  | 12 |                            |                            |                            |                            |                            |                            |
|            | F»MSO                  | 1.00           | PMV  | 12 |                            |                            |                            |                            |                            |                            |
|            | G 28% UAN              | 2.50           | PMV  | 12 |                            |                            |                            |                            |                            |                            |
| 10A»       | VALOR XLT 40WG         | 0.125          | LAA  | 0  | 0                          | 99                         | 96                         | 99                         | 99                         | 96                         |
|            | B VALOR 51WG           | 0.093          | LAA  | 9  |                            |                            |                            |                            |                            |                            |
|            | C CLASSIC 25WG         | 0.032          | LAA  | 9  |                            |                            |                            |                            |                            |                            |
|            | D FLEXSTAR 1.88        | 0.294          | LAA  | 12 |                            |                            |                            |                            |                            |                            |
|            | E FUSION 2.56EC        | 0.24           | LAA  | 12 |                            |                            |                            |                            |                            |                            |
|            | F»MSO                  | 1.00           | PMV  | 12 |                            |                            |                            |                            |                            |                            |
|            | G 28% UAN              | 2.50           | PMV  | 12 |                            |                            |                            |                            |                            |                            |
| 11A        | PURSUIT +              | 0.45           | LAA  | 9  | 0                          | 99                         | 95                         | 99                         | 97                         | 93                         |
|            | B FLEXSTAR 1.88        | 0.294          | LAA  | 12 |                            |                            |                            |                            |                            |                            |
|            | C FUSION 2.56EC        | 0.24           | LAA  | 12 |                            |                            |                            |                            |                            |                            |
|            | D»MSO                  | 1.00           | PMV  | 12 |                            |                            |                            |                            |                            |                            |
|            | E 28% UAN              | 2.50           | PMV  | 12 |                            |                            |                            |                            |                            |                            |

TITLE: Herbicide Strategies for Weed Control in non-RR No-till Soybean. 261-68

| TRT                | TREATMENT        | DOSAGE |         | GLXMA    | STEME    | ERICA    | SETFA    | AMATA    | PHBPU    |
|--------------------|------------------|--------|---------|----------|----------|----------|----------|----------|----------|
| NUM                | COMPONENT        | RATE   | UNIT TM | CON %    | CON %    | CON %    | CON %    | CON %    | CON %    |
|                    |                  |        |         | 07/10/08 | 07/10/08 | 07/10/08 | 07/10/08 | 07/10/08 | 07/10/08 |
| 12A                | PURSUIT +        | 0.91   | LAA 9   | 0        | 99       | 98       | 98       | 98       | 97       |
|                    | B FLEXSTAR 1.88  | 0.294  | LAA 12  |          |          |          |          |          |          |
|                    | C FUSION 2.56EC  | 0.24   | LAA 12  |          |          |          |          |          |          |
|                    | D»MSO            | 1.00   | PMV 12  |          |          |          |          |          |          |
|                    | E 28% UAN        | 2.50   | PMV 12  |          |          |          |          |          |          |
| 13A»               | PREFIX 5.32SL    | 0.67   | LAA 9   | 0        | 99       | 99       | 99       | 98       | 89       |
|                    | B FLEXSTAR 1.88  | 0.294  | LAA 12  |          |          |          |          |          |          |
|                    | C FUSION 2.56EC  | 0.24   | LAA 12  |          |          |          |          |          |          |
|                    | D»MSO            | 1.00   | PMV 12  |          |          |          |          |          |          |
|                    | E 28% UAN        | 2.50   | PMV 12  |          |          |          |          |          |          |
| 14A»               | PREFIX 5.32SL    | 1.33   | LAA 9   | 0        | 99       | 99       | 99       | 99       | 97       |
|                    | B FLEXSTAR 1.88  | 0.294  | LAA 12  |          |          |          |          |          |          |
|                    | C FUSION 2.56EC  | 0.24   | LAA 12  |          |          |          |          |          |          |
|                    | D»MSO            | 1.00   | PMV 12  |          |          |          |          |          |          |
|                    | E 28% UAN        | 2.50   | PMV 12  |          |          |          |          |          |          |
| 15A                | CLASSIC 25WG     | 0.02   | LAA 9   | 0        | 99       | 97       | 98       | 99       | 94       |
|                    | B HARMONY GT     | 0.0065 | LAA 9   |          |          |          |          |          |          |
|                    | C VALOR 51WG     | 0.063  | LAA 9   |          |          |          |          |          |          |
|                    | D FLEXSTAR 1.88  | 0.294  | LAA 12  |          |          |          |          |          |          |
|                    | E FUSION 2.56EC  | 0.24   | LAA 12  |          |          |          |          |          |          |
|                    | F»MSO            | 1.00   | PMV 12  |          |          |          |          |          |          |
|                    | G 28% UAN        | 2.50   | PMV 12  |          |          |          |          |          |          |
| 16A»               | WEED FREE        | 0.00   | NA 0    | 0        | 99       | 99       | 99       | 99       | 99       |
|                    | B DUAL II MAGNUM | 1.91   | LAA 9   |          |          |          |          |          |          |
|                    | C AUTHORITY 75WG | 0.20   | LAA 9   |          |          |          |          |          |          |
|                    | D CLASSIC 25WG   | 0.04   | LAA 9   |          |          |          |          |          |          |
|                    | E»WEATHERMAX 4.5 | 0.75   | LAA 12  |          |          |          |          |          |          |
|                    | F»N-PAK AMS      | 2.50   | PMV 12  |          |          |          |          |          |          |
| LSD (0.05)         |                  |        |         | 0.00     | 0.481    | 5.50     | 6.30     | 2.13     | 6.22     |
| STANDARD DEVIATION |                  |        |         | 0.00     | 0.236    | 2.69     | 3.08     | 1.00     | 3.00     |

TITLE: Herbicide Strategies for Weed Control in non-RR No-till Soybean. 261-68

CREATED: 05/12/2008 REVISED: 11/10/2008

COMPLETED: N

PROJECT TYPE: HERBICIDE

LOCATION: Urbana

RESEARCHED BY: UNIV. OF ILL

DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN

PLOT SIZE: 10.00 FT WIDE X 30.00 FT LONG

PLOT AREA: 300.00 SFT

REPS: 03

| TRT<br>NUM | TREATMENT<br>COMPONENT | DOSAGE<br>RATE | UNIT | TM | GLXMA<br>CON %<br>07/25/08 | STEME<br>CON %<br>07/25/08 | ERICA<br>CON %<br>07/25/08 | SETFA<br>CON %<br>07/25/08 | AMATA<br>CON %<br>07/25/08 | PHBPU<br>CON %<br>07/25/08 |
|------------|------------------------|----------------|------|----|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| 1A         | CHECK                  | 0.00           | NA   | 0  | 0                          | 0                          | 0                          | 0                          | 0                          | 0                          |
| 2A         | FLEXSTAR 1.88          | 0.294          | LAA  | 12 | 0                          | 99                         | 78                         | 60                         | 73                         | 52                         |
|            | B FUSION 2.56EC        | 0.24           | LAA  | 12 |                            |                            |                            |                            |                            |                            |
|            | C»MSO                  | 1.00           | PMV  | 12 |                            |                            |                            |                            |                            |                            |
|            | D 28% UAN              | 2.50           | PMV  | 12 |                            |                            |                            |                            |                            |                            |
| 3A»        | SONIC 70DF             | 0.14           | LAA  | 9  | 0                          | 99                         | 99                         | 77                         | 95                         | 73                         |
|            | B FLEXSTAR 1.88        | 0.294          | LAA  | 12 |                            |                            |                            |                            |                            |                            |
|            | C FUSION 2.56EC        | 0.24           | LAA  | 12 |                            |                            |                            |                            |                            |                            |
|            | D»MSO                  | 1.00           | PMV  | 12 |                            |                            |                            |                            |                            |                            |
|            | E 28% UAN              | 2.50           | PMV  | 12 |                            |                            |                            |                            |                            |                            |
| 4A»        | SONIC 70DF             | 0.28           | LAA  | 9  | 0                          | 99                         | 99                         | 92                         | 99                         | 89                         |
|            | B FLEXSTAR 1.88        | 0.294          | LAA  | 12 |                            |                            |                            |                            |                            |                            |
|            | C FUSION 2.56EC        | 0.24           | LAA  | 12 |                            |                            |                            |                            |                            |                            |
|            | D»MSO                  | 1.00           | PMV  | 12 |                            |                            |                            |                            |                            |                            |
|            | E 28% UAN              | 2.50           | PMV  | 12 |                            |                            |                            |                            |                            |                            |
| 5A         | CANOPY 75WG            | 0.14           | LAA  | 9  | 0                          | 99                         | 99                         | 72                         | 93                         | 72                         |
|            | B FLEXSTAR 1.88        | 0.294          | LAA  | 12 |                            |                            |                            |                            |                            |                            |
|            | C FUSION 2.56EC        | 0.24           | LAA  | 12 |                            |                            |                            |                            |                            |                            |
|            | D»MSO                  | 1.00           | PMV  | 12 |                            |                            |                            |                            |                            |                            |
|            | E 28% UAN              | 2.50           | PMV  | 12 |                            |                            |                            |                            |                            |                            |
| 6A         | CANOPY 75WG            | 0.28           | LAA  | 9  | 0                          | 99                         | 99                         | 88                         | 99                         | 88                         |
|            | B FLEXSTAR 1.88        | 0.294          | LAA  | 12 |                            |                            |                            |                            |                            |                            |
|            | C FUSION 2.56EC        | 0.24           | LAA  | 12 |                            |                            |                            |                            |                            |                            |
|            | D»MSO                  | 1.00           | PMV  | 12 |                            |                            |                            |                            |                            |                            |
|            | E 28% UAN              | 2.50           | PMV  | 12 |                            |                            |                            |                            |                            |                            |
| 7A         | PROWL H2O 3.8          | 0.59           | LAA  | 9  | 0                          | 99                         | 73                         | 70                         | 75                         | 62                         |
|            | B FLEXSTAR 1.88        | 0.294          | LAA  | 12 |                            |                            |                            |                            |                            |                            |
|            | C FUSION 2.56EC        | 0.24           | LAA  | 12 |                            |                            |                            |                            |                            |                            |
|            | D»MSO                  | 1.00           | PMV  | 12 |                            |                            |                            |                            |                            |                            |
|            | E 28% UAN              | 2.50           | PMV  | 12 |                            |                            |                            |                            |                            |                            |
| 8A         | PROWL H2O 3.8          | 1.19           | LAA  | 9  | 0                          | 99                         | 88                         | 81                         | 86                         | 75                         |
|            | B FLEXSTAR 1.88        | 0.294          | LAA  | 12 |                            |                            |                            |                            |                            |                            |
|            | C FUSION 2.56EC        | 0.24           | LAA  | 12 |                            |                            |                            |                            |                            |                            |
|            | D»MSO                  | 1.00           | PMV  | 12 |                            |                            |                            |                            |                            |                            |
|            | E 28% UAN              | 2.50           | PMV  | 12 |                            |                            |                            |                            |                            |                            |
| 9A»        | VALOR XLT 40WG         | 0.075          | LAA  | 0  | 0                          | 99                         | 99                         | 75                         | 95                         | 86                         |
|            | B VALOR 51WG           | 0.058          | LAA  | 9  |                            |                            |                            |                            |                            |                            |
|            | C CLASSIC 25WG         | 0.019          | LAA  | 9  |                            |                            |                            |                            |                            |                            |
|            | D FLEXSTAR 1.88        | 0.294          | LAA  | 12 |                            |                            |                            |                            |                            |                            |
|            | E FUSION 2.56EC        | 0.24           | LAA  | 12 |                            |                            |                            |                            |                            |                            |
|            | F»MSO                  | 1.00           | PMV  | 12 |                            |                            |                            |                            |                            |                            |
|            | G 28% UAN              | 2.50           | PMV  | 12 |                            |                            |                            |                            |                            |                            |
| 10A»       | VALOR XLT 40WG         | 0.125          | LAA  | 0  | 0                          | 99                         | 99                         | 88                         | 99                         | 94                         |
|            | B VALOR 51WG           | 0.093          | LAA  | 9  |                            |                            |                            |                            |                            |                            |
|            | C CLASSIC 25WG         | 0.032          | LAA  | 9  |                            |                            |                            |                            |                            |                            |
|            | D FLEXSTAR 1.88        | 0.294          | LAA  | 12 |                            |                            |                            |                            |                            |                            |
|            | E FUSION 2.56EC        | 0.24           | LAA  | 12 |                            |                            |                            |                            |                            |                            |
|            | F»MSO                  | 1.00           | PMV  | 12 |                            |                            |                            |                            |                            |                            |
|            | G 28% UAN              | 2.50           | PMV  | 12 |                            |                            |                            |                            |                            |                            |
| 11A        | PURSUIT +              | 0.45           | LAA  | 9  | 0                          | 99                         | 98                         | 88                         | 94                         | 87                         |
|            | B FLEXSTAR 1.88        | 0.294          | LAA  | 12 |                            |                            |                            |                            |                            |                            |
|            | C FUSION 2.56EC        | 0.24           | LAA  | 12 |                            |                            |                            |                            |                            |                            |
|            | D»MSO                  | 1.00           | PMV  | 12 |                            |                            |                            |                            |                            |                            |
|            | E 28% UAN              | 2.50           | PMV  | 12 |                            |                            |                            |                            |                            |                            |

TITLE: Herbicide Strategies for Weed Control in non-RR No-till Soybean. 261-68

| TRT                | TREATMENT        | DOSAGE |         | GLXMA    | STEME    | ERICA    | SETFA    | AMATA    | PHBPU    |
|--------------------|------------------|--------|---------|----------|----------|----------|----------|----------|----------|
| NUM                | COMPONENT        | RATE   | UNIT TM | CON %    | CON %    | CON %    | CON %    | CON %    | CON %    |
|                    |                  |        |         | 07/25/08 | 07/25/08 | 07/25/08 | 07/25/08 | 07/25/08 | 07/25/08 |
| 12A                | PURSUIT +        | 0.91   | LAA 9   | 0        | 99       | 98       | 83       | 88       | 83       |
|                    | B FLEXSTAR 1.88  | 0.294  | LAA 12  |          |          |          |          |          |          |
|                    | C FUSION 2.56EC  | 0.24   | LAA 12  |          |          |          |          |          |          |
|                    | D»MSO            | 1.00   | PMV 12  |          |          |          |          |          |          |
|                    | E 28% UAN        | 2.50   | PMV 12  |          |          |          |          |          |          |
| 13A»               | PREFIX 5.32SL    | 0.67   | LAA 9   | 0        | 99       | 99       | 85       | 93       | 73       |
|                    | B FLEXSTAR 1.88  | 0.294  | LAA 12  |          |          |          |          |          |          |
|                    | C FUSION 2.56EC  | 0.24   | LAA 12  |          |          |          |          |          |          |
|                    | D»MSO            | 1.00   | PMV 12  |          |          |          |          |          |          |
|                    | E 28% UAN        | 2.50   | PMV 12  |          |          |          |          |          |          |
| 14A»               | PREFIX 5.32SL    | 1.33   | LAA 9   | 0        | 99       | 99       | 95       | 99       | 89       |
|                    | B FLEXSTAR 1.88  | 0.294  | LAA 12  |          |          |          |          |          |          |
|                    | C FUSION 2.56EC  | 0.24   | LAA 12  |          |          |          |          |          |          |
|                    | D»MSO            | 1.00   | PMV 12  |          |          |          |          |          |          |
|                    | E 28% UAN        | 2.50   | PMV 12  |          |          |          |          |          |          |
| 15A                | CLASSIC 25WG     | 0.02   | LAA 9   | 0        | 99       | 98       | 87       | 98       | 93       |
|                    | B HARMONY GT     | 0.0065 | LAA 9   |          |          |          |          |          |          |
|                    | C VALOR 51WG     | 0.063  | LAA 9   |          |          |          |          |          |          |
|                    | D FLEXSTAR 1.88  | 0.294  | LAA 12  |          |          |          |          |          |          |
|                    | E FUSION 2.56EC  | 0.24   | LAA 12  |          |          |          |          |          |          |
|                    | F»MSO            | 1.00   | PMV 12  |          |          |          |          |          |          |
|                    | G 28% UAN        | 2.50   | PMV 12  |          |          |          |          |          |          |
| 16A»               | WEED FREE        | 0.00   | NA 0    | 0        | 99       | 99       | 99       | 99       | 99       |
|                    | B DUAL II MAGNUM | 1.91   | LAA 9   |          |          |          |          |          |          |
|                    | C AUTHORITY 75WG | 0.20   | LAA 9   |          |          |          |          |          |          |
|                    | D CLASSIC 25WG   | 0.04   | LAA 9   |          |          |          |          |          |          |
|                    | E»WEATHERMAX 4.5 | 0.75   | LAA 12  |          |          |          |          |          |          |
|                    | F»N-PAK AMS      | 2.50   | PMV 12  |          |          |          |          |          |          |
| LSD (0.05)         |                  |        |         | 0.00     | 0.00     | 5.63     | 15.34    | 9.40     | 12.60    |
| STANDARD DEVIATION |                  |        |         | 0.00     | 0.00     | 2.76     | 7.51     | 4.60     | 6.17     |

**TITLE:** Herbicide Strategies for Weed Control in non-RR No-till Soybean. 261-68  
**CREATED:** 05/12/2008 **REVISED:** 11/10/2008 **COMPLETED:** N  
**PROJECT TYPE:** HERBICIDE  
**LOCATION:** Urbana **RESEARCHED BY:** UNIV. OF ILL  
**DESIGN:** RANDOMIZED COMPLETE BLOCK DESIGN  
**PLOT SIZE:** 10.00 FT WIDE X 30.00 FT LONG  
**PLOT AREA:** 300.00 SFT

REPS: 03

| TRT<br>NUM | TREATMENT<br>COMPONENT | DOSAGE |      | YIELD<br>TM | YIELD<br>BU/A<br>10/17/08 |
|------------|------------------------|--------|------|-------------|---------------------------|
|            |                        | RATE   | UNIT |             |                           |
| 1A         | CHECK                  | 0.00   | NA   | 0           | 32.8                      |
| 2A         | FLEXSTAR 1.88          | 0.294  | LAA  | 12          | 51.2                      |
|            | B FUSION 2.56EC        | 0.24   | LAA  | 12          |                           |
|            | C»MSO                  | 1.00   | PMV  | 12          |                           |
|            | D 28% UAN              | 2.50   | PMV  | 12          |                           |
| 3A»        | SONIC 70DF             | 0.14   | LAA  | 9           | 56.2                      |
|            | B FLEXSTAR 1.88        | 0.294  | LAA  | 12          |                           |
|            | C FUSION 2.56EC        | 0.24   | LAA  | 12          |                           |
|            | D»MSO                  | 1.00   | PMV  | 12          |                           |
|            | E 28% UAN              | 2.50   | PMV  | 12          |                           |
| 4A»        | SONIC 70DF             | 0.28   | LAA  | 9           | 58.1                      |
|            | B FLEXSTAR 1.88        | 0.294  | LAA  | 12          |                           |
|            | C FUSION 2.56EC        | 0.24   | LAA  | 12          |                           |
|            | D»MSO                  | 1.00   | PMV  | 12          |                           |
|            | E 28% UAN              | 2.50   | PMV  | 12          |                           |
| 5A         | CANOPY 75WG            | 0.14   | LAA  | 9           | 56.3                      |
|            | B FLEXSTAR 1.88        | 0.294  | LAA  | 12          |                           |
|            | C FUSION 2.56EC        | 0.24   | LAA  | 12          |                           |
|            | D»MSO                  | 1.00   | PMV  | 12          |                           |
|            | E 28% UAN              | 2.50   | PMV  | 12          |                           |
| 6A         | CANOPY 75WG            | 0.28   | LAA  | 9           | 60.4                      |
|            | B FLEXSTAR 1.88        | 0.294  | LAA  | 12          |                           |
|            | C FUSION 2.56EC        | 0.24   | LAA  | 12          |                           |
|            | D»MSO                  | 1.00   | PMV  | 12          |                           |
|            | E 28% UAN              | 2.50   | PMV  | 12          |                           |
| 7A         | PROWL H2O 3.8          | 0.59   | LAA  | 9           | 58.7                      |
|            | B FLEXSTAR 1.88        | 0.294  | LAA  | 12          |                           |
|            | C FUSION 2.56EC        | 0.24   | LAA  | 12          |                           |
|            | D»MSO                  | 1.00   | PMV  | 12          |                           |
|            | E 28% UAN              | 2.50   | PMV  | 12          |                           |
| 8A         | PROWL H2O 3.8          | 1.19   | LAA  | 9           | 60.1                      |
|            | B FLEXSTAR 1.88        | 0.294  | LAA  | 12          |                           |
|            | C FUSION 2.56EC        | 0.24   | LAA  | 12          |                           |
|            | D»MSO                  | 1.00   | PMV  | 12          |                           |
|            | E 28% UAN              | 2.50   | PMV  | 12          |                           |
| 9A»        | VALOR XLT 40WG         | 0.075  | LAA  | 0           | 57.1                      |
|            | B VALOR 51WG           | 0.058  | LAA  | 9           |                           |
|            | C CLASSIC 25WG         | 0.019  | LAA  | 9           |                           |
|            | D FLEXSTAR 1.88        | 0.294  | LAA  | 12          |                           |
|            | E FUSION 2.56EC        | 0.24   | LAA  | 12          |                           |
|            | F»MSO                  | 1.00   | PMV  | 12          |                           |
|            | G 28% UAN              | 2.50   | PMV  | 12          |                           |
| 10A»       | VALOR XLT 40WG         | 0.125  | LAA  | 0           | 54.9                      |
|            | B VALOR 51WG           | 0.093  | LAA  | 9           |                           |
|            | C CLASSIC 25WG         | 0.032  | LAA  | 9           |                           |
|            | D FLEXSTAR 1.88        | 0.294  | LAA  | 12          |                           |
|            | E FUSION 2.56EC        | 0.24   | LAA  | 12          |                           |
|            | F»MSO                  | 1.00   | PMV  | 12          |                           |
|            | G 28% UAN              | 2.50   | PMV  | 12          |                           |
| 11A        | PURSUIT +              | 0.45   | LAA  | 9           | 57.5                      |
|            | B FLEXSTAR 1.88        | 0.294  | LAA  | 12          |                           |
|            | C FUSION 2.56EC        | 0.24   | LAA  | 12          |                           |
|            | D»MSO                  | 1.00   | PMV  | 12          |                           |
|            | E 28% UAN              | 2.50   | PMV  | 12          |                           |

TITLE: Herbicide Strategies for Weed Control in non-RR No-till Soybean. 261-68

| TRT                | TREATMENT        | DOSAGE | YIELD |    |          |
|--------------------|------------------|--------|-------|----|----------|
| NUM                | COMPONENT        | RATE   | UNIT  | TM | 10/17/08 |
| 12A                | PURSUIT +        | 0.91   | LAA   | 9  | 58.0     |
|                    | B FLEXSTAR 1.88  | 0.294  | LAA   | 12 |          |
|                    | C FUSION 2.56EC  | 0.24   | LAA   | 12 |          |
|                    | D»MSO            | 1.00   | PMV   | 12 |          |
|                    | E 28% UAN        | 2.50   | PMV   | 12 |          |
| 13A»               | PREFIX 5.32SL    | 0.67   | LAA   | 9  | 55.8     |
|                    | B FLEXSTAR 1.88  | 0.294  | LAA   | 12 |          |
|                    | C FUSION 2.56EC  | 0.24   | LAA   | 12 |          |
|                    | D»MSO            | 1.00   | PMV   | 12 |          |
|                    | E 28% UAN        | 2.50   | PMV   | 12 |          |
| 14A»               | PREFIX 5.32SL    | 1.33   | LAA   | 9  | 59.2     |
|                    | B FLEXSTAR 1.88  | 0.294  | LAA   | 12 |          |
|                    | C FUSION 2.56EC  | 0.24   | LAA   | 12 |          |
|                    | D»MSO            | 1.00   | PMV   | 12 |          |
|                    | E 28% UAN        | 2.50   | PMV   | 12 |          |
| 15A                | CLASSIC 25WG     | 0.02   | LAA   | 9  | 58.5     |
|                    | B HARMONY GT     | 0.0065 | LAA   | 9  |          |
|                    | C VALOR 51WG     | 0.063  | LAA   | 9  |          |
|                    | D FLEXSTAR 1.88  | 0.294  | LAA   | 12 |          |
|                    | E FUSION 2.56EC  | 0.24   | LAA   | 12 |          |
|                    | F»MSO            | 1.00   | PMV   | 12 |          |
|                    | G 28% UAN        | 2.50   | PMV   | 12 |          |
| 16A»               | WEED FREE        | 0.00   | NA    | 0  | 60.4     |
|                    | B DUAL II MAGNUM | 1.91   | LAA   | 9  |          |
|                    | C AUTHORITY 75WG | 0.20   | LAA   | 9  |          |
|                    | D CLASSIC 25WG   | 0.04   | LAA   | 9  |          |
|                    | E»WEATHERMAX 4.5 | 0.75   | LAA   | 12 |          |
|                    | F»N-PAK AMS      | 2.50   | PMV   | 12 |          |
| LSD (0.05)         |                  |        |       |    | 7.62     |
| STANDARD DEVIATION |                  |        |       |    | 3.73     |

» = SUPPLEMENTAL CHEMICAL

---,M,C,D = MISSING DATA

## \* TIMING CODES

00 = ----- / UNTREATED TIMING

09 = ----- / PREEMERGENCE 05/30/2008(1)

12 = ----- / POST 06/27/2008(2)

| H#  | CUSTOM#1 | CUSTOM#2 | EV. DATE   | S# | TYP | SPECIE | STAGE | RAW | PRT | SYM | MTH | CNF | BASIS   | C.M | CTRT | SS | NOTE |
|-----|----------|----------|------------|----|-----|--------|-------|-----|-----|-----|-----|-----|---------|-----|------|----|------|
| 001 | GLXMA    | CON %    | 06/26/2008 | 01 | P   | GLXMA  |       | RAW | ALL | CON | %   | --- | 1.00 PL | NO  | 0001 | 0  | N    |
| 002 | STEME    | CON %    | 06/26/2008 | 02 | P   | STEME  |       | RAW | ALL | CON | %   | --- | 1.00 PL | NO  | 0001 | 0  | N    |
| 003 | ERICA    | CON %    | 06/26/2008 | 03 | P   | ERICA  |       | RAW | ALL | CON | %   | --- | 1.00 PL | NO  | 0001 | 0  | N    |
| 004 | SETFA    | CON %    | 06/26/2008 | 04 | P   | SETFA  |       | RAW | ALL | CON | %   | --- | 1.00 PL | NO  | 0001 | 0  | N    |
| 005 | AMATA    | CON %    | 06/26/2008 | 05 | P   | AMATA  |       | RAW | ALL | CON | %   | --- | 1.00 PL | NO  | 0001 | 0  | N    |
| 006 | PHBPU    | CON %    | 06/26/2008 | 06 | P   | PHBPU  |       | RAW | ALL | CON | %   | --- | 1.00 PL | NO  | 0001 | 0  | N    |
| 007 | GLXMA    | CON %    | 07/10/2008 | 01 | P   | GLXMA  |       | RAW | ALL | CON | %   | --- | 1.00 PL | NO  | 0001 | 0  | N    |
| 008 | STEME    | CON %    | 07/10/2008 | 02 | P   | STEME  |       | RAW | ALL | CON | %   | --- | 1.00 PL | NO  | 0001 | 0  | N    |
| 009 | ERICA    | CON %    | 07/10/2008 | 03 | P   | ERICA  |       | RAW | ALL | CON | %   | --- | 1.00 PL | NO  | 0001 | 0  | N    |
| 010 | SETFA    | CON %    | 07/10/2008 | 04 | P   | SETFA  |       | RAW | ALL | CON | %   | --- | 1.00 PL | NO  | 0001 | 0  | N    |
| 011 | AMATA    | CON %    | 07/10/2008 | 05 | P   | AMATA  |       | RAW | ALL | CON | %   | --- | 1.00 PL | NO  | 0001 | 0  | N    |
| 012 | PHBPU    | CON %    | 07/10/2008 | 06 | P   | PHBPU  |       | RAW | ALL | CON | %   | --- | 1.00 PL | NO  | 0001 | 0  | N    |
| 013 | GLXMA    | CON %    | 07/25/2008 | 01 | P   | GLXMA  |       | RAW | ALL | CON | %   | --- | 1.00 PL | NO  | 0001 | 0  | N    |
| 014 | STEME    | CON %    | 07/25/2008 | 02 | P   | STEME  |       | RAW | ALL | CON | %   | --- | 1.00 PL | NO  | 0001 | 0  | N    |
| 015 | ERICA    | CON %    | 07/25/2008 | 03 | P   | ERICA  |       | RAW | ALL | CON | %   | --- | 1.00 PL | NO  | 0001 | 0  | N    |
| 016 | SETFA    | CON %    | 07/25/2008 | 04 | P   | SETFA  |       | RAW | ALL | CON | %   | --- | 1.00 PL | NO  | 0001 | 0  | N    |
| 017 | AMATA    | CON %    | 07/25/2008 | 05 | P   | AMATA  |       | RAW | ALL | CON | %   | --- | 1.00 PL | NO  | 0001 | 0  | N    |
| 018 | PHBPU    | CON %    | 07/25/2008 | 06 | P   | PHBPU  |       | RAW | ALL | CON | %   | --- | 1.00 PL | NO  | 0001 | 0  | N    |
| 019 | YIELD    | BU/A     | 10/17/2008 | 01 | P   | GLXMA  |       | RAW | ALL | CON | %   | --- | 1.00 PL | NO  | 0001 | 0  | N    |

## \* SPECIES COMMON NAME - VARIETY/SPECIE INFO (IF APPLICABLE)

01 = ASGROW 3302 RR/STS