

## SOIL INFORMATION

## TRIAL INFORMATION

TEXTURE: SIL  
PH: 6.2  
%OM: 4.7  
PREV. CROP: GLXMA - SOYBEAN  
%RESIDUE:  
PLOT WIDTH: 7.5 X 30 FEET

DESIGN: RCB  
REPS: 3

APPL. NUMBER	01	02	03	UNIT
TIMINGS	06	09	12	
TYPE	LIQMXSPR	LIQMXSPR	LIQMXSPR	
APPLICATION DATE	04/30/99	05/04/99	06/04/99	AME
AIR TEMPERATURE	62	75	73	F
% REL. HUMIDITY	42	55	60	
WIND DIRECTION	NORTH	SOUTH	SOUTHWEST	
WIND SPEED	7.0	12.0	3.0	M/H
CLOUD COVER	CLEAR	PARTCLDY	PARTCLDY	
DEW	NO	NO	NO	
SOIL MOISTURE	DRY/MOIST	DRY/MOIST	DRY/MOIST	
SOIL CONDITION	---	---	---	
METHOD	SPRAY	SPRAY	SPRAY	
EQUIPMENT	SPRBAC	SPRBAC	SPRBAC	
PROPELLANT	COMPRSCO2	COMPRSCO2	COMPRSCO2	
PLACEMENT	BROADCAST	BROADCAST	BROADCAST	
NOZZLE	FLATFAN	FLATFAN	FLATFAN	
NOZZLE NUMBER	5	5	5	
NOZZLE SPACING	18.000	18.000	18.000	IN
SWATH WIDTH	7.5	7.5	7.5	FT
SPRAY VOLUME	20.00	20.00	20.00	
VOLUME UNIT	GPA	GPA	GPA	
PRESSURE	30.00	30.00	30.00	PSI
DILUENT	WATER	WATER	WATER	
INC. DATE				AME
INC. START				24H
INC. END				24H
INC. DEPTH				IN
INC. EQUIPMENT				
DEN/ STG/ MINMAXSZ				
*** CROP ***				
CORN, DENT			---/13	
DEKALB 589RR			10.0/12.0	IN
05/04/1999				
*** PEST ***				
VELVETLEAF	---/00		---/12	
	/		1.00/2.00	IN
SHEPHERDSPURSE	---/19		---/19	
	4.00/8.00		6.00/12.0	IN
FOXTAIL, GIANT	---/01		---/13	
	/		1.00/4.00	IN
CHICKWEED, COMMO	---/19		---/19	
	3.00/6.00		4.00/8.00	IN
DANDELION, COMMO	---/19		---/19	
	3.00/5.00		4.00/8.00	IN

## \* TIMING CODES

06 = ----- / EPP 7DBP  
09 = ----- / PREEMERGENCE  
12 = ----- / POST

## \* STAGE CODE

00 = DRY SEED; DORMANCY  
01 = BEGINNING OF IMBIBITION  
12 = 2ND TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED  
13 = 3 LEAVES UNFOLDED  
19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

**TITLE:** CNT7DBP EPP SYSTEMS IN NO-TILL RREADY CORN C-600W  
**CREATED:** 04/02/1999 **REVISED:** 08/02/1999 **COMPLETED:** N  
**PROJECT TYPE:** HERBICIDE  
**LOCATION:** URBANA **RESEARCHED BY:** UNIV. OF ILL  
**DESIGN:** RANDOMIZED COMPLETE BLOCK DESIGN  
**PLOT SIZE:** 7.50 FT WIDE X 30.00 FT LONG **REPS:** 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	STEME	TAROF	CAPBP	STEME	TAROF	CAPBP
		RATE	UNIT		CON % 05/14/99	CON % 05/14/99	CON % 05/14/99	CON % 06/04/99	CON % 06/04/99	CON % 06/04/99
1A	»EPIC 58DF	0.54	LAA	6	68	81	78	93	73	87
B	»COC	1.00	PMV	6						
2A	»EPIC 58DF	0.435	LAA	6	87	89	89	99	83	99
B	»ATRAZINE DF	1.35	LAA	6						
C	»COC	1.00	PMV	6						
3A	»EPIC 58DF	0.435	LAA	6	94	94	93	99	93	99
B	»(G)2,4-D-ESTER	0.50	LAA	6						
C	»COC	1.00	PMV	6						
4A	»EPIC 58DF	0.435	LAA	6	99	96	97	99	97	99
B	»ATRAZINE DF	1.35	LAA	6						
C	»2,4-D LVE	0.50	LAA	6						
D	»COC	1.00	PMV	6						
5A	CHECK	0.00	NA	0	0	0	0	0	0	0
6A	»AXIOM	0.89	LAA	6	90	85	83	88	77	91
B	»ROUNDUP ULTRA	0.56	LAA	6						
C	»AM. SULFATE	17.00	PMG	6						
D	»HORNET 85.6WG	0.128	LAA	12						
7A	»AXIOM	0.81	LAA	6	96	91	91	99	91	99
B	»ROUNDUP ULTRA	0.56	LAA	6						
C	»ATRAZINE DF	1.35	LAA	6						
D	»AM. SULFATE	17.00	PMG	6						
8A	»BICEP II MAGNU	2.88	LAA	6	98	95	97	99	91	99
B	»HORNET 85.6WG	0.128	LAA	6						
C	»ROUNDUP ULTRA	0.56	LAA	6						
D	»AM. SULFATE	17.00	PMG	6						
9A	»BICEP II MAGNU	2.88	LAA	6	99	95	97	99	97	99
B	»PYTHON 80WG	0.04	LAA	6						
C	»ROUNDUP ULTRA	0.56	LAA	6						
D	»AM. SULFATE	17.00	PMG	6						
10A	»BICEP II MAGNU	2.88	LAA	6	99	93	94	99	94	99
B	»ROUNDUP ULTRA	0.56	LAA	6						
C	»AM. SULFATE	17.00	PMG	6						
11A	»BASIS	0.016	LAA	6	93	72	80	99	76	99
B	»LEADOFF 5SE	2.81	LAA	6						
C	»COC	1.00	PMV	6						
12A	»BASIS	0.016	LAA	6	96	95	93	99	89	99
B	»LEADOFF 5SE	0.94	LAA	6						
C	»2,4-D LVE	0.50	LAA	6						
D	»COC	1.00	PMV	6						
E	»BASIS GOLD 90D	0.78	LAA	12						
F	»COC	1.00	PMV	12						
G	»28% UAN	2.50	PMV	12						
13A	»BASIS	0.016	LAA	6	97	96	97	99	86	99
B	»SHOTGUN	1.02	LAA	6						
C	»COC	1.00	PMV	6						
D	»BASIS GOLD 90D	0.78	LAA	12						
E	»COC	1.00	PMV	12						
F	»28% UAN	2.50	PMV	12						
14A	»BICEP II MAGNU	2.88	LAA	6	99	96	99	99	93	99
B	»2,4-D LVE	0.50	LAA	6						
C	»ROUNDUP ULTRA	0.38	LAA	6						
D	»AM. SULFATE	17.00	PMG	6						
15A	»BICEP II MAGNU	2.88	LAA	6	99	97	99	99	95	99
B	»PRINCEP 4L	1.00	LAA	6						
C	»2,4-D LVE	0.50	LAA	6						
D	»ROUNDUP ULTRA	0.38	LAA	6						
E	»AM. SULFATE	17.00	PMG	6						

## TITLE: CNT7DBP EPP SYSTEMS IN NO-TILL RREADY CORN C-600W

TRT NUM	TREATMENT COMPONENT	DOSAGE		STEME CON % 05/14/99	TAROF CON % 05/14/99	CAPBP CON % 05/14/99	STEME CON % 06/04/99	TAROF CON % 06/04/99	CAPBP CON % 06/04/99
		RATE	UNIT TM						
16A	ROUNDUP ULTRA	0.38	LAA 6	94	80	72	99	86	95
	B AM. SULFATE	17.00	PMG 6						
	C ROUNDUP ULTRA	0.38	LAA 12						
	D AM. SULFATE	17.00	PMG 12						
17A	»FIELDMASTER 4.	4.25	LAA 6	98	88	92	99	93	99
18A	»GUARDSMAN	2.80	LAA 9	98	87	93	99	73	99
	B GRAMOXONE XTRA	0.78	LAA 9						
	C»2,4-D LVE	0.50	LAA 9						
	D»ACTIVATE PLUS	0.25	PMV 9						
19A	»FULTIME 4SC	3.25	LAA 9	98	87	93	99	60	91
	B GRAMOXONE XTRA	0.78	LAA 9						
	C»2,4-D LVE	0.50	LAA 9						
	D»ACTIVATE PLUS	0.25	PMV 9						
20A	»FULTIME 4SC	3.50	LAA 9	99	95	98	99	79	99
	B GRAMOXONE XTRA	0.78	LAA 9						
	C»2,4-D LVE	0.50	LAA 9						
	D»ACTIVATE PLUS	0.25	PMV 9						
21A	»FULTIME 4SC	3.75	LAA 9	99	95	97	99	85	99
	B GRAMOXONE XTRA	0.78	LAA 9						
	C»2,4-D LVE	0.50	LAA 9						
	D»ACTIVATE PLUS	0.25	PMV 9						
22A	»BICEP II MAGNU	2.88	LAA 9	98	87	93	99	57	96
	B GRAMOXONE XTRA	0.78	LAA 9						
	C»2,4-D LVE	0.50	LAA 9						
	D»ACTIVATE PLUS	0.25	PMV 9						
23A	»ICIA5676/ZA129	2.19	LAA 9	80	65	62	99	85	93
	B»COC	1.25	PMV 9						
24A	»ICIA5676/ZA129	2.19	LAA 9	98	85	88	99	94	98
	B»TOUCHDOWN 5 (5	0.75	LAA 9						
	C AM. SULFATE	17.00	PMG 9						
25A	»ICIA5676/ZA129	2.19	LAA 9	99	96	96	99	97	99
	B»TOUCHDOWN 5 (5	0.75	LAA 9						
	C»2,4-D LVE	0.50	LAA 9						
	D AM. SULFATE	17.00	PMG 9						
26A	»ICIA5676/ZA129	2.19	LAA 9	99	91	96	99	86	99
	B GRAMOXONE XTRA	0.63	LAA 9						
	C»ACTIVATE PLUS	0.25	PMV 9						
27A	»ICIA5676/ZA129	2.19	LAA 9	99	95	97	98	92	99
	B GRAMOXONE XTRA	0.63	LAA 9						
	C»2,4-D LVE	0.50	LAA 9						
	D»ACTIVATE PLUS	0.25	PMV 9						
		LSD (0.05)		4.19	5.73	6.13	3.83	8.25	4.17
		STANDARD DEVIATION		2.10	2.87	3.06	1.92	4.13	2.09

**TITLE:** CNT7DBP EPP SYSTEMS IN NO-TILL RREADY CORN C-600W  
**CREATED:** 04/02/1999 **REVISED:** 08/02/1999 **COMPLETED:** N  
**PROJECT TYPE:** HERBICIDE  
**LOCATION:** URBANA **RESEARCHED BY:** UNIV. OF ILL  
**DESIGN:** RANDOMIZED COMPLETE BLOCK DESIGN  
**PLOT SIZE:** 7.50 FT WIDE X 30.00 FT LONG **REPS:** 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	ZEAMD	STEME	TAROF	CAPBP	SETFA	ABUTH
		RATE	UNIT		CON % 06/17/99	CON % 06/17/99	CON % 06/17/99	CON % 06/17/99	CON % 06/17/99	CON % 06/17/99
1A	»EPIC 58DF	0.54	LAA	6	0	86	47	82	87	92
B	»COC	1.00	PMV	6						
2A	»EPIC 58DF	0.435	LAA	6	0	93	80	92	88	85
B	»ATRAZINE DF	1.35	LAA	6						
C	»COC	1.00	PMV	6						
3A	»EPIC 58DF	0.435	LAA	6	0	96	85	95	88	83
B	»(G)2,4-D-ESTER	0.50	LAA	6						
C	»COC	1.00	PMV	6						
4A	»EPIC 58DF	0.435	LAA	6	0	99	90	98	93	93
B	»ATRAZINE DF	1.35	LAA	6						
C	»2,4-D LVE	0.50	LAA	6						
D	»COC	1.00	PMV	6						
5A	CHECK	0.00	NA	0	0	0	0	0	0	0
6A	»AXIOM	0.89	LAA	6	0	99	92	99	93	91
B	»ROUNDUP ULTRA	0.56	LAA	6						
C	»AM. SULFATE	17.00	PMG	6						
D	»HORNET 85.6WG	0.128	LAA	12						
7A	»AXIOM	0.81	LAA	6	0	99	88	98	89	63
B	»ROUNDUP ULTRA	0.56	LAA	6						
C	»ATRAZINE DF	1.35	LAA	6						
D	»AM. SULFATE	17.00	PMG	6						
8A	»BICEP II MAGNU	2.88	LAA	6	0	99	89	98	85	68
B	»HORNET 85.6WG	0.128	LAA	6						
C	»ROUNDUP ULTRA	0.56	LAA	6						
D	»AM. SULFATE	17.00	PMG	6						
9A	»BICEP II MAGNU	2.88	LAA	6	0	99	89	99	84	84
B	»PYTHON 80WG	0.04	LAA	6						
C	»ROUNDUP ULTRA	0.56	LAA	6						
D	»AM. SULFATE	17.00	PMG	6						
10A	»BICEP II MAGNU	2.88	LAA	6	0	99	84	96	94	50
B	»ROUNDUP ULTRA	0.56	LAA	6						
C	»AM. SULFATE	17.00	PMG	6						
11A	»BASIS	0.016	LAA	6	0	95	53	75	77	47
B	»LEADOFF 5SE	2.81	LAA	6						
C	»COC	1.00	PMV	6						
12A	»BASIS	0.016	LAA	6	0	99	98	99	96	91
B	»LEADOFF 5SE	0.94	LAA	6						
C	»2,4-D LVE	0.50	LAA	6						
D	»COC	1.00	PMV	6						
E	»BASIS GOLD 90D	0.78	LAA	12						
F	»COC	1.00	PMV	12						
G	»28% UAN	2.50	PMV	12						
13A	»BASIS	0.016	LAA	6	0	96	97	96	95	87
B	»SHOTGUN	1.02	LAA	6						
C	»COC	1.00	PMV	6						
D	»BASIS GOLD 90D	0.78	LAA	12						
E	»COC	1.00	PMV	12						
F	»28% UAN	2.50	PMV	12						
14A	»BICEP II MAGNU	2.88	LAA	6	0	96	90	99	89	50
B	»2,4-D LVE	0.50	LAA	6						
C	»ROUNDUP ULTRA	0.38	LAA	6						
D	»AM. SULFATE	17.00	PMG	6						
15A	»BICEP II MAGNU	2.88	LAA	6	0	99	95	99	89	40
B	»PRINCEP 4L	1.00	LAA	6						
C	»2,4-D LVE	0.50	LAA	6						
D	»ROUNDUP ULTRA	0.38	LAA	6						
E	»AM. SULFATE	17.00	PMG	6						

## TITLE: CNT7DBP EPP SYSTEMS IN NO-TILL RREADY CORN C-600W

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	ZEAMD	STEME	TAROF	CAPBP	SETFA	ABUTH
		RATE	UNIT		CON % 06/17/99	CON % 06/17/99	CON % 06/17/99	CON % 06/17/99	CON % 06/17/99	CON % 06/17/99
16A	ROUNDUP ULTRA	0.38	LAA	6	0	99	91	99	92	67
	B AM. SULFATE	17.00	PMG	6						
	C ROUNDUP ULTRA	0.38	LAA	12						
	D AM. SULFATE	17.00	PMG	12						
17A	»FIELDMASTER 4.	4.25	LAA	6	0	99	88	94	85	57
18A	»GUARDSMAN	2.80	LAA	9	0	99	63	96	85	67
	B GRAMOXONE XTRA	0.78	LAA	9						
	C»2,4-D LVE	0.50	LAA	9						
	D»ACTIVATE PLUS	0.25	PMV	9						
19A	»FULTIME 4SC	3.25	LAA	9	0	91	73	87	84	67
	B GRAMOXONE XTRA	0.78	LAA	9						
	C»2,4-D LVE	0.50	LAA	9						
	D»ACTIVATE PLUS	0.25	PMV	9						
20A	»FULTIME 4SC	3.50	LAA	9	0	99	53	95	89	78
	B GRAMOXONE XTRA	0.78	LAA	9						
	C»2,4-D LVE	0.50	LAA	9						
	D»ACTIVATE PLUS	0.25	PMV	9						
21A	»FULTIME 4SC	3.75	LAA	9	0	99	65	98	91	73
	B GRAMOXONE XTRA	0.78	LAA	9						
	C»2,4-D LVE	0.50	LAA	9						
	D»ACTIVATE PLUS	0.25	PMV	9						
22A	»BICEP II MAGNU	2.88	LAA	9	0	99	50	88	89	53
	B GRAMOXONE XTRA	0.78	LAA	9						
	C»2,4-D LVE	0.50	LAA	9						
	D»ACTIVATE PLUS	0.25	PMV	9						
23A	»ICIA5676/ZA129	2.19	LAA	9	0	99	84	99	92	99
	B»COC	1.25	PMV	9						
24A	»ICIA5676/ZA129	2.19	LAA	9	0	99	83	99	93	99
	B»TOUCHDOWN 5 (5	0.75	LAA	9						
	C AM. SULFATE	17.00	PMG	9						
25A	»ICIA5676/ZA129	2.19	LAA	9	0	99	97	99	93	99
	B»TOUCHDOWN 5 (5	0.75	LAA	9						
	C»2,4-D LVE	0.50	LAA	9						
	D AM. SULFATE	17.00	PMG	9						
26A	»ICIA5676/ZA129	2.19	LAA	9	0	99	85	99	93	99
	B GRAMOXONE XTRA	0.63	LAA	9						
	C»ACTIVATE PLUS	0.25	PMV	9						
27A	»ICIA5676/ZA129	2.19	LAA	9	0	99	87	99	88	99
	B GRAMOXONE XTRA	0.63	LAA	9						
	C»2,4-D LVE	0.50	LAA	9						
	D»ACTIVATE PLUS	0.25	PMV	9						
		LSD (0.05)			0.00	5.67	10.32	7.20	6.00	9.35
		STANDARD DEVIATION			0.00	2.84	5.16	3.60	3.00	4.68

**TITLE:** CNT7DBP EPP SYSTEMS IN NO-TILL RREADY CORN C-600W  
**CREATED:** 04/02/1999 **REVISED:** 08/02/1999 **COMPLETED:** N  
**PROJECT TYPE:** HERBICIDE  
**LOCATION:** URBANA **RESEARCHED BY:** UNIV. OF ILL  
**DESIGN:** RANDOMIZED COMPLETE BLOCK DESIGN  
**PLOT SIZE:** 7.50 FT WIDE X 30.00 FT LONG **REPS:** 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	ZEAMD	STEME	TAROF	CAPBP	SETFA	ABUTH
		RATE	UNIT		CON % 07/01/99	CON % 07/01/99	CON % 07/01/99	CON % 07/01/99	CON % 07/01/99	CON % 07/01/99
1A	»EPIC 58DF	0.54	LAA	6	0	99	43	67	78	95
B	»COC	1.00	PMV	6						
2A	»EPIC 58DF	0.435	LAA	6	0	99	68	79	87	95
B	»ATRAZINE DF	1.35	LAA	6						
C	»COC	1.00	PMV	6						
3A	»EPIC 58DF	0.435	LAA	6	0	99	78	98	96	98
B	»(G)2,4-D-ESTER	0.50	LAA	6						
C	»COC	1.00	PMV	6						
4A	»EPIC 58DF	0.435	LAA	6	0	99	91	99	97	99
B	»ATRAZINE DF	1.35	LAA	6						
C	»2,4-D LVE	0.50	LAA	6						
D	»COC	1.00	PMV	6						
5A	CHECK	0.00	NA	0	0	0	0	0	0	0
6A	»AXIOM	0.89	LAA	6	0	99	89	99	94	92
B	»ROUNDUP ULTRA	0.56	LAA	6						
C	»AM. SULFATE	17.00	PMG	6						
D	»HORNET 85.6WG	0.128	LAA	12						
7A	»AXIOM	0.81	LAA	6	0	99	89	99	96	80
B	»ROUNDUP ULTRA	0.56	LAA	6						
C	»ATRAZINE DF	1.35	LAA	6						
D	»AM. SULFATE	17.00	PMG	6						
8A	»BICEP II MAGNU	2.88	LAA	6	0	99	80	99	96	77
B	»HORNET 85.6WG	0.128	LAA	6						
C	»ROUNDUP ULTRA	0.56	LAA	6						
D	»AM. SULFATE	17.00	PMG	6						
9A	»BICEP II MAGNU	2.88	LAA	6	0	99	85	99	96	85
B	»PYTHON 80WG	0.04	LAA	6						
C	»ROUNDUP ULTRA	0.56	LAA	6						
D	»AM. SULFATE	17.00	PMG	6						
10A	»BICEP II MAGNU	2.88	LAA	6	0	99	78	99	95	60
B	»ROUNDUP ULTRA	0.56	LAA	6						
C	»AM. SULFATE	17.00	PMG	6						
11A	»BASIS	0.016	LAA	6	0	99	68	85	94	62
B	»LEADOFF 5SE	2.81	LAA	6						
C	»COC	1.00	PMV	6						
12A	»BASIS	0.016	LAA	6	0	99	94	99	96	89
B	»LEADOFF 5SE	0.94	LAA	6						
C	»2,4-D LVE	0.50	LAA	6						
D	»COC	1.00	PMV	6						
E	»BASIS GOLD 90D	0.78	LAA	12						
F	»COC	1.00	PMV	12						
G	»28% UAN	2.50	PMV	12						
13A	»BASIS	0.016	LAA	6	0	99	94	99	96	87
B	»SHOTGUN	1.02	LAA	6						
C	»COC	1.00	PMV	6						
D	»BASIS GOLD 90D	0.78	LAA	12						
E	»COC	1.00	PMV	12						
F	»28% UAN	2.50	PMV	12						
14A	»BICEP II MAGNU	2.88	LAA	6	0	99	89	99	94	60
B	»2,4-D LVE	0.50	LAA	6						
C	»ROUNDUP ULTRA	0.38	LAA	6						
D	»AM. SULFATE	17.00	PMG	6						
15A	»BICEP II MAGNU	2.88	LAA	6	0	99	94	99	96	57
B	»PRINCEP 4L	1.00	LAA	6						
C	»2,4-D LVE	0.50	LAA	6						
D	»ROUNDUP ULTRA	0.38	LAA	6						
E	»AM. SULFATE	17.00	PMG	6						

TITLE: CNT7DBP EPP SYSTEMS IN NO-TILL RREADY CORN C-600W

TRT NUM	TREATMENT COMPONENT	DOSAGE RATE	UNIT	TM	ZEAMD CON % 07/01/99	STEME CON % 07/01/99	TAROF CON % 07/01/99	CAPBP CON % 07/01/99	SETFA CON % 07/01/99	ABUTH CON % 07/01/99
16A	ROUNDUP ULTRA	0.38	LAA	6	0	99	95	99	94	63
	B AM. SULFATE	17.00	PMG	6						
	C ROUNDUP ULTRA	0.38	LAA	12						
	D AM. SULFATE	17.00	PMG	12						
17A	»FIELDMASTER 4.	4.25	LAA	6	0	99	78	80	85	55
18A	»GUARDSMAN	2.80	LAA	9	0	99	60	88	85	75
	B GRAMOXONE XTRA	0.78	LAA	9						
	C»2,4-D LVE	0.50	LAA	9						
	D»ACTIVATE PLUS	0.25	PMV	9						
19A	»FULTIME 4SC	3.25	LAA	9	0	99	60	88	85	50
	B GRAMOXONE XTRA	0.78	LAA	9						
	C»2,4-D LVE	0.50	LAA	9						
	D»ACTIVATE PLUS	0.25	PMV	9						
20A	»FULTIME 4SC	3.50	LAA	9	0	99	58	93	87	57
	B GRAMOXONE XTRA	0.78	LAA	9						
	C»2,4-D LVE	0.50	LAA	9						
	D»ACTIVATE PLUS	0.25	PMV	9						
21A	»FULTIME 4SC	3.75	LAA	9	0	99	63	99	91	72
	B GRAMOXONE XTRA	0.78	LAA	9						
	C»2,4-D LVE	0.50	LAA	9						
	D»ACTIVATE PLUS	0.25	PMV	9						
22A	»BICEP II MAGNU	2.88	LAA	9	0	99	47	96	85	67
	B GRAMOXONE XTRA	0.78	LAA	9						
	C»2,4-D LVE	0.50	LAA	9						
	D»ACTIVATE PLUS	0.25	PMV	9						
23A	»ICIA5676/ZA129	2.19	LAA	9	0	99	72	99	82	95
	B»COC	1.25	PMV	9						
24A	»ICIA5676/ZA129	2.19	LAA	9	0	99	67	99	82	94
	B»TOUCHDOWN 5 (5	0.75	LAA	9						
	C AM. SULFATE	17.00	PMG	9						
25A	»ICIA5676/ZA129	2.19	LAA	9	0	99	89	99	90	97
	B»TOUCHDOWN 5 (5	0.75	LAA	9						
	C»2,4-D LVE	0.50	LAA	9						
	D AM. SULFATE	17.00	PMG	9						
26A	»ICIA5676/ZA129	2.19	LAA	9	0	99	53	88	88	97
	B GRAMOXONE XTRA	0.63	LAA	9						
	C»ACTIVATE PLUS	0.25	PMV	9						
27A	»ICIA5676/ZA129	2.19	LAA	9	0	99	84	99	85	98
	B GRAMOXONE XTRA	0.63	LAA	9						
	C»2,4-D LVE	0.50	LAA	9						
	D»ACTIVATE PLUS	0.25	PMV	9						
		LSD (0.05)			0.00	0.00	8.73	5.51	7.10	9.00
		STANDARD DEVIATION			0.00	0.00	4.36	2.75	3.55	4.48

» = SUPPLEMENTAL CHEMICAL

\* TIMING CODES

- 00 = ----- / UNTREATED TIMING
- 06 = ----- / EPP 7DBP 04/30/1999(1)
- 09 = ----- / PREEMERGENCE 05/04/1999(2)
- 12 = ----- / POST 06/04/1999(3)

H#	CUSTOM#1	CUSTOM#2	EV.DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTR	SS	NOTE
001	STEME	CON %	05/14/1999	02	P	STEME		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
002	TAROF	CON %	05/14/1999	03	P	TAROF		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
003	CAPBP	CON %	05/14/1999	04	P	CAPBP		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
004	STEME	CON %	06/04/1999	02	P	STEME	19	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
005	TAROF	CON %	06/04/1999	03	P	TAROF	19	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

TITLE: CNT7DBP EPP SYSTEMS IN NO-TILL RREADY CORN C-600W

H#	CUSTOM#1	CUSTOM#2	EV.DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTRTR	SS	NOTE
006	CAPBP	CON %	06/04/1999	04	P	CAPBP	19	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
007	ZEAMD	CON %	06/17/1999	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
008	STEME	CON %	06/17/1999	02	P	STEME		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
009	TAROF	CON %	06/17/1999	03	P	TAROF		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
010	CAPBP	CON %	06/17/1999	04	P	CAPBP		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
011	SETFA	CON %	06/17/1999	05	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
012	ABUTH	CON %	06/17/1999	06	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
013	ZEAMD	CON %	07/01/1999	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
014	STEME	CON %	07/01/1999	02	P	STEME		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
015	TAROF	CON %	07/01/1999	03	P	TAROF		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
016	CAPBP	CON %	07/01/1999	04	P	CAPBP		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
017	SETFA	CON %	07/01/1999	05	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
018	ABUTH	CON %	07/01/1999	06	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

\* SPECIES COMMON NAME - CULTIVAR (IF APPLICABLE)

01 = DEKALB 589RR

\* STAGE CODE

19 = &gt;8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED