

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: SIL
 PH: 6.7
 %OM: 1.5
 PREV.CROP: GLXMA - SOYBEAN
 %RESIDUE: 0
 PLOT WIDTH: 7.5 X 30 FEET

DESIGN: RCB
 REPS: 3

APPL. NUMBER	01	02	UNIT
TIMINGS	09	11	
TYPE	LIQMXSPR	LIQMXSPR	
APPLICATION DATE	05/19/00	06/15/00	AME
AIR TEMPERATURE	65	78	F
% REL.HUMIDITY	50	60	
WIND DIRECTION	WEST	SOUTH	
WIND SPEED	5.0	6.0	M/H
CLOUD COVER	CLOUDY	CLEAR	
DEW	---	NO	
SOIL MOISTURE	DRY/MOIST	MOIST/MOI	
SOIL CONDITION	---	---	
METHOD	SPRAY	SPRAY	
EQUIPMENT	SPRBAC	SPRBAC	
PROPELLANT	COMPRSCO2	COMPRSCO2	
PLACEMENT	BROADCAST	BROADCAST	
NOZZLE	FLATFAN	FLATFAN	
NOZZLE NUMBER	5	5	
NOZZLE SPACING	18.000	18.000	IN
SWATH WIDTH	7.5	7.5	FT
SPRAY VOLUME	20.00	20.00	
VOLUME UNIT	GPA	GPA	
PRESSURE	30.00	30.00	PSI
DILUENT	WATER	WATER	
INC. DATE			AME
INC. START			24H
INC. END			24H
INC. DEPTH			IN
INC. EQUIPMENT	CULTFIELD	---	
DN/SG/MMZ			
*** CROP ***			
CORN, DENT		---/13	
GARST8600IT		9.00/9.00	IN
05/17/2000			
*** PEST ***			
WATERHEMP, COMMO		---/15	
		2.00/2.00	IN
RAGWEED, COMMON		---/12	
		2.00/2.00	IN
MORNINGGLORY, IV		---/12	
		1.00/1.00	IN
PANICUM, FALL		---/11	
		3.00/3.00	IN
SHATTERCANE, SOR		---/11	
		3.00/3.00	IN
COCKLEBUR, COMMO		---/12	
		2.00/2.00	IN

* TIMING CODES

09 = ----- / PREEMERGENCE
 11 = ----- / EPOST

* STAGE CODE

11 = FIRST LEAF UNFOLDED
 12 = 2ND TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 13 = 3 LEAVES UNFOLDED
 15 = 5TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

TITLE: CITSYS WEED CONTROL SYSTEMS IN CLEARFIELD CORN AS-400
CREATED: 05/17/2000 **REVISED:** 11/28/2000 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: BTOWN 600 **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT **WIDE X** 30.00 FT **LONG**

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	ZEAMD 06/27/00	PANDI 06/27/00	AMATA 06/27/00	XANST 06/27/00	AMBEL 06/27/00	IPOHE 06/27/00
		RATE	UNIT							
1A	ATRAZINE DF	2.00	LAA 9		0	98	98	99	99	99
	B»LIGHTNING 70DG	0.056	LAA 11							
	C»ACTIVATOR 90	0.25	PMV 11							
	D AM. SULFATE	12.50	PMG 11							
2A	ATRAZINE DF	1.00	LAA 9		0	99	97	99	99	99
	B»LIGHTNING 70DG	0.056	LAA 11							
	C ATRAZINE DF	1.00	LAA 11							
	D»ACTIVATOR 90	0.25	PMV 11							
	E AM. SULFATE	12.50	PMG 11							
3A	ATRAZINE DF	2.00	LAA 9		0	99	98	98	99	99
	B»LIGHTNING 70DG	0.056	LAA 11							
	C PROWL 3.3EC	1.24	LAA 11							
	D»ACTIVATOR 90	0.25	PMV 11							
	E AM. SULFATE	12.50	PMG 11							
4A	ATRAZINE DF	1.50	LAA 9		0	99	99	99	99	99
	B»LIGHTNING 70DG	0.056	LAA 11							
	C»DISTINCT 70WG	0.175	LAA 11							
	D»ACTIVATOR 90	0.25	PMV 11							
	E AM. SULFATE	12.50	PMG 11							
5A	ATRAZINE DF	1.50	LAA 9		0	98	98	99	99	98
	B»LIGHTNING 70DG	0.056	LAA 11							
	C CLARITY	0.125	LAA 11							
	D»ACTIVATOR 90	0.25	PMV 11							
	E AM. SULFATE	12.50	PMG 11							
6A	CHECK	0.00	NA 0		0	0	0	0	0	0
7A	ATRAZINE DF	1.50	LAA 9		0	99	98	99	99	99
	B»LIGHTNING 70DG	0.056	LAA 11							
	C MARKSMAN SC	0.60	LAA 11							
	D»ACTIVATOR 90	0.25	PMV 11							
	E AM. SULFATE	12.50	PMG 11							
8A	ATRAZINE DF	1.50	LAA 9		0	99	95	99	99	98
	B»LIGHTNING 70DG	0.056	LAA 11							
	C»AIM 40 DF	0.008	LAA 11							
	D»ACTIVATOR 90	0.25	PMV 11							
	E AM. SULFATE	12.50	PMG 11							
9A	ATRAZINE DF	1.00	LAA 9		0	99	96	99	99	99
	B»LIGHTNING 70DG	0.056	LAA 11							
	C SHOTGUN	0.667	LAA 11							
	D»ACTIVATOR 90	0.25	PMV 11							
	E AM. SULFATE	12.50	PMG 11							
10A	ATRAZINE DF	1.00	LAA 9		0	98	98	99	99	99
	B»LIGHTNING 70DG	0.056	LAA 11							
	C»ZA1296 4SC	0.063	LAA 11							
	D»ACTIVATOR 90	0.25	PMV 11							
	E AM. SULFATE	12.50	PMG 11							
11A	»LIGHTNING 70DG	0.056	LAA 11		0	98	95	99	99	99
	B»ZA1296 4SC	0.063	LAA 11							
	C»ACTIVATOR 90	0.25	PMV 11							
	D AM. SULFATE	12.50	PMG 11							
12A	ATRAZINE DF	1.50	LAA 9		0	98	97	99	99	96
	B»BALANCE 75WG	0.047	LAA 9							
	C PROWL 3.3EC	1.24	LAA 9							
13A	ATRAZINE DF	1.50	LAA 9		0	87	90	99	99	99
	B PROWL 3.3EC	1.24	LAA 9							
	C»SPIRIT 57WG	0.036	LAA 12							
	D»COC	1.00	PMV 12							
	E 28% UAN	2.50	PMV 12							

TITLE: CITSYS WEED CONTROL SYSTEMS IN CLEARFIELD CORN AS-400

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	ZEAMD 06/27/00	PANDI 06/27/00	AMATA 06/27/00	XANST 06/27/00	AMBEL 06/27/00	IPOHE 06/27/00
		RATE	UNIT							
14A	ATRAZINE DF	1.50	LAA	9	0	99	99	99	99	96
	B PROWL 3.3EC	1.24	LAA	9						
	C»NORTHSTAR 47.4	0.148	LAA	11						
	D»COC	1.00	PMV	11						
	E 28% UAN	1.25	PMV	11						
15A»	LIGHTNING 70DG	0.056	LAA	11	0	96	99	99	99	99
	B PROWL 3.3EC	0.62	LAA	11						
	C CLARITY	0.25	LAA	11						
	D»ACTIVATOR 90	0.25	PMV	11						
	E 28% UAN	2.50	PMV	11						
16A»	GUARDSMAN	2.80	LAA	9	0	99	93	99	99	98
	B»LIGHTNING 70DG	0.056	LAA	11						
	C»ACTIVATOR 90	0.25	PMV	11						
	D 28% UAN	1.25	PMV	11						
17A»	GUARDSMAN	2.80	LAA	9	0	99	92	99	99	99
	B»LIGHTNING 70DG	0.056	LAA	11						
	C ATRAZINE DF	0.50	LAA	11						
	D»ACTIVATOR 90	0.25	PMV	11						
	E 28% UAN	1.25	PMV	11						
18A	ATRAZINE DF	1.50	LAA	9	0	98	96	99	99	99
	B»LIGHTNING 70DG	0.056	LAA	11						
	C MARKSMAN SC	0.60	LAA	11						
	D»ACTIVATOR 90	0.25	PMV	11						
	E 28% UAN	1.25	PMV	11						
19A»	AXIOM	10.00	OMA	9	0	98	95	99	98	96
	B»LIBERTY ATZ	32.00	ZMA	12						
	C AM. SULFATE	3.00	LAA	12						
20A»	EPIC 58DF	5.00	OMA	9	0	96	93	99	95	88
	B»LIBERTY ATZ	32.00	ZMA	12						
	C AM. SULFATE	3.00	LAA	12						
LSD (0.05)					0.00	2.11	4.92	0.426	2.65	4.13
STANDARD DEVIATION					0.00	1.00	2.43	0.211	1.31	2.00

TITLE: CITSYS WEED CONTROL SYSTEMS IN CLEARFIELD CORN AS-400
CREATED: 05/17/2000 **REVISED:** 11/28/2000 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: BTOWN 600 **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT **WIDE X** 30.00 FT **LONG** **REPS:** 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	SORVU 06/27/00	ZEAMD 07/28/00	PANDI 07/28/00	AMATA 07/28/00	XANST 07/28/00	AMBEL 07/28/00
		RATE	UNIT							
1A	ATRAZINE DF	2.00	LAA 9		99	0	93	86	96	99
	B»LIGHTNING 70DG	0.056	LAA 11							
	C»ACTIVATOR 90	0.25	PMV 11							
	D AM. SULFATE	12.50	PMG 11							
2A	ATRAZINE DF	1.00	LAA 9		99	0	98	90	98	99
	B»LIGHTNING 70DG	0.056	LAA 11							
	C ATRAZINE DF	1.00	LAA 11							
	D»ACTIVATOR 90	0.25	PMV 11							
	E AM. SULFATE	12.50	PMG 11							
3A	ATRAZINE DF	2.00	LAA 9		99	0	97	91	96	99
	B»LIGHTNING 70DG	0.056	LAA 11							
	C PROWL 3.3EC	1.24	LAA 11							
	D»ACTIVATOR 90	0.25	PMV 11							
	E AM. SULFATE	12.50	PMG 11							
4A	ATRAZINE DF	1.50	LAA 9		99	0	95	96	99	99
	B»LIGHTNING 70DG	0.056	LAA 11							
	C»DISTINCT 70WG	0.175	LAA 11							
	D»ACTIVATOR 90	0.25	PMV 11							
	E AM. SULFATE	12.50	PMG 11							
5A	ATRAZINE DF	1.50	LAA 9		98	0	97	90	97	99
	B»LIGHTNING 70DG	0.056	LAA 11							
	C CLARITY	0.125	LAA 11							
	D»ACTIVATOR 90	0.25	PMV 11							
	E AM. SULFATE	12.50	PMG 11							
6A	CHECK	0.00	NA 0		0	0	0	0	0	0
7A	ATRAZINE DF	1.50	LAA 9		99	0	96	89	92	99
	B»LIGHTNING 70DG	0.056	LAA 11							
	C MARKSMAN SC	0.60	LAA 11							
	D»ACTIVATOR 90	0.25	PMV 11							
	E AM. SULFATE	12.50	PMG 11							
8A	ATRAZINE DF	1.50	LAA 9		99	0	99	87	99	99
	B»LIGHTNING 70DG	0.056	LAA 11							
	C»AIM 40 DF	0.008	LAA 11							
	D»ACTIVATOR 90	0.25	PMV 11							
	E AM. SULFATE	12.50	PMG 11							
9A	ATRAZINE DF	1.00	LAA 9		99	0	98	85	99	99
	B»LIGHTNING 70DG	0.056	LAA 11							
	C SHOTGUN	0.667	LAA 11							
	D»ACTIVATOR 90	0.25	PMV 11							
	E AM. SULFATE	12.50	PMG 11							
10A	ATRAZINE DF	1.00	LAA 9		98	0	98	94	99	99
	B»LIGHTNING 70DG	0.056	LAA 11							
	C»ZA1296 4SC	0.063	LAA 11							
	D»ACTIVATOR 90	0.25	PMV 11							
	E AM. SULFATE	12.50	PMG 11							
11A	»LIGHTNING 70DG	0.056	LAA 11		96	0	92	81	99	99
	B»ZA1296 4SC	0.063	LAA 11							
	C»ACTIVATOR 90	0.25	PMV 11							
	D AM. SULFATE	12.50	PMG 11							
12A	ATRAZINE DF	1.50	LAA 9		99	0	97	89	98	95
	B»BALANCE 75WG	0.047	LAA 9							
	C PROWL 3.3EC	1.24	LAA 9							
13A	ATRAZINE DF	1.50	LAA 9		92	0	72	67	99	96
	B PROWL 3.3EC	1.24	LAA 9							
	C»SPIRIT 57WG	0.036	LAA 12							
	D»COC	1.00	PMV 12							
	E 28% UAN	2.50	PMV 12							

TITLE: CITSYS WEED CONTROL SYSTEMS IN CLEARFIELD CORN AS-400

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	SORVU 06/27/00	ZEAMD 07/28/00	PANDI 07/28/00	AMATA 07/28/00	XANST 07/28/00	AMBEL 07/28/00
		RATE	UNIT							
14A	ATRAZINE DF	1.50	LAA	9	99	0	97	90	99	99
	B PROWL 3.3EC	1.24	LAA	9						
	C»NORTHSTAR 47.4	0.148	LAA	11						
	D»COC	1.00	PMV	11						
	E 28% UAN	1.25	PMV	11						
15A»	LIGHTNING 70DG	0.056	LAA	11	98	0	85	90	99	99
	B PROWL 3.3EC	0.62	LAA	11						
	C CLARITY	0.25	LAA	11						
	D»ACTIVATOR 90	0.25	PMV	11						
	E 28% UAN	2.50	PMV	11						
16A»	GUARDSMAN	2.80	LAA	9	99	0	99	86	95	99
	B»LIGHTNING 70DG	0.056	LAA	11						
	C»ACTIVATOR 90	0.25	PMV	11						
	D 28% UAN	1.25	PMV	11						
17A»	GUARDSMAN	2.80	LAA	9	99	0	99	82	99	99
	B»LIGHTNING 70DG	0.056	LAA	11						
	C ATRAZINE DF	0.50	LAA	11						
	D»ACTIVATOR 90	0.25	PMV	11						
	E 28% UAN	1.25	PMV	11						
18A	ATRAZINE DF	1.50	LAA	9	99	0	98	92	95	99
	B»LIGHTNING 70DG	0.056	LAA	11						
	C MARKSMAN SC	0.60	LAA	11						
	D»ACTIVATOR 90	0.25	PMV	11						
	E 28% UAN	1.25	PMV	11						
19A»	AXIOM	10.00	OMA	9	99	0	92	78	98	94
	B»LIBERTY ATZ	32.00	ZMA	12						
	C AM. SULFATE	3.00	LAA	12						
20A»	EPIC 58DF	5.00	OMA	9	98	0	85	80	98	89
	B»LIBERTY ATZ	32.00	ZMA	12						
	C AM. SULFATE	3.00	LAA	12						
LSD (0.05)					2.80	0.00	4.65	12.36	5.47	6.83
STANDARD DEVIATION					1.38	0.00	2.30	6.12	2.71	3.38

TITLE: CITSYS WEED CONTROL SYSTEMS IN CLEARFIELD CORN AS-400
CREATED: 05/17/2000 **REVISED:** 11/28/2000 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: BTOWN 600 **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT **WIDE X** 30.00 FT **LONG** **REPS:** 03

TRT	TREATMENT	DOSAGE		TM	IPOHE	SORVU
		RATE	UNIT			
NUM	COMPONENT			07/28/00	07/28/00	
1A	ATRAZINE DF	2.00	LAA 9	97	96	
	B»LIGHTNING 70DG	0.056	LAA 11			
	C»ACTIVATOR 90	0.25	PMV 11			
	D AM. SULFATE	12.50	PMG 11			
2A	ATRAZINE DF	1.00	LAA 9	93	99	
	B»LIGHTNING 70DG	0.056	LAA 11			
	C ATRAZINE DF	1.00	LAA 11			
	D»ACTIVATOR 90	0.25	PMV 11			
	E AM. SULFATE	12.50	PMG 11			
3A	ATRAZINE DF	2.00	LAA 9	96	98	
	B»LIGHTNING 70DG	0.056	LAA 11			
	C PROWL 3.3EC	1.24	LAA 11			
	D»ACTIVATOR 90	0.25	PMV 11			
	E AM. SULFATE	12.50	PMG 11			
4A	ATRAZINE DF	1.50	LAA 9	93	99	
	B»LIGHTNING 70DG	0.056	LAA 11			
	C»DISTINCT 70WG	0.175	LAA 11			
	D»ACTIVATOR 90	0.25	PMV 11			
	E AM. SULFATE	12.50	PMG 11			
5A	ATRAZINE DF	1.50	LAA 9	94	98	
	B»LIGHTNING 70DG	0.056	LAA 11			
	C CLARITY	0.125	LAA 11			
	D»ACTIVATOR 90	0.25	PMV 11			
	E AM. SULFATE	12.50	PMG 11			
6A	CHECK	0.00	NA 0	0	0	
7A	ATRAZINE DF	1.50	LAA 9	94	95	
	B»LIGHTNING 70DG	0.056	LAA 11			
	C MARKSMAN SC	0.60	LAA 11			
	D»ACTIVATOR 90	0.25	PMV 11			
	E AM. SULFATE	12.50	PMG 11			
8A	ATRAZINE DF	1.50	LAA 9	93	99	
	B»LIGHTNING 70DG	0.056	LAA 11			
	C»AIM 40 DF	0.008	LAA 11			
	D»ACTIVATOR 90	0.25	PMV 11			
	E AM. SULFATE	12.50	PMG 11			
9A	ATRAZINE DF	1.00	LAA 9	96	96	
	B»LIGHTNING 70DG	0.056	LAA 11			
	C SHOTGUN	0.667	LAA 11			
	D»ACTIVATOR 90	0.25	PMV 11			
	E AM. SULFATE	12.50	PMG 11			
10A	ATRAZINE DF	1.00	LAA 9	98	95	
	B»LIGHTNING 70DG	0.056	LAA 11			
	C»ZA1296 4SC	0.063	LAA 11			
	D»ACTIVATOR 90	0.25	PMV 11			
	E AM. SULFATE	12.50	PMG 11			
11A	»LIGHTNING 70DG	0.056	LAA 11	96	82	
	B»ZA1296 4SC	0.063	LAA 11			
	C»ACTIVATOR 90	0.25	PMV 11			
	D AM. SULFATE	12.50	PMG 11			
12A	ATRAZINE DF	1.50	LAA 9	80	99	
	B»BALANCE 75WG	0.047	LAA 9			
	C PROWL 3.3EC	1.24	LAA 9			
13A	ATRAZINE DF	1.50	LAA 9	96	75	
	B PROWL 3.3EC	1.24	LAA 9			
	C»SPIRIT 57WG	0.036	LAA 12			
	D»COC	1.00	PMV 12			
	E 28% UAN	2.50	PMV 12			

TITLE: CITSYS WEED CONTROL SYSTEMS IN CLEARFIELD CORN AS-400

TRT NUM	TREATMENT COMPONENT	DOSAGE		IPOHE		SORVU	
		RATE	UNIT	TM	07/28/00	07/28/00	
14A	ATRAZINE DF	1.50	LAA	9	93	94	
	B PROWL 3.3EC	1.24	LAA	9			
	C»NORTHSTAR 47.4	0.148	LAA	11			
	D»COC	1.00	PMV	11			
	E 28% UAN	1.25	PMV	11			
15A»	LIGHTNING 70DG	0.056	LAA	11	91	84	
	B PROWL 3.3EC	0.62	LAA	11			
	C CLARITY	0.25	LAA	11			
	D»ACTIVATOR 90	0.25	PMV	11			
	E 28% UAN	2.50	PMV	11			
16A»	GUARDSMAN	2.80	LAA	9	96	99	
	B»LIGHTNING 70DG	0.056	LAA	11			
	C»ACTIVATOR 90	0.25	PMV	11			
	D 28% UAN	1.25	PMV	11			
17A»	GUARDSMAN	2.80	LAA	9	93	99	
	B»LIGHTNING 70DG	0.056	LAA	11			
	C ATRAZINE DF	0.50	LAA	11			
	D»ACTIVATOR 90	0.25	PMV	11			
	E 28% UAN	1.25	PMV	11			
18A	ATRAZINE DF	1.50	LAA	9	96	96	
	B»LIGHTNING 70DG	0.056	LAA	11			
	C MARKSMAN SC	0.60	LAA	11			
	D»ACTIVATOR 90	0.25	PMV	11			
	E 28% UAN	1.25	PMV	11			
19A»	AXIOM	10.00	OMA	9	85	93	
	B»LIBERTY ATZ	32.00	ZMA	12			
	C AM. SULFATE	3.00	LAA	12			
20A»	EPIC 58DF	5.00	OMA	9	72	87	
	B»LIBERTY ATZ	32.00	ZMA	12			
	C AM. SULFATE	3.00	LAA	12			
		LSD (0.05)			10.38	8.00	
		STANDARD DEVIATION			5.13	4.00	

» = SUPPLEMENTAL CHEMICAL

* TIMING CODES

00 = ----- / UNTREATED TIMING
 09 = ----- / PREEMERGENCE 05/19/2000(1)
 11 = ----- / EPOST 06/15/2000(2)
 12 = ----- / POST

H#	CUSTOM#1	CUSTOM#2	EV.DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTRT	SS	NOTE
001	ZEAMD		06/27/2000	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
002	PANDI		06/27/2000	02	P	PANDI		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
003	AMATA		06/27/2000	03	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
004	XANST		06/27/2000	04	P	XANST		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
005	AMBEL		06/27/2000	05	P	AMBEL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
006	IPOHE		06/27/2000	06	P	IPOHE		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
007	SORVU		06/27/2000	07	P	SORVU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
008	ZEAMD		07/28/2000	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
009	PANDI		07/28/2000	02	P	PANDI		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
010	AMATA		07/28/2000	03	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
011	XANST		07/28/2000	04	P	XANST		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
012	AMBEL		07/28/2000	05	P	AMBEL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
013	IPOHE		07/28/2000	06	P	IPOHE		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
014	SORVU		07/28/2000	07	P	SORVU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

* SPECIES COMMON NAME - CULTIVAR (IF APPLICABLE)

01 = GARST8600IT