

## SOIL INFORMATION

## TRIAL INFORMATION

TEXTURE: SIL  
PH: 6.1  
%OM: 1.9  
PREV.CROP: GLXMA - SOYBEAN  
%RESIDUE: 0  
PLOT WIDTH: 10 X 30 FEET

DESIGN: RCB  
REPS: 3

| APPL. NUMBER       | 01        | 02        | 03        | UNIT |
|--------------------|-----------|-----------|-----------|------|
| TIMINGS            | 09        | 11        | 12        |      |
| TYPE               | LIQMXSPR  | LIQMXSPR  | LIQMXSPR  |      |
| APPLICATION DATE   | 05/10/00  | 06/08/00  | 06/14/00  | AME  |
| AIR TEMPERATURE    | 72        | 83        | 77        | F    |
| % REL.HUMIDITY     | 46        | 30        | 74        |      |
| WIND DIRECTION     | SOUTH     | WEST      | SOUTHWEST |      |
| WIND SPEED         | 4.0       | 5.0       | 6.0       | M/H  |
| CLOUD COVER        | CLOUDY    | CLEAR     | PARTCLDY  |      |
| DEW                | ---       | ---       | NO        |      |
| SOIL MOISTURE      | WET/MOIST | DRY/MOIST | WET/MOIST |      |
| SOIL CONDITION     | ---       | ---       | ---       |      |
| METHOD             | SPRAY     | SPRAY     | SPRAY     |      |
| EQUIPMENT          | SPRBAC    | SPRBAC    | SPRBAC    |      |
| PROPELLANT         | COMPRSCO2 | COMPRSCO2 | COMPRSCO2 |      |
| PLACEMENT          | BROADCAST | BROADCAST | BROADCAST |      |
| NOZZLE             | FLATFAN   | FLATFAN   | FLATFAN   |      |
| NOZZLE NUMBER      | 6         | 6         | 6         |      |
| NOZZLE SPACING     | 20.000    | 20.000    | 20.000    | IN   |
| SWATH WIDTH        | 10.0      | 10.0      | 10.0      | FT   |
| SPRAY VOLUME       | 20.00     | 20.00     | 20.00     |      |
| VOLUME UNIT        | GPA       | GPA       | GPA       |      |
| PRESSURE           | 32.00     | 32.00     | 32.00     | PSI  |
| DILUENT            | WATER     | WATER     | WATER     |      |
| INC. DATE          |           |           |           | AME  |
| INC. START         |           |           |           | 24H  |
| INC. END           |           |           |           | 24H  |
| INC. DEPTH         |           |           |           | IN   |
| INC. EQUIPMENT     | ---       | ---       | ---       |      |
| DEN/ STG/ MINMAXSZ |           |           |           |      |
| *** CROP ***       |           |           |           |      |
| CORN, DENT         |           | ---/16    | ---/18    |      |
| BURRUS BX442       |           | 15.0/15.0 | 28.0/28.0 | IN   |
| 05/08/2000         |           |           |           |      |
| *** PEST ***       |           |           |           |      |
| VELVETLEAF         |           | ---/13    | ---/16    |      |
|                    |           | 2.00/2.00 | 6.00/6.00 | IN   |
| PIGWEEED, REDROOT  |           | ---/16    | ---/19    |      |
|                    |           | 3.00/3.00 | 5.00/5.00 | IN   |
| LAMBSQUARTERS, C   |           | ---/18    | ---/19    |      |
|                    |           | 2.00/2.00 | 5.00/5.00 | IN   |
| JIMSONWEED         |           | ---/12    | ---/16    |      |
|                    |           | 2.00/2.00 | 6.00/6.00 | IN   |
| MORNINGGLORY, IV   |           | ---/17    | ---/19    |      |
|                    |           | 3.00/3.00 | 5.00/5.00 | IN   |
| SMARTWEED, PENNS   |           | ---/15    | ---/19    |      |
|                    |           | 2.00/2.00 | 4.00/4.00 | IN   |
| FOXTAIL, GIANT     |           | ---/12    | ---/13    |      |
|                    |           | 3.00/3.00 | 5.00/5.00 | IN   |

## \* TIMING CODES

09 = ----- / PREEMERGENCE  
11 = ----- / EPOST  
12 = ----- / POST

## \* STAGE CODE

12 = 2 LEAVES UNFOLDED  
13 = 3RD TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED  
15 = 5TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED  
16 = 6 LEAVES UNFOLDED  
17 = 7TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED  
18 = 8TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

\* STAGE CODE

19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

**TITLE:** PCAEFSYS AEF EXP SYSTEMS FOR WEED CONTROL IN CORN FLD-3105  
**CREATED:** 04/25/2000 **REVISED:** 11/29/2000 **COMPLETED:** N  
**PROJECT TYPE:** HERBICIDE  
**LOCATION:** Perry/Orr **RESEARCHED BY:**  
**DESIGN:** RANDOMIZED COMPLETE BLOCK DESIGN  
**PLOT SIZE:** 10.00 FT **WIDE X** 30.00 FT **LONG**

REPS: 03

| TRT<br>NUM | TREATMENT<br>COMPONENT | DOSAGE |        | TM | ZEAMD    |          | SETFA | IPOHE | POLPY | ABUTH |
|------------|------------------------|--------|--------|----|----------|----------|-------|-------|-------|-------|
|            |                        | RATE   | UNIT   |    | 06/23/00 | 07/10/00 |       |       |       |       |
| 1A         | ACCENT 75WG            | 0.031  | LAA 11 |    | 0        | 0        | 93    | 98    | 99    | 98    |
|            | B»COC                  | 1.00   | PMV 11 |    |          |          |       |       |       |       |
|            | C 28% UAN              | 2.50   | PMV 11 |    |          |          |       |       |       |       |
| 2A»        | OPTION 35WDG           | 0.055  | LAA 11 |    | 0        | 0        |       |       |       |       |
|            | B»MSO                  | 0.94   | PMV 11 |    |          |          |       |       |       |       |
|            | C 28% UAN              | 2.50   | PMV 11 |    |          |          |       |       |       |       |
| 3A»        | AEF 130360-2 6         | 0.048  | LAA 11 |    | 0        | 0        | 94    | 96    | 99    | 99    |
|            | B»MSO                  | 0.94   | PMV 11 |    |          |          |       |       |       |       |
|            | C 28% UAN              | 2.50   | PMV 11 |    |          |          |       |       |       |       |
| 4A»        | BASIS GOLD 90D         | 0.79   | LAA 11 |    | 0        | 0        | 94    | 98    | 99    | 98    |
|            | B»COC                  | 1.00   | PMV 11 |    |          |          |       |       |       |       |
|            | C 28% UAN              | 2.50   | PMV 11 |    |          |          |       |       |       |       |
| 5A         | CHECK                  | 0.00   | NA 0   |    | 0        | 0        | 0     | 0     | 0     | 0     |
| 6A»        | OPTION 35WDG           | 0.055  | LAA 11 |    | 0        | 0        | 87    | 99    | 99    | 98    |
|            | B ATRAZINE DF          | 1.00   | LAA 11 |    |          |          |       |       |       |       |
|            | C»COC                  | 0.94   | PMV 11 |    |          |          |       |       |       |       |
|            | D 28% UAN              | 2.50   | PMV 11 |    |          |          |       |       |       |       |
| 7A»        | OPTION 35WDG           | 0.055  | LAA 11 |    | 0        | 0        | 95    | 99    | 98    | 97    |
|            | B CLARITY              | 0.188  | LAA 11 |    |          |          |       |       |       |       |
|            | C»ACTIVATOR 90         | 0.25   | PMV 11 |    |          |          |       |       |       |       |
|            | D 28% UAN              | 2.50   | PMV 11 |    |          |          |       |       |       |       |
| 8A»        | OPTION 35WDG           | 0.055  | LAA 11 |    | 0        | 0        | 95    | 98    | 99    | 99    |
|            | B»DISTINCT 70WG        | 0.175  | LAA 11 |    |          |          |       |       |       |       |
|            | C»ACTIVATOR 90         | 0.25   | PMV 11 |    |          |          |       |       |       |       |
|            | D 28% UAN              | 2.50   | PMV 11 |    |          |          |       |       |       |       |
| 9A»        | OPTION 35WDG           | 0.055  | LAA 11 |    | 0        | 0        | 95    | 95    | 99    | 98    |
|            | B»AIM 40 DF            | 0.008  | LAA 11 |    |          |          |       |       |       |       |
|            | C»ACTIVATOR 90         | 0.25   | PMV 11 |    |          |          |       |       |       |       |
|            | D 28% UAN              | 2.50   | PMV 11 |    |          |          |       |       |       |       |
| 10A»       | LEADOFF 5SE            | 0.94   | LAA 9  |    | 10       | 0        | 98    | 99    | 99    | 98    |
|            | B»BASIS GOLD 90D       | 0.79   | LAA 12 |    |          |          |       |       |       |       |
|            | C»COC                  | 1.00   | PMV 12 |    |          |          |       |       |       |       |
|            | D 28% UAN              | 2.50   | PMV 12 |    |          |          |       |       |       |       |
| 11A        | ATRAZINE DF            | 2.00   | LAA 9  |    | 12       | 0        | 97    | 99    | 99    | 99    |
|            | B»OPTION 35WDG         | 0.055  | LAA 12 |    |          |          |       |       |       |       |
|            | C»COC                  | 0.94   | PMV 12 |    |          |          |       |       |       |       |
|            | D 28% UAN              | 2.50   | PMV 12 |    |          |          |       |       |       |       |
| 12A»       | BALANCE 75WG           | 0.07   | LAA 9  |    | 17       | 0        | 97    | 95    | 99    | 99    |
|            | B»OPTION 35WDG         | 0.055  | LAA 12 |    |          |          |       |       |       |       |
|            | C»COC                  | 0.94   | PMV 12 |    |          |          |       |       |       |       |
|            | D 28% UAN              | 2.50   | PMV 12 |    |          |          |       |       |       |       |
| 13A»       | DUAL II MAGNUM         | 1.58   | LAA 9  |    | 17       | 0        | 98    | 86    | 99    | 99    |
|            | B»OPTION 35WDG         | 0.055  | LAA 12 |    |          |          |       |       |       |       |
|            | C»COC                  | 0.94   | PMV 12 |    |          |          |       |       |       |       |
|            | D 28% UAN              | 2.50   | PMV 12 |    |          |          |       |       |       |       |
| 14A»       | AEF 130360-2 6         | 0.048  | LAA 11 |    | 15       | 0        | 88    | 94    | 99    | 99    |
|            | B CLARITY              | 0.188  | LAA 11 |    |          |          |       |       |       |       |
|            | C»ACTIVATOR 90         | 0.25   | PMV 11 |    |          |          |       |       |       |       |
|            | D 28% UAN              | 2.50   | PMV 11 |    |          |          |       |       |       |       |
| 15A»       | AEF 130360-2 6         | 0.048  | LAA 11 |    | 3        | 0        | 94    | 97    | 99    | 99    |
|            | B»DISTINCT 70WG        | 0.175  | LAA 11 |    |          |          |       |       |       |       |
|            | C»ACTIVATOR 90         | 0.25   | PMV 11 |    |          |          |       |       |       |       |
|            | D 28% UAN              | 2.50   | PMV 11 |    |          |          |       |       |       |       |

TITLE: PCAEFSYS AEF EXP SYSTEMS FOR WEED CONTROL IN CORN FLD-3105

| TRT<br>NUM         | TREATMENT<br>COMPONENT | DOSAGE |        | TM | ZEAMD<br>06/23/00 | ZEAMD<br>07/10/00 | SETFA<br>07/10/00 | IPOHE<br>07/10/00 | POLPY<br>07/10/00 | ABUTH<br>07/10/00 |
|--------------------|------------------------|--------|--------|----|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
|                    |                        | RATE   | UNIT   |    |                   |                   |                   |                   |                   |                   |
| 16A»               | AEF 130360-2 6         | 0.048  | LAA 11 |    | 0                 | 0                 | 88                | 98                | 99                | 99                |
|                    | B»AIM 40 DF            | 0.008  | LAA 11 |    |                   |                   |                   |                   |                   |                   |
|                    | C»ACTIVATOR 90         | 0.25   | PMV 11 |    |                   |                   |                   |                   |                   |                   |
|                    | D 28% UAN              | 2.50   | PMV 11 |    |                   |                   |                   |                   |                   |                   |
| 17A»               | AEF 130360-2 6         | 0.048  | LAA 11 |    | 0                 | 0                 | 94                | 99                | 99                | 99                |
|                    | B ATRAZINE DF          | 1.00   | LAA 11 |    |                   |                   |                   |                   |                   |                   |
|                    | C»COC                  | 0.94   | PMV 11 |    |                   |                   |                   |                   |                   |                   |
|                    | D 28% UAN              | 2.50   | PMV 11 |    |                   |                   |                   |                   |                   |                   |
| 18A                | ATRAZINE DF            | 2.00   | LAA 9  |    | 15                | 0                 | 97                | 98                | 99                | 98                |
|                    | B»AEF 130360-2 6       | 0.048  | LAA 12 |    |                   |                   |                   |                   |                   |                   |
|                    | C»COC                  | 0.94   | PMV 12 |    |                   |                   |                   |                   |                   |                   |
|                    | D 28% UAN              | 2.50   | PMV 12 |    |                   |                   |                   |                   |                   |                   |
| 19A»               | BALANCE 75WG           | 0.07   | LAA 9  |    | 17                | 0                 | 97                | 95                | 99                | 99                |
|                    | B»AEF 130360-2 6       | 0.048  | LAA 12 |    |                   |                   |                   |                   |                   |                   |
|                    | C»COC                  | 0.94   | PMV 12 |    |                   |                   |                   |                   |                   |                   |
|                    | D 28% UAN              | 2.50   | PMV 12 |    |                   |                   |                   |                   |                   |                   |
| 20A»               | DUAL II MAGNUM         | 1.58   | LAA 9  |    | 13                | 0                 | 99                | 93                | 99                | 99                |
|                    | B»AEF 130360-2 6       | 0.048  | LAA 12 |    |                   |                   |                   |                   |                   |                   |
|                    | C»COC                  | 0.94   | PMV 12 |    |                   |                   |                   |                   |                   |                   |
|                    | D 28% UAN              | 2.50   | PMV 12 |    |                   |                   |                   |                   |                   |                   |
| 21A»               | IL 0300                | 0.00   | LAA 11 |    | 11                | 0                 | 91                | 93                | 99                | 99                |
|                    | B»MSO                  | 0.94   | PMV 11 |    |                   |                   |                   |                   |                   |                   |
|                    | C 28% UAN              | 2.50   | PMV 11 |    |                   |                   |                   |                   |                   |                   |
| 22A»               | HAND WEEDED            | 0.00   | NA 0   |    | 0                 | 0                 | 99                | 99                | 99                | 99                |
|                    | B»BICEP II MAGNU       | 2.89   | LAA 9  |    |                   |                   |                   |                   |                   |                   |
| LSD (0.05)         |                        |        |        |    | 5.00              | 0.00              | 4.00              | 5.56              | 0.416             | 1.46              |
| STANDARD DEVIATION |                        |        |        |    | 2.49              | 0.00              | 2.00              | 2.75              | 0.206             | 0.724             |

**TITLE:** PCAEFSYS AEF EXP SYSTEMS FOR WEED CONTROL IN CORN FLD-3105  
**CREATED:** 04/25/2000 **REVISED:** 11/29/2000 **COMPLETED:** N  
**PROJECT TYPE:** HERBICIDE  
**LOCATION:** Perry/Orr **RESEARCHED BY:**  
**DESIGN:** RANDOMIZED COMPLETE BLOCK DESIGN  
**PLOT SIZE:** 10.00 FT **WIDE X** 30.00 FT **LONG** **REPS:** 03

| TRT<br>NUM | TREATMENT<br>COMPONENT | DOSAGE |        | TM | CHEAL    | DATST    | AMARE    |
|------------|------------------------|--------|--------|----|----------|----------|----------|
|            |                        | RATE   | UNIT   |    | 07/10/00 | 07/10/00 | 07/10/00 |
| 1A         | ACCENT 75WG            | 0.031  | LAA 11 |    | 97       | 99       | 99       |
|            | B»COC                  | 1.00   | PMV 11 |    |          |          |          |
|            | C 28% UAN              | 2.50   | PMV 11 |    |          |          |          |
| 2A»        | OPTION 35WDG           | 0.055  | LAA 11 |    |          |          |          |
|            | B»MSO                  | 0.94   | PMV 11 |    |          |          |          |
|            | C 28% UAN              | 2.50   | PMV 11 |    |          |          |          |
| 3A»        | AEF 130360-2 6         | 0.048  | LAA 11 |    | 99       | 99       | 99       |
|            | B»MSO                  | 0.94   | PMV 11 |    |          |          |          |
|            | C 28% UAN              | 2.50   | PMV 11 |    |          |          |          |
| 4A»        | BASIS GOLD 90D         | 0.79   | LAA 11 |    | 98       | 99       | 99       |
|            | B»COC                  | 1.00   | PMV 11 |    |          |          |          |
|            | C 28% UAN              | 2.50   | PMV 11 |    |          |          |          |
| 5A         | CHECK                  | 0.00   | NA 0   |    | 0        | 0        | 0        |
| 6A»        | OPTION 35WDG           | 0.055  | LAA 11 |    | 99       | 99       | 99       |
|            | B ATRAZINE DF          | 1.00   | LAA 11 |    |          |          |          |
|            | C»COC                  | 0.94   | PMV 11 |    |          |          |          |
|            | D 28% UAN              | 2.50   | PMV 11 |    |          |          |          |
| 7A»        | OPTION 35WDG           | 0.055  | LAA 11 |    | 99       | 99       | 99       |
|            | B CLARITY              | 0.188  | LAA 11 |    |          |          |          |
|            | C»ACTIVATOR 90         | 0.25   | PMV 11 |    |          |          |          |
|            | D 28% UAN              | 2.50   | PMV 11 |    |          |          |          |
| 8A»        | OPTION 35WDG           | 0.055  | LAA 11 |    | 99       | 99       | 99       |
|            | B»DISTINCT 70WG        | 0.175  | LAA 11 |    |          |          |          |
|            | C»ACTIVATOR 90         | 0.25   | PMV 11 |    |          |          |          |
|            | D 28% UAN              | 2.50   | PMV 11 |    |          |          |          |
| 9A»        | OPTION 35WDG           | 0.055  | LAA 11 |    | 98       | 99       | 99       |
|            | B»AIM 40 DF            | 0.008  | LAA 11 |    |          |          |          |
|            | C»ACTIVATOR 90         | 0.25   | PMV 11 |    |          |          |          |
|            | D 28% UAN              | 2.50   | PMV 11 |    |          |          |          |
| 10A»       | LEADOFF 5SE            | 0.94   | LAA 9  |    | 99       | 99       | 99       |
|            | B»BASIS GOLD 90D       | 0.79   | LAA 12 |    |          |          |          |
|            | C»COC                  | 1.00   | PMV 12 |    |          |          |          |
|            | D 28% UAN              | 2.50   | PMV 12 |    |          |          |          |
| 11A        | ATRAZINE DF            | 2.00   | LAA 9  |    | 99       | 99       | 99       |
|            | B»OPTION 35WDG         | 0.055  | LAA 12 |    |          |          |          |
|            | C»COC                  | 0.94   | PMV 12 |    |          |          |          |
|            | D 28% UAN              | 2.50   | PMV 12 |    |          |          |          |
| 12A»       | BALANCE 75WG           | 0.07   | LAA 9  |    | 99       | 99       | 97       |
|            | B»OPTION 35WDG         | 0.055  | LAA 12 |    |          |          |          |
|            | C»COC                  | 0.94   | PMV 12 |    |          |          |          |
|            | D 28% UAN              | 2.50   | PMV 12 |    |          |          |          |
| 13A»       | DUAL II MAGNUM         | 1.58   | LAA 9  |    | 98       | 99       | 99       |
|            | B»OPTION 35WDG         | 0.055  | LAA 12 |    |          |          |          |
|            | C»COC                  | 0.94   | PMV 12 |    |          |          |          |
|            | D 28% UAN              | 2.50   | PMV 12 |    |          |          |          |
| 14A»       | AEF 130360-2 6         | 0.048  | LAA 11 |    | 99       | 98       | 99       |
|            | B CLARITY              | 0.188  | LAA 11 |    |          |          |          |
|            | C»ACTIVATOR 90         | 0.25   | PMV 11 |    |          |          |          |
|            | D 28% UAN              | 2.50   | PMV 11 |    |          |          |          |
| 15A»       | AEF 130360-2 6         | 0.048  | LAA 11 |    | 99       | 99       | 99       |
|            | B»DISTINCT 70WG        | 0.175  | LAA 11 |    |          |          |          |
|            | C»ACTIVATOR 90         | 0.25   | PMV 11 |    |          |          |          |
|            | D 28% UAN              | 2.50   | PMV 11 |    |          |          |          |

TITLE: PCAEFSYS AEF EXP SYSTEMS FOR WEED CONTROL IN CORN FLD-3105

| TRT<br>NUM         | TREATMENT<br>COMPONENT | DOSAGE |        | TM | CHEAL<br>07/10/00 | DATST<br>07/10/00 | AMARE<br>07/10/00 |
|--------------------|------------------------|--------|--------|----|-------------------|-------------------|-------------------|
|                    |                        | RATE   | UNIT   |    |                   |                   |                   |
| 16A»               | AEF 130360-2 6         | 0.048  | LAA 11 |    | 99                | 99                | 99                |
|                    | B»AIM 40 DF            | 0.008  | LAA 11 |    |                   |                   |                   |
|                    | C»ACTIVATOR 90         | 0.25   | PMV 11 |    |                   |                   |                   |
|                    | D 28% UAN              | 2.50   | PMV 11 |    |                   |                   |                   |
| 17A»               | AEF 130360-2 6         | 0.048  | LAA 11 |    | 99                | 99                | 99                |
|                    | B ATRAZINE DF          | 1.00   | LAA 11 |    |                   |                   |                   |
|                    | C»COC                  | 0.94   | PMV 11 |    |                   |                   |                   |
|                    | D 28% UAN              | 2.50   | PMV 11 |    |                   |                   |                   |
| 18A                | ATRAZINE DF            | 2.00   | LAA 9  |    | 99                | 99                | 99                |
|                    | B»AEF 130360-2 6       | 0.048  | LAA 12 |    |                   |                   |                   |
|                    | C»COC                  | 0.94   | PMV 12 |    |                   |                   |                   |
|                    | D 28% UAN              | 2.50   | PMV 12 |    |                   |                   |                   |
| 19A»               | BALANCE 75WG           | 0.07   | LAA 9  |    | 99                | 99                | 98                |
|                    | B»AEF 130360-2 6       | 0.048  | LAA 12 |    |                   |                   |                   |
|                    | C»COC                  | 0.94   | PMV 12 |    |                   |                   |                   |
|                    | D 28% UAN              | 2.50   | PMV 12 |    |                   |                   |                   |
| 20A»               | DUAL II MAGNUM         | 1.58   | LAA 9  |    | 99                | 99                | 99                |
|                    | B»AEF 130360-2 6       | 0.048  | LAA 12 |    |                   |                   |                   |
|                    | C»COC                  | 0.94   | PMV 12 |    |                   |                   |                   |
|                    | D 28% UAN              | 2.50   | PMV 12 |    |                   |                   |                   |
| 21A»               | IL 0300                | 0.00   | LAA 11 |    | 98                | 99                | 99                |
|                    | B»MSO                  | 0.94   | PMV 11 |    |                   |                   |                   |
|                    | C 28% UAN              | 2.50   | PMV 11 |    |                   |                   |                   |
| 22A»               | HAND WEEDED            | 0.00   | NA 0   |    | 99                | 99                | 99                |
|                    | B»BICEP II MAGNU       | 2.89   | LAA 9  |    |                   |                   |                   |
| LSD (0.05)         |                        |        |        |    | 1.69              | 0.832             | 1.08              |
| STANDARD DEVIATION |                        |        |        |    | 0.834             | 0.411             | 0.533             |

» = SUPPLEMENTAL CHEMICAL

## \* TIMING CODES

00 = ----- / UNTREATED TIMING  
 09 = ----- / PREEMERGENCE 05/10/2000(1)  
 11 = ----- / EPOST 06/08/2000(2)  
 12 = ----- / POST 06/14/2000(3)

| H#  | CUSTOM#1 | CUSTOM#2 | EV.DATE    | S# | TYP | SPECIE | STAGE | RAW | PRT | SYM | MTH | CNF | BASIS   | C.M | CTRT | SS | NOTE |
|-----|----------|----------|------------|----|-----|--------|-------|-----|-----|-----|-----|-----|---------|-----|------|----|------|
| 001 | ZEAMD    |          | 06/23/2000 | 01 | P   | ZEAMD  |       | RAW | ALL | CON | %   | --- | 1.00 PL | NO  | 0001 | 0  | N    |
| 002 | ZEAMD    |          | 07/10/2000 | 01 | P   | ZEAMD  |       | RAW | ALL | CON | %   | --- | 1.00 PL | NO  | 0001 | 0  | N    |
| 003 | SETFA    |          | 07/10/2000 | 02 | P   | SETFA  |       | RAW | ALL | CON | %   | --- | 1.00 PL | NO  | 0001 | 0  | N    |
| 004 | IPOHE    |          | 07/10/2000 | 03 | P   | IPOHE  |       | RAW | ALL | CON | %   | --- | 1.00 PL | NO  | 0001 | 0  | N    |
| 005 | POLPY    |          | 07/10/2000 | 04 | P   | POLPY  |       | RAW | ALL | CON | %   | --- | 1.00 PL | NO  | 0001 | 0  | N    |
| 006 | ABUTH    |          | 07/10/2000 | 05 | P   | ABUTH  |       | RAW | ALL | CON | %   | --- | 1.00 PL | NO  | 0001 | 0  | N    |
| 007 | CHEAL    |          | 07/10/2000 | 06 | P   | CHEAL  |       | RAW | ALL | CON | %   | --- | 1.00 PL | NO  | 0001 | 0  | N    |
| 008 | DATST    |          | 07/10/2000 | 07 | P   | DATST  |       | RAW | ALL | CON | %   | --- | 1.00 PL | NO  | 0001 | 0  | N    |
| 009 | AMARE    |          | 07/10/2000 | 08 | P   | AMARE  |       | RAW | ALL | CON | %   | --- | 1.00 PL | NO  | 0001 | 0  | N    |

## \* SPECIES COMMON NAME - CULTIVAR (IF APPLICABLE)

01 = BURRUS BX442