

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: SIL
 PH: 6.3
 %OM: 2.4
 PREV.CROP: ZEAMD - CORN, DENT
 %RESIDUE: 0
 PLOT WIDTH: 10 X 30 FEET

DESIGN: RCB
 REPS: 3

APPL. NUMBER	01	02	UNIT
TIMINGS	01	04	
TYPE	LIQMXSPR	LIQMXSPR	
APPLICATION DATE	11/17/01	04/20/01	AME
AIR TEMPERATURE	33	74	F
% REL.HUMIDITY	48	43	
WIND DIRECTION	NORTHWEST	SOUTH	
WIND SPEED	5.3	14.0	M/H
CLOUD COVER	CLOUDY	CLEAR	
DEW	DRY	DRY	
SOIL MOISTURE	WET/MOIST	MOIST/MOI	
SOIL CONDITION	FRIABLE	FRIABLE	
METHOD	SPRAY	SPRAY	
EQUIPMENT	BACKPACKS	BACKPACKS	
PROPELLANT	COMPRSCO2	COMPRSCO2	
PLACEMENT	BROADCAST	BROADCAST	
NOZZLE	FLATFAN	FLATFAN	
NOZZLE NUMBER	0	6	
NOZZLE SPACING	0.000	20.000	IN
SWATH WIDTH	0.0	10.0	FT
SPRAY VOLUME	20.00	20.00	
VOLUME UNIT	GPA	GPA	
PRESSURE	40.00	32.00	PSI
DILUENT	WATER	WATER	
INC. DATE			AME
INC. START			24H
INC. END			24H
INC. DEPTH			IN
INC. EQUIPMENT		---	
DN/SG/MMZ			
*** PEST ***			
PINEAPPLE-WEED		MED/59 6.00/9.00	IN
BLUEGRASS, ANNUA		HGH/57 1.00/2.00	IN
GROUNDSEL, CRESS		MED/63 5.00/16.0	IN
CHICKWEED, COMMO		HGH/65 2.00/4.00	IN

* TIMING CODES

01 = ----- / FALL APPL'D
 04 = ----- / EPP 30 DBP

* STAGE CODE

57 = 70% OF INFLORESCENCE EMERGED
 59 = FIRST FLOWER PETALS VISIBLE; HEAD FULLY EMERGED
 63 = 30% OF FLOWERS OPEN
 65 = FULL FLOWERING; 50% OF FLOWERS OPEN, FIRST PETALS CAN FALL OR DRY

DATA MEAN

TITLE: ASFALLNT FALL AND AND EPP APPLICATIONS IN N.T. RRSOYS
CREATED: 11/13/2000 **REVISED:** 11/14/2001 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Altamont **RESEARCHED BY:** UNIV. OF IL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT **WIDE X** 30.00 FT **LONG** **REPS:** 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	POAAN	STEME	SENGL	MATMT	POAAN	STEME
		RATE	UNIT		CON % 04/20/01	CON % 04/20/01	CON % 04/20/01	CON % 04/20/01	CON % 05/15/01	CON % 05/15/01
1A	CANOPY 75WG	0.14	LAA	1	68	80	99	99	43	73
	B»COC	1.00	PMV	1						
2A	CANOPY 75WG	0.14	LAA	1	97	99	98	99	95	98
	B ROUNDUP ULTRA	0.56	LAA	1						
	C»2,4-D LVE	0.25	LAA	1						
	D AM. SULFATE	17.00	PMG	1						
3A	CANOPY 75WG	0.328	LAA	1	93	95	95	99	96	93
	B»COC	1.00	PMV	1						
4A	CANOPY 75WG	0.328	LAA	1	96	98	99	99	94	98
	B ROUNDUP ULTRA	0.56	LAA	1						
	C»2,4-D LVE	0.25	LAA	1						
	D AM. SULFATE	17.00	PMG	1						
5A	ROUNDUP ULTRA	0.56	LAA	1	91	98	70	99	68	78
	B»2,4-D LVE	0.25	LAA	1						
	C AM. SULFATE	17.00	PMG	1						
6A	CHECK	0.00	NA	0	0	0	0	0	0	0
7A»	CANOPY XL 56.3	0.088	LAA	0	86	48	99	96	82	75
	B»AUTHORITY	0.073	LAA	1						
	C CLASSIC 25WG	0.015	LAA	1						
	D»COC	1.00	PMV	1						
8A»	CANOPY XL 56.3	0.088	LAA	0	99	99	99	99	99	99
	B»AUTHORITY	0.073	LAA	1						
	C CLASSIC 25WG	0.015	LAA	1						
	D ROUNDUP ULTRA	0.56	LAA	1						
	E»2,4-D LVE	0.25	LAA	1						
	F AM. SULFATE	17.00	PMG	1						
9A»	CANOPY XL 56.3	0.24	LAA	0	86	68	99	99	94	95
	B»AUTHORITY	0.20	LAA	1						
	C CLASSIC 25WG	0.04	LAA	1						
	D»COC	1.00	PMV	1						
10A»	CANOPY XL 56.3	0.24	LAA	0	99	99	99	99	99	99
	B»AUTHORITY	0.20	LAA	1						
	C CLASSIC 25WG	0.04	LAA	1						
	D ROUNDUP ULTRA	0.56	LAA	1						
	E»2,4-D LVE	0.25	LAA	1						
	F AM. SULFATE	17.00	PMG	1						
11A	SENCOR 75WG	0.188	LAA	1	27	32	20	0	43	23
	B»COC	1.00	PMV	1						
12A	SENCOR 75WG	0.188	LAA	1	82	98	67	91	72	99
	B ROUNDUP ULTRA	0.56	LAA	1						
	C»2,4-D LVE	0.25	LAA	1						
	D AM. SULFATE	17.00	PMG	1						
13A	SENCOR 75WG	0.47	LAA	1	27	73	35	0	10	67
	B»COC	1.00	PMV	1						
14A	SENCOR 75WG	0.47	LAA	1	94	99	83	99	85	99
	B ROUNDUP ULTRA	0.56	LAA	1						
	C»2,4-D LVE	0.25	LAA	1						
	D AM. SULFATE	17.00	PMG	1						
15A	CANOPY 75WG	0.14	LAA	4					83	95
	B»COC	1.00	PMV	4						
16A	CANOPY 75WG	0.14	LAA	4					98	99
	B ROUNDUP ULTRA	0.56	LAA	4						
	C»2,4-D LVE	0.25	LAA	4						
	D AM. SULFATE	17.00	PMG	4						

DATA MEAN

TITLE: ASFALLNT FALL AND AND EPP APPLICATIONS IN N.T. RRSOYS

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	POAAN	STEME	SENGL	MATMT	POAAN	STEME
		RATE	UNIT		CON % 04/20/01	CON % 04/20/01	CON % 04/20/01	CON % 04/20/01	CON % 05/15/01	CON % 05/15/01
17A	CANOPY 75WG	0.328	LAA	4					86	99
	B»COC	1.00	PMV	4						
18A	CANOPY 75WG	0.328	LAA	4					99	99
	B ROUNDUP ULTRA	0.56	LAA	4						
	C»2,4-D LVE	0.25	LAA	4						
	D AM. SULFATE	17.00	PMG	4						
19A	ROUNDUP ULTRA	0.56	LAA	4					99	99
	B»2,4-D LVE	0.25	LAA	4						
	C AM. SULFATE	17.00	PMG	4						
20A	CHECK	0.00	NA	0					0	0
21A»	CANOPY XL 56.3	0.088	LAA	0					91	99
	B»AUTHORITY	0.073	LAA	4						
	C CLASSIC 25WG	0.015	LAA	4						
	D»COC	1.00	PMV	4						
22A»	CANOPY XL 56.3	0.088	LAA	0					99	99
	B»AUTHORITY	0.073	LAA	4						
	C CLASSIC 25WG	0.015	LAA	4						
	D ROUNDUP ULTRA	0.56	LAA	4						
	E»2,4-D LVE	0.25	LAA	4						
	F AM. SULFATE	17.00	PMG	4						
23A»	CANOPY XL 56.3	0.24	LAA	0					81	99
	B»AUTHORITY	0.20	LAA	4						
	C CLASSIC 25WG	0.04	LAA	4						
	D»COC	1.00	PMV	4						
24A»	CANOPY XL 56.3	0.24	LAA	0					99	99
	B»AUTHORITY	0.20	LAA	4						
	C CLASSIC 25WG	0.04	LAA	4						
	D ROUNDUP ULTRA	0.56	LAA	4						
	E»2,4-D LVE	0.25	LAA	4						
	F AM. SULFATE	17.00	PMG	4						
25A	SENCOR 75WG	0.188	LAA	4					43	90
	B»COC	1.00	PMV	4						
26A	SENCOR 75WG	0.188	LAA	4					96	99
	B ROUNDUP ULTRA	0.56	LAA	4						
	C»2,4-D LVE	0.25	LAA	4						
	D AM. SULFATE	17.00	PMG	4						
27A	SENCOR 75WG	0.47	LAA	4					81	98
	B»COC	1.00	PMV	4						
28A	SENCOR 75WG	0.47	LAA	4					98	99
	B ROUNDUP ULTRA	0.56	LAA	4						
	C»2,4-D LVE	0.25	LAA	4						
	D AM. SULFATE	17.00	PMG	4						
		LSD (0.05)			11.78	6.60	11.91	4.59	22.00	12.47
		STANDARD DEVIATION			5.89	3.30	6.00	2.30	11.00	6.23

DATA MEAN

TITLE: ASFALLNT FALL AND AND EPP APPLICATIONS IN N.T. RRSOYS
CREATED: 11/13/2000 **REVISED:** 11/14/2001 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Altamont **RESEARCHED BY:** UNIV. OF IL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT **WIDE X** 30.00 FT **LONG** **REPS:** 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	SENGL	MATMT	AMATA	POAAN	STEME	SENGL
		RATE	UNIT		CON % 05/15/01	CON % 05/15/01	CON % 05/15/01	CON % 05/30/01	CON % 05/30/01	CON % 05/30/01
1A	CANOPY 75WG	0.14	LAA	1	99	99	0	48	93	96
	B»COC	1.00	PMV	1						
2A	CANOPY 75WG	0.14	LAA	1	95	99	0	91	99	94
	B ROUNDUP ULTRA	0.56	LAA	1						
	C»2,4-D LVE	0.25	LAA	1						
	D AM. SULFATE	17.00	PMG	1						
3A	CANOPY 75WG	0.328	LAA	1	98	99	20	78	86	96
	B»COC	1.00	PMV	1						
4A	CANOPY 75WG	0.328	LAA	1	99	99	13	86	99	99
	B ROUNDUP ULTRA	0.56	LAA	1						
	C»2,4-D LVE	0.25	LAA	1						
	D AM. SULFATE	17.00	PMG	1						
5A	ROUNDUP ULTRA	0.56	LAA	1	23	99	0	38	99	37
	B»2,4-D LVE	0.25	LAA	1						
	C AM. SULFATE	17.00	PMG	1						
6A	CHECK	0.00	NA	0	0	0	0	0	0	0
7A»	CANOPY XL 56.3	0.088	LAA	0	99	94	0	91	63	99
	B»AUTHORITY	0.073	LAA	1						
	C CLASSIC 25WG	0.015	LAA	1						
	D»COC	1.00	PMV	1						
8A»	CANOPY XL 56.3	0.088	LAA	0	99	99	0	94	99	99
	B»AUTHORITY	0.073	LAA	1						
	C CLASSIC 25WG	0.015	LAA	1						
	D ROUNDUP ULTRA	0.56	LAA	1						
	E»2,4-D LVE	0.25	LAA	1						
	F AM. SULFATE	17.00	PMG	1						
9A»	CANOPY XL 56.3	0.24	LAA	0	95	99	97	96	99	99
	B»AUTHORITY	0.20	LAA	1						
	C CLASSIC 25WG	0.04	LAA	1						
	D»COC	1.00	PMV	1						
10A»	CANOPY XL 56.3	0.24	LAA	0	99	99	95	93	99	99
	B»AUTHORITY	0.20	LAA	1						
	C CLASSIC 25WG	0.04	LAA	1						
	D ROUNDUP ULTRA	0.56	LAA	1						
	E»2,4-D LVE	0.25	LAA	1						
	F AM. SULFATE	17.00	PMG	1						
11A	SENCOR 75WG	0.188	LAA	1	0	0	0	0	27	0
	B»COC	1.00	PMV	1						
12A	SENCOR 75WG	0.188	LAA	1	45	93	0	33	99	48
	B ROUNDUP ULTRA	0.56	LAA	1						
	C»2,4-D LVE	0.25	LAA	1						
	D AM. SULFATE	17.00	PMG	1						
13A	SENCOR 75WG	0.47	LAA	1	3	0	0	20	91	43
	B»COC	1.00	PMV	1						
14A	SENCOR 75WG	0.47	LAA	1	77	99	0	70	99	73
	B ROUNDUP ULTRA	0.56	LAA	1						
	C»2,4-D LVE	0.25	LAA	1						
	D AM. SULFATE	17.00	PMG	1						
15A	CANOPY 75WG	0.14	LAA	4	81	99	93	88	83	92
	B»COC	1.00	PMV	4						
16A	CANOPY 75WG	0.14	LAA	4	92	94	99	83	99	99
	B ROUNDUP ULTRA	0.56	LAA	4						
	C»2,4-D LVE	0.25	LAA	4						
	D AM. SULFATE	17.00	PMG	4						

DATA MEAN

TITLE: ASFALLNT FALL AND AND EPP APPLICATIONS IN N.T. RRSOYS

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	SENGL	MATMT	AMATA	POAAN	STEME	SENGL
		RATE	UNIT		CON % 05/15/01	CON % 05/15/01	CON % 05/15/01	CON % 05/30/01	CON % 05/30/01	CON % 05/30/01
17A	CANOPY 75WG	0.328	LAA	4	91	98	99	86	99	99
	B»COC	1.00	PMV	4						
18A	CANOPY 75WG	0.328	LAA	4	94	99	99	99	99	99
	B ROUNDUP ULTRA	0.56	LAA	4						
	C»2,4-D LVE	0.25	LAA	4						
	D AM. SULFATE	17.00	PMG	4						
19A	ROUNDUP ULTRA	0.56	LAA	4	88	96	91	79	99	93
	B»2,4-D LVE	0.25	LAA	4						
	C AM. SULFATE	17.00	PMG	4						
20A	CHECK	0.00	NA	0	0	0	0	0	0	0
21A»	CANOPY XL 56.3	0.088	LAA	0	96	98	99	70	99	99
	B»AUTHORITY	0.073	LAA	4						
	C CLASSIC 25WG	0.015	LAA	4						
	D»COC	1.00	PMV	4						
22A»	CANOPY XL 56.3	0.088	LAA	0	98	99	99	99	99	99
	B»AUTHORITY	0.073	LAA	4						
	C CLASSIC 25WG	0.015	LAA	4						
	D ROUNDUP ULTRA	0.56	LAA	4						
	E»2,4-D LVE	0.25	LAA	4						
	F AM. SULFATE	17.00	PMG	4						
23A»	CANOPY XL 56.3	0.24	LAA	0	99	99	99	79	99	99
	B»AUTHORITY	0.20	LAA	4						
	C CLASSIC 25WG	0.04	LAA	4						
	D»COC	1.00	PMV	4						
24A»	CANOPY XL 56.3	0.24	LAA	0	99	99	99	99	99	99
	B»AUTHORITY	0.20	LAA	4						
	C CLASSIC 25WG	0.04	LAA	4						
	D ROUNDUP ULTRA	0.56	LAA	4						
	E»2,4-D LVE	0.25	LAA	4						
	F AM. SULFATE	17.00	PMG	4						
25A	SENCOR 75WG	0.188	LAA	4	3	40	99	0	60	7
	B»COC	1.00	PMV	4						
26A	SENCOR 75WG	0.188	LAA	4	81	96	96	98	99	96
	B ROUNDUP ULTRA	0.56	LAA	4						
	C»2,4-D LVE	0.25	LAA	4						
	D AM. SULFATE	17.00	PMG	4						
27A	SENCOR 75WG	0.47	LAA	4	13	99	99	65	99	18
	B»COC	1.00	PMV	4						
28A	SENCOR 75WG	0.47	LAA	4	83	99	98	91	99	94
	B ROUNDUP ULTRA	0.56	LAA	4						
	C»2,4-D LVE	0.25	LAA	4						
	D AM. SULFATE	17.00	PMG	4						
		LSD (0.05)			15.25	10.09	7.00	29.00	16.74	13.47
		STANDARD DEVIATION			7.62	5.00	3.50	14.48	8.37	6.73

DATA MEAN

TITLE: ASFALLNT FALL AND AND EPP APPLICATIONS IN N.T. RRSOYS
CREATED: 11/13/2000 **REVISED:** 11/14/2001 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Altamont **RESEARCHED BY:** UNIV. OF IL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT **WIDE X** 30.00 FT **LONG** **REPS:** 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	MATMT	AMATA
		RATE	UNIT		CON % 05/30/01	CON % 05/30/01
1A	CANOPY 75WG	0.14	LAA	1	99	13
	B»COC	1.00	PMV	1		
2A	CANOPY 75WG	0.14	LAA	1	99	0
	B ROUNDUP ULTRA	0.56	LAA	1		
	C»2,4-D LVE	0.25	LAA	1		
	D AM. SULFATE	17.00	PMG	1		
3A	CANOPY 75WG	0.328	LAA	1	99	33
	B»COC	1.00	PMV	1		
4A	CANOPY 75WG	0.328	LAA	1	99	0
	B ROUNDUP ULTRA	0.56	LAA	1		
	C»2,4-D LVE	0.25	LAA	1		
	D AM. SULFATE	17.00	PMG	1		
5A	ROUNDUP ULTRA	0.56	LAA	1	66	0
	B»2,4-D LVE	0.25	LAA	1		
	C AM. SULFATE	17.00	PMG	1		
6A	CHECK	0.00	NA	0	0	0
7A»	CANOPY XL 56.3	0.088	LAA	0	99	0
	B»AUTHORITY	0.073	LAA	1		
	C CLASSIC 25WG	0.015	LAA	1		
	D»COC	1.00	PMV	1		
8A»	CANOPY XL 56.3	0.088	LAA	0	99	0
	B»AUTHORITY	0.073	LAA	1		
	C CLASSIC 25WG	0.015	LAA	1		
	D ROUNDUP ULTRA	0.56	LAA	1		
	E»2,4-D LVE	0.25	LAA	1		
	F AM. SULFATE	17.00	PMG	1		
9A»	CANOPY XL 56.3	0.24	LAA	0	99	53
	B»AUTHORITY	0.20	LAA	1		
	C CLASSIC 25WG	0.04	LAA	1		
	D»COC	1.00	PMV	1		
10A»	CANOPY XL 56.3	0.24	LAA	0	99	63
	B»AUTHORITY	0.20	LAA	1		
	C CLASSIC 25WG	0.04	LAA	1		
	D ROUNDUP ULTRA	0.56	LAA	1		
	E»2,4-D LVE	0.25	LAA	1		
	F AM. SULFATE	17.00	PMG	1		
11A	SENCOR 75WG	0.188	LAA	1	33	62
	B»COC	1.00	PMV	1		
12A	SENCOR 75WG	0.188	LAA	1	99	0
	B ROUNDUP ULTRA	0.56	LAA	1		
	C»2,4-D LVE	0.25	LAA	1		
	D AM. SULFATE	17.00	PMG	1		
13A	SENCOR 75WG	0.47	LAA	1	99	0
	B»COC	1.00	PMV	1		
14A	SENCOR 75WG	0.47	LAA	1	99	0
	B ROUNDUP ULTRA	0.56	LAA	1		
	C»2,4-D LVE	0.25	LAA	1		
	D AM. SULFATE	17.00	PMG	1		
15A	CANOPY 75WG	0.14	LAA	4	99	80
	B»COC	1.00	PMV	4		
16A	CANOPY 75WG	0.14	LAA	4	99	63
	B ROUNDUP ULTRA	0.56	LAA	4		
	C»2,4-D LVE	0.25	LAA	4		
	D AM. SULFATE	17.00	PMG	4		

DATA MEAN

TITLE: ASFALLNT FALL AND AND EPP APPLICATIONS IN N.T. RRSOYS

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	MATMT	AMATA
		RATE	UNIT		CON % 05/30/01	CON % 05/30/01
17A	CANOPY 75WG	0.328	LAA	4	99	89
	B»COC	1.00	PMV	4		
18A	CANOPY 75WG	0.328	LAA	4	99	83
	B ROUNDUP ULTRA	0.56	LAA	4		
	C»2,4-D LVE	0.25	LAA	4		
	D AM. SULFATE	17.00	PMG	4		
19A	ROUNDUP ULTRA	0.56	LAA	4	99	68
	B»2,4-D LVE	0.25	LAA	4		
	C AM. SULFATE	17.00	PMG	4		
20A	CHECK	0.00	NA	0	0	0
21A»	CANOPY XL 56.3	0.088	LAA	0	99	89
	B»AUTHORITY	0.073	LAA	4		
	C CLASSIC 25WG	0.015	LAA	4		
	D»COC	1.00	PMV	4		
22A»	CANOPY XL 56.3	0.088	LAA	0	99	94
	B»AUTHORITY	0.073	LAA	4		
	C CLASSIC 25WG	0.015	LAA	4		
	D ROUNDUP ULTRA	0.56	LAA	4		
	E»2,4-D LVE	0.25	LAA	4		
	F AM. SULFATE	17.00	PMG	4		
23A»	CANOPY XL 56.3	0.24	LAA	0	99	97
	B»AUTHORITY	0.20	LAA	4		
	C CLASSIC 25WG	0.04	LAA	4		
	D»COC	1.00	PMV	4		
24A»	CANOPY XL 56.3	0.24	LAA	0	99	99
	B»AUTHORITY	0.20	LAA	4		
	C CLASSIC 25WG	0.04	LAA	4		
	D ROUNDUP ULTRA	0.56	LAA	4		
	E»2,4-D LVE	0.25	LAA	4		
	F AM. SULFATE	17.00	PMG	4		
25A	SENCOR 75WG	0.188	LAA	4	0	87
	B»COC	1.00	PMV	4		
26A	SENCOR 75WG	0.188	LAA	4	98	86
	B ROUNDUP ULTRA	0.56	LAA	4		
	C»2,4-D LVE	0.25	LAA	4		
	D AM. SULFATE	17.00	PMG	4		
27A	SENCOR 75WG	0.47	LAA	4	79	81
	B»COC	1.00	PMV	4		
28A	SENCOR 75WG	0.47	LAA	4	99	91
	B ROUNDUP ULTRA	0.56	LAA	4		
	C»2,4-D LVE	0.25	LAA	4		
	D AM. SULFATE	17.00	PMG	4		
		LSD (0.05)			28.00	33.75
		STANDARD DEVIATION			14.00	16.88

» = SUPPLEMENTAL CHEMICAL

* TIMING CODES

00 = ----- / UNTREATED TIMING
 01 = ----- / FALL APPL'D 11/17/2001(1)
 04 = ----- / EPP 30 DBP 04/20/2001(2)

H#	CUSTOM#1	CUSTOM#2	EV. DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTR	SS	NOTE
01	POAAN	CON %	04/20/2001	02	P	POAAN	57	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
02	STEME	CON %	04/20/2001	03	P	STEME	65	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
03	SENGL	CON %	04/20/2001	04	P	SENGL	63	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
04	MATMT	CON %	04/20/2001	05	P	MATMT	59	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

DATA MEAN

TITLE: ASFALLNT FALL AND AND EPP APPLICATIONS IN N.T. RRSOYS

H#	CUSTOM#1	CUSTOM#2	EV. DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTR	SS	NOTE
05	POAAN	CON %	05/15/2001	02	P	POAAN		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
06	STEME	CON %	05/15/2001	03	P	STEME		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
07	SENGL	CON %	05/15/2001	04	P	SENGL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
08	MATMT	CON %	05/15/2001	05	P	MATMT		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
09	AMATA	CON %	05/15/2001	06	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
10	POAAN	CON %	05/30/2001	02	P	POAAN		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
11	STEME	CON %	05/30/2001	03	P	STEME		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
12	SENGL	CON %	05/30/2001	04	P	SENGL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
13	MATMT	CON %	05/30/2001	05	P	MATMT		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
14	AMATA	CON %	05/30/2001	06	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

* STAGE CODE

57 = 70% OF INFLORESCENCE EMERGED

59 = FIRST FLOWER PETALS VISIBLE; HEAD FULLY EMERGED

63 = 30% OF FLOWERS OPEN

65 = FULL FLOWERING; 50% OF FLOWERS OPEN, FIRST PETALS CAN FALL OR DRY