

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: SIL
 PH: 6.6
 %OM: 4.7
 PREV.CROP: GLXMA - SOYBEAN
 %RESIDUE: 0
 PLOT WIDTH: 10 X 30 FEET

DESIGN: RCB
 REPS: 3

APPL. NUMBER	01	02	03	04	UNIT
TIMINGS	09	10	11	13	
TYPE	LIQMXSPR	LIQMXSPR	LIQMXSPR	LIQMXSPR	
APPLICATION DATE	04/25/01	05/08/01	05/18/01	06/11/01	AME
AIR TEMPERATURE	52	78	75	78	F
% REL.HUMIDITY	90	30	85	83	
WIND DIRECTION	---	SOUTHWEST	NORTH	WEST	
WIND SPEED	0.0	3.0	2.0	2.0	M/H
CLOUD COVER	CLOUDY	CLEAR	OVERCAST	CLEAR	
DEW	---	DRY	MOIST	DRY	
SOIL MOISTURE	DRY/MOIST	DRY/MOIST	MOIST/MOI	DRY/MOIST	
SOIL CONDITION	---	---	---	---	
METHOD	SPRAY	SPRAY	SPRAY	SPRAY	
EQUIPMENT	BACKPACKS	BACKPACKS	BACKPACKS	BACKPACKS	
PROPELLANT	COMPRSCO2	COMPRSCO2	COMPRSCO2	COMPRSCO2	
PLACEMENT	BROADCAST	BROADCAST	BROADCAST	BROADCAST	
NOZZLE	FLATFAN	FLATFAN	FLATFAN	FLATFAN	
NOZZLE NUMBER	6	6	6	6	
NOZZLE SPACING	20.000	20.000	20.000	20.000	IN
SWATH WIDTH	10.0	10.0	10.0	10.0	FT
SPRAY VOLUME	20.00	20.00	20.00	20.00	
VOLUME UNIT	GPA	GPA	GPA	GPA	
PRESSURE	32.00	32.00	32.00	32.00	PSI
DILUENT	WATER	WATER	WATER	WATER	
INC. DATE					AME
INC. START					24H
INC. END					24H
INC. DEPTH					IN
INC. EQUIPMENT	---	---	---	---	
DENSITY /					
*** CROP ***					
CORN, DENT		---/11	---/14	---/18	
VARIETIES		3.00/3.00	8.00/8.00	18.0/20.0	IN
04/24/2001					
*** PEST ***					
VELVETLEAF		---/10	---/12	---/14	
		0.50/0.50	1.00/1.00	2.00/4.00	IN
PIGWEEED, SMOOTH		---/12	---/14	---/19	
		0.50/0.50	1.00/1.00	2.00/8.00	IN
LAMBSQUARTERS, C		---/12	---/16	---/19	
		0.50/0.50	1.00/1.00	2.00/4.00	IN
MORNINGGLORY, TA		---/10	---/11	---/14	
		0.50/0.50	1.00/1.00	1.00/3.00	IN
FOXTAIL, GIANT		---/11	---/12	---/13	
		1.00/1.00	1.00/3.00	2.00/6.00	IN

* TIMING CODES

09 = ----- / PREEMERGENCE
 10 = ----- / VEPOST
 11 = ----- / EPOST
 13 = ----- / LPOST

* STAGE CODE

10 = 1ST LEAF EMERGED; COTYLEDONS UNFOLDED
 11 = FIRST LEAF UNFOLDED
 12 = 2ND TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 13 = 3 LEAVES UNFOLDED
 14 = 4 LEAVES UNFOLDED
 16 = 6TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 18 = 8 LEAVES UNFOLDED
 19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

DATA MEAN

TITLE: Weed control systems in Herbicide Tolerant Corn AS-200

CREATED: 04/13/2001 REVISED: 10/07/2001

COMPLETED: N

PROJECT TYPE: HERBICIDE

LOCATION: URBANA

RESEARCHED BY: UNIV. OF ILL

DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN

PLOT SIZE: 10.00 FT WIDE X 30.00 FT LONG

REPS: 03

TRT	TREATMENT	DOSAGE			ZEAMD	SETFA	CHEAL	AMACH	PHBPU	ABUTH
		RATE	UNIT	TM	CON % 05/17/01	CON % 05/17/01	CON % 05/17/01	CON % 05/17/01	CON % 05/17/01	CON % 05/17/01
1A»	BICEP II MAGNU	2.89	LAA	9	0	83	94	98	72	73
B»	ROUNDUP READY	0.00	NA	0						
2A	HARNESS XTRA	1.61	LAA	9	0	95	99	99	83	83
B»	RNDUP ULTRA MA	0.75	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
D»	ROUNDUP READY	0.00	NA	0						
3A»	RNDUP ULTRA MA	0.75	LAA	11	0	0	0	0	0	0
B	ATRAZINE DF	1.00	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
D»	ROUNDUP READY	0.00	NA	0						
4A»	RNDUP ULTRA MA	0.75	LAA	11	0	0	0	0	0	0
B	HARNESS XTRA	1.61	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
D»	ROUNDUP READY	0.00	NA	0						
5A»	RNDUP ULTRA MA	0.75	LAA	11	0	0	0	0	0	0
B»	LIQUID AMS	2.50	PMV	11						
C»	RNDUP ULTRA MA	0.56	LAA	13						
D»	LIQUID AMS	2.50	PMV	13						
E»	ROUNDUP READY	0.00	NA	0						
6A»	HAND WEEDED	0.00	NA	0	0	99	99	99	99	99
B»	ROUNDUP READY	0.00	NA	0						
C»	BICEP II MAGNU	2.89	LAA	9						
7A»	BICEP II MAGNU	2.89	LAA	9	0	87	99	99	78	67
B»	CLEARFIELD COR	0.00	NA	0						
8A»	LIGHTNING 70DG	0.056	LAA	11	0	0	0	0	0	0
B»	DISTINCT 70WG	0.175	LAA	11						
C»	ACTIVATOR 90	0.25	PMV	11						
D»	LIQUID AMS	2.50	PMV	11						
E»	CLEARFIELD COR	0.00	NA	0						
9A»	GUARDS MAX 5L	1.88	LAA	9	0	0	0	0	0	0
B»	LIGHTNING 70DG	0.056	LAA	11						
C»	DISTINCT 70WG	0.175	LAA	11						
D»	ACTIVATOR 90	0.25	PMV	11						
E»	LIQUID AMS	2.50	PMV	11						
F»	CLEARFIELD COR	0.00	NA	0						
10A	MARKSMAN SC	1.00	LAA	10	0	0	0	0	0	0
B»	LIGHTNING 70DG	0.056	LAA	10						
C»	ACTIVATOR 90	0.25	PMV	10						
D»	CLEARFIELD COR	0.00	NA	0						
11A	CHECK	0.00	NA	0	0	0	0	0	0	0
B»	CLEARFIELD COR	0.00	NA	0						
12A»	HAND WEEDED	0.00	NA	0	0	99	99	99	99	99
B»	BICEP II MAGNU	2.89	LAA	9						
C»	CLEARFIELD COR	0.00	NA	0						
13A»	BICEP II MAGNU	2.89	LAA	9	0	91	98	97	80	78
B»	LIBERTY LINK C	0.00	NA	0						
14A	ATRAZINE DF	1.00	LAA	9	0	67	88	86	68	73
B»	LIBERTY	0.31	LAA	11						
C	ATRAZINE DF	0.50	LAA	11						
D»	LIQUID AMS	5.00	PMV	11						
E»	LIBERTY LINK C	0.00	NA	0						
15A»	BALANCE PRO 4S	0.055	LAA	9	0	75	80	80	80	92
B»	LIBERTY ATZ 4.	1.35	LAA	11						
C»	LIQUID AMS	5.00	PMV	11						
D»	LIBERTY LINK C	0.00	NA	0						

DATA MEAN

TITLE: Weed control systems in Herbicide Tolerant Corn AS-200

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	ZEAMD	SETFA	CHEAL	AMACH	PHBPU	ABUTH	
		RATE	UNIT		CON % 05/17/01	CON % 05/17/01	CON % 05/17/01	CON % 05/17/01	CON % 05/17/01	CON % 05/17/01	
16A	LIBERTY ATZ 4.	1.35	LAA	11	0	0	0	0	0	0	
	B>LIQUID AMS	5.00	PMV	11							
	C>LIBERTY LINK C	0.00	NA	0							
17A	LIBERTY	0.31	LAA	11	0	0	0	0	0	0	
	B>LIQUID AMS	5.00	PMV	11							
	C>LIBERTY	0.31	LAA	13							
	D>LIQUID AMS	5.00	PMV	13							
	E>LIBERTY LINK C	0.00	NA	0							
18A	HAND WEEDED	0.00	NA	0	0	99	99	99	99	99	
	B>LIBERTY LINK C	0.00	NA	0							
	C>BICEP II MAGNU	2.89	LAA	9							
					LSD (0.05)	0.00	5.66	5.12	6.90	6.31	7.72
					STANDARD DEVIATION	0.00	2.80	2.53	3.42	3.12	3.82

DATA MEAN

TITLE: Weed control systems in Herbicide Tolerant Corn AS-200

CREATED: 04/13/2001 REVISED: 10/07/2001

COMPLETED: N

PROJECT TYPE: HERBICIDE

LOCATION: URBANA

RESEARCHED BY: UNIV. OF ILL

DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN

PLOT SIZE: 10.00 FT WIDE X 30.00 FT LONG

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			ZEAMD	SETFA	CHEAL	AMACH	PHBPU	ABUTH
		RATE	UNIT	TM	CON % 06/20/01	CON % 06/20/01	CON % 06/20/01	CON % 06/20/01	CON % 06/20/01	CON % 06/20/01
1A	BICEP II MAGNU	2.89	LAA	9	0	62	67	80	50	53
B	ROUNDUP READY	0.00	NA	0						
2A	HARNESS XTRA	1.61	LAA	9	0	98	98	99	93	92
B	RNDUP ULTRA MA	0.75	LAA	11						
C	LIQUID AMS	2.50	PMV	11						
D	ROUNDUP READY	0.00	NA	0						
3A	RNDUP ULTRA MA	0.75	LAA	11	0	90	99	99	94	94
B	ATRAZINE DF	1.00	LAA	11						
C	LIQUID AMS	2.50	PMV	11						
D	ROUNDUP READY	0.00	NA	0						
4A	RNDUP ULTRA MA	0.75	LAA	11	0	99	99	99	97	98
B	HARNESS XTRA	1.61	LAA	11						
C	LIQUID AMS	2.50	PMV	11						
D	ROUNDUP READY	0.00	NA	0						
5A	RNDUP ULTRA MA	0.75	LAA	11	0	97	96	99	94	98
B	LIQUID AMS	2.50	PMV	11						
C	RNDUP ULTRA MA	0.56	LAA	13						
D	LIQUID AMS	2.50	PMV	13						
E	ROUNDUP READY	0.00	NA	0						
6A	HAND WEEDED	0.00	NA	0	0	99	99	99	99	99
B	ROUNDUP READY	0.00	NA	0						
C	BICEP II MAGNU	2.89	LAA	9						
7A	BICEP II MAGNU	2.89	LAA	9	0	57	60	78	50	53
B	CLEARFIELD COR	0.00	NA	0						
8A	LIGHTNING 70DG	0.056	LAA	11	0	89	91	99	88	95
B	DISTINCT 70WG	0.175	LAA	11						
C	ACTIVATOR 90	0.25	PMV	11						
D	LIQUID AMS	2.50	PMV	11						
E	CLEARFIELD COR	0.00	NA	0						
9A	GUARDS MAX 5L	1.88	LAA	9	0	98	99	99	96	98
B	LIGHTNING 70DG	0.056	LAA	11						
C	DISTINCT 70WG	0.175	LAA	11						
D	ACTIVATOR 90	0.25	PMV	11						
E	LIQUID AMS	2.50	PMV	11						
F	CLEARFIELD COR	0.00	NA	0						
10A	MARKSMAN SC	1.00	LAA	10	0	63	95	98	84	78
B	LIGHTNING 70DG	0.056	LAA	10						
C	ACTIVATOR 90	0.25	PMV	10						
D	CLEARFIELD COR	0.00	NA	0						
11A	CHECK	0.00	NA	0	0	0	0	0	0	0
B	CLEARFIELD COR	0.00	NA	0						
12A	HAND WEEDED	0.00	NA	0	0	99	99	99	99	99
B	BICEP II MAGNU	2.89	LAA	9						
C	CLEARFIELD COR	0.00	NA	0						
13A	BICEP II MAGNU	2.89	LAA	9	0	70	80	85	57	60
B	LIBERTY LINK C	0.00	NA	0						
14A	ATRAZINE DF	1.00	LAA	9	0	85	99	99	90	90
B	LIBERTY	0.31	LAA	11						
C	ATRAZINE DF	0.50	LAA	11						
D	LIQUID AMS	5.00	PMV	11						
E	LIBERTY LINK C	0.00	NA	0						
15A	BALANCE PRO 4S	0.055	LAA	9	0	90	96	99	91	93
B	LIBERTY ATZ 4.	1.35	LAA	11						
C	LIQUID AMS	5.00	PMV	11						
D	LIBERTY LINK C	0.00	NA	0						

DATA MEAN

TITLE: Weed control systems in Herbicide Tolerant Corn AS-200

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	ZEAMD	SETFA	CHEAL	AMACH	PHBPU	ABUTH	
		RATE	UNIT		CON % 06/20/01	CON % 06/20/01	CON % 06/20/01	CON % 06/20/01	CON % 06/20/01	CON % 06/20/01	
16A	LIBERTY ATZ 4.	1.35	LAA	11	0	73	50	78	63	72	
	B>LIQUID AMS	5.00	PMV	11							
	C>LIBERTY LINK C	0.00	NA	0							
17A	LIBERTY	0.31	LAA	11	0	99	82	99	95	97	
	B>LIQUID AMS	5.00	PMV	11							
	C>LIBERTY	0.31	LAA	13							
	D>LIQUID AMS	5.00	PMV	13							
	E>LIBERTY LINK C	0.00	NA	0							
18A	HAND WEEDED	0.00	NA	0	0	99	99	99	99	99	
	B>LIBERTY LINK C	0.00	NA	0							
	C>BICEP II MAGNU	2.89	LAA	9							
					LSD (0.05)	0.00	9.16	8.09	6.66	5.89	8.31
					STANDARD DEVIATION	0.00	4.53	4.00	3.29	2.92	4.11

DATA MEAN

TITLE: Weed control systems in Herbicide Tolerant Corn AS-200

CREATED: 04/13/2001 REVISED: 10/07/2001

COMPLETED: N

PROJECT TYPE: HERBICIDE

LOCATION: URBANA

RESEARCHED BY: UNIV. OF ILL

DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN

PLOT SIZE: 10.00 FT WIDE X 30.00 FT LONG

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			ZEAMD	SETFA	CHEAL	AMACH	PHBPU	ABUTH
		RATE	UNIT	TM	CON % 07/05/01	CON % 07/05/01	CON % 07/05/01	CON % 07/05/01	CON % 07/05/01	CON % 07/05/01
1A	BICEP II MAGNU	2.89	LAA	9	0	60	65	82	53	50
B	ROUNDUP READY	0.00	NA	0						
2A	HARNESS XTRA	1.61	LAA	9	0	96	97	99	88	92
B	RNDUP ULTRA MA	0.75	LAA	11						
C	LIQUID AMS	2.50	PMV	11						
D	ROUNDUP READY	0.00	NA	0						
3A	RNDUP ULTRA MA	0.75	LAA	11	0	88	99	99	93	95
B	ATRAZINE DF	1.00	LAA	11						
C	LIQUID AMS	2.50	PMV	11						
D	ROUNDUP READY	0.00	NA	0						
4A	RNDUP ULTRA MA	0.75	LAA	11	0	98	99	99	95	95
B	HARNESS XTRA	1.61	LAA	11						
C	LIQUID AMS	2.50	PMV	11						
D	ROUNDUP READY	0.00	NA	0						
5A	RNDUP ULTRA MA	0.75	LAA	11	0	96	96	99	93	94
B	LIQUID AMS	2.50	PMV	11						
C	RNDUP ULTRA MA	0.56	LAA	13						
D	LIQUID AMS	2.50	PMV	13						
E	ROUNDUP READY	0.00	NA	0						
6A	HAND WEEDED	0.00	NA	0	0	99	99	99	99	99
B	ROUNDUP READY	0.00	NA	0						
C	BICEP II MAGNU	2.89	LAA	9						
7A	BICEP II MAGNU	2.89	LAA	9	0	50	64	78	53	47
B	CLEARFIELD COR	0.00	NA	0						
8A	LIGHTNING 70DG	0.056	LAA	11	0	91	91	99	89	93
B	DISTINCT 70WG	0.175	LAA	11						
C	ACTIVATOR 90	0.25	PMV	11						
D	LIQUID AMS	2.50	PMV	11						
E	CLEARFIELD COR	0.00	NA	0						
9A	GUARDS MAX 5L	1.88	LAA	9	0	99	99	99	97	98
B	LIGHTNING 70DG	0.056	LAA	11						
C	DISTINCT 70WG	0.175	LAA	11						
D	ACTIVATOR 90	0.25	PMV	11						
E	LIQUID AMS	2.50	PMV	11						
F	CLEARFIELD COR	0.00	NA	0						
10A	MARKSMAN SC	1.00	LAA	10	0	65	95	98	85	80
B	LIGHTNING 70DG	0.056	LAA	10						
C	ACTIVATOR 90	0.25	PMV	10						
D	CLEARFIELD COR	0.00	NA	0						
11A	CHECK	0.00	NA	0	0	0	0	0	0	0
B	CLEARFIELD COR	0.00	NA	0						
12A	HAND WEEDED	0.00	NA	0	0	99	99	99	99	99
B	BICEP II MAGNU	2.89	LAA	9						
C	CLEARFIELD COR	0.00	NA	0						
13A	BICEP II MAGNU	2.89	LAA	9	0	63	79	86	60	55
B	LIBERTY LINK C	0.00	NA	0						
14A	ATRAZINE DF	1.00	LAA	9	0	85	99	99	83	87
B	LIBERTY	0.31	LAA	11						
C	ATRAZINE DF	0.50	LAA	11						
D	LIQUID AMS	5.00	PMV	11						
E	LIBERTY LINK C	0.00	NA	0						
15A	BALANCE PRO 4S	0.055	LAA	9	0	89	95	98	85	89
B	LIBERTY ATZ 4.	1.35	LAA	11						
C	LIQUID AMS	5.00	PMV	11						
D	LIBERTY LINK C	0.00	NA	0						

DATA MEAN

TITLE: Weed control systems in Herbicide Tolerant Corn AS-200

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	ZEAMD	SETFA	CHEAL	AMACH	PHBPU	ABUTH	
		RATE	UNIT		CON % 07/05/01	CON % 07/05/01	CON % 07/05/01	CON % 07/05/01	CON % 07/05/01	CON % 07/05/01	
16A	LIBERTY ATZ 4.	1.35	LAA	11	0	68	50	77	60	63	
	B>LIQUID AMS	5.00	PMV	11							
	C>LIBERTY LINK C	0.00	NA	0							
17A	LIBERTY	0.31	LAA	11	0	98	78	98	92	94	
	B>LIQUID AMS	5.00	PMV	11							
	C>LIBERTY	0.31	LAA	13							
	D>LIQUID AMS	5.00	PMV	13							
	E>LIBERTY LINK C	0.00	NA	0							
18A	HAND WEEDED	0.00	NA	0	0	99	99	99	99	99	
	B>LIBERTY LINK C	0.00	NA	0							
	C>BICEP II MAGNU	2.89	LAA	9							
					LSD (0.05)	0.00	7.87	11.48	9.81	6.49	9.00
					STANDARD DEVIATION	0.00	3.90	5.68	4.86	3.21	4.44

DATA MEAN

TITLE: Weed control systems in Herbicide Tolerant Corn AS-200

CREATED: 04/13/2001 REVISED: 10/07/2001

COMPLETED: N

PROJECT TYPE: HERBICIDE

LOCATION: URBANA

RESEARCHED BY: UNIV. OF ILL

DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN

PLOT SIZE: 10.00 FT WIDE X 30.00 FT LONG

REPS: 03

TRT	TREATMENT	DOSAGE		YIELD
		RATE	UNIT	
NUM	COMPONENT		TM	BU/A
				09/28/01
1A»	BICEP II MAGNU	2.89	LAA 9	119.2
B»	ROUNDUP READY	0.00	NA 0	
2A	HARNNESS XTRA	1.61	LAA 9	178.9
B»	RNDUP ULTRA MA	0.75	LAA 11	
C»	LIQUID AMS	2.50	PMV 11	
D»	ROUNDUP READY	0.00	NA 0	
3A»	RNDUP ULTRA MA	0.75	LAA 11	153.0
B	ATRAZINE DF	1.00	LAA 11	
C»	LIQUID AMS	2.50	PMV 11	
D»	ROUNDUP READY	0.00	NA 0	
4A»	RNDUP ULTRA MA	0.75	LAA 11	169.8
B	HARNNESS XTRA	1.61	LAA 11	
C»	LIQUID AMS	2.50	PMV 11	
D»	ROUNDUP READY	0.00	NA 0	
5A»	RNDUP ULTRA MA	0.75	LAA 11	168.4
B»	LIQUID AMS	2.50	PMV 11	
C»	RNDUP ULTRA MA	0.56	LAA 13	
D»	LIQUID AMS	2.50	PMV 13	
E»	ROUNDUP READY	0.00	NA 0	
6A»	HAND WEEDED	0.00	NA 0	176.0
B»	ROUNDUP READY	0.00	NA 0	
C»	BICEP II MAGNU	2.89	LAA 9	
7A»	BICEP II MAGNU	2.89	LAA 9	115.4
B»	CLEARFIELD COR	0.00	NA 0	
8A»	LIGHTNING 70DG	0.056	LAA 11	148.9
B»	DISTINCT 70WG	0.175	LAA 11	
C»	ACTIVATOR 90	0.25	PMV 11	
D»	LIQUID AMS	2.50	PMV 11	
E»	CLEARFIELD COR	0.00	NA 0	
9A»	GUARDS MAX 5L	1.88	LAA 9	151.7
B»	LIGHTNING 70DG	0.056	LAA 11	
C»	DISTINCT 70WG	0.175	LAA 11	
D»	ACTIVATOR 90	0.25	PMV 11	
E»	LIQUID AMS	2.50	PMV 11	
F»	CLEARFIELD COR	0.00	NA 0	
10A	MARKSMAN SC	1.00	LAA 10	150.5
B»	LIGHTNING 70DG	0.056	LAA 10	
C»	ACTIVATOR 90	0.25	PMV 10	
D»	CLEARFIELD COR	0.00	NA 0	
11A	CHECK	0.00	NA 0	93.9
B»	CLEARFIELD COR	0.00	NA 0	
12A»	HAND WEEDED	0.00	NA 0	143.3
B»	BICEP II MAGNU	2.89	LAA 9	
C»	CLEARFIELD COR	0.00	NA 0	
13A»	BICEP II MAGNU	2.89	LAA 9	123.0
B»	LIBERTY LINK C	0.00	NA 0	
14A	ATRAZINE DF	1.00	LAA 9	151.4
B»	LIBERTY	0.31	LAA 11	
C	ATRAZINE DF	0.50	LAA 11	
D»	LIQUID AMS	5.00	PMV 11	
E»	LIBERTY LINK C	0.00	NA 0	
15A»	BALANCE PRO 4S	0.055	LAA 9	146.9
B»	LIBERTY ATZ 4.	1.35	LAA 11	
C»	LIQUID AMS	5.00	PMV 11	
D»	LIBERTY LINK C	0.00	NA 0	

DATA MEAN

TITLE: Weed control systems in Herbicide Tolerant Corn AS-200

TRT TREATMENT NUM COMPONENT	DOSAGE RATE	UNIT	TM	YIELD BU/A 09/28/01
16A»LIBERTY ATZ 4.	1.35	LAA	11	136.2
B»LIQUID AMS	5.00	PMV	11	
C»LIBERTY LINK C	0.00	NA	0	
17A»LIBERTY	0.31	LAA	11	168.5
B»LIQUID AMS	5.00	PMV	11	
C»LIBERTY	0.31	LAA	13	
D»LIQUID AMS	5.00	PMV	13	
E»LIBERTY LINK C	0.00	NA	0	
18A»HAND WEEDED	0.00	NA	0	162.1
B»LIBERTY LINK C	0.00	NA	0	
C»BICEP II MAGNU	2.89	LAA	9	
LSD (0.05)				23.14
STANDARD DEVIATION				11.45

>> = SUPPLEMENTAL CHEMICAL

* TIMING CODES

- 00 = ----- / UNTREATED TIMING
- 09 = ----- / PREEMERGENCE 04/25/2001(1)
- 10 = ----- / VEPOST 05/08/2001(2)
- 11 = ----- / EPOST 05/18/2001(3)
- 13 = ----- / LPOST 06/11/2001(4)

H#	CUSTOM#1	CUSTOM#2	EV. DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTRTR	SS	NOTE
01	ZEAMD	CON %	05/17/2001	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
02	SETFA	CON %	05/17/2001	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
03	CHEAL	CON %	05/17/2001	03	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
04	AMACH	CON %	05/17/2001	04	P	AMACH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
05	PHBPU	CON %	05/17/2001	05	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
06	ABUTH	CON %	05/17/2001	06	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
07	ZEAMD	CON %	06/20/2001	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
08	SETFA	CON %	06/20/2001	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
09	CHEAL	CON %	06/20/2001	03	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
10	AMACH	CON %	06/20/2001	04	P	AMACH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
11	PHBPU	CON %	06/20/2001	05	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
12	ABUTH	CON %	06/20/2001	06	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
13	ZEAMD	CON %	07/05/2001	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
14	SETFA	CON %	07/05/2001	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
15	CHEAL	CON %	07/05/2001	03	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
16	AMACH	CON %	07/05/2001	04	P	AMACH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
17	PHBPU	CON %	07/05/2001	05	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
18	ABUTH	CON %	07/05/2001	06	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
19	YIELD	BU/A	09/28/2001	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

* SPECIES COMMON NAME - CULTIVAR (IF APPLICABLE)

01 = VARIETIES