

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: SIL
 PH: 6.6
 %OM: 4.7
 PREV.CROP: GLXMA - SOYBEAN
 %RESIDUE: 0
 PLOT WIDTH: 10 X 30 FEET

DESIGN: RCB
 REPS: 3

APPL. NUMBER	01	02	03	04	UNIT
TIMINGS	09	11	12	13	
TYPE	LIQMXSPR	LIQMXSPR	LIQMXSPR	LIQMXSPR	
APPLICATION DATE	04/25/01	05/18/01	05/30/01	06/11/01	AME
AIR TEMPERATURE	52	74	65	78	F
% REL.HUMIDITY	95	85	30	83	
WIND DIRECTION	---	NORTH	EAST	WEST	
WIND SPEED	0.0	2.0	5.0	2.0	M/H
CLOUD COVER	CLOUDY	OVERCAST	CLOUDY	CLEAR	
DEW	---	MOIST	DRY	DRY	
SOIL MOISTURE	DRY/MOIST	MOIST/MOI	DRY/MOIST	DRY/MOIST	
SOIL CONDITION	---	---	---	---	
METHOD	SPRAY	SPRAY	SPRAY	SPRAY	
EQUIPMENT	BACKPACKS	BACKPACKS	BACKPACKS	BACKPACKS	
PROPELLANT	COMPRSCO2	COMPRSCO2	COMPRSCO2	COMPRSCO2	
PLACEMENT	BROADCAST	BROADCAST	BROADCAST	BROADCAST	
NOZZLE	FLATFAN	FLATFAN	FLATFAN	FLATFAN	
NOZZLE NUMBER	6	6	6	6	
NOZZLE SPACING	20.000	20.000	20.000	20.000	IN
SWATH WIDTH	10.0	10.0	10.0	10.0	FT
SPRAY VOLUME	20.00	20.00	20.00	20.00	
VOLUME UNIT	GPA	GPA	GPA	GPA	
PRESSURE	32.00	32.00	32.00	32.00	PSI
DILUENT	WATER	WATER	WATER	WATER	
INC. DATE					AME
INC. START					24H
INC. END					24H
INC. DEPTH					IN
INC. EQUIPMENT	---	---	---	---	
DENSITY /					
*** CROP ***					
CORN, DENT		---/14	---/16	---/18	
ASGROW 738RR		8.00/8.00	14.0/14.0	20.0/20.0	IN
04/24/2001					
*** PEST ***					
VELVETLEAF		---/12	---/14	---/12	
		1.00/1.00	2.00/4.00	1.00/2.00	IN
LAMBSQUARTERS, C		---/16	---/19	---/19	
		1.00/1.00	2.00/4.00	1.00/3.00	IN
MORNINGGLORY, TA		---/12	---/15	---/13	
		1.00/1.00	1.00/2.00	1.00/1.00	IN
FOXTAIL, GIANT		---/11	---/12	---/12	
		1.00/3.00	2.00/6.00	2.00/4.00	IN

* TIMING CODES

09 = ----- / PREEMERGENCE
 11 = ----- / EPOST
 12 = ----- / POST
 13 = ----- / LPOST

* STAGE CODE

11 = FIRST LEAF UNFOLDED
 12 = 2ND TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 13 = 3RD TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 14 = 4 LEAVES UNFOLDED
 15 = 5TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 16 = 6TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 18 = 8 LEAVES UNFOLDED
 19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

DATA MEAN

TITLE: Weed control systems in Roundup Ready corn AS-200

CREATED: 04/13/2001 REVISED: 11/02/2001

COMPLETED: N

PROJECT TYPE: HERBICIDE

LOCATION: URBANA

RESEARCHED BY: UNIV. OF ILL

DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN

PLOT SIZE: 10.00 FT WIDE X 30.00 FT LONG

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			ZEAMD	SETFA	ABUTH	CHEAL	PHBPU	ZEAMD
		RATE	UNIT	TM	CON % 05/17/01	CON % 05/17/01	CON % 05/17/01	CON % 05/17/01	CON % 05/17/01	CON % 06/21/01
1A	RNDUP ULTRA MA	0.75	LAA	11	0	0	0	0	0	0
B	LIQUID AMS	2.50	PMV	11						
2A	TOUCHDOWN 3L	0.75	LAA	11	0	0	0	0	0	0
B	LIQUID AMS	2.50	PMV	11						
3A	GLYPHOMAX PLUS	0.75	LAA	11	0	0	0	0	0	0
B	LIQUID AMS	2.50	PMV	11						
4A	RNDUP ULTRA MA	0.75	LAA	11	0	0	0	0	0	0
B	LIQUID AMS	2.50	PMV	11						
C	RNDUP ULTRA MA	0.56	LAA	13						
D	LIQUID AMS	2.50	PMV	13						
5A	TOUCHDOWN 3L	0.75	LAA	11	0	0	0	0	0	0
B	LIQUID AMS	2.50	PMV	11						
C	TOUCHDOWN 3L	0.56	LAA	13						
D	LIQUID AMS	2.50	PMV	13						
6A	GLYPHOMAX PLUS	0.75	LAA	11	0	0	0	0	0	0
B	LIQUID AMS	2.50	PMV	11						
C	GLYPHOMAX PLUS	0.56	LAA	13						
D	LIQUID AMS	2.50	PMV	13						
7A	CHECK	0.00	NA	0	0	0	0	0	0	0
8A	DEGREE 3.8SC	1.00	LAA	9	0	88	93	88	83	0
B	RNDUP ULTRA MA	0.75	LAA	12						
C	LIQUID AMS	2.50	PMV	12						
9A	DEGREE 3.8SC	1.00	LAA	11	0	0	0	0	0	0
B	RNDUP ULTRA MA	0.75	LAA	11						
C	LIQUID AMS	2.50	PMV	11						
10A	DEGREE XTRA 4S	1.50	LAA	9	0	92	92	90	88	0
B	RNDUP ULTRA MA	0.75	LAA	12						
C	LIQUID AMS	2.50	PMV	12						
11A	DEGREE XTRA 4S	1.50	LAA	11	0	0	0	0	0	0
B	RNDUP ULTRA MA	0.75	LAA	11						
C	LIQUID AMS	2.50	PMV	11						
12A	GLYPHOMAX PLUS	0.75	LAA	11	0	0	0	0	0	0
B	HORNET 68.5WG	0.128	LAA	11						
C	LIQUID AMS	2.50	PMV	11						
13A	HARNESS XTRA	2.10	LAA	9	0	77	92	80	83	0
B	RNDUP ULTRA MA	0.75	LAA	12						
C	LIQUID AMS	2.50	PMV	12						
14A	HARNESS XTRA	2.10	LAA	11	0	0	0	0	0	0
B	RNDUP ULTRA MA	0.75	LAA	11						
C	LIQUID AMS	2.50	PMV	11						
15A	FULTIME 4SC	2.25	LAA	9	0	96	90	98	92	0
B	GLYPHOMAX PLUS	0.75	LAA	12						
C	LIQUID AMS	2.50	PMV	12						
16A	FULTIME 4SC	2.25	LAA	9	0	96	93	96	92	0
B	GLYPHOMAX PLUS	0.75	LAA	12						
C	HORNET 68.5WG	0.128	LAA	12						
D	LIQUID AMS	2.50	PMV	12						
17A	FULTIME 4SC	1.75	LAA	9	0	82	90	82	83	0
B	GLYPHOMAX PLUS	0.75	LAA	12						
C	LIQUID AMS	2.50	PMV	12						
18A	BICEP II MAGNU	2.89	LAA	9	0	92	90	96	92	0

DATA MEAN

TITLE: Weed control systems in Roundup Ready corn AS-200

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	ZEAMD	SETFA	ABUTH	CHEAL	PHBPU	ZEAMD	
		RATE	UNIT		CON % 05/17/01	CON % 05/17/01	CON % 05/17/01	CON % 05/17/01	CON % 05/17/01	CON % 06/21/01	
19A	BICEP II MAGNU	1.44	LAA	9	0	87	87	92	88	0	
	B»TOUCHDOWN 3L	0.75	LAA	12							
	C»LIQUID AMS	2.50	PMV	12							
20A	BICEP II MAGNU	2.89	LAA	9	0	96	93	95	92	0	
	B»TOUCHDOWN 3L	0.75	LAA	12							
	C»LIQUID AMS	2.50	PMV	12							
21A	BICEP II MAGNU	2.20	LAA	11	0	0	0	0	0	0	
	B»TOUCHDOWN 3L	0.75	LAA	11							
	C»LIQUID AMS	2.50	PMV	11							
22A	RDYMASTR ATZ 4	2.00	LAA	11	0	0	0	0	0	0	
	B»LIQUID AMS	2.50	PMV	11							
23A	BICEP II MAGNU	2.89	LAA	9	0	93	92	93	87	0	
	B»SPIRIT 57WG	0.036	LAA	12							
	C»ACTIVATOR 90	0.25	PMV	12							
	D 28% UAN	2.50	PMV	12							
24A	DUAL II MAGNUM	1.60	LAA	9	0	92	92	90	87	0	
	B MARKSMAN SC	1.40	LAA	11							
	C»LIQUID AMS	2.50	PMV	11							
25A	LEADOFF 5SE	1.56	LAA	9	0	87	93	93	90	0	
	B»BASIS GOLD 90D	0.78	LAA	11							
	C»COC	1.00	PMV	11							
	D 28% UAN	5.00	PMV	11							
26A	CELEBRITY PLUS	0.21	LAA	11	0	0	0	0	0	0	
	B»ACTIVATOR 90	0.25	PMV	11							
	C 28% UAN	5.00	PMV	11							
					LSD (0.05)	0.00	4.00	3.23	3.38	3.39	0.00
					STANDARD DEVIATION	0.00	2.00	1.61	1.69	1.69	0.00

DATA MEAN

TITLE: Weed control systems in Roundup Ready corn AS-200

CREATED: 04/13/2001 REVISED: 11/02/2001

COMPLETED: N

PROJECT TYPE: HERBICIDE

LOCATION: URBANA

RESEARCHED BY: UNIV. OF ILL

DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN

PLOT SIZE: 10.00 FT WIDE X 30.00 FT LONG

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			SETFA	ABUTH	CHEAL	PHBPU	ZEAMD	SETFA
		RATE	UNIT	TM	CON % 06/21/01	CON % 06/21/01	CON % 06/21/01	CON % 06/21/01	CON % 07/05/01	CON % 07/05/01
1A»	RNDUP ULTRA MA	0.75	LAA	11	50	92	53	82	0	53
B»	LIQUID AMS	2.50	PMV	11						
2A»	TOUCHDOWN 3L	0.75	LAA	11	53	90	43	87	0	53
B»	LIQUID AMS	2.50	PMV	11						
3A»	GLYPHOMAX PLUS	0.75	LAA	11	57	75	67	85	0	57
B»	LIQUID AMS	2.50	PMV	11						
4A»	RNDUP ULTRA MA	0.75	LAA	11	99	99	88	95	0	97
B»	LIQUID AMS	2.50	PMV	11						
C»	RNDUP ULTRA MA	0.56	LAA	13						
D»	LIQUID AMS	2.50	PMV	13						
5A»	TOUCHDOWN 3L	0.75	LAA	11	99	99	96	93	0	97
B»	LIQUID AMS	2.50	PMV	11						
C»	TOUCHDOWN 3L	0.56	LAA	13						
D»	LIQUID AMS	2.50	PMV	13						
6A»	GLYPHOMAX PLUS	0.75	LAA	11	98	99	96	95	0	98
B»	LIQUID AMS	2.50	PMV	11						
C»	GLYPHOMAX PLUS	0.56	LAA	13						
D»	LIQUID AMS	2.50	PMV	13						
7A	CHECK	0.00	NA	0	0	0	0	0	0	0
8A»	DEGREE 3.8SC	1.00	LAA	9	98	99	96	87	0	97
B»	RNDUP ULTRA MA	0.75	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
9A»	DEGREE 3.8SC	1.00	LAA	11	99	95	95	95	0	94
B»	RNDUP ULTRA MA	0.75	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
10A»	DEGREE XTRA 4S	1.50	LAA	9	96	98	99	93	0	96
B»	RNDUP ULTRA MA	0.75	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
11A»	DEGREE XTRA 4S	1.50	LAA	11	96	95	99	95	0	96
B»	RNDUP ULTRA MA	0.75	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
12A»	GLYPHOMAX PLUS	0.75	LAA	11	96	98	99	93	0	95
B»	HORNET 68.5WG	0.128	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
13A	HARNESS XTRA	2.10	LAA	9	93	96	95	92	0	91
B»	RNDUP ULTRA MA	0.75	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
14A	HARNESS XTRA	2.10	LAA	11	96	99	99	96	0	98
B»	RNDUP ULTRA MA	0.75	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
15A»	FULTIME 4SC	2.25	LAA	9	95	96	98	92	0	98
B»	GLYPHOMAX PLUS	0.75	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
16A»	FULTIME 4SC	2.25	LAA	9	95	98	99	93	0	97
B»	GLYPHOMAX PLUS	0.75	LAA	12						
C»	HORNET 68.5WG	0.128	LAA	12						
D»	LIQUID AMS	2.50	PMV	12						
17A»	FULTIME 4SC	1.75	LAA	9	92	93	87	85	0	89
B»	GLYPHOMAX PLUS	0.75	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
18A»	BICEP II MAGNU	2.89	LAA	9	87	85	92	90	0	85

DATA MEAN

TITLE: Weed control systems in Roundup Ready corn AS-200

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	SETFA	ABUTH	CHEAL	PHBPU	ZEAMD	SETFA
		RATE	UNIT		CON % 06/21/01	CON % 06/21/01	CON % 06/21/01	CON % 06/21/01	CON % 07/05/01	CON % 07/05/01
19A	BICEP II MAGNU	1.44	LAA	9	93	95	95	93	0	94
	B»TOUCHDOWN 3L	0.75	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
20A	BICEP II MAGNU	2.89	LAA	9	98	98	98	93	0	98
	B»TOUCHDOWN 3L	0.75	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
21A	BICEP II MAGNU	2.20	LAA	11	96	98	99	98	0	98
	B»TOUCHDOWN 3L	0.75	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
22A	RDYMASTR ATZ 4	2.00	LAA	11	85	99	99	93	0	88
	B»LIQUID AMS	2.50	PMV	11						
23A	BICEP II MAGNU	2.89	LAA	9	90	98	98	93	0	88
	B»SPIRIT 57WG	0.036	LAA	12						
	C»ACTIVATOR 90	0.25	PMV	12						
	D 28% UAN	2.50	PMV	12						
24A	DUAL II MAGNUM	1.60	LAA	9	92	96	96	95	0	94
	B MARKSMAN SC	1.40	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
25A	LEADOFF 5SE	1.56	LAA	9	90	96	96	93	0	94
	B»BASIS GOLD 90D	0.78	LAA	11						
	C»COC	1.00	PMV	11						
	D 28% UAN	5.00	PMV	11						
26A	CELEBRITY PLUS	0.21	LAA	11	88	92	98	92	0	86
	B»ACTIVATOR 90	0.25	PMV	11						
	C 28% UAN	5.00	PMV	11						
			LSD (0.05)		4.22	4.76	5.00	6.14	0.00	4.00
			STANDARD DEVIATION		2.11	2.38	2.50	3.07	0.00	2.00

DATA MEAN

TITLE: Weed control systems in Roundup Ready corn AS-200

CREATED: 04/13/2001 REVISED: 11/02/2001

COMPLETED: N

PROJECT TYPE: HERBICIDE

LOCATION: URBANA

RESEARCHED BY: UNIV. OF ILL

DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN

PLOT SIZE: 10.00 FT WIDE X 30.00 FT LONG

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			ABUTH CON % 07/05/01	CHEAL CON % 07/05/01	PHBPU CON % 07/05/01	YIELD BU/A 09/27/01
		RATE	UNIT	TM				
1A	RNDUP ULTRA MA	0.75	LAA	11	57	68	57	156.8
B	LIQUID AMS	2.50	PMV	11				
2A	TOUCHDOWN 3L	0.75	LAA	11	57	62	53	149.4
B	LIQUID AMS	2.50	PMV	11				
3A	GLYPHOMAX PLUS	0.75	LAA	11	63	63	60	143.0
B	LIQUID AMS	2.50	PMV	11				
4A	RNDUP ULTRA MA	0.75	LAA	11	97	97	97	154.4
B	LIQUID AMS	2.50	PMV	11				
C	RNDUP ULTRA MA	0.56	LAA	13				
D	LIQUID AMS	2.50	PMV	13				
5A	TOUCHDOWN 3L	0.75	LAA	11	98	98	96	157.0
B	LIQUID AMS	2.50	PMV	11				
C	TOUCHDOWN 3L	0.56	LAA	13				
D	LIQUID AMS	2.50	PMV	13				
6A	GLYPHOMAX PLUS	0.75	LAA	11	97	98	95	156.5
B	LIQUID AMS	2.50	PMV	11				
C	GLYPHOMAX PLUS	0.56	LAA	13				
D	LIQUID AMS	2.50	PMV	13				
7A	CHECK	0.00	NA	0	0	0	0	88.1
8A	DEGREE 3.8SC	1.00	LAA	9	98	98	89	162.4
B	RNDUP ULTRA MA	0.75	LAA	12				
C	LIQUID AMS	2.50	PMV	12				
9A	DEGREE 3.8SC	1.00	LAA	11	94	93	90	166.6
B	RNDUP ULTRA MA	0.75	LAA	11				
C	LIQUID AMS	2.50	PMV	11				
10A	DEGREE XTRA 4S	1.50	LAA	9	98	99	96	159.4
B	RNDUP ULTRA MA	0.75	LAA	12				
C	LIQUID AMS	2.50	PMV	12				
11A	DEGREE XTRA 4S	1.50	LAA	11	98	99	96	165.1
B	RNDUP ULTRA MA	0.75	LAA	11				
C	LIQUID AMS	2.50	PMV	11				
12A	GLYPHOMAX PLUS	0.75	LAA	11	98	98	96	166.7
B	HORNET 68.5WG	0.128	LAA	11				
C	LIQUID AMS	2.50	PMV	11				
13A	HARNESS XTRA	2.10	LAA	9	94	95	91	169.5
B	RNDUP ULTRA MA	0.75	LAA	12				
C	LIQUID AMS	2.50	PMV	12				
14A	HARNESS XTRA	2.10	LAA	11	98	99	98	162.5
B	RNDUP ULTRA MA	0.75	LAA	11				
C	LIQUID AMS	2.50	PMV	11				
15A	FULTIME 4SC	2.25	LAA	9	96	99	95	152.7
B	GLYPHOMAX PLUS	0.75	LAA	12				
C	LIQUID AMS	2.50	PMV	12				
16A	FULTIME 4SC	2.25	LAA	9	99	99	94	164.9
B	GLYPHOMAX PLUS	0.75	LAA	12				
C	HORNET 68.5WG	0.128	LAA	12				
D	LIQUID AMS	2.50	PMV	12				
17A	FULTIME 4SC	1.75	LAA	9	94	89	87	162.4
B	GLYPHOMAX PLUS	0.75	LAA	12				
C	LIQUID AMS	2.50	PMV	12				
18A	BICEP II MAGNU	2.89	LAA	9	68	87	88	153.1

DATA MEAN

TITLE: Weed control systems in Roundup Ready corn AS-200

TRT TREATMENT NUM COMPONENT	DOSAGE		TM	ABUTH	CHEAL	PHBPU	YIELD
	RATE	UNIT		CON % 07/05/01	CON % 07/05/01	CON % 07/05/01	BU/A 09/27/01
19A»BICEP II MAGNU	1.44	LAA 9		95	97	94	156.5
B»TOUCHDOWN 3L	0.75	LAA 12					
C»LIQUID AMS	2.50	PMV 12					
20A»BICEP II MAGNU	2.89	LAA 9		98	98	98	158.2
B»TOUCHDOWN 3L	0.75	LAA 12					
C»LIQUID AMS	2.50	PMV 12					
21A»BICEP II MAGNU	2.20	LAA 11		98	99	98	175.2
B»TOUCHDOWN 3L	0.75	LAA 11					
C»LIQUID AMS	2.50	PMV 11					
22A»RDYMASTR ATZ 4	2.00	LAA 11		99	99	95	154.3
B»LIQUID AMS	2.50	PMV 11					
23A»BICEP II MAGNU	2.89	LAA 9		98	97	94	165.9
B»SPIRIT 57WG	0.036	LAA 12					
C»ACTIVATOR 90	0.25	PMV 12					
D 28% UAN	2.50	PMV 12					
24A»DUAL II MAGNUM	1.60	LAA 9		98	99	98	152.2
B MARKSMAN SC	1.40	LAA 11					
C»LIQUID AMS	2.50	PMV 11					
25A»LEADOFF 5SE	1.56	LAA 9		94	98	94	155.2
B»BASIS GOLD 90D	0.78	LAA 11					
C»COC	1.00	PMV 11					
D 28% UAN	5.00	PMV 11					
26A»CELEBRITY PLUS	0.21	LAA 11		95	95	89	169.0
B»ACTIVATOR 90	0.25	PMV 11					
C 28% UAN	5.00	PMV 11					
		LSD (0.05)		4.52	7.52	3.83	21.92
		STANDARD DEVIATION		2.26	3.76	1.92	11.00

>> = SUPPLEMENTAL CHEMICAL

* TIMING CODES

- 00 = ----- / UNTREATED TIMING
- 09 = ----- / PREEMERGENCE 04/25/2001(1)
- 11 = ----- / EPOST 05/18/2001(2)
- 12 = ----- / POST 05/30/2001(3)
- 13 = ----- / LPOST 06/11/2001(4)

H#	CUSTOM#1	CUSTOM#2	EV. DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTRTR	SS	NOTE
01	ZEAMD	CON %	05/17/2001	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
02	SETFA	CON %	05/17/2001	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
03	ABUTH	CON %	05/17/2001	03	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
04	CHEAL	CON %	05/17/2001	04	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
05	PHBPU	CON %	05/17/2001	05	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
06	ZEAMD	CON %	06/21/2001	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
07	SETFA	CON %	06/21/2001	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
08	ABUTH	CON %	06/21/2001	03	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
09	CHEAL	CON %	06/21/2001	04	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
10	PHBPU	CON %	06/21/2001	05	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
11	ZEAMD	CON %	07/05/2001	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
12	SETFA	CON %	07/05/2001	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
13	ABUTH	CON %	07/05/2001	03	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
14	CHEAL	CON %	07/05/2001	04	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
15	PHBPU	CON %	07/05/2001	05	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
16	YIELD	BU/A	09/27/2001	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

* SPECIES COMMON NAME - CULTIVAR (IF APPLICABLE)

01 = ASGROW 738RR