

## SOIL INFORMATION

## TRIAL INFORMATION

TEXTURE: SIL  
 PH: 6.3  
 %OM: 4.7  
 PREV.CROP: ZEAMD - CORN, DENT  
 %RESIDUE: 0  
 PLOT WIDTH: 7.5 X 36 FEET

DESIGN: RCB  
 REPS: 3

APPL. NUMBER	01	02	UNIT
TIMINGS	09	12	
TYPE	LIQMXSPR	LIQMXSPR	
APPLICATION DATE	05/09/01	06/19/01	AME
AIR TEMPERATURE	80	80	F
% REL.HUMIDITY	28	68	
WIND DIRECTION	SOUTHWEST	SOUTHWEST	
WIND SPEED	5.0	5.0	M/H
CLOUD COVER	CLEAR	CLEAR	
DEW	DRY	DRY	
SOIL MOISTURE	DRY/MOIST	DRY/MOIST	
SOIL CONDITION	---	---	
METHOD	SPRAY	SPRAY	
EQUIPMENT	BACKPACKS	BACKPACKS	
PROPELLANT	COMPRSCO2	COMPRSCO2	
PLACEMENT	BROADCAST	BROADCAST	
NOZZLE	FLATFAN	FLATFAN	
NOZZLE NUMBER	5	5	
NOZZLE SPACING	18.000	18.000	IN
SWATH WIDTH	7.5	7.5	FT
SPRAY VOLUME		20.00	
VOLUME UNIT		GPA	
PRESSURE	42.00	42.00	PSI
DILUENT	WATER	WATER	
INC. DATE			AME
INC. START			24H
INC. END			24H
INC. DEPTH			IN
INC. EQUIPMENT	---	---	
DN/SG/MMZ			
*** CROP ***			
SOYBEAN		---/13	
DEKALB CX303RR		6.00/6.00	IN
05/09/2001			
*** PEST ***			
VELVETLEAF		---/14	
		2.00/4.00	IN
FIGWEED, SMOOTH		---/19	
		2.00/6.00	IN
LAMBSQUARTERS, C		---/19	
		2.00/8.00	IN
SMARTWEED, PENNS		---/18	
		3.00/6.00	IN
FOXTAIL, GIANT		---/13	
		4.00/8.00	IN

## \* TIMING CODES

09 = ----- / PREEMERGENCE  
 12 = ----- / POST

## \* STAGE CODE

13 = 3RD LEAF (1ST TRIFOLIATE LEAF) UNFOLDED, 2 NODES  
 14 = 4TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED  
 18 = 8TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED  
 19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

## DATA MEAN

TITLE: Weed control systems in Roundup Ready Soybean C-400

CREATED: 05/02/2001 REVISED: 10/15/2001

COMPLETED: N

PROJECT TYPE: HERBICIDE

LOCATION: Urbana

RESEARCHED BY: UNIV. OF ILL

DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN

PLOT SIZE: 7.50 FT WIDE X 36.00 FT LONG

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			GLXMA	SETFA	ABUTH	POLPY	AMACH	CHEAL
		RATE	UNIT	TM	CON % 06/18/01	CON % 06/18/01	CON % 06/18/01	CON % 06/18/01	CON % 06/18/01	CON % 06/18/01
1A»	DOMAIN 60DF	0.375	LAA	9	0	87	95	93	93	90
	B»RNDUP ULTRA MA	0.56	LAA	12						
	C»LIQUID AMS	5.00	PMV	12						
2A»	DOMAIN 60DF	0.49	LAA	9	0	95	92	96	96	90
	B»RNDUP ULTRA MA	0.56	LAA	12						
	C»LIQUID AMS	5.00	PMV	12						
3A»	DOMAIN 60DF	0.375	LAA	9	0	92	95	92	95	92
	B»TOUCHDOWN 3L	0.75	LAA	12						
	C»LIQUID AMS	5.00	PMV	12						
4A»	BOUNDARY 7.8L	1.22	LAA	9	0	96	93	90	95	92
	B»TOUCHDOWN 3L	0.75	LAA	12						
	C»LIQUID AMS	5.00	PMV	12						
5A	CHECK	0.00	NA	0	0	0	0	0	0	0
6A»	BOUNDARY 7.8L	1.56	LAA	9	0	98	99	96	99	97
	B»TOUCHDOWN 3L	0.75	LAA	12						
	C»LIQUID AMS	5.00	PMV	12						
7A	PROWL 3.3EC	1.24	LAA	9	0	96	99	96	98	98
	B»TOUCHDOWN 3L	0.75	LAA	12						
	C»LIQUID AMS	5.00	PMV	12						
8A»	VALOR 50WG	0.063	LAA	9	12	90	99	97	99	97
	B»RNDUP ULTRA MA	0.75	LAA	12						
	C»LIQUID AMS	5.00	PMV	12						
9A»	VALOR 50WG	0.078	LAA	9	15	85	99	95	99	99
	B»RNDUP ULTRA MA	0.75	LAA	12						
	C»LIQUID AMS	5.00	PMV	12						
10A»	VALOR 50WG	0.094	LAA	9	18	83	99	96	99	99
	B»RNDUP ULTRA MA	0.75	LAA	12						
	C»LIQUID AMS	5.00	PMV	12						
11A»	AMPLIFY 84WG	0.032	LAA	9	0	52	96	93	93	90
	B»RNDUP ULTRA MA	0.75	LAA	12						
	C»LIQUID AMS	5.00	PMV	12						
12A»	AUTHORITY	0.25	LAA	9	0	42	92	92	92	93
	B»RNDUP ULTRA MA	0.75	LAA	12						
	C»LIQUID AMS	5.00	PMV	12						
13A»	CANOPY XL 56.3	0.088	LAA	0	0	30	87	92	95	92
	B»AUTHORITY	0.073	LAA	9						
	C CLASSIC 25WG	0.015	LAA	9						
	D»RNDUP ULTRA MA	0.75	LAA	12						
	E»LIQUID AMS	3.67	PMV	12						
14A»	CANOPY XL 56.3	0.088	LAA	0	0	30	87	88	93	93
	B»AUTHORITY	0.073	LAA	9						
	C CLASSIC 25WG	0.015	LAA	9						
	D»RNDUP ULTRA MA	0.75	LAA	12						
	E ASSURE II (0.8	0.034	LAA	12						
	F»LIQUID AMS	3.67	PMV	12						
15A»	VALOR 50WG	0.063	LAA	9	10	87	99	98	99	99
	B CLASSIC 25WG	0.025	LAA	9						
	C»RNDUP ULTRA MA	0.75	LAA	12						
	D»LIQUID AMS	5.00	PMV	12						
16A»	COMMAND XTRA	0.00	LAA	0	0	97	99	98	98	99
	B COMMAND 3ME	0.30	LAA	9						
	C»SPARTAN 4L	0.15	LAA	9						
	D»RNDUP ULTRA MA	0.75	LAA	12						
	E»LIQUID AMS	5.00	PMV	12						

## DATA MEAN

TITLE: Weed control systems in Roundup Ready Soybean C-400

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	GLXMA	SETFA	ABUTH	POLPY	AMACH	CHEAL
		RATE	UNIT		CON % 06/18/01	CON % 06/18/01	CON % 06/18/01	CON % 06/18/01	CON % 06/18/01	CON % 06/18/01
17A	GAUNTLET	0.00	LAA	0	0	77	98	95	95	98
	B»AUTHORITY	0.124	LAA	9						
	C»FIRSTRATE 84WG	0.016	LAA	9						
	D»RNDUP ULTRA MA	0.75	LAA	12						
	E»LIQUID AMS	5.00	PMV	12						
18A	PYTHON 80WG	0.05	LAA	9	0	27	99	90	87	83
	B»GLYPHOMAX PLUS	0.75	LAA	12						
	C»LIQUID AMS	5.00	PMV	12						
19A	PROWL 3.3EC	1.24	LAA	9	5	87	93	92	90	95
	B»EXTREME 2.17L	0.81	LAA	12						
	C»ACTIVATOR 90	0.125	PMV	12						
	D»LIQUID AMS	5.00	PMV	12						
20A	OUTLOOK 6EC	0.375	LAA	12	0	0	0	0	0	0
	B»EXTREME 2.17L	0.81	LAA	12						
	C»ACTIVATOR 90	0.125	PMV	12						
	D»LIQUID AMS	5.00	PMV	12						
21A	OUTLOOK 6EC	0.56	LAA	12	0	0	0	0	0	0
	B»EXTREME 2.17L	0.81	LAA	12						
	C»ACTIVATOR 90	0.125	PMV	12						
	D»LIQUID AMS	5.00	PMV	12						
22A	OUTLOOK 6EC	0.56	LAA	12	0	0	0	0	0	0
	B»RNDUP ULTRA MA	0.75	LAA	12						
	C»LIQUID AMS	5.00	PMV	12						
23A	EXTREME 2.17L	0.81	LAA	12	0	0	0	0	0	0
	B»ACTIVATOR 90	0.25	PMV	12						
	C»LIQUID AMS	5.00	PMV	12						
24A	RNDUP ULTRA MA	0.75	LAA	12	0	0	0	0	0	0
	B»LIQUID AMS	5.00	PMV	12						
		LSD (0.05)			1.35	13.16	3.44	4.68	3.41	4.54
		STANDARD DEVIATION			0.673	6.58	1.72	2.34	1.70	2.27

## DATA MEAN

TITLE: Weed control systems in Roundup Ready Soybean C-400

CREATED: 05/02/2001 REVISED: 10/15/2001

COMPLETED: N

PROJECT TYPE: HERBICIDE

LOCATION: Urbana

RESEARCHED BY: UNIV. OF ILL

DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN

PLOT SIZE: 7.50 FT WIDE X 36.00 FT LONG

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			GLXMA	SETFA	ABUTH	POLPY	AMACH	CHEAL
		RATE	UNIT	TM	CON % 06/29/01	CON % 06/29/01	CON % 06/29/01	CON % 06/29/01	CON % 06/29/01	CON % 06/29/01
1A»	DOMAIN 60DF	0.375	LAA	9	0	99	98	98	99	98
	B»RNDUP ULTRA MA	0.56	LAA	12						
	C»LIQUID AMS	5.00	PMV	12						
2A»	DOMAIN 60DF	0.49	LAA	9	0	99	98	98	99	96
	B»RNDUP ULTRA MA	0.56	LAA	12						
	C»LIQUID AMS	5.00	PMV	12						
3A»	DOMAIN 60DF	0.375	LAA	9	0	99	99	98	99	99
	B»TOUCHDOWN 3L	0.75	LAA	12						
	C»LIQUID AMS	5.00	PMV	12						
4A»	BOUNDARY 7.8L	1.22	LAA	9	0	99	99	98	99	98
	B»TOUCHDOWN 3L	0.75	LAA	12						
	C»LIQUID AMS	5.00	PMV	12						
5A	CHECK	0.00	NA	0	0	0	0	0	0	0
6A»	BOUNDARY 7.8L	1.56	LAA	9	0	99	99	99	99	98
	B»TOUCHDOWN 3L	0.75	LAA	12						
	C»LIQUID AMS	5.00	PMV	12						
7A	PROWL 3.3EC	1.24	LAA	9	0	99	99	99	99	99
	B»TOUCHDOWN 3L	0.75	LAA	12						
	C»LIQUID AMS	5.00	PMV	12						
8A»	VALOR 50WG	0.063	LAA	9	0	99	99	99	99	99
	B»RNDUP ULTRA MA	0.75	LAA	12						
	C»LIQUID AMS	5.00	PMV	12						
9A»	VALOR 50WG	0.078	LAA	9	0	99	99	98	99	99
	B»RNDUP ULTRA MA	0.75	LAA	12						
	C»LIQUID AMS	5.00	PMV	12						
10A»	VALOR 50WG	0.094	LAA	9	0	99	99	99	99	99
	B»RNDUP ULTRA MA	0.75	LAA	12						
	C»LIQUID AMS	5.00	PMV	12						
11A»	AMPLIFY 84WG	0.032	LAA	9	0	99	99	98	99	99
	B»RNDUP ULTRA MA	0.75	LAA	12						
	C»LIQUID AMS	5.00	PMV	12						
12A»	AUTHORITY	0.25	LAA	9	0	99	99	98	99	98
	B»RNDUP ULTRA MA	0.75	LAA	12						
	C»LIQUID AMS	5.00	PMV	12						
13A»	CANOPY XL 56.3	0.088	LAA	0	0	99	98	96	98	98
	B»AUTHORITY	0.073	LAA	9						
	C CLASSIC 25WG	0.015	LAA	9						
	D»RNDUP ULTRA MA	0.75	LAA	12						
	E»LIQUID AMS	3.67	PMV	12						
14A»	CANOPY XL 56.3	0.088	LAA	0	0	99	99	99	99	99
	B»AUTHORITY	0.073	LAA	9						
	C CLASSIC 25WG	0.015	LAA	9						
	D»RNDUP ULTRA MA	0.75	LAA	12						
	E ASSURE II (0.8	0.034	LAA	12						
	F»LIQUID AMS	3.67	PMV	12						
15A»	VALOR 50WG	0.063	LAA	9	0	99	99	99	99	99
	B CLASSIC 25WG	0.025	LAA	9						
	C»RNDUP ULTRA MA	0.75	LAA	12						
	D»LIQUID AMS	5.00	PMV	12						
16A»	COMMAND XTRA	0.00	LAA	0	0	99	99	98	99	99
	B COMMAND 3ME	0.30	LAA	9						
	C»SPARTAN 4L	0.15	LAA	9						
	D»RNDUP ULTRA MA	0.75	LAA	12						
	E»LIQUID AMS	5.00	PMV	12						

## DATA MEAN

TITLE: Weed control systems in Roundup Ready Soybean C-400

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	GLXMA	SETFA	ABUTH	POLPY	AMACH	CHEAL
		RATE	UNIT		CON % 06/29/01	CON % 06/29/01	CON % 06/29/01	CON % 06/29/01	CON % 06/29/01	CON % 06/29/01
17A	GAUNTLET	0.00	LAA	0	0	99	99	99	99	99
	B»AUTHORITY	0.124	LAA	9						
	C»FIRSTRATE 84WG	0.016	LAA	9						
	D»RNDUP ULTRA MA	0.75	LAA	12						
	E»LIQUID AMS	5.00	PMV	12						
18A	PYTHON 80WG	0.05	LAA	9	0	99	99	98	99	98
	B»GLYPHOMAX PLUS	0.75	LAA	12						
	C»LIQUID AMS	5.00	PMV	12						
19A	PROWL 3.3EC	1.24	LAA	9	0	99	99	97	99	99
	B»EXTREME 2.17L	0.81	LAA	12						
	C»ACTIVATOR 90	0.125	PMV	12						
	D»LIQUID AMS	5.00	PMV	12						
20A	OUTLOOK 6EC	0.375	LAA	12	17	99	99	92	99	93
	B»EXTREME 2.17L	0.81	LAA	12						
	C»ACTIVATOR 90	0.125	PMV	12						
	D»LIQUID AMS	5.00	PMV	12						
21A	OUTLOOK 6EC	0.56	LAA	12	17	99	99	95	99	99
	B»EXTREME 2.17L	0.81	LAA	12						
	C»ACTIVATOR 90	0.125	PMV	12						
	D»LIQUID AMS	5.00	PMV	12						
22A	OUTLOOK 6EC	0.56	LAA	12	0	99	99	95	99	99
	B»RNDUP ULTRA MA	0.75	LAA	12						
	C»LIQUID AMS	5.00	PMV	12						
23A	EXTREME 2.17L	0.81	LAA	12	13	99	99	95	99	90
	B»ACTIVATOR 90	0.25	PMV	12						
	C»LIQUID AMS	5.00	PMV	12						
24A	RNDUP ULTRA MA	0.75	LAA	12	0	99	99	99	99	99
	B»LIQUID AMS	5.00	PMV	12						
		LSD (0.05)			1.62	0.00	1.27	2.60	0.77	2.09
		STANDARD DEVIATION			0.809	0.00	0.637	1.30	0.385	1.00

## DATA MEAN

TITLE: Weed control systems in Roundup Ready Soybean C-400

CREATED: 05/02/2001 REVISED: 10/15/2001

COMPLETED: N

PROJECT TYPE: HERBICIDE

LOCATION: Urbana

RESEARCHED BY: UNIV. OF ILL

DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN

PLOT SIZE: 7.50 FT WIDE X 36.00 FT LONG

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			GLXMA	SETFA	ABUTH	POLPY	AMACH	CHEAL
		RATE	UNIT	TM	CON % 07/19/01	CON % 07/19/01	CON % 07/19/01	CON % 07/19/01	CON % 07/19/01	CON % 07/19/01
1A	»DOMAIN 60DF	0.375	LAA	9	0	99	99	99	99	99
	B»RNDUP ULTRA MA	0.56	LAA	12						
	C»LIQUID AMS	5.00	PMV	12						
2A	»DOMAIN 60DF	0.49	LAA	9	0	99	99	99	99	96
	B»RNDUP ULTRA MA	0.56	LAA	12						
	C»LIQUID AMS	5.00	PMV	12						
3A	»DOMAIN 60DF	0.375	LAA	9	0	98	99	99	99	99
	B»TOUCHDOWN 3L	0.75	LAA	12						
	C»LIQUID AMS	5.00	PMV	12						
4A	»BOUNDARY 7.8L	1.22	LAA	9	0	99	99	99	99	98
	B»TOUCHDOWN 3L	0.75	LAA	12						
	C»LIQUID AMS	5.00	PMV	12						
5A	CHECK	0.00	NA	0	0	0	0	0	0	0
6A	»BOUNDARY 7.8L	1.56	LAA	9	0	99	99	99	99	99
	B»TOUCHDOWN 3L	0.75	LAA	12						
	C»LIQUID AMS	5.00	PMV	12						
7A	PROWL 3.3EC	1.24	LAA	9	0	99	99	99	99	99
	B»TOUCHDOWN 3L	0.75	LAA	12						
	C»LIQUID AMS	5.00	PMV	12						
8A	»VALOR 50WG	0.063	LAA	9	0	99	99	99	99	99
	B»RNDUP ULTRA MA	0.75	LAA	12						
	C»LIQUID AMS	5.00	PMV	12						
9A	»VALOR 50WG	0.078	LAA	9	0	99	99	99	99	99
	B»RNDUP ULTRA MA	0.75	LAA	12						
	C»LIQUID AMS	5.00	PMV	12						
10A	»VALOR 50WG	0.094	LAA	9	0	98	99	99	99	99
	B»RNDUP ULTRA MA	0.75	LAA	12						
	C»LIQUID AMS	5.00	PMV	12						
11A	»AMPLIFY 84WG	0.032	LAA	9	0	99	99	99	99	99
	B»RNDUP ULTRA MA	0.75	LAA	12						
	C»LIQUID AMS	5.00	PMV	12						
12A	»AUTHORITY	0.25	LAA	9	0	99	99	99	99	99
	B»RNDUP ULTRA MA	0.75	LAA	12						
	C»LIQUID AMS	5.00	PMV	12						
13A	»CANOPY XL 56.3	0.088	LAA	0	0	98	97	97	99	99
	B»AUTHORITY	0.073	LAA	9						
	C CLASSIC 25WG	0.015	LAA	9						
	D»RNDUP ULTRA MA	0.75	LAA	12						
	E»LIQUID AMS	3.67	PMV	12						
14A	»CANOPY XL 56.3	0.088	LAA	0	0	99	99	99	99	99
	B»AUTHORITY	0.073	LAA	9						
	C CLASSIC 25WG	0.015	LAA	9						
	D»RNDUP ULTRA MA	0.75	LAA	12						
	E ASSURE II (0.8	0.034	LAA	12						
	F»LIQUID AMS	3.67	PMV	12						
15A	»VALOR 50WG	0.063	LAA	9	0	99	99	99	99	99
	B CLASSIC 25WG	0.025	LAA	9						
	C»RNDUP ULTRA MA	0.75	LAA	12						
	D»LIQUID AMS	5.00	PMV	12						
16A	»COMMAND XTRA	0.00	LAA	0	0	99	99	99	99	99
	B COMMAND 3ME	0.30	LAA	9						
	C»SPARTAN 4L	0.15	LAA	9						
	D»RNDUP ULTRA MA	0.75	LAA	12						
	E»LIQUID AMS	5.00	PMV	12						

DATA MEAN

TITLE: Weed control systems in Roundup Ready Soybean C-400

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	GLXMA	SETFA	ABUTH	POLPY	AMACH	CHEAL
		RATE	UNIT		CON % 07/19/01	CON % 07/19/01	CON % 07/19/01	CON % 07/19/01	CON % 07/19/01	CON % 07/19/01
17A	GAUNTLET	0.00	LAA	0	0	99	99	99	99	99
	B»AUTHORITY	0.124	LAA	9						
	C»FIRSTRATE 84WG	0.016	LAA	9						
	D»RNDUP ULTRA MA	0.75	LAA	12						
	E»LIQUID AMS	5.00	PMV	12						
18A	PYTHON 80WG	0.05	LAA	9	0	99	99	99	99	99
	B»GLYPHOMAX PLUS	0.75	LAA	12						
	C»LIQUID AMS	5.00	PMV	12						
19A	PROWL 3.3EC	1.24	LAA	9	0	99	99	99	99	99
	B»EXTREME 2.17L	0.81	LAA	12						
	C»ACTIVATOR 90	0.125	PMV	12						
	D»LIQUID AMS	5.00	PMV	12						
20A	OUTLOOK 6EC	0.375	LAA	12	12	99	99	98	99	97
	B»EXTREME 2.17L	0.81	LAA	12						
	C»ACTIVATOR 90	0.125	PMV	12						
	D»LIQUID AMS	5.00	PMV	12						
21A	OUTLOOK 6EC	0.56	LAA	12	13	99	99	99	99	99
	B»EXTREME 2.17L	0.81	LAA	12						
	C»ACTIVATOR 90	0.125	PMV	12						
	D»LIQUID AMS	5.00	PMV	12						
22A	OUTLOOK 6EC	0.56	LAA	12	0	99	99	99	99	99
	B»RNDUP ULTRA MA	0.75	LAA	12						
	C»LIQUID AMS	5.00	PMV	12						
23A	EXTREME 2.17L	0.81	LAA	12	8	99	98	98	99	93
	B»ACTIVATOR 90	0.25	PMV	12						
	C»LIQUID AMS	5.00	PMV	12						
24A	RNDUP ULTRA MA	0.75	LAA	12	0	99	99	99	99	99
	B»LIQUID AMS	5.00	PMV	12						
		LSD (0.05)			1.62	0.647	1.23	1.29	0.00	1.41
		STANDARD DEVIATION			0.809	0.324	0.613	0.643	0.00	0.705

» = SUPPLEMENTAL CHEMICAL

\* TIMING CODES

00 = ----- / UNTREATED TIMING  
 09 = ----- / PREEMERGENCE 05/09/2001(1)  
 12 = ----- / POST 06/19/2001(2)

H#	CUSTOM#1	CUSTOM#2	EV. DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTRTR	SS	NOTE
01	GLXMA	CON %	06/18/2001	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
02	SETFA	CON %	06/18/2001	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
03	ABUTH	CON %	06/18/2001	03	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
04	POLPY	CON %	06/18/2001	04	P	POLPY		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
05	AMACH	CON %	06/18/2001	05	P	AMACH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
06	CHEAL	CON %	06/18/2001	06	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
07	GLXMA	CON %	06/29/2001	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
08	SETFA	CON %	06/29/2001	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
09	ABUTH	CON %	06/29/2001	03	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
10	POLPY	CON %	06/29/2001	04	P	POLPY		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
11	AMACH	CON %	06/29/2001	05	P	AMACH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
12	CHEAL	CON %	06/29/2001	06	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
13	GLXMA	CON %	07/19/2001	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
14	SETFA	CON %	07/19/2001	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
15	ABUTH	CON %	07/19/2001	03	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
16	POLPY	CON %	07/19/2001	04	P	POLPY		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
17	AMACH	CON %	07/19/2001	05	P	AMACH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
18	CHEAL	CON %	07/19/2001	06	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

\* SPECIES COMMON NAME - CULTIVAR (IF APPLICABLE)

01 = DEKALB CX303RR