

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: SIL
PH: 6.6
%OM: 4.8
PREV. CROP: ZEAMD - CORN, DENT
%RESIDUE: 0
PLOT WIDTH: 7.5 X 30 FEET

DESIGN: RCB
REPS: 3

APPL. NUMBER	01	02	UNIT
TIMINGS	06	09	
TYPE	LIQMXSPR	LIQMXSPR	
APPLICATION DATE	05/15/01	05/29/01	AME
AIR TEMPERATURE	89	70	F
% REL. HUMIDITY	45	45	
WIND DIRECTION	SOUTHWEST	NORTH	
WIND SPEED	10.0	2.0	M/H
CLOUD COVER	CLEAR	CLEAR	
DEW	DRY	MOIST	
SOIL MOISTURE	DRY/MOIST	DRY/MOIST	
SOIL CONDITION	---	---	
METHOD	SPRAY	SPRAY	
EQUIPMENT	BACKPACKS	BACKPACKS	
PROPELLANT	COMPRSCO2	COMPRSCO2	
PLACEMENT	BROADCAST	BROADCAST	
NOZZLE	FLATFAN	FLATFAN	
NOZZLE NUMBER	5	5	
NOZZLE SPACING	18.000	18.000	IN
SWATH WIDTH	7.5	7.5	FT
SPRAY VOLUME	20.00	20.00	
VOLUME UNIT	GPA	GPA	
PRESSURE	30.00	30.00	PSI
DILUENT	WATER	WATER	
INC. DATE			AME
INC. START			24H
INC. END			24H
INC. DEPTH			IN
INC. EQUIPMENT	---	---	
DN/SG/MMZ			
*** CROP ***			
SOYBEAN		---/01	IN
PIONEER 93B56		/	
05/29/2001			
*** PEST ***			
LAMBSQUARTERS, C	---/14 1.00/1.00	---/19 2.00/4.00	IN
HORSEWEED	---/19 4.00/6.00	---/19 4.00/8.00	IN
FOXTAIL, GIANT	---/11 1.00/3.00	---/12 1.00/4.00	IN
CHICKWEED, COMMO	---/19 1.00/3.00	---/19 2.00/4.00	IN
DANDELION, COMMO	---/19 1.00/3.00	---/19 2.00/4.00	IN

* TIMING CODES

06 = ----- / EPP 7DBP
09 = ----- / PREEMERGENCE

* STAGE CODE

01 = BEGINNING OF SEED IMBIBITION
11 = FIRST LEAF UNFOLDED
12 = 2 LEAVES UNFOLDED
14 = 4TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

DATA MEAN

TITLE: Soybean Burndown Options in Notill Soybean C-300

CREATED: 04/07/2001 REVISED: 08/08/2001

COMPLETED: N

PROJECT TYPE: HERBICIDE

LOCATION: Urbana

RESEARCHED BY: UNIV. OF ILL

DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN

PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	GLXMA	SETFA	STEME	CHEAL	TAROF	ERICA
		RATE	UNIT		CON % 05/21/01	CON % 05/21/01	CON % 05/21/01	CON % 05/21/01	CON % 05/21/01	CON % 05/21/01
1A»	GRAMOX MAX 3SL	0.625	LAA	6	0	99	99	73	53	65
B»	ACTIVATOR 90	0.25	PMV	6						
2A»	GRAMOX MAX 3SL	0.75	LAA	6	0	99	99	85	58	78
B»	ACTIVATOR 90	0.25	PMV	6						
3A»	GRAMOX MAX 3SL	0.625	LAA	6	0	99	99	88	75	82
B»	BOUNDARY 7.8L	1.22	LAA	6						
C»	ACTIVATOR 90	0.25	PMV	6						
4A»	GRAMOX MAX 3SL	0.625	LAA	6	0	99	99	94	82	88
B	CANOPY 75WG	0.094	LAA	6						
C»	ACTIVATOR 90	0.25	PMV	6						
5A»	GRAMOX MAX 3SL	0.625	LAA	6	0	99	99	99	89	94
B»	CANOPY XL 56.3	0.14	LAA	0						
C»	AUTHORITY	0.117	LAA	6						
D	CLASSIC 25WG	0.023	LAA	6						
E»	ACTIVATOR 90	0.25	PMV	6						
6A	CHECK	0.00	NA	0	0	0	0	0	0	0
7A»	TOUCHDOWN 3L	0.56	LAA	6	0	63	77	50	47	55
B»	LIQUID AMS	2.50	PMV	6						
8A»	TOUCHDOWN 3L	0.56	LAA	6	0	67	90	78	77	82
B	(G)2,4-D-ESTER	0.50	LAA	6						
C»	LIQUID AMS	2.50	PMV	6						
9A»	TOUCHDOWN 3L	0.75	LAA	6	0	53	68	60	53	58
B»	LIQUID AMS	2.50	PMV	6						
10A»	RNDUP ULTRA MA	0.56	LAA	6	0	50	67	50	47	58
B»	LIQUID AMS	2.50	PMV	6						
11A»	RNDUP ULTRA MA	0.75	LAA	6	0	50	73	57	47	67
B»	LIQUID AMS	2.50	PMV	6						
12A»	RNDUP ULTRA MA	0.75	LAA	6	0	75	99	92	84	88
B»	VALOR 50WG	0.063	LAA	6						
C»	LIQUID AMS	2.50	PMV	6						
13A»	V-10080 4.25L	0.813	LAA	6	0	99	99	96	86	93
B»	LIQUID AMS	2.50	PMV	6						
14A»	RNDUP ULTRA MA	0.75	LAA	6	0	67	99	83	72	83
B»	AUTHORITY	0.117	LAA	6						
C»	LIQUID AMS	2.50	PMV	6						
15A	(G)2,4-D-ESTER	0.50	LAA	6	0	13	80	63	68	72
B»	COC	1.00	PMV	6						
16A»	GLYPHOMAX PLUS	0.75	LAA	6	0	55	78	73	67	73
B	(G)2,4-D-ESTER	0.50	LAA	6						
C»	LIQUID AMS	2.50	PMV	6						
17A»	PYTHON 80WG	0.05	LAA	6	0	57	90	78	72	82
B»	GLYPHOMAX PLUS	0.75	LAA	6						
C	(G)2,4-D-ESTER	0.50	LAA	6						
D»	LIQUID AMS	2.50	PMV	6						
18A»	PYTHON 80WG	0.05	LAA	6	0	23	76	68	53	72
B	SENCOR 75WG	0.188	LAA	6						
C	(G)2,4-D-ESTER	0.50	LAA	6						
D»	COC	1.00	PMV	6						

DATA MEAN

TITLE: Soybean Burndown Options in Notill Soybean C-300

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	GLXMA	SETFA	STEME	CHEAL	TAROF	ERICA
		RATE	UNIT		CON % 05/21/01	CON % 05/21/01	CON % 05/21/01	CON % 05/21/01	CON % 05/21/01	CON % 05/21/01
19A»	AIM 40DF	0.016	LAA	6	0	62	99	83	72	80
	B»RNDUP ULTRA MA	0.375	LAA	6						
	C»LIQUID AMS	2.50	PMV	6						
20A»	AIM 40DF	0.016	LAA	6	0	73	99	98	87	93
	B (G)2,4-D-ESTER	0.50	LAA	6						
	C»RNDUP ULTRA MA	0.375	LAA	6						
	D»LIQUID AMS	2.50	PMV	6						
21A»	AIM 40DF	0.016	LAA	6	0	37	99	82	75	83
	B (G)2,4-D-ESTER	0.50	LAA	6						
	C»COC	1.00	PMV	6						
22A»	AIM 40DF	0.008	LAA	6	0	30	99	88	82	88
	B (G)2,4-D-ESTER	0.50	LAA	6						
	C»COC	1.00	PMV	6						
23A»	AIM 40DF	0.008	LAA	9	0	0	0	0	0	0
	B»RNDUP ULTRA MA	0.75	LAA	9						
	C»LIQUID AMS	2.50	PMV	9						
24A»	AIM 40DF	0.016	LAA	9	0	0	0	0	0	0
	B»RNDUP ULTRA MA	0.75	LAA	9						
	C»LIQUID AMS	2.50	PMV	9						
25A»	AIM 40DF	0.024	LAA	9	0	0	0	0	0	0
	B»RNDUP ULTRA MA	0.75	LAA	9						
	C»LIQUID AMS	2.50	PMV	9						
26A»	RNDUP ULTRA MA	0.75	LAA	9	0	0	0	0	0	0
	B»LIQUID AMS	2.50	PMV	9						
27A»	AIM 40DF	0.008	LAA	9	0	0	0	0	0	0
	B SELECT (2EC)	0.094	LAA	9						
	C»COC	1.00	PMV	9						
		LSD (0.05)			0.00	8.80	5.14	8.67	8.58	9.37
		STANDARD DEVIATION			0.00	4.40	2.57	4.33	4.29	4.69

DATA MEAN

TITLE: Soybean Burndown Options in Notill Soybean C-300

CREATED: 04/07/2001 REVISED: 08/08/2001

COMPLETED: N

PROJECT TYPE: HERBICIDE

LOCATION: Urbana

RESEARCHED BY: UNIV. OF ILL

DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN

PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	GLXMA	SETFA	STEME	CHEAL	TAROF	ERICA
		RATE	UNIT		CON % 06/01/01	CON % 06/01/01	CON % 06/01/01	CON % 06/01/01	CON % 06/01/01	CON % 06/01/01
1A»	GRAMOX MAX 3SL	0.625	LAA	6	0	99	99	70	60	72
B»	ACTIVATOR 90	0.25	PMV	6						
2A»	GRAMOX MAX 3SL	0.75	LAA	6	0	99	99	85	67	82
B»	ACTIVATOR 90	0.25	PMV	6						
3A»	GRAMOX MAX 3SL	0.625	LAA	6	0	99	99	94	87	88
B»	BOUNDARY 7.8L	1.22	LAA	6						
C»	ACTIVATOR 90	0.25	PMV	6						
4A»	GRAMOX MAX 3SL	0.625	LAA	6	0	99	99	94	91	94
B	CANOPY 75WG	0.094	LAA	6						
C»	ACTIVATOR 90	0.25	PMV	6						
5A»	GRAMOX MAX 3SL	0.625	LAA	6	0	99	99	97	93	99
B»	CANOPY XL 56.3	0.14	LAA	0						
C»	AUTHORITY	0.117	LAA	6						
D	CLASSIC 25WG	0.023	LAA	6						
E»	ACTIVATOR 90	0.25	PMV	6						
6A	CHECK	0.00	NA	0	0	0	0	0	0	0
7A»	TOUCHDOWN 3L	0.56	LAA	6	0	99	99	92	80	93
B»	LIQUID AMS	2.50	PMV	6						
8A»	TOUCHDOWN 3L	0.56	LAA	6	0	99	99	99	93	99
B	(G)2,4-D-ESTER	0.50	LAA	6						
C»	LIQUID AMS	2.50	PMV	6						
9A»	TOUCHDOWN 3L	0.75	LAA	6	0	99	99	99	92	99
B»	LIQUID AMS	2.50	PMV	6						
10A»	RNDUP ULTRA MA	0.56	LAA	6	0	99	99	91	81	94
B»	LIQUID AMS	2.50	PMV	6						
11A»	RNDUP ULTRA MA	0.75	LAA	6	0	99	99	99	88	99
B»	LIQUID AMS	2.50	PMV	6						
12A»	RNDUP ULTRA MA	0.75	LAA	6	0	99	99	99	99	99
B»	VALOR 50WG	0.063	LAA	6						
C»	LIQUID AMS	2.50	PMV	6						
13A»	V-10080 4.25L	0.813	LAA	6	0	99	99	99	99	99
B»	LIQUID AMS	2.50	PMV	6						
14A»	RNDUP ULTRA MA	0.75	LAA	6	0	99	99	99	99	99
B»	AUTHORITY	0.117	LAA	6						
C»	LIQUID AMS	2.50	PMV	6						
15A	(G)2,4-D-ESTER	0.50	LAA	6	0	23	75	73	72	63
B»	COC	1.00	PMV	6						
16A»	GLYPHOMAX PLUS	0.75	LAA	6	0	99	99	99	96	99
B	(G)2,4-D-ESTER	0.50	LAA	6						
C»	LIQUID AMS	2.50	PMV	6						
17A»	PYTHON 80WG	0.05	LAA	6	0	99	99	99	99	99
B»	GLYPHOMAX PLUS	0.75	LAA	6						
C	(G)2,4-D-ESTER	0.50	LAA	6						
D»	LIQUID AMS	2.50	PMV	6						
18A»	PYTHON 80WG	0.05	LAA	6	0	75	99	99	93	97
B	SENCOR 75WG	0.188	LAA	6						
C	(G)2,4-D-ESTER	0.50	LAA	6						
D»	COC	1.00	PMV	6						

DATA MEAN

TITLE: Soybean Burndown Options in Notill Soybean C-300

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	GLXMA	SETFA	STEME	CHEAL	TAROF	ERICA
		RATE	UNIT		CON % 06/01/01	CON % 06/01/01	CON % 06/01/01	CON % 06/01/01	CON % 06/01/01	CON % 06/01/01
19A»	AIM 40DF	0.016	LAA	6	0	75	99	99	93	97
	B»RNDUP ULTRA MA	0.375	LAA	6						
	C»LIQUID AMS	2.50	PMV	6						
20A»	AIM 40DF	0.016	LAA	6	0	99	99	98	90	96
	B (G)2,4-D-ESTER	0.50	LAA	6						
	C»RNDUP ULTRA MA	0.375	LAA	6						
	D»LIQUID AMS	2.50	PMV	6						
21A»	AIM 40DF	0.016	LAA	6	0	60	92	93	83	88
	B (G)2,4-D-ESTER	0.50	LAA	6						
	C»COC	1.00	PMV	6						
22A»	AIM 40DF	0.008	LAA	6	0	37	85	82	70	75
	B (G)2,4-D-ESTER	0.50	LAA	6						
	C»COC	1.00	PMV	6						
23A»	AIM 40DF	0.008	LAA	9	0	43	57	62	68	72
	B»RNDUP ULTRA MA	0.75	LAA	9						
	C»LIQUID AMS	2.50	PMV	9						
24A»	AIM 40DF	0.016	LAA	9	0	57	67	67	63	75
	B»RNDUP ULTRA MA	0.75	LAA	9						
	C»LIQUID AMS	2.50	PMV	9						
25A»	AIM 40DF	0.024	LAA	9	0	63	78	78	73	83
	B»RNDUP ULTRA MA	0.75	LAA	9						
	C»LIQUID AMS	2.50	PMV	9						
26A»	RNDUP ULTRA MA	0.75	LAA	9	0	27	27	23	20	40
	B»LIQUID AMS	2.50	PMV	9						
27A»	AIM 40DF	0.008	LAA	9	0	57	75	71	58	75
	B SELECT (2EC)	0.094	LAA	9						
	C»COC	1.00	PMV	9						
		LSD (0.05)			0.00	9.33	5.88	11.00	8.20	8.59
		STANDARD DEVIATION			0.00	4.67	2.94	5.51	4.10	4.29

DATA MEAN

TITLE: Soybean Burndown Options in Notill Soybean C-300

CREATED: 04/07/2001 REVISED: 08/08/2001

COMPLETED: N

PROJECT TYPE: HERBICIDE

LOCATION: Urbana

RESEARCHED BY: UNIV. OF ILL

DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN

PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	GLXMA	SETFA	STEME	CHEAL	TAROF	TAROF
		RATE	UNIT		CON % 06/13/01	CON % 06/13/01	CON % 06/13/01	CON % 06/13/01	CON % 06/13/01	CON % 06/13/01
1A»	GRAMOX MAX 3SL	0.625	LAA	6	0	99	99	70	50	72
B»	ACTIVATOR 90	0.25	PMV	6						
2A»	GRAMOX MAX 3SL	0.75	LAA	6	0	99	99	83	62	82
B»	ACTIVATOR 90	0.25	PMV	6						
3A»	GRAMOX MAX 3SL	0.625	LAA	6	0	99	99	96	80	99
B»	BOUNDARY 7.8L	1.22	LAA	6						
C»	ACTIVATOR 90	0.25	PMV	6						
4A»	GRAMOX MAX 3SL	0.625	LAA	6	0	99	99	98	83	99
B	CANOPY 75WG	0.094	LAA	6						
C»	ACTIVATOR 90	0.25	PMV	6						
5A»	GRAMOX MAX 3SL	0.625	LAA	6	0	99	99	95	98	99
B»	CANOPY XL 56.3	0.14	LAA	0						
C»	AUTHORITY	0.117	LAA	6						
D	CLASSIC 25WG	0.023	LAA	6						
E»	ACTIVATOR 90	0.25	PMV	6						
6A	CHECK	0.00	NA	0	0	0	0	0	0	0
7A»	TOUCHDOWN 3L	0.56	LAA	6	0	99	99	92	81	99
B»	LIQUID AMS	2.50	PMV	6						
8A»	TOUCHDOWN 3L	0.56	LAA	6	0	99	99	99	96	99
B	(G)2,4-D-ESTER	0.50	LAA	6						
C»	LIQUID AMS	2.50	PMV	6						
9A»	TOUCHDOWN 3L	0.75	LAA	6	0	99	99	99	91	99
B»	LIQUID AMS	2.50	PMV	6						
10A»	RNDUP ULTRA MA	0.56	LAA	6	0	99	99	98	83	99
B»	LIQUID AMS	2.50	PMV	6						
11A»	RNDUP ULTRA MA	0.75	LAA	6	0	99	99	97	89	99
B»	LIQUID AMS	2.50	PMV	6						
12A»	RNDUP ULTRA MA	0.75	LAA	6	0	99	99	99	98	99
B»	VALOR 50WG	0.063	LAA	6						
C»	LIQUID AMS	2.50	PMV	6						
13A»	V-10080 4.25L	0.813	LAA	6	0	99	99	98	98	99
B»	LIQUID AMS	2.50	PMV	6						
14A»	RNDUP ULTRA MA	0.75	LAA	6	0	99	99	99	99	99
B»	AUTHORITY	0.117	LAA	6						
C»	LIQUID AMS	2.50	PMV	6						
15A	(G)2,4-D-ESTER	0.50	LAA	6	0	53	93	97	84	89
B»	COC	1.00	PMV	6						
16A»	GLYPHOMAX PLUS	0.75	LAA	6	0	99	99	99	89	99
B	(G)2,4-D-ESTER	0.50	LAA	6						
C»	LIQUID AMS	2.50	PMV	6						
17A»	PYTHON 80WG	0.05	LAA	6	0	99	99	99	99	99
B»	GLYPHOMAX PLUS	0.75	LAA	6						
C	(G)2,4-D-ESTER	0.50	LAA	6						
D»	LIQUID AMS	2.50	PMV	6						
18A»	PYTHON 80WG	0.05	LAA	6	0	53	99	99	95	99
B	SENCOR 75WG	0.188	LAA	6						
C	(G)2,4-D-ESTER	0.50	LAA	6						
D»	COC	1.00	PMV	6						

DATA MEAN

TITLE: Soybean Burndown Options in Notill Soybean C-300

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	GLXMA	SETFA	STEME	CHEAL	TAROF	TAROF
		RATE	UNIT		CON % 06/13/01	CON % 06/13/01	CON % 06/13/01	CON % 06/13/01	CON % 06/13/01	CON % 06/13/01
19A»	AIM 40DF	0.016	LAA	6	0	99	99	85	87	94
	B»RNDUP ULTRA MA	0.375	LAA	6						
	C»LIQUID AMS	2.50	PMV	6						
20A»	AIM 40DF	0.016	LAA	6	0	99	99	99	99	99
	B (G)2,4-D-ESTER	0.50	LAA	6						
	C»RNDUP ULTRA MA	0.375	LAA	6						
	D»LIQUID AMS	2.50	PMV	6						
21A»	AIM 40DF	0.016	LAA	6	0	53	98	92	79	97
	B (G)2,4-D-ESTER	0.50	LAA	6						
	C»COC	1.00	PMV	6						
22A»	AIM 40DF	0.008	LAA	6	0	40	80	80	75	88
	B (G)2,4-D-ESTER	0.50	LAA	6						
	C»COC	1.00	PMV	6						
23A»	AIM 40DF	0.008	LAA	9	0	99	99	99	96	99
	B»RNDUP ULTRA MA	0.75	LAA	9						
	C»LIQUID AMS	2.50	PMV	9						
24A»	AIM 40DF	0.016	LAA	9	0	99	99	99	99	99
	B»RNDUP ULTRA MA	0.75	LAA	9						
	C»LIQUID AMS	2.50	PMV	9						
25A»	AIM 40DF	0.024	LAA	9	0	99	99	99	98	99
	B»RNDUP ULTRA MA	0.75	LAA	9						
	C»LIQUID AMS	2.50	PMV	9						
26A»	RNDUP ULTRA MA	0.75	LAA	9	0	99	99	99	90	99
	B»LIQUID AMS	2.50	PMV	9						
27A»	AIM 40DF	0.008	LAA	9	0	99	83	53	50	60
	B SELECT (2EC)	0.094	LAA	9						
	C»COC	1.00	PMV	9						
		LSD (0.05)			0.00	5.30	4.91	7.59	6.72	4.50
		STANDARD DEVIATION			0.00	2.65	2.46	3.80	3.36	2.25

» = SUPPLEMENTAL CHEMICAL

* TIMING CODES

00 = ----- / UNTREATED TIMING
 06 = ----- / EPP 7DBP 05/15/2001(1)
 09 = ----- / PREEMERGENCE 05/29/2001(2)

H#	CUSTOM#1	CUSTOM#2	EV. DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTRTR	SS	NOTE
01	GLXMA	CON %	05/21/2001	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
02	SETFA	CON %	05/21/2001	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
03	STEME	CON %	05/21/2001	03	P	STEME		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
04	CHEAL	CON %	05/21/2001	04	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
05	TAROF	CON %	05/21/2001	05	P	TAROF		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
06	ERICA	CON %	05/21/2001	06	P	ERICA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
07	GLXMA	CON %	06/01/2001	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
08	SETFA	CON %	06/01/2001	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
09	STEME	CON %	06/01/2001	03	P	STEME		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
10	CHEAL	CON %	06/01/2001	04	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
11	TAROF	CON %	06/01/2001	05	P	TAROF		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
12	ERICA	CON %	06/01/2001	06	P	ERICA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
13	GLXMA	CON %	06/13/2001	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
14	SETFA	CON %	06/13/2001	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
15	STEME	CON %	06/13/2001	03	P	STEME		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
16	CHEAL	CON %	06/13/2001	04	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
17	TAROF	CON %	06/13/2001	05	P	TAROF		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
18	TAROF	CON %	06/13/2001	05	P	TAROF		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

* SPECIES COMMON NAME - CULTIVAR (IF APPLICABLE)

01 = PIONEER 93B56