

## SOIL INFORMATION

## TRIAL INFORMATION

TEXTURE: SIL  
PH: 6.6  
%OM: 4.8  
PREV. CROP: ZEAMD - CORN, DENT  
%RESIDUE: 0  
PLOT WIDTH: 7.5 X 30 FEET

DESIGN: RCB  
REPS: 3

APPL. NUMBER	01	02	03	04	UNIT
TIMINGS	03	04	06	13	
TYPE	LIQMXSPR	LIQMXSPR	LIQMXSPR	LIQMXSPR	
APPLICATION DATE	04/09/01	04/20/01	05/15/01	06/19/01	AME
AIR TEMPERATURE	86	65	89	84	F
% REL. HUMIDITY	46	30	43	80	
WIND DIRECTION	SOUTHWEST	SOUTH	SOUTHWEST	SOUTH	
WIND SPEED	10.0	10.0	10.0	4.0	M/H
CLOUD COVER	CLEAR	PARTCLDY	CLEAR	CLEAR	
DEW	DRY	DRY	DRY	DRY	
SOIL MOISTURE	DRY/MOIST	DRY/MOIST	DRY/MOIST	DRY/MOIST	
SOIL CONDITION	FRIABLE	FRIABLE	FRIABLE	FRIABLE	
METHOD	SPRAY	SPRAY	SPRAY	SPRAY	
EQUIPMENT	BACKPACKS	BACKPACKS	BACKPACKS	BACKPACKS	
PROPELLANT	COMPRSCO2	COMPRSCO2	COMPRSCO2	COMPRSCO2	
PLACEMENT	BROADCAST	BROADCAST	BROADCAST	BROADCAST	
NOZZLE	FLATFAN	FLATFAN	FLATFAN	FLATFAN	
NOZZLE NUMBER	5	5	5		
NOZZLE SPACING	18.000	18.000	18.000		IN
SWATH WIDTH	7.5	7.5	7.5		FT
SPRAY VOLUME	20.00	20.00	20.00		
VOLUME UNIT	GPA	GPA	GPA		
PRESSURE	30.00	30.00	30.00		PSI
DILUENT	WATER	WATER	WATER	WATER	
INC. DATE					AME
INC. START					24H
INC. END					24H
INC. DEPTH					IN
INC. EQUIPMENT	---	---	---	---	
DENSITY /					
*** PEST ***					
RAGWEED, COMMON			MED/12 1.00/1.00		IN
LAMBSQUARTERS, C	HGH/10 0.50/0.50	HGH/11 0.75/0.75	HGH/16 1.00/3.00		IN
HORSEWEED	MED/14 1.00/1.00	MED/15 1.50/1.50	MED/19 4.00/6.00		IN
SMARTWEED, PENNS			MED/12 1.00/1.00		IN
CHICKWEED, COMMO	HGH/18 1.00/1.00	HGH/19 1.50/1.50	HGH/19 2.00/4.00		IN

## \* TIMING CODES

03 = ----- / EPP 45DBP  
04 = ----- / EPP 30DBP  
06 = ----- / EPP 7DBP  
13 = ----- / LPOST

## \* STAGE CODE

10 = 1ST LEAF EMERGED; COTYLEDONS UNFOLDED  
11 = 1ST TRUE LEAF/LEAF PAIR/WHORL UNFOLDED  
12 = 2ND TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED  
14 = 4TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED  
15 = 5TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED  
16 = 6TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED  
18 = 8TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED  
19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

## DATA MEAN

TITLE: EPP Timings in Glyphosate Tolerant Soybean C-300

CREATED: 04/04/2001 REVISED: 11/15/2001

COMPLETED: N

PROJECT TYPE: HERBICIDE

LOCATION: Urbana

RESEARCHED BY: UNIV. OF ILL

DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN

PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			SETFA	CHEAL	AMBEL	POLPY	ERICA	STEME
		RATE	UNIT	TM	CON % 05/28/01	CON % 05/28/01	CON % 05/28/01	CON % 05/28/01	CON % 05/28/01	CON % 05/28/01
1A	»DOMAIN 60DF	0.60	LAA	3	33	94	98	87	94	99
	B (G)2,4-D-ESTER	0.50	LAA	3						
	C»COC	1.00	PMV	3						
	D»RNDUP ULTRA MA	0.56	LAA	13						
	E AM. SULFATE	8.50	PMG	13						
2A	»BOUNDARY 7.8L	1.71	LAA	3	75	90	94	7	94	96
	B (G)2,4-D-ESTER	0.50	LAA	3						
	C»COC	1.00	PMV	3						
	D»RNDUP ULTRA MA	0.56	LAA	13						
	E AM. SULFATE	8.50	PMG	13						
3A	PROWL 3.3EC	1.44	LAA	3	80	98	99	86	86	65
	B (G)2,4-D-ESTER	0.50	LAA	3						
	C»COC	1.00	PMV	3						
	D»RNDUP ULTRA MA	0.56	LAA	13						
	E AM. SULFATE	8.50	PMG	13						
4A	CHECK	0.00	NA	0	0	0	0	0	0	0
5A	»VALOR 50WG	0.094	LAA	3	78	96	99	94	85	99
	B CLASSIC 25WG	0.04	LAA	3						
	C»COC	1.00	PMV	3						
	D»RNDUP ULTRA MA	0.56	LAA	13						
	E AM. SULFATE	8.50	PMG	13						
6A	»CANOPY XL 56.3	0.24	LAA	0	83	93	99	93	88	93
	B»AUTHORITY	0.20	LAA	3						
	C CLASSIC 25WG	0.04	LAA	3						
	D»COC	0.015	PMV	3						
	E»RNDUP ULTRA MA	0.56	LAA	13						
	F AM. SULFATE	8.50	PMG	13						
7A	»DOMAIN 60DF	0.488	LAA	4	78	95	99	92	99	99
	B (G)2,4-D-ESTER	0.50	LAA	4						
	C»COC	1.00	PMV	4						
	D»RNDUP ULTRA MA	0.56	LAA	13						
	E AM. SULFATE	8.50	PMG	13						
8A	»BOUNDARY 7.8L	1.46	LAA	4	82	95	99	87	98	95
	B (G)2,4-D-ESTER	0.50	LAA	4						
	C»COC	1.00	PMV	4						
	D»RNDUP ULTRA MA	0.56	LAA	13						
	E AM. SULFATE	8.50	PMG	13						
9A	PROWL 3.3EC	1.24	LAA	4	91	99	99	33	90	83
	B (G)2,4-D-ESTER	0.50	LAA	4						
	C»COC	1.00	PMV	4						
	D»RNDUP ULTRA MA	0.56	LAA	13						
	E AM. SULFATE	8.50	PMG	13						
10A	»VALOR 50WG	0.063	LAA	4	63	82	99	85	68	93
	B CLASSIC 25WG	0.031	LAA	4						
	C»COC	1.00	PMV	4						
	D»RNDUP ULTRA MA	0.56	LAA	13						
	E AM. SULFATE	8.50	PMG	13						
11A	»CANOPY XL 56.3	0.148	LAA	0	84	95	99	96	93	83
	B»AUTHORITY	0.125	LAA	4						
	C CLASSIC 25WG	0.025	LAA	4						
	D»COC	1.00	PMV	4						
	E»RNDUP ULTRA MA	0.56	LAA	13						
	F AM. SULFATE	8.50	PMG	13						
12A	»VALOR 50WG	0.063	LAA	4	68	58	96	43	63	94
	B»COC	1.00	PMV	4						
	C»RNDUP ULTRA MA	0.56	LAA	13						
	D AM. SULFATE	8.50	PMG	13						

## DATA MEAN

TITLE: EPP Timings in Glyphosate Tolerant Soybean C-300

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	SETFA	CHEAL	AMBEL	POLPY	ERICA	STEME
		RATE	UNIT		CON % 05/28/01	CON % 05/28/01	CON % 05/28/01	CON % 05/28/01	CON % 05/28/01	CON % 05/28/01
13A	»VALOR 50WG	0.053	LAA	4	50	60	98	89	93	83
	B»FIRSTRATE 84WG	0.031	LAA	4						
	C»COC	1.00	PMV	4						
	D»RNDUP ULTRA MA	0.56	LAA	13						
	E AM. SULFATE	8.50	PMG	13						
14A	»DOMAIN 60DF	0.375	LAA	6	99	91	99	88	95	99
	B»RNDUP ULTRA MA	0.75	LAA	6						
	C AM. SULFATE	8.50	PMG	6						
	D»RNDUP ULTRA MA	0.56	LAA	13						
	E AM. SULFATE	8.50	PMG	13						
15A	»BOUNDARY 7.8L	1.22	LAA	6	99	96	99	95	99	99
	B»RNDUP ULTRA MA	0.75	LAA	6						
	C AM. SULFATE	8.50	PMG	6						
	D»RNDUP ULTRA MA	0.56	LAA	13						
	E AM. SULFATE	8.50	PMG	13						
16A	PROWL 3.3EC	1.03	LAA	6	99	92	99	73	98	99
	B»RNDUP ULTRA MA	0.75	LAA	6						
	C AM. SULFATE	8.50	PMG	6						
	D»RNDUP ULTRA MA	0.56	LAA	13						
	E AM. SULFATE	8.50	PMG	13						
17A	»VALOR 50WG	0.053	LAA	6	65	79	99	80	85	98
	B CLASSIC 25WG	0.015	LAA	6						
	C»COC	1.00	PMV	6						
	D»RNDUP ULTRA MA	0.56	LAA	13						
	E AM. SULFATE	8.50	PMG	13						
18A	»CANOPY XL 56.3	0.148	LAA	0	58	77	91	73	43	93
	B»AUTHORITY	0.075	LAA	6						
	C CLASSIC 25WG	0.015	LAA	6						
	D»COC	1.00	PMV	6						
	E»RNDUP ULTRA MA	0.56	LAA	13						
	F AM. SULFATE	8.50	PMG	13						
		LSD (0.05)			12.60	13.33	4.81	12.11	14.56	10.75
		STANDARD DEVIATION			6.23	6.59	2.38	6.00	7.20	5.32

## DATA MEAN

TITLE: EPP Timings in Glyphosate Tolerant Soybean C-300

CREATED: 04/04/2001 REVISED: 11/15/2001

COMPLETED: N

PROJECT TYPE: HERBICIDE

LOCATION: Urbana

RESEARCHED BY: UNIV. OF ILL

DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN

PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			GLXMA	SETFA	CHEAL	AMBEL	POLPY	ERICA
		RATE	UNIT	TM	CON % 06/15/01	CON % 06/15/01	CON % 06/15/01	CON % 06/15/01	CON % 06/15/01	CON % 06/15/01
1A	»DOMAIN 60DF	0.60	LAA	3	0	33	98	99	63	94
	B (G)2,4-D-ESTER	0.50	LAA	3						
	C»COC	1.00	PMV	3						
	D»RNDUP ULTRA MA	0.56	LAA	13						
	E AM. SULFATE	8.50	PMG	13						
2A	»BOUNDARY 7.8L	1.71	LAA	3	0	43	73	94	20	93
	B (G)2,4-D-ESTER	0.50	LAA	3						
	C»COC	1.00	PMV	3						
	D»RNDUP ULTRA MA	0.56	LAA	13						
	E AM. SULFATE	8.50	PMG	13						
3A	PROWL 3.3EC	1.44	LAA	3	0	77	91	94	72	93
	B (G)2,4-D-ESTER	0.50	LAA	3						
	C»COC	1.00	PMV	3						
	D»RNDUP ULTRA MA	0.56	LAA	13						
	E AM. SULFATE	8.50	PMG	13						
4A	CHECK	0.00	NA	0	0	0	0	0	0	0
5A	»VALOR 50WG	0.094	LAA	3	0	88	98	99	99	88
	B CLASSIC 25WG	0.04	LAA	3						
	C»COC	1.00	PMV	3						
	D»RNDUP ULTRA MA	0.56	LAA	13						
	E AM. SULFATE	8.50	PMG	13						
6A	»CANOPY XL 56.3	0.24	LAA	0	0	85	99	99	75	88
	B»AUTHORITY	0.20	LAA	3						
	C CLASSIC 25WG	0.04	LAA	3						
	D»COC	0.015	PMV	3						
	E»RNDUP ULTRA MA	0.56	LAA	13						
	F AM. SULFATE	8.50	PMG	13						
7A	»DOMAIN 60DF	0.488	LAA	4	0	78	93	99	93	98
	B (G)2,4-D-ESTER	0.50	LAA	4						
	C»COC	1.00	PMV	4						
	D»RNDUP ULTRA MA	0.56	LAA	13						
	E AM. SULFATE	8.50	PMG	13						
8A	»BOUNDARY 7.8L	1.46	LAA	4	0	81	93	99	70	99
	B (G)2,4-D-ESTER	0.50	LAA	4						
	C»COC	1.00	PMV	4						
	D»RNDUP ULTRA MA	0.56	LAA	13						
	E AM. SULFATE	8.50	PMG	13						
9A	PROWL 3.3EC	1.24	LAA	4	0	83	96	99	78	90
	B (G)2,4-D-ESTER	0.50	LAA	4						
	C»COC	1.00	PMV	4						
	D»RNDUP ULTRA MA	0.56	LAA	13						
	E AM. SULFATE	8.50	PMG	13						
10A	»VALOR 50WG	0.063	LAA	4	0	72	81	99	83	77
	B CLASSIC 25WG	0.031	LAA	4						
	C»COC	1.00	PMV	4						
	D»RNDUP ULTRA MA	0.56	LAA	13						
	E AM. SULFATE	8.50	PMG	13						
11A	»CANOPY XL 56.3	0.148	LAA	0	0	79	89	99	93	85
	B»AUTHORITY	0.125	LAA	4						
	C CLASSIC 25WG	0.025	LAA	4						
	D»COC	1.00	PMV	4						
	E»RNDUP ULTRA MA	0.56	LAA	13						
	F AM. SULFATE	8.50	PMG	13						
12A	»VALOR 50WG	0.063	LAA	4	0	62	75	83	79	70
	B»COC	1.00	PMV	4						
	C»RNDUP ULTRA MA	0.56	LAA	13						
	D AM. SULFATE	8.50	PMG	13						

## DATA MEAN

TITLE: EPP Timings in Glyphosate Tolerant Soybean C-300

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	GLXMA	SETFA	CHEAL	AMBEL	POLPY	ERICA
		RATE	UNIT		CON % 06/15/01	CON % 06/15/01	CON % 06/15/01	CON % 06/15/01	CON % 06/15/01	CON % 06/15/01
13A	»VALOR 50WG	0.053	LAA	4	0	73	69	99	85	87
	B»FIRSTRATE 84WG	0.031	LAA	4						
	C»COC	1.00	PMV	4						
	D»RNDUP ULTRA MA	0.56	LAA	13						
	E AM. SULFATE	8.50	PMG	13						
14A	»DOMAIN 60DF	0.375	LAA	6	0	90	96	99	98	98
	B»RNDUP ULTRA MA	0.75	LAA	6						
	C AM. SULFATE	8.50	PMG	6						
	D»RNDUP ULTRA MA	0.56	LAA	13						
	E AM. SULFATE	8.50	PMG	13						
15A	»BOUNDARY 7.8L	1.22	LAA	6	0	93	98	99	99	99
	B»RNDUP ULTRA MA	0.75	LAA	6						
	C AM. SULFATE	8.50	PMG	6						
	D»RNDUP ULTRA MA	0.56	LAA	13						
	E AM. SULFATE	8.50	PMG	13						
16A	PROWL 3.3EC	1.03	LAA	6	0	92	95	99	99	99
	B»RNDUP ULTRA MA	0.75	LAA	6						
	C AM. SULFATE	8.50	PMG	6						
	D»RNDUP ULTRA MA	0.56	LAA	13						
	E AM. SULFATE	8.50	PMG	13						
17A	»VALOR 50WG	0.053	LAA	6	0	72	87	99	91	83
	B CLASSIC 25WG	0.015	LAA	6						
	C»COC	1.00	PMV	6						
	D»RNDUP ULTRA MA	0.56	LAA	13						
	E AM. SULFATE	8.50	PMG	13						
18A	»CANOPY XL 56.3	0.148	LAA	0	0	77	87	99	89	96
	B»AUTHORITY	0.075	LAA	6						
	C CLASSIC 25WG	0.015	LAA	6						
	D»COC	1.00	PMV	6						
	E»RNDUP ULTRA MA	0.56	LAA	13						
	F AM. SULFATE	8.50	PMG	13						
		LSD (0.05)			0.00	14.72	19.37	7.44	18.85	13.00
		STANDARD DEVIATION			0.00	7.29	9.59	3.68	9.33	6.44

## DATA MEAN

TITLE: EPP Timings in Glyphosate Tolerant Soybean C-300

CREATED: 04/04/2001 REVISED: 11/15/2001

COMPLETED: N

PROJECT TYPE: HERBICIDE

LOCATION: Urbana

RESEARCHED BY: UNIV. OF ILL

DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN

PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		STEME CON % TM	06/15/01
		RATE	UNIT		
1A	»DOMAIN 60DF	0.60	LAA 3	99	
	B (G)2,4-D-ESTER	0.50	LAA 3		
	C»COC	1.00	PMV 3		
	D»RNDUP ULTRA MA	0.56	LAA 13		
	E AM. SULFATE	8.50	PMG 13		
2A	»BOUNDARY 7.8L	1.71	LAA 3	99	
	B (G)2,4-D-ESTER	0.50	LAA 3		
	C»COC	1.00	PMV 3		
	D»RNDUP ULTRA MA	0.56	LAA 13		
	E AM. SULFATE	8.50	PMG 13		
3A	PROWL 3.3EC	1.44	LAA 3	99	
	B (G)2,4-D-ESTER	0.50	LAA 3		
	C»COC	1.00	PMV 3		
	D»RNDUP ULTRA MA	0.56	LAA 13		
	E AM. SULFATE	8.50	PMG 13		
4A	CHECK	0.00	NA 0	0	
5A	»VALOR 50WG	0.094	LAA 3	99	
	B CLASSIC 25WG	0.04	LAA 3		
	C»COC	1.00	PMV 3		
	D»RNDUP ULTRA MA	0.56	LAA 13		
	E AM. SULFATE	8.50	PMG 13		
6A	»CANOPY XL 56.3	0.24	LAA 0	99	
	B»AUTHORITY	0.20	LAA 3		
	C CLASSIC 25WG	0.04	LAA 3		
	D»COC	0.015	PMV 3		
	E»RNDUP ULTRA MA	0.56	LAA 13		
	F AM. SULFATE	8.50	PMG 13		
7A	»DOMAIN 60DF	0.488	LAA 4	99	
	B (G)2,4-D-ESTER	0.50	LAA 4		
	C»COC	1.00	PMV 4		
	D»RNDUP ULTRA MA	0.56	LAA 13		
	E AM. SULFATE	8.50	PMG 13		
8A	»BOUNDARY 7.8L	1.46	LAA 4	99	
	B (G)2,4-D-ESTER	0.50	LAA 4		
	C»COC	1.00	PMV 4		
	D»RNDUP ULTRA MA	0.56	LAA 13		
	E AM. SULFATE	8.50	PMG 13		
9A	PROWL 3.3EC	1.24	LAA 4	99	
	B (G)2,4-D-ESTER	0.50	LAA 4		
	C»COC	1.00	PMV 4		
	D»RNDUP ULTRA MA	0.56	LAA 13		
	E AM. SULFATE	8.50	PMG 13		
10A	»VALOR 50WG	0.063	LAA 4	99	
	B CLASSIC 25WG	0.031	LAA 4		
	C»COC	1.00	PMV 4		
	D»RNDUP ULTRA MA	0.56	LAA 13		
	E AM. SULFATE	8.50	PMG 13		
11A	»CANOPY XL 56.3	0.148	LAA 0	99	
	B»AUTHORITY	0.125	LAA 4		
	C CLASSIC 25WG	0.025	LAA 4		
	D»COC	1.00	PMV 4		
	E»RNDUP ULTRA MA	0.56	LAA 13		
	F AM. SULFATE	8.50	PMG 13		
12A	»VALOR 50WG	0.063	LAA 4	99	
	B»COC	1.00	PMV 4		
	C»RNDUP ULTRA MA	0.56	LAA 13		
	D AM. SULFATE	8.50	PMG 13		

DATA MEAN

TITLE: EPP Timings in Glyphosate Tolerant Soybean C-300

TRT	TREATMENT	DOSAGE	STEME	CON %
NUM	COMPONENT	RATE	UNIT	TM
			06/15/01	
13A	»VALOR 50WG	0.053	LAA 4	99
	B»FIRSTRATE 84WG	0.031	LAA 4	
	C»COC	1.00	PMV 4	
	D»RNDUP ULTRA MA	0.56	LAA 13	
	E AM. SULFATE	8.50	PMG 13	
14A	»DOMAIN 60DF	0.375	LAA 6	99
	B»RNDUP ULTRA MA	0.75	LAA 6	
	C AM. SULFATE	8.50	PMG 6	
	D»RNDUP ULTRA MA	0.56	LAA 13	
	E AM. SULFATE	8.50	PMG 13	
15A	»BOUNDARY 7.8L	1.22	LAA 6	99
	B»RNDUP ULTRA MA	0.75	LAA 6	
	C AM. SULFATE	8.50	PMG 6	
	D»RNDUP ULTRA MA	0.56	LAA 13	
	E AM. SULFATE	8.50	PMG 13	
16A	PROWL 3.3EC	1.03	LAA 6	99
	B»RNDUP ULTRA MA	0.75	LAA 6	
	C AM. SULFATE	8.50	PMG 6	
	D»RNDUP ULTRA MA	0.56	LAA 13	
	E AM. SULFATE	8.50	PMG 13	
17A	»VALOR 50WG	0.053	LAA 6	99
	B CLASSIC 25WG	0.015	LAA 6	
	C»COC	1.00	PMV 6	
	D»RNDUP ULTRA MA	0.56	LAA 13	
	E AM. SULFATE	8.50	PMG 13	
18A	»CANOPY XL 56.3	0.148	LAA 0	99
	B»AUTHORITY	0.075	LAA 6	
	C CLASSIC 25WG	0.015	LAA 6	
	D»COC	1.00	PMV 6	
	E»RNDUP ULTRA MA	0.56	LAA 13	
	F AM. SULFATE	8.50	PMG 13	
		LSD (0.05)		0.00
		STANDARD DEVIATION		0.00

» = SUPPLEMENTAL CHEMICAL

\* TIMING CODES

- 00 = ----- / UNTREATED TIMING
- 03 = ----- / EPP 45DBP 04/09/2001(1)
- 04 = ----- / EPP 30DBP 04/20/2001(2)
- 06 = ----- / EPP 7DBP 05/15/2001(3)
- 13 = ----- / LPOST 06/19/2001(4)

H#	CUSTOM#1	CUSTOM#2	EV. DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTRTR	SS	NOTE
01	SETFA	CON %	05/28/2001	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
02	CHEAL	CON %	05/28/2001	03	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
03	AMBEL	CON %	05/28/2001	04	P	AMBEL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
04	POLPY	CON %	05/28/2001	05	P	POLPY		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
05	ERICA	CON %	05/28/2001	06	P	ERICA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
06	STEME	CON %	05/28/2001	07	P	STEME		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
07	GLXMA	CON %	06/15/2001	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
08	SETFA	CON %	06/15/2001	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
09	CHEAL	CON %	06/15/2001	03	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
10	AMBEL	CON %	06/15/2001	04	P	AMBEL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
11	POLPY	CON %	06/15/2001	05	P	POLPY		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
12	ERICA	CON %	06/15/2001	06	P	ERICA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
13	STEME	CON %	06/15/2001	07	P	STEME		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

\* SPECIES COMMON NAME - CULTIVAR (IF APPLICABLE)

01 = PIONEER 93B66