

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: SIL
 PH: 6.7
 %OM: 1.5
 PREV. CROP: GLXMA - SOYBEAN
 %RESIDUE: 0
 PLOT WIDTH: 7.5 X 33 FEET

DESIGN: RCB
 REPS: 3

| APPL. NUMBER | 01 | 02 | UNIT |
|------------------|-----------|-----------|------|
| TIMINGS | 09 | 11 | |
| TYPE | LIQMXSPR | LIQMXSPR | |
| APPLICATION DATE | 05/29/02 | 06/19/02 | AME |
| AIR TEMPERATURE | 74 | 86 | F |
| % REL. HUMIDITY | 60 | 55 | |
| WIND DIRECTION | SOUTH | SOUTHWEST | |
| WIND SPEED | 2.0 | 4.0 | M/H |
| CLOUD COVER | PARTCLDY | CLEAR | |
| DEW | --- | DRY | |
| SOIL MOISTURE | DRY/MOIST | DRY/MOIST | |
| SOIL CONDITION | --- | --- | |
| METHOD | SPRAY | SPRAY | |
| EQUIPMENT | BACKPACKS | BACKPACKS | |
| PROPELLANT | COMPRSCO2 | COMPRSCO2 | |
| PLACEMENT | BROADCAST | BROADCAST | |
| NOZZLE | FLATFAN | FLATFAN | |
| NOZZLE NUMBER | 5 | 5 | |
| NOZZLE SPACING | 18.000 | 18.000 | IN |
| SWATH WIDTH | 7.5 | 7.5 | FT |
| SPRAY VOLUME | 20.00 | 20.00 | |
| VOLUME UNIT | GPA | GPA | |
| PRESSURE | 32.00 | 32.00 | PSI |
| DILUENT | WATER | WATER | |
| INC. DATE | | | AME |
| INC. START | | | 24H |
| INC. END | | | 24H |
| INC. DEPTH | | | IN |
| INC. EQUIPMENT | --- | --- | |
| DN/SG/MMZ | | | |
| *** CROP *** | | | |
| CORN, DENT | | ---/15 | |
| PIONEER 33P71 IM | | 11.0/15.0 | IN |
| 05/29/2002 | | | |
| *** PEST *** | | | |
| WATERHEMP, COMMO | | ---/18 | |
| | | 2.00/6.00 | IN |
| CRABGRASS, LARGE | | ---/11 | |
| | | 1.00/3.00 | IN |
| MORNINGGLORY, IV | | ---/16 | |
| | | 2.00/4.00 | IN |
| PANICUM, FALL | | ---/11 | |
| | | 1.00/3.00 | IN |
| COCKLEBUR, COMMO | | ---/13 | |
| | | 3.00/5.00 | IN |

* TIMING CODES

09 = ----- / PREEMERGENCE
 11 = ----- / EPOST

* STAGE CODE

11 = FIRST LEAF UNFOLDED
 13 = 3RD TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 15 = 5 LEAVES UNFOLDED
 16 = 6TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 18 = 8TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

DATA MEAN

TITLE: Waterhemp Weed Control Systems in Clearfield Corn 600-700
CREATED: 05/15/2002 **REVISED:** 09/20/2002 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: BTOWN 600-700 **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT **WIDE X** 33.00 FT **LONG** **REPS:** 03

| TRT NUM | TREATMENT COMPONENT | DOSAGE | | TM | ZEAMD | XANST | AMATA | IPOHE | PANDI | DIGSA |
|------------|------------------------|--------|------|----|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| | | RATE | UNIT | | CON % 07/03/02 | CON % 07/03/02 | CON % 07/03/02 | CON % 07/03/02 | CON % 07/03/02 | CON % 07/03/02 |
| 1A | GUARDS MAX 5L | 1.25 | LAA | 9 | 0 | 98 | 99 | 98 | 88 | 95 |
| B | LIGHTNING 70DG | 0.056 | LAA | 11 | | | | | | |
| C | DISTINCT 70WG | 0.175 | LAA | 11 | | | | | | |
| D | ACTIVATOR 90 | 0.25 | PMV | 11 | | | | | | |
| E | LIQUID AMS | 2.50 | PMV | 11 | | | | | | |
| 2A | OUTLOOK 6EC | 0.47 | LAA | 9 | 0 | 99 | 99 | 98 | 93 | 94 |
| B | LIGHTNING 70DG | 0.056 | LAA | 11 | | | | | | |
| C | DISTINCT 70WG | 0.175 | LAA | 11 | | | | | | |
| D | ACTIVATOR 90 | 0.25 | PMV | 11 | | | | | | |
| E | LIQUID AMS | 2.50 | PMV | 11 | | | | | | |
| 3A | ATRAZINE DF | 2.00 | LAA | 9 | 0 | 98 | 98 | 98 | 93 | 95 |
| B | CELEBRITY PLUS | 0.21 | LMA | 11 | | | | | | |
| C | ACTIVATOR 90 | 0.25 | PMV | 11 | | | | | | |
| D | LIQUID AMS | 2.50 | PMV | 11 | | | | | | |
| 4A | ATRAZINE DF | 1.00 | LAA | 9 | 0 | 99 | 98 | 98 | 92 | 96 |
| B | BASIS GOLD 90D | 0.79 | LAA | 11 | | | | | | |
| C | CALLISTO 4SC | 0.063 | LAA | 11 | | | | | | |
| D | COC | 1.00 | PMV | 11 | | | | | | |
| E | LIQUID AMS | 2.50 | PMV | 11 | | | | | | |
| 5A | ATRAZINE DF | 1.50 | LAA | 9 | 0 | 98 | 99 | 99 | 96 | 98 |
| B | STEADFAST 75DF | 0.035 | LAA | 11 | | | | | | |
| C | CALLISTO 4SC | 0.063 | LAA | 11 | | | | | | |
| D | ATRAZINE DF | 0.25 | LAA | 11 | | | | | | |
| E | COC | 1.00 | PMV | 11 | | | | | | |
| F | LIQUID AMS | 2.50 | PMV | 11 | | | | | | |
| 6A | ATRAZINE DF | 1.50 | LAA | 9 | 0 | 98 | 99 | 99 | 98 | 96 |
| B | SPIRIT 57WG | 0.036 | LAA | 11 | | | | | | |
| C | ACCENT 75WG | 0.016 | LAA | 11 | | | | | | |
| D | CALLISTO 4SC | 0.063 | LAA | 11 | | | | | | |
| E | ATRAZINE DF | 0.25 | LAA | 11 | | | | | | |
| F | COC | 1.00 | PMV | 11 | | | | | | |
| G | LIQUID AMS | 2.50 | PMV | 11 | | | | | | |
| 7A | ATRAZINE DF | 1.50 | LAA | 9 | 0 | 97 | 97 | 98 | 96 | 95 |
| B | OPTION 35WDG | 0.033 | LAA | 11 | | | | | | |
| C | DISTINCT 70WG | 0.13 | LAA | 11 | | | | | | |
| D | MSO | 1.00 | PMV | 11 | | | | | | |
| E | LIQUID AMS | 2.50 | PMV | 11 | | | | | | |
| 8A | LIGHTNING 70DG | 0.056 | LAA | 11 | 0 | 99 | 92 | 98 | 83 | 83 |
| B | MARKSMAN SC | 1.00 | LAA | 11 | | | | | | |
| C | ACTIVATOR 90 | 0.25 | PMV | 11 | | | | | | |
| D | LIQUID AMS | 2.50 | PMV | 11 | | | | | | |
| 9A | LIGHTNING 70DG | 0.056 | LAA | 11 | 0 | 98 | 90 | 98 | 93 | 95 |
| B | DISTINCT 70WG | 0.175 | LAA | 11 | | | | | | |
| C | ACTIVATOR 90 | 0.25 | PMV | 11 | | | | | | |
| D | LIQUID AMS | 2.50 | PMV | 11 | | | | | | |
| 10A | LIGHTNING 70DG | 0.056 | LAA | 11 | 0 | 99 | 96 | 96 | 88 | 95 |
| B | CALLISTO 4SC | 0.094 | LAA | 11 | | | | | | |
| C | COC | 1.00 | PMV | 11 | | | | | | |
| D | LIQUID AMS | 2.50 | PMV | 11 | | | | | | |
| 11A | LIGHTNING 70DG | 0.056 | LAA | 11 | 0 | 96 | 90 | 95 | 93 | 93 |
| B | DISTINCT 70WG | 0.088 | LAA | 11 | | | | | | |
| C | ACTIVATOR 90 | 0.25 | PMV | 11 | | | | | | |
| D | LIQUID AMS | 2.50 | PMV | 11 | | | | | | |
| 12A | LIGHTNING 70DG | 0.056 | LAA | 11 | 0 | 96 | 93 | 95 | 90 | 93 |
| B | CALLISTO 4SC | 0.047 | LAA | 11 | | | | | | |
| C | COC | 1.00 | PMV | 11 | | | | | | |
| D | LIQUID AMS | 2.50 | PMV | 11 | | | | | | |

DATA MEAN

TITLE: Waterhemp Weed Control Systems in Clearfield Corn 600-700

| TRT NUM | TREATMENT COMPONENT | DOSAGE | | TM | ZEAMD | XANST | AMATA | IPOHE | PANDI | DIGSA |
|------------|------------------------|--------------------|------|----|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| | | RATE | UNIT | | CON % 07/03/02 | CON % 07/03/02 | CON % 07/03/02 | CON % 07/03/02 | CON % 07/03/02 | CON % 07/03/02 |
| 13A | »LIGHTNING 70DG | 0.056 | LAA | 11 | 0 | | | | | |
| | B»DISTINCT 70WG | 0.175 | LAA | 11 | | | | | | |
| | C»COC | 1.00 | PMV | 11 | | | | | | |
| | D»LIQUID AMS | 2.50 | PMV | 11 | | | | | | |
| 14A | »LIGHTNING 70DG | 0.056 | LAA | 11 | 0 | 98 | 94 | 96 | 90 | 94 |
| | B»CALLISTO 4SC | 0.094 | LAA | 11 | | | | | | |
| | C»ACTIVATOR 90 | 0.25 | PMV | 11 | | | | | | |
| | D»LIQUID AMS | 2.50 | PMV | 11 | | | | | | |
| 15A | »LIGHTNING 70DG | 0.056 | LAA | 11 | 0 | 96 | 90 | 96 | 93 | 93 |
| | B»DISTINCT 70WG | 0.088 | LAA | 11 | | | | | | |
| | C»COC | 1.00 | PMV | 11 | | | | | | |
| | D»LIQUID AMS | 2.50 | PMV | 11 | | | | | | |
| 16A | »LIGHTNING 70DG | 0.056 | LAA | 11 | 0 | 99 | 88 | 95 | 88 | 94 |
| | B»CALLISTO 4SC | 0.047 | LAA | 11 | | | | | | |
| | C»ACTIVATOR 90 | 0.25 | PMV | 11 | | | | | | |
| | D»LIQUID AMS | 2.50 | PMV | 11 | | | | | | |
| 17A | CHECK | 0.00 | NA | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 18A | »LIGHTNING 70DG | 0.056 | LAA | 11 | 0 | 99 | 95 | 99 | 90 | 93 |
| | B»DISTINCT 70WG | 0.175 | LAA | 11 | | | | | | |
| | C ATRAZINE DF | 0.25 | LAA | 11 | | | | | | |
| | D»ACTIVATOR 90 | 0.25 | PMV | 11 | | | | | | |
| | E»LIQUID AMS | 2.50 | PMV | 11 | | | | | | |
| 19A | »LIGHTNING 70DG | 0.056 | LAA | 11 | 0 | 98 | 99 | 99 | 85 | 95 |
| | B»CALLISTO 4SC | 0.047 | LAA | 11 | | | | | | |
| | C ATRAZINE DF | 0.25 | LAA | 11 | | | | | | |
| | D»COC | 1.00 | PMV | 11 | | | | | | |
| | E»LIQUID AMS | 2.50 | PMV | 11 | | | | | | |
| 20A | »LIGHTNING 70DG | 0.056 | LAA | 11 | 0 | 96 | 93 | 96 | 88 | 96 |
| | B»DISTINCT 70WG | 0.088 | LAA | 11 | | | | | | |
| | C ATRAZINE DF | 0.25 | LAA | 11 | | | | | | |
| | D»ACTIVATOR 90 | 0.25 | PMV | 11 | | | | | | |
| | E»LIQUID AMS | 2.50 | PMV | 11 | | | | | | |
| 21A | »LIGHTNING 70DG | 0.056 | LAA | 11 | 0 | 99 | 99 | 99 | 90 | 98 |
| | B»CALLISTO 4SC | 0.063 | LAA | 11 | | | | | | |
| | C ATRAZINE DF | 0.25 | LAA | 11 | | | | | | |
| | D»COC | 1.00 | PMV | 11 | | | | | | |
| | E»LIQUID AMS | 2.50 | PMV | 11 | | | | | | |
| 22A | TOPNOTCH (3.2C | 2.00 | LAA | 9 | 0 | 99 | 99 | 99 | 83 | 91 |
| | B»HORNET 68.5WG | 0.128 | LAA | 11 | | | | | | |
| | C ATRAZINE DF | 1.00 | LAA | 11 | | | | | | |
| | D»COC | 1.00 | PMV | 11 | | | | | | |
| | E»LIQUID AMS | 2.50 | PMV | 11 | | | | | | |
| | | LSD (0.05) | | | 0.00 | 3.16 | 4.26 | 3.00 | 6.14 | 5.35 |
| | | STANDARD DEVIATION | | | 0.00 | 1.56 | 2.11 | 1.49 | 3.00 | 2.65 |

DATA MEAN

TITLE: Waterhemp Weed Control Systems in Clearfield Corn 600-700
 CREATED: 05/15/2002 REVISED: 09/20/2002 COMPLETED: N
 PROJECT TYPE: HERBICIDE
 LOCATION: BTOWN 600-700 RESEARCHED BY: UNIV. OF ILL
 DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
 PLOT SIZE: 7.50 FT WIDE X 33.00 FT LONG REPS: 03

| TRT NUM | TREATMENT COMPONENT | DOSAGE | | TM | ZEAMD | XANST | AMATA | IPOHE |
|------------|------------------------|--------|------|----|-------------------|-------------------|-------------------|-------------------|
| | | RATE | UNIT | | CON % 08/05/02 | CON % 08/05/02 | CON % 08/05/02 | CON % 08/05/02 |
| 1A | GUARDS MAX 5L | 1.25 | LAA | 9 | 0 | 98 | 97 | 96 |
| | B»LIGHTNING 70DG | 0.056 | LAA | 11 | | | | |
| | C»DISTINCT 70WG | 0.175 | LAA | 11 | | | | |
| | D»ACTIVATOR 90 | 0.25 | PMV | 11 | | | | |
| | E»LIQUID AMS | 2.50 | PMV | 11 | | | | |
| 2A | OUTLOOK 6EC | 0.47 | LAA | 9 | 0 | 99 | 96 | 97 |
| | B»LIGHTNING 70DG | 0.056 | LAA | 11 | | | | |
| | C»DISTINCT 70WG | 0.175 | LAA | 11 | | | | |
| | D»ACTIVATOR 90 | 0.25 | PMV | 11 | | | | |
| | E»LIQUID AMS | 2.50 | PMV | 11 | | | | |
| 3A | ATRAZINE DF | 2.00 | LAA | 9 | 0 | 99 | 98 | 93 |
| | B»CELEBRITY PLUS | 0.21 | LMA | 11 | | | | |
| | C»ACTIVATOR 90 | 0.25 | PMV | 11 | | | | |
| | D»LIQUID AMS | 2.50 | PMV | 11 | | | | |
| 4A | ATRAZINE DF | 1.00 | LAA | 9 | 0 | 99 | 98 | 96 |
| | B»BASIS GOLD 90D | 0.79 | LAA | 11 | | | | |
| | C»CALLISTO 4SC | 0.063 | LAA | 11 | | | | |
| | D»COC | 1.00 | PMV | 11 | | | | |
| | E»LIQUID AMS | 2.50 | PMV | 11 | | | | |
| 5A | ATRAZINE DF | 1.50 | LAA | 9 | 0 | 99 | 99 | 99 |
| | B»STEADFAST 75DF | 0.035 | LAA | 11 | | | | |
| | C»CALLISTO 4SC | 0.063 | LAA | 11 | | | | |
| | D ATRAZINE DF | 0.25 | LAA | 11 | | | | |
| | E»COC | 1.00 | PMV | 11 | | | | |
| | F»LIQUID AMS | 2.50 | PMV | 11 | | | | |
| 6A | ATRAZINE DF | 1.50 | LAA | 9 | 0 | 99 | 93 | 98 |
| | B»SPIRIT 57WG | 0.036 | LAA | 11 | | | | |
| | C ACCENT 75WG | 0.016 | LAA | 11 | | | | |
| | D»CALLISTO 4SC | 0.063 | LAA | 11 | | | | |
| | E ATRAZINE DF | 0.25 | LAA | 11 | | | | |
| | F»COC | 1.00 | PMV | 11 | | | | |
| | G»LIQUID AMS | 2.50 | PMV | 11 | | | | |
| 7A | ATRAZINE DF | 1.50 | LAA | 9 | 0 | 98 | 96 | 98 |
| | B»OPTION 35WDG | 0.033 | LAA | 11 | | | | |
| | C»DISTINCT 70WG | 0.13 | LAA | 11 | | | | |
| | D»MSO | 1.00 | PMV | 11 | | | | |
| | E»LIQUID AMS | 2.50 | PMV | 11 | | | | |
| 8A | LIGHTNING 70DG | 0.056 | LAA | 11 | 0 | 99 | 87 | 87 |
| | B MARKSMAN SC | 1.00 | LAA | 11 | | | | |
| | C»ACTIVATOR 90 | 0.25 | PMV | 11 | | | | |
| | D»LIQUID AMS | 2.50 | PMV | 11 | | | | |
| 9A | LIGHTNING 70DG | 0.056 | LAA | 11 | 0 | 99 | 90 | 91 |
| | B»DISTINCT 70WG | 0.175 | LAA | 11 | | | | |
| | C»ACTIVATOR 90 | 0.25 | PMV | 11 | | | | |
| | D»LIQUID AMS | 2.50 | PMV | 11 | | | | |
| 10A | LIGHTNING 70DG | 0.056 | LAA | 11 | 0 | 99 | 90 | 99 |
| | B»CALLISTO 4SC | 0.094 | LAA | 11 | | | | |
| | C»COC | 1.00 | PMV | 11 | | | | |
| | D»LIQUID AMS | 2.50 | PMV | 11 | | | | |
| 11A | LIGHTNING 70DG | 0.056 | LAA | 11 | 0 | 98 | 87 | 90 |
| | B»DISTINCT 70WG | 0.088 | LAA | 11 | | | | |
| | C»ACTIVATOR 90 | 0.25 | PMV | 11 | | | | |
| | D»LIQUID AMS | 2.50 | PMV | 11 | | | | |
| 12A | LIGHTNING 70DG | 0.056 | LAA | 11 | 0 | 98 | 90 | 95 |
| | B»CALLISTO 4SC | 0.047 | LAA | 11 | | | | |
| | C»COC | 1.00 | PMV | 11 | | | | |
| | D»LIQUID AMS | 2.50 | PMV | 11 | | | | |

DATA MEAN

TITLE: Waterhemp Weed Control Systems in Clearfield Corn 600-700

| TRT NUM | TREATMENT COMPONENT | DOSAGE | | TM | ZEAMD | XANST | AMATA | IPOHE | |
|------------|------------------------|--------|------|----|--------------------|-------------------|-------------------|-------------------|------|
| | | RATE | UNIT | | CON % 08/05/02 | CON % 08/05/02 | CON % 08/05/02 | CON % 08/05/02 | |
| 13A | »LIGHTNING 70DG | 0.056 | LAA | 11 | 0 | | | | |
| | B»DISTINCT 70WG | 0.175 | LAA | 11 | | | | | |
| | C»COC | 1.00 | PMV | 11 | | | | | |
| | D»LIQUID AMS | 2.50 | PMV | 11 | | | | | |
| 14A | »LIGHTNING 70DG | 0.056 | LAA | 11 | 0 | 98 | 93 | 95 | |
| | B»CALLISTO 4SC | 0.094 | LAA | 11 | | | | | |
| | C»ACTIVATOR 90 | 0.25 | PMV | 11 | | | | | |
| | D»LIQUID AMS | 2.50 | PMV | 11 | | | | | |
| 15A | »LIGHTNING 70DG | 0.056 | LAA | 11 | 0 | 98 | 93 | 98 | |
| | B»DISTINCT 70WG | 0.088 | LAA | 11 | | | | | |
| | C»COC | 1.00 | PMV | 11 | | | | | |
| | D»LIQUID AMS | 2.50 | PMV | 11 | | | | | |
| 16A | »LIGHTNING 70DG | 0.056 | LAA | 11 | 0 | 99 | 88 | 93 | |
| | B»CALLISTO 4SC | 0.047 | LAA | 11 | | | | | |
| | C»ACTIVATOR 90 | 0.25 | PMV | 11 | | | | | |
| | D»LIQUID AMS | 2.50 | PMV | 11 | | | | | |
| 17A | CHECK | 0.00 | NA | 0 | 0 | 0 | 0 | 0 | |
| 18A | »LIGHTNING 70DG | 0.056 | LAA | 11 | 0 | 99 | 92 | 95 | |
| | B»DISTINCT 70WG | 0.175 | LAA | 11 | | | | | |
| | C ATRAZINE DF | 0.25 | LAA | 11 | | | | | |
| | D»ACTIVATOR 90 | 0.25 | PMV | 11 | | | | | |
| | E»LIQUID AMS | 2.50 | PMV | 11 | | | | | |
| 19A | »LIGHTNING 70DG | 0.056 | LAA | 11 | 0 | 98 | 90 | 90 | |
| | B»CALLISTO 4SC | 0.047 | LAA | 11 | | | | | |
| | C ATRAZINE DF | 0.25 | LAA | 11 | | | | | |
| | D»COC | 1.00 | PMV | 11 | | | | | |
| | E»LIQUID AMS | 2.50 | PMV | 11 | | | | | |
| 20A | »LIGHTNING 70DG | 0.056 | LAA | 11 | 0 | 96 | 93 | 93 | |
| | B»DISTINCT 70WG | 0.088 | LAA | 11 | | | | | |
| | C ATRAZINE DF | 0.25 | LAA | 11 | | | | | |
| | D»ACTIVATOR 90 | 0.25 | PMV | 11 | | | | | |
| | E»LIQUID AMS | 2.50 | PMV | 11 | | | | | |
| 21A | »LIGHTNING 70DG | 0.056 | LAA | 11 | 0 | 99 | 93 | 96 | |
| | B»CALLISTO 4SC | 0.063 | LAA | 11 | | | | | |
| | C ATRAZINE DF | 0.25 | LAA | 11 | | | | | |
| | D»COC | 1.00 | PMV | 11 | | | | | |
| | E»LIQUID AMS | 2.50 | PMV | 11 | | | | | |
| 22A | TOPNOTCH (3.2C | 2.00 | LAA | 9 | 0 | 99 | 92 | 98 | |
| | B»HORNET 68.5WG | 0.128 | LAA | 11 | | | | | |
| | C ATRAZINE DF | 1.00 | LAA | 11 | | | | | |
| | D»COC | 1.00 | PMV | 11 | | | | | |
| | E»LIQUID AMS | 2.50 | PMV | 11 | | | | | |
| | | | | | LSD (0.05) | 0.00 | 2.58 | 4.28 | 5.35 |
| | | | | | STANDARD DEVIATION | 0.00 | 1.28 | 2.12 | 2.65 |

» = SUPPLEMENTAL CHEMICAL

* TIMING CODES

00 = ----- / UNTREATED TIMING
 09 = ----- / PREEMERGENCE 05/29/2002(1)
 11 = ----- / EPOST 06/19/2002(2)

| H# | CUSTOM#1 | CUSTOM#2 | EV. DATE | S# | TYP | SPECIE | STAGE | RAW | PRT | SYM | MTH | CNF | BASIS | C.M | CTRTR | SS | NOTE |
|----|----------|----------|------------|----|-----|--------|-------|-----|-----|-----|-----|-----|---------|-----|-------|----|------|
| 01 | ZEAMD | CON % | 07/03/2002 | 01 | P | ZEAMD | | RAW | ALL | CON | % | --- | 1.00 PL | NO | 0001 | 0 | N |
| 02 | XANST | CON % | 07/03/2002 | 02 | P | XANST | | RAW | ALL | CON | % | --- | 1.00 PL | NO | 0001 | 0 | N |
| 03 | AMATA | CON % | 07/03/2002 | 03 | P | AMATA | | RAW | ALL | CON | % | --- | 1.00 PL | NO | 0001 | 0 | N |
| 04 | IPOHE | CON % | 07/03/2002 | 04 | P | IPOHE | | RAW | ALL | CON | % | --- | 1.00 PL | NO | 0001 | 0 | N |
| 05 | PANDI | CON % | 07/03/2002 | 05 | P | PANDI | | RAW | ALL | CON | % | --- | 1.00 PL | NO | 0001 | 0 | N |
| 06 | DIGSA | CON % | 07/03/2002 | 06 | P | DIGSA | | RAW | ALL | CON | % | --- | 1.00 PL | NO | 0001 | 0 | N |

DATA MEAN

TITLE: Waterhemp Weed Control Systems in Clearfield Corn 600-700

| H# | CUSTOM#1 | CUSTOM#2 | EV.DATE | S# | TYP | SPECIE | STAGE | RAW | PRT | SYM | MTH | CNF | BASIS | C.M | CTR1 | SS | NOTE |
|----|----------|----------|------------|----|-----|--------|-------|-----|-----|-----|-----|-----|---------|-----|------|----|------|
| 07 | ZEAMD | CON % | 08/05/2002 | 01 | P | ZEAMD | | RAW | ALL | CON | % | --- | 1.00 PL | NO | 0001 | 0 | N |
| 08 | XANST | CON % | 08/05/2002 | 02 | P | XANST | | RAW | ALL | CON | % | --- | 1.00 PL | NO | 0001 | 0 | N |
| 09 | AMATA | CON % | 08/05/2002 | 03 | P | AMATA | | RAW | ALL | CON | % | --- | 1.00 PL | NO | 0001 | 0 | N |
| 10 | IPOHE | CON % | 08/05/2002 | 04 | P | IPOHE | | RAW | ALL | CON | % | --- | 1.00 PL | NO | 0001 | 0 | N |

* SPECIES COMMON NAME - CULTIVAR (IF APPLICABLE)

01 = PIONEER 33P71 IMI