

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: SIL  
 PH: 6.6  
 %OM: 4.7  
 PREV.CROP: GLXMA - SOYBEAN  
 %RESIDUE: 0  
 PLOT WIDTH: 10 X 30 FEET

DESIGN: RCB  
 REPS: 3

APPL. NUMBER	01	02	03	UNIT
TIMINGS	09	10	11	
TYPE	LIQMXSPR	LIQMXSPR	LIQMXSPR	
APPLICATION DATE	05/03/02	05/21/02	06/10/02	AME
AIR TEMPERATURE	63	50	82	F
% REL.HUMIDITY	30	40	70	
WIND DIRECTION	SOUTHEAST	NORTHEAST	SOUTH	
WIND SPEED	3.0	3.0	7.0	M/H
CLOUD COVER	CLEAR	CLEAR	OVERCAST	
DEW	DRY	DRY	MOIST	
SOIL MOISTURE	DRY/MOIST	DRY/MOIST	DRY/MOIST	
SOIL CONDITION	---	---	---	
METHOD	SPRAY	SPRAY	SPRAY	
EQUIPMENT	BACKPACKS	BACKPACKS	BACKPACKS	
PROPELLANT	COMPRSCO2	COMPRSCO2	COMPRSCO2	
PLACEMENT	BROADCAST	BROADCAST	BROADCAST	
NOZZLE	FLATFAN	FLATFAN	FLATFAN	
NOZZLE NUMBER	6	6	6	
NOZZLE SPACING	20.000	20.000	20.000	IN
SWATH WIDTH	10.0	10.0	10.0	FT
SPRAY VOLUME	20.00	20.00	20.00	
VOLUME UNIT	GPA	GPA	GPA	
PRESSURE	32.00	32.00	32.00	PSI
DILUENT	WATER	WATER	WATER	
INC. DATE				AME
INC. START				24H
INC. END				24H
INC. DEPTH				IN
INC. EQUIPMENT	---	---	---	
DEN/ STG/ MINMAXSZ				
*** CROP ***				
CORN, DENT		---/11	---/16	
PIONEER 33Y09		3.00/3.00	10.0/10.0	IN
05/03/2002				
*** PEST ***				
VELVETLEAF		---/10	---/14	
		0.50/0.50	2.00/4.00	IN
WATERHEMP, COMMO		---/10	---/17	
		0.50/0.50	1.00/3.00	IN
LAMBSQUARTERS, C		---/11	---/19	
		0.50/0.50	1.00/4.00	IN
MORNINGGLORY, TA		---/10	---/17	
		0.50/0.50	1.00/3.00	IN
FOXTAIL, GIANT		---/11	---/13	
		0.50/0.50	3.00/6.00	IN

\* TIMING CODES

09 = ----- / PREEMERGENCE  
 10 = ----- / VEPOST  
 11 = ----- / EPOST

\* STAGE CODE

10 = 1ST LEAF EMERGED; COTYLEDONS UNFOLDED  
 11 = FIRST LEAF UNFOLDED  
 13 = 3 LEAVES UNFOLDED  
 14 = 4TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED  
 16 = 6 LEAVES UNFOLDED  
 17 = 7TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED  
 19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

## DATA MEAN

TITLE: Sequential weed control systems in corn AS-100

CREATED: 04/14/2002 REVISED: 10/23/2002

COMPLETED: N

PROJECT TYPE: HERBICIDE

LOCATION: Urbana

RESEARCHED BY: UNIV. OF ILL

DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN

PLOT SIZE: 10.00 FT WIDE X 30.00 FT LONG

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			ZEAMD	SETFA	PHBPU	AMATA	CHEAL	ABUTH
		RATE	UNIT	TM	CON % 05/21/02	CON % 05/21/02	CON % 05/21/02	CON % 05/21/02	CON % 05/21/02	CON % 05/21/02
1A	DUAL II MAGNUM	1.60	LAA	9	0	95	68	99	78	23
2A	AXIOM	0.72	LAA	9	0	94	88	99	78	96
	B MARKSMAN SC	1.20	LAA	10						
	C LIQUID AMS	2.50	PMV	10						
3A	OUTLOOK 6EC	0.98	LAA	9	0	98	80	99	95	93
	B MARKSMAN SC	1.20	LAA	10						
	C LIQUID AMS	2.50	PMV	10						
4A	DEGREE 3.8SC	1.97	LAA	10	0	0	0	0	0	0
	B YUKON 67.5WG	0.169	LAA	10						
	C ACTIVATOR 90	0.25	PMV	10						
	D LIQUID AMS	2.50	PMV	10						
5A	DUAL II MAGNUM	1.60	LAA	9	0	96	72	99	93	27
	B CALLISTO 4SC	0.094	LAA	11						
	C COC	1.00	PMV	11						
	D 28% UAN	2.50	PMV	11						
6A	DUAL II MAGNUM	1.60	LAA	9	0	96	76	99	90	30
	B CALLISTO 4SC	0.094	LAA	11						
	C ATRAZINE DF	0.25	LAA	11						
	D COC	1.00	PMV	11						
	E 28% UAN	2.50	PMV	11						
7A	DUAL II MAGNUM	1.60	LAA	9	0	90	68	99	92	27
	B CALLISTO 4SC	0.094	LAA	11						
	C ATRAZINE DF	1.00	LAA	11						
	D COC	1.00	PMV	11						
	E 28% UAN	2.50	PMV	11						
8A	DUAL II MAGNUM	1.60	LAA	9	0	93	77	99	89	30
	B SPIRIT 57WG	0.036	LAA	11						
	C ATRAZINE DF	1.00	LAA	11						
	D COC	1.00	PMV	11						
	E 28% UAN	2.50	PMV	11						
9A	DUAL II MAGNUM	0.64	LAA	9	0	98	83	83	48	20
	B STEADFAST 75DF	0.035	LAA	11						
	C CALLISTO 4SC	0.047	LAA	11						
	D ATRAZINE DF	0.25	LAA	11						
	E COC	1.00	PMV	11						
	F 28% UAN	2.50	PMV	11						
10A	DUAL II MAGNUM	0.64	LAA	9	0	82	73	80	50	20
	B STEADFAST 75DF	0.035	LAA	11						
	C DISTINCT 70WG	0.088	LAA	11						
	D COC	1.00	PMV	11						
	E 28% UAN	2.50	PMV	11						
11A	DUAL II MAGNUM	1.60	LAA	9	0	88	77	99	86	30
	B NORTHSTAR 47.4	0.148	LAA	11						
	C COC	1.00	PMV	11						
	D 28% UAN	2.50	PMV	11						
12A	CHECK	0.00	NA	0	0	0	0	0	0	0
13A	DUAL II MAGNUM	1.60	LAA	9	0	96	70	99	89	20
	B HORNET 68.5WG	0.128	LAA	11						
	C ACTIVATOR 90	0.25	PMV	11						
	D LIQUID AMS	2.50	PMV	11						
14A	TOPNOTCH (3.2C	2.00	LAA	9	0	98	78	99	95	33
	B HORNET 68.5WG	0.128	LAA	11						
	C ACTIVATOR 90	0.25	PMV	11						
	D LIQUID AMS	2.50	PMV	11						

## DATA MEAN

TITLE: Sequential weed control systems in corn AS-100

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	ZEAMD	SETFA	PHBPU	AMATA	CHEAL	ABUTH
		RATE	UNIT		CON % 05/21/02	CON % 05/21/02	CON % 05/21/02	CON % 05/21/02	CON % 05/21/02	CON % 05/21/02
15A	DUAL II MAGNUM	1.60	LAA	9	0	98	85	99	90	27
	B»DISTINCT 70WG	0.22	LAA	11						
	C»ACTIVATOR 90	0.25	PMV	11						
	D»LIQUID AMS	2.50	PMV	11						
16A	HARNESS (7EC)	1.97	LAA	9	0	98	77	99	97	37
	B»YUKON 67.5WG	0.169	LAA	11						
	C»ACTIVATOR 90	0.25	PMV	11						
	D»LIQUID AMS	2.50	PMV	11						
17A	DEGREE 3.8SC	1.97	LAA	9	0	93	77	99	93	23
	B»YUKON 67.5WG	0.169	LAA	11						
	C»ACTIVATOR 90	0.25	PMV	11						
	D»LIQUID AMS	2.50	PMV	11						
18A	DEGREE 3.8SC	1.97	LAA	9	0	88	67	99	94	23
	B PERMIT (75WG)	0.031	LAA	11						
	C»ACTIVATOR 90	0.25	PMV	11						
	D»LIQUID AMS	2.50	PMV	11						
		LSD (0.05)			0.00	10.61	15.42	4.59	10.49	8.56
		STANDARD DEVIATION			0.00	5.25	7.63	2.27	5.19	4.23

## DATA MEAN

TITLE: Sequential weed control systems in corn AS-100  
 CREATED: 04/14/2002 REVISED: 10/23/2002 COMPLETED: N  
 PROJECT TYPE: HERBICIDE  
 LOCATION: Urbana RESEARCHED BY: UNIV. OF ILL  
 DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN  
 PLOT SIZE: 10.00 FT WIDE X 30.00 FT LONG REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			ZEAMD	SETFA	CHEAL	PHBPU	AMATA	ABUTH
		RATE	UNIT	TM	CON % 06/18/02	CON % 06/18/02	CON % 06/18/02	CON % 06/18/02	CON % 06/18/02	CON % 06/18/02
1A	DUAL II MAGNUM	1.60	LAA	9	0	99	30	37	98	25
2A	AXIOM	0.72	LAA	9	0	91	99	83	99	96
	B MARKSMAN SC	1.20	LAA	10						
	C LIQUID AMS	2.50	PMV	10						
3A	OUTLOOK 6EC	0.98	LAA	9	0	96	99	88	99	85
	B MARKSMAN SC	1.20	LAA	10						
	C LIQUID AMS	2.50	PMV	10						
4A	DEGREE 3.8SC	1.97	LAA	10	0	47	96	73	99	98
	B YUKON 67.5WG	0.169	LAA	10						
	C ACTIVATOR 90	0.25	PMV	10						
	D LIQUID AMS	2.50	PMV	10						
5A	DUAL II MAGNUM	1.60	LAA	9	0	93	67	62	99	99
	B CALLISTO 4SC	0.094	LAA	11						
	C COC	1.00	PMV	11						
	D 28% UAN	2.50	PMV	11						
6A	DUAL II MAGNUM	1.60	LAA	9	0	88	87	88	99	99
	B CALLISTO 4SC	0.094	LAA	11						
	C ATRAZINE DF	0.25	LAA	11						
	D COC	1.00	PMV	11						
	E 28% UAN	2.50	PMV	11						
7A	DUAL II MAGNUM	1.60	LAA	9	0	96	95	95	99	99
	B CALLISTO 4SC	0.094	LAA	11						
	C ATRAZINE DF	1.00	LAA	11						
	D COC	1.00	PMV	11						
	E 28% UAN	2.50	PMV	11						
8A	DUAL II MAGNUM	1.60	LAA	9	0	98	73	78	98	93
	B SPIRIT 57WG	0.036	LAA	11						
	C ATRAZINE DF	1.00	LAA	11						
	D COC	1.00	PMV	11						
	E 28% UAN	2.50	PMV	11						
9A	DUAL II MAGNUM	0.64	LAA	9	0	87	78	85	99	99
	B STEADFAST 75DF	0.035	LAA	11						
	C CALLISTO 4SC	0.047	LAA	11						
	D ATRAZINE DF	0.25	LAA	11						
	E COC	1.00	PMV	11						
	F 28% UAN	2.50	PMV	11						
10A	DUAL II MAGNUM	0.64	LAA	9	0	86	82	75	99	99
	B STEADFAST 75DF	0.035	LAA	11						
	C DISTINCT 70WG	0.088	LAA	11						
	D COC	1.00	PMV	11						
	E 28% UAN	2.50	PMV	11						
11A	DUAL II MAGNUM	1.60	LAA	9	0	94	63	79	99	96
	B NORTHSTAR 47.4	0.148	LAA	11						
	C COC	1.00	PMV	11						
	D 28% UAN	2.50	PMV	11						
12A	CHECK	0.00	NA	0	0	0	0	0	0	0
13A	DUAL II MAGNUM	1.60	LAA	9	0	88	65	67	93	96
	B HORNET 68.5WG	0.128	LAA	11						
	C ACTIVATOR 90	0.25	PMV	11						
	D LIQUID AMS	2.50	PMV	11						
14A	TOPNOTCH (3.2C	2.00	LAA	9	0	98	91	68	99	99
	B HORNET 68.5WG	0.128	LAA	11						
	C ACTIVATOR 90	0.25	PMV	11						
	D LIQUID AMS	2.50	PMV	11						

## DATA MEAN

TITLE: Sequential weed control systems in corn AS-100

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	ZEAMD	SETFA	CHEAL	PHBPU	AMATA	ABUTH
		RATE	UNIT		CON % 06/18/02	CON % 06/18/02	CON % 06/18/02	CON % 06/18/02	CON % 06/18/02	CON % 06/18/02
15A	DUAL II MAGNUM	1.60	LAA	9	0	97	87	82	99	99
	B»DISTINCT 70WG	0.22	LAA	11						
	C»ACTIVATOR 90	0.25	PMV	11						
	D»LIQUID AMS	2.50	PMV	11						
16A	HARNESS (7EC)	1.97	LAA	9	0	91	79	73	99	99
	B»YUKON 67.5WG	0.169	LAA	11						
	C»ACTIVATOR 90	0.25	PMV	11						
	D»LIQUID AMS	2.50	PMV	11						
17A	DEGREE 3.8SC	1.97	LAA	9	0	88	85	77	99	99
	B»YUKON 67.5WG	0.169	LAA	11						
	C»ACTIVATOR 90	0.25	PMV	11						
	D»LIQUID AMS	2.50	PMV	11						
18A	DEGREE 3.8SC	1.97	LAA	9	0	93	57	63	99	99
	B PERMIT (75WG)	0.031	LAA	11						
	C»ACTIVATOR 90	0.25	PMV	11						
	D»LIQUID AMS	2.50	PMV	11						
			LSD (0.05)		0.00	10.61	15.19	14.64	2.35	7.80
			STANDARD DEVIATION		0.00	5.25	7.52	7.24	1.16	3.86

## DATA MEAN

TITLE: Sequential weed control systems in corn AS-100

CREATED: 04/14/2002 REVISED: 10/23/2002

COMPLETED: N

PROJECT TYPE: HERBICIDE

LOCATION: Urbana

RESEARCHED BY: UNIV. OF ILL

DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN

PLOT SIZE: 10.00 FT WIDE X 30.00 FT LONG

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			ZEAMD	SETFA	CHEAL	PHBPU	AMATA	ABUTH
		RATE	UNIT	TM	CON % 07/13/02	CON % 07/13/02	CON % 07/13/02	CON % 07/13/02	CON % 07/13/02	CON % 07/13/02
1A	DUAL II MAGNUM	1.60	LAA	9	0	99	20	20	93	30
2A	AXIOM	0.72	LAA	9	0	81	98	77	98	86
	B MARKSMAN SC	1.20	LAA	10						
	C LIQUID AMS	2.50	PMV	10						
3A	OUTLOOK 6EC	0.98	LAA	9	0	91	99	77	99	87
	B MARKSMAN SC	1.20	LAA	10						
	C LIQUID AMS	2.50	PMV	10						
4A	DEGREE 3.8SC	1.97	LAA	10	0	37	91	27	98	73
	B YUKON 67.5WG	0.169	LAA	10						
	C ACTIVATOR 90	0.25	PMV	10						
	D LIQUID AMS	2.50	PMV	10						
5A	DUAL II MAGNUM	1.60	LAA	9	0	77	93	78	99	89
	B CALLISTO 4SC	0.094	LAA	11						
	C COC	1.00	PMV	11						
	D 28% UAN	2.50	PMV	11						
6A	DUAL II MAGNUM	1.60	LAA	9	0	88	99	91	99	94
	B CALLISTO 4SC	0.094	LAA	11						
	C ATRAZINE DF	0.25	LAA	11						
	D COC	1.00	PMV	11						
	E 28% UAN	2.50	PMV	11						
7A	DUAL II MAGNUM	1.60	LAA	9	0	99	99	99	99	99
	B CALLISTO 4SC	0.094	LAA	11						
	C ATRAZINE DF	1.00	LAA	11						
	D COC	1.00	PMV	11						
	E 28% UAN	2.50	PMV	11						
8A	DUAL II MAGNUM	1.60	LAA	9	0	91	76	77	99	82
	B SPIRIT 57WG	0.036	LAA	11						
	C ATRAZINE DF	1.00	LAA	11						
	D COC	1.00	PMV	11						
	E 28% UAN	2.50	PMV	11						
9A	DUAL II MAGNUM	0.64	LAA	9	0	94	85	85	99	99
	B STEADFAST 75DF	0.035	LAA	11						
	C CALLISTO 4SC	0.047	LAA	11						
	D ATRAZINE DF	0.25	LAA	11						
	E COC	1.00	PMV	11						
	F 28% UAN	2.50	PMV	11						
10A	DUAL II MAGNUM	0.64	LAA	9	0	92	88	80	99	90
	B STEADFAST 75DF	0.035	LAA	11						
	C DISTINCT 70WG	0.088	LAA	11						
	D COC	1.00	PMV	11						
	E 28% UAN	2.50	PMV	11						
11A	DUAL II MAGNUM	1.60	LAA	9	0	90	84	83	99	94
	B NORTHSTAR 47.4	0.148	LAA	11						
	C COC	1.00	PMV	11						
	D 28% UAN	2.50	PMV	11						
12A	CHECK	0.00	NA	0	0	0	0	0	0	0
13A	DUAL II MAGNUM	1.60	LAA	9	0	85	58	58	99	96
	B HORNET 68.5WG	0.128	LAA	11						
	C ACTIVATOR 90	0.25	PMV	11						
	D LIQUID AMS	2.50	PMV	11						
14A	TOPNOTCH (3.2C	2.00	LAA	9	0	87	78	58	99	96
	B HORNET 68.5WG	0.128	LAA	11						
	C ACTIVATOR 90	0.25	PMV	11						
	D LIQUID AMS	2.50	PMV	11						

## DATA MEAN

TITLE: Sequential weed control systems in corn AS-100

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	ZEAMD	SETFA	CHEAL	PHBPU	AMATA	ABUTH
		RATE	UNIT		CON % 07/13/02	CON % 07/13/02	CON % 07/13/02	CON % 07/13/02	CON % 07/13/02	CON % 07/13/02
15A	DUAL II MAGNUM	1.60	LAA	9	0	92	96	86	99	95
	B»DISTINCT 70WG	0.22	LAA	11						
	C»ACTIVATOR 90	0.25	PMV	11						
	D»LIQUID AMS	2.50	PMV	11						
16A	HARNESS (7EC)	1.97	LAA	9	0	91	89	80	99	90
	B»YUKON 67.5WG	0.169	LAA	11						
	C»ACTIVATOR 90	0.25	PMV	11						
	D»LIQUID AMS	2.50	PMV	11						
17A	DEGREE 3.8SC	1.97	LAA	9	0	77	87	67	99	99
	B»YUKON 67.5WG	0.169	LAA	11						
	C»ACTIVATOR 90	0.25	PMV	11						
	D»LIQUID AMS	2.50	PMV	11						
18A	DEGREE 3.8SC	1.97	LAA	9	0	91	27	27	98	96
	B PERMIT (75WG)	0.031	LAA	11						
	C»ACTIVATOR 90	0.25	PMV	11						
	D»LIQUID AMS	2.50	PMV	11						
	LSD (0.05)				0.00	12.16	14.59	15.56	4.36	15.85
	STANDARD DEVIATION				0.00	6.00	7.22	7.70	2.16	7.84

## DATA MEAN

TITLE: Sequential weed control systems in corn AS-100  
 CREATED: 04/14/2002 REVISED: 10/23/2002 COMPLETED: N  
 PROJECT TYPE: HERBICIDE  
 LOCATION: Urbana RESEARCHED BY: UNIV. OF ILL  
 DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN  
 PLOT SIZE: 10.00 FT WIDE X 30.00 FT LONG REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	YIELD BU/A 10/07/02
		RATE	UNIT		
1A	DUAL II MAGNUM	1.60	LAA	9	99.0
2A	AXIOM	0.72	LAA	9	147.3
	B MARKSMAN SC	1.20	LAA	10	
	C LIQUID AMS	2.50	PMV	10	
3A	OUTLOOK 6EC	0.98	LAA	9	147.4
	B MARKSMAN SC	1.20	LAA	10	
	C LIQUID AMS	2.50	PMV	10	
4A	DEGREE 3.8SC	1.97	LAA	10	118.0
	B YUKON 67.5WG	0.169	LAA	10	
	C ACTIVATOR 90	0.25	PMV	10	
	D LIQUID AMS	2.50	PMV	10	
5A	DUAL II MAGNUM	1.60	LAA	9	147.0
	B CALLISTO 4SC	0.094	LAA	11	
	C COC	1.00	PMV	11	
	D 28% UAN	2.50	PMV	11	
6A	DUAL II MAGNUM	1.60	LAA	9	143.5
	B CALLISTO 4SC	0.094	LAA	11	
	C ATRAZINE DF	0.25	LAA	11	
	D COC	1.00	PMV	11	
	E 28% UAN	2.50	PMV	11	
7A	DUAL II MAGNUM	1.60	LAA	9	148.5
	B CALLISTO 4SC	0.094	LAA	11	
	C ATRAZINE DF	1.00	LAA	11	
	D COC	1.00	PMV	11	
	E 28% UAN	2.50	PMV	11	
8A	DUAL II MAGNUM	1.60	LAA	9	147.6
	B SPIRIT 57WG	0.036	LAA	11	
	C ATRAZINE DF	1.00	LAA	11	
	D COC	1.00	PMV	11	
	E 28% UAN	2.50	PMV	11	
9A	DUAL II MAGNUM	0.64	LAA	9	147.0
	B STEADFAST 75DF	0.035	LAA	11	
	C CALLISTO 4SC	0.047	LAA	11	
	D ATRAZINE DF	0.25	LAA	11	
	E COC	1.00	PMV	11	
	F 28% UAN	2.50	PMV	11	
10A	DUAL II MAGNUM	0.64	LAA	9	144.2
	B STEADFAST 75DF	0.035	LAA	11	
	C DISTINCT 70WG	0.088	LAA	11	
	D COC	1.00	PMV	11	
	E 28% UAN	2.50	PMV	11	
11A	DUAL II MAGNUM	1.60	LAA	9	139.2
	B NORTHSTAR 47.4	0.148	LAA	11	
	C COC	1.00	PMV	11	
	D 28% UAN	2.50	PMV	11	
12A	CHECK	0.00	NA	0	16.8
13A	DUAL II MAGNUM	1.60	LAA	9	137.7
	B HORNET 68.5WG	0.128	LAA	11	
	C ACTIVATOR 90	0.25	PMV	11	
	D LIQUID AMS	2.50	PMV	11	
14A	TOPNOTCH (3.2C	2.00	LAA	9	149.8
	B HORNET 68.5WG	0.128	LAA	11	
	C ACTIVATOR 90	0.25	PMV	11	
	D LIQUID AMS	2.50	PMV	11	



DATA MEAN

TITLE: Sequential weed control systems in corn AS-100

TRT TREATMENT NUM COMPONENT	DOSAGE RATE	UNIT	TM	YIELD
				BU/A 10/07/02
15A»DUAL II MAGNUM	1.60	LAA	9	151.0
B»DISTINCT 70WG	0.22	LAA	11	
C»ACTIVATOR 90	0.25	PMV	11	
D»LIQUID AMS	2.50	PMV	11	
16A HARNESS (7EC)	1.97	LAA	9	154.1
B»YUKON 67.5WG	0.169	LAA	11	
C»ACTIVATOR 90	0.25	PMV	11	
D»LIQUID AMS	2.50	PMV	11	
17A»DEGREE 3.8SC	1.97	LAA	9	143.9
B»YUKON 67.5WG	0.169	LAA	11	
C»ACTIVATOR 90	0.25	PMV	11	
D»LIQUID AMS	2.50	PMV	11	
18A»DEGREE 3.8SC	1.97	LAA	9	109.4
B PERMIT (75WG)	0.031	LAA	11	
C»ACTIVATOR 90	0.25	PMV	11	
D»LIQUID AMS	2.50	PMV	11	
	LSD (0.05)			20.00
	STANDARD DEVIATION			9.88

» = SUPPLEMENTAL CHEMICAL

\* TIMING CODES

- 00 = ----- / UNTREATED TIMING
- 09 = ----- / PREEMERGENCE 05/03/2002 (1)
- 10 = ----- / VEPOST 05/21/2002 (2)
- 11 = ----- / EPOST 06/10/2002 (3)

H#	CUSTOM#1	CUSTOM#2	EV. DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTR	SS	NOTE
01	ZEAMD	CON %	05/21/2002	01	P	ZEAMD	11	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
02	SETFA	CON %	05/21/2002	02	P	SETFA	11	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
03	PHBPU	CON %	05/21/2002	03	P	PHBPU	10	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
04	AMATA	CON %	05/21/2002	05	P	AMATA	10	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
05	CHEAL	CON %	05/21/2002	04	P	CHEAL	11	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
06	ABUTH	CON %	05/21/2002	06	P	ABUTH	10	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
07	ZEAMD	CON %	06/18/2002	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
08	SETFA	CON %	06/18/2002	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
09	CHEAL	CON %	06/18/2002	04	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
10	PHBPU	CON %	06/18/2002	03	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
11	AMATA	CON %	06/18/2002	05	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
12	ABUTH	CON %	06/18/2002	06	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
13	ZEAMD	CON %	07/13/2002	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
14	SETFA	CON %	07/13/2002	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
15	CHEAL	CON %	07/13/2002	04	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
16	PHBPU	CON %	07/13/2002	03	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
17	AMATA	CON %	07/13/2002	05	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
18	ABUTH	CON %	07/13/2002	06	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
19	YIELD	BU/A	10/07/2002	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

\* SPECIES COMMON NAME - CULTIVAR (IF APPLICABLE)

01 = PIONEER 33Y09

\* STAGE CODE

- 10 = 1ST LEAF EMERGED; COTYLEDONS UNFOLDED
- 11 = FIRST LEAF UNFOLDED