

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: SIL  
 PH: 6.2  
 %OM: 4.7  
 PREV.CROP: ZEAMD - CORN, DENT  
 %RESIDUE: 0  
 PLOT WIDTH: 10 X 30 FEET

DESIGN: RCB  
 REPS: 3

APPL. NUMBER	01	02	03	04	05	06	UNIT
TIMINGS	01	01	01	01	01	01	
TYPE	LIQMXSPR	LIQMXSPR	LIQMXSPR	LIQMXSPR	LIQMXSPR	LIQMXSPR	
APPLICATION DATE	09/15/01	09/28/01	10/19/01	11/07/01	12/06/01	01/02/02	AME
AIR TEMPERATURE	54	53	56	47	50	28	F
% REL.HUMIDITY	45	72	42	56	81	36	
WIND DIRECTION	SOUTH	NORTHWEST	WEST	SOUTHWEST	SOUTHWEST	WEST	
WIND SPEED	2.0	6.0	2.0	4.0	6.0	3.0	M/H
CLOUD COVER	PARTCLDY	OVERCAST	OVERCAST	CLEAR	OVERCAST	CLEAR	
DEW	DRY	DRY	DRY	MOIST	DRY	DRY	
SOIL MOISTURE	DRY/MOIST	DRY/MOIST	MOIST/MOI	DRY/MOIST	MOIST/MOI	DRY/MOIST	
SOIL CONDITION	FRIABLE	FRIABLE	FRIABLE	FRIABLE	FRIABLE	COMPACT	
METHOD	SPRAY	SPRAY	SPRAY	SPRAY	SPRAY	SPRAY	
EQUIPMENT	BACKPACKS	BACKPACKS	BACKPACKS	BACKPACKS	BACKPACKS	BACKPACKS	
PROPELLANT	COMPRSCO2	COMPRSCO2	COMPRSCO2	COMPRSCO2	COMPRSCO2	COMPRSCO2	
PLACEMENT	BROADCAST	BROADCAST	BROADCAST	BROADCAST	BROADCAST	BROADCAST	
NOZZLE	FLATFAN	FLATFAN	FLATFAN	FLATFAN	FLATFAN	FLATFAN	
NOZZLE NUMBER	6	6	6	6	6	6	
NOZZLE SPACING	20.000	20.000	20.000	20.000	20.000	20.000	IN
SWATH WIDTH	10.0	10.0	10.0	10.0	10.0	10.0	FT
SPRAY VOLUME	20.00	20.00	20.00	20.00	20.00	20.00	
VOLUME UNIT	GPA	GPA	GPA	GPA	GPA	GPA	
PRESSURE	32.00	32.00	32.00	32.00	32.00	32.00	PSI
DILUENT	WATER	WATER	WATER	WATER	WATER	WATER	
INC. DATE							AME
INC. START							24H
INC. END							24H
INC. DEPTH							IN
INC. EQUIPMENT	---	---	---	---	---	---	
DENSITY /							
*** CROP ***							
SOYBEAN						---/00	IN
FS 3616RR						/	
05/23/2002							
*** PEST ***							
VELVETLEAF	---/00						IN
	/						
RAGWEED, COMMON	---/00						IN
	/						
LAMBSQUARTERS, C	---/00						IN
	/						
JIMSONWEED	---/00						IN
	/						
HORSEWEED	---/00						IN
	/						
HENBIT	---/00						IN
	/						
SMARTWEED, PENNS	---/00						IN
	/						
FOXTAIL, GIANT	---/00						IN
	/						
NIGHTSHADE, EAST	---/00						IN
	/						
CHICKWEED, COMMO	---/00						IN
	/						

APPLICATIONS

\* TIMING CODES

01 = ----- / FALL APPL'D

\* STAGE CODE

00 = DRY SEED; DORMANCY

## DATA MEAN

TITLE: USOYSTEMP C-600w  
 CREATED: 08/30/2001 REVISED: 11/14/2002 COMPLETED: N  
 PROJECT TYPE: HERBICIDE  
 LOCATION: Urbana RESEARCHED BY: UNIV. OF ILL  
 DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN  
 PLOT SIZE: 10.00 FT WIDE X 30.00 FT LONG REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	STEME	LAMAM	ERICA	GLXMA	AMBEL	POLPY
		RATE	UNIT		CON % 05/01/02	CON % 05/01/02	CON % 05/01/02	CON % 06/22/02	CON % 06/22/02	CON % 06/22/02
1A	CANOPY XL 56.3	0.158	LAA	0	99	99	96	0	82	99
B	CLASSIC 25WG	0.026	LAA	1						
C	AUTHORITY	0.132	LAA	1						
D	EXPRESS 75WG	0.008	LAA	1						
E	COC	1.00	PMV	1						
2A	PYTHON 80WG	0.063	LAA	1	99	99	98	0	72	93
B	SENCOR 75WG	0.141	LAA	1						
C	COC	1.00	PMV	1						
3A	BACKDRAFT 1.5L	0.75	LAA	1	99	99	99	0	30	66
B	ACTIVATOR 90	0.125	PMV	1						
C	LIQUID AMS	3.67	PMV	1						
4A	CHECK	0.00	NA	0	0	0	0	0	0	0
B	GRAMOX MAX 3SL	0.625	LAA	1						
C	ACTIVATOR 90	0.25	PMV	1						
5A	CANOPY XL 56.3	0.158	LAA	0	99	99	99	0	87	99
B	CLASSIC 25WG	0.026	LAA	2						
C	AUTHORITY	0.132	LAA	2						
D	EXPRESS 75WG	0.008	LAA	2						
E	COC	1.00	PMV	2						
6A	PYTHON 80WG	0.063	LAA	2	99	99	99	0	83	70
B	SENCOR 75WG	0.141	LAA	2						
C	COC	1.00	PMV	2						
7A	BACKDRAFT 1.5L	0.75	LAA	2	99	99	99	0	75	88
B	ACTIVATOR 90	0.125	PMV	2						
C	LIQUID AMS	3.67	PMV	2						
8A	CHECK	0.00	NA	0	0	0	0	0	0	0
B	GRAMOX MAX 3SL	0.625	LAA	2						
C	ACTIVATOR 90	0.25	PMV	2						
9A	CANOPY XL 56.3	0.158	LAA	0	99	98	99	0	96	99
B	CLASSIC 25WG	0.026	LAA	3						
C	AUTHORITY	0.132	LAA	3						
D	EXPRESS 75WG	0.008	LAA	3						
E	COC	1.00	PMV	3						
10A	PYTHON 80WG	0.063	LAA	3	99	99	99	0	63	96
B	SENCOR 75WG	0.141	LAA	3						
C	COC	1.00	PMV	3						
11A	BACKDRAFT 1.5L	0.75	LAA	3	99	99	99	0	80	90
B	ACTIVATOR 90	0.125	PMV	3						
C	LIQUID AMS	3.67	PMV	3						
12A	CHECK	0.00	NA	0	99	99	99	0	0	0
B	GRAMOX MAX 3SL	0.625	LAA	3						
C	ACTIVATOR 90	0.25	PMV	3						
13A	CANOPY XL 56.3	0.158	LAA	0	99	99	99	0	94	99
B	CLASSIC 25WG	0.026	LAA	4						
C	AUTHORITY	0.132	LAA	4						
D	EXPRESS 75WG	0.008	LAA	4						
E	COC	1.00	PMV	4						
14A	PYTHON 80WG	0.063	LAA	4	99	99	99	0	63	80
B	SENCOR 75WG	0.141	LAA	4						
C	COC	1.00	PMV	4						
15A	BACKDRAFT 1.5L	0.75	LAA	4	99	99	99	0	75	85
B	ACTIVATOR 90	0.125	PMV	4						
C	LIQUID AMS	3.67	PMV	4						

## DATA MEAN

TITLE: USOYSTEMP C-600w

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	STEME	LAMAM	ERICA	GLXMA	AMBEL	POLPY
		RATE	UNIT		CON % 05/01/02	CON % 05/01/02	CON % 05/01/02	CON % 06/22/02	CON % 06/22/02	CON % 06/22/02
16A	CHECK	0.00	NA	0	99	99	99	0	0	0
	B»GRAMOX MAX 3SL	0.625	LAA	4						
	C»ACTIVATOR 90	0.25	PMV	4						
17A	»CANOPY XL 56.3	0.158	LAA	0	99	99	99	0	91	99
	B CLASSIC 25WG	0.026	LAA	5						
	C»AUTHORITY	0.132	LAA	5						
	D EXPRESS 75WG	0.008	LAA	5						
	E»COC	1.00	PMV	5						
18A	»PYTHON 80WG	0.063	LAA	5	99	99	99	0	55	99
	B SENCOR 75WG	0.141	LAA	5						
	C»COC	1.00	PMV	5						
19A	»BACKDRAFT 1.5L	0.75	LAA	5	99	99	99	0	42	80
	B»ACTIVATOR 90	0.125	PMV	5						
	C»LIQUID AMS	3.67	PMV	5						
20A	CHECK	0.00	NA	0	99	99	99	0	0	0
	B»GRAMOX MAX 3SL	0.625	LAA	5						
	C»ACTIVATOR 90	0.25	PMV	5						
21A	»CANOPY XL 56.3	0.158	LAA	0	99	99	99	0	96	99
	B CLASSIC 25WG	0.026	LAA	6						
	C»AUTHORITY	0.132	LAA	6						
	D EXPRESS 75WG	0.008	LAA	6						
	E»COC	1.00	PMV	6						
22A	»PYTHON 80WG	0.063	LAA	6	99	98	99	0	77	73
	B SENCOR 75WG	0.141	LAA	6						
	C»COC	1.00	PMV	6						
23A	»BACKDRAFT 1.5L	0.75	LAA	6	99	99	99	0	68	73
	B»ACTIVATOR 90	0.125	PMV	6						
	C»LIQUID AMS	3.67	PMV	6						
24A	CHECK	0.00	NA	0	99	72	99	0	0	0
	B»GRAMOX MAX 3SL	0.625	LAA	6						
	C»ACTIVATOR 90	0.25	PMV	6						
		LSD (0.05)			0.00	6.35	1.86	0.00	23.75	23.69
		STANDARD DEVIATION			0.00	3.17	0.932	0.00	11.88	11.85

## DATA MEAN

TITLE: USOYSTEMP C-600w  
 CREATED: 08/30/2001 REVISED: 11/14/2002 COMPLETED: N  
 PROJECT TYPE: HERBICIDE  
 LOCATION: Urbana RESEARCHED BY: UNIV. OF ILL  
 DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN  
 PLOT SIZE: 10.00 FT WIDE X 30.00 FT LONG REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			ABUTH	SOLPT	ERICA	CHEAL	DATST	SETFA
		RATE	UNIT	TM	CON % 06/22/02	CON % 06/22/02	CON % 06/22/02	CON % 06/22/02	CON % 06/22/02	CON % 06/22/02
1A»	CANOPY XL 56.3	0.158	LAA	0	84	99	89	93	98	85
	B CLASSIC 25WG	0.026	LAA	1						
	C»AUTHORITY	0.132	LAA	1						
	D EXPRESS 75WG	0.008	LAA	1						
	E»COC	1.00	PMV	1						
2A»	PYTHON 80WG	0.063	LAA	1	85	96	83	96	83	67
	B SENCOR 75WG	0.141	LAA	1						
	C»COC	1.00	PMV	1						
3A»	BACKDRAFT 1.5L	0.75	LAA	1	57	96	68	63	66	53
	B»ACTIVATOR 90	0.125	PMV	1						
	C»LIQUID AMS	3.67	PMV	1						
4A	CHECK	0.00	NA	0	0	0	0	0	0	0
	B»GRAMOX MAX 3SL	0.625	LAA	1						
	C»ACTIVATOR 90	0.25	PMV	1						
5A»	CANOPY XL 56.3	0.158	LAA	0	95	95	95	99	99	85
	B CLASSIC 25WG	0.026	LAA	2						
	C»AUTHORITY	0.132	LAA	2						
	D EXPRESS 75WG	0.008	LAA	2						
	E»COC	1.00	PMV	2						
6A»	PYTHON 80WG	0.063	LAA	2	90	94	89	89	57	53
	B SENCOR 75WG	0.141	LAA	2						
	C»COC	1.00	PMV	2						
7A»	BACKDRAFT 1.5L	0.75	LAA	2	62	93	67	65	40	30
	B»ACTIVATOR 90	0.125	PMV	2						
	C»LIQUID AMS	3.67	PMV	2						
8A	CHECK	0.00	NA	0	0	0	0	0	0	0
	B»GRAMOX MAX 3SL	0.625	LAA	2						
	C»ACTIVATOR 90	0.25	PMV	2						
9A»	CANOPY XL 56.3	0.158	LAA	0	93	98	98	99	98	93
	B CLASSIC 25WG	0.026	LAA	3						
	C»AUTHORITY	0.132	LAA	3						
	D EXPRESS 75WG	0.008	LAA	3						
	E»COC	1.00	PMV	3						
10A»	PYTHON 80WG	0.063	LAA	3	96	96	86	96	76	40
	B SENCOR 75WG	0.141	LAA	3						
	C»COC	1.00	PMV	3						
11A»	BACKDRAFT 1.5L	0.75	LAA	3	67	93	73	96	63	37
	B»ACTIVATOR 90	0.125	PMV	3						
	C»LIQUID AMS	3.67	PMV	3						
12A	CHECK	0.00	NA	0	0	0	0	0	0	0
	B»GRAMOX MAX 3SL	0.625	LAA	3						
	C»ACTIVATOR 90	0.25	PMV	3						
13A»	CANOPY XL 56.3	0.158	LAA	0	95	98	99	99	99	84
	B CLASSIC 25WG	0.026	LAA	4						
	C»AUTHORITY	0.132	LAA	4						
	D EXPRESS 75WG	0.008	LAA	4						
	E»COC	1.00	PMV	4						
14A»	PYTHON 80WG	0.063	LAA	4	96	85	83	99	99	45
	B SENCOR 75WG	0.141	LAA	4						
	C»COC	1.00	PMV	4						
15A»	BACKDRAFT 1.5L	0.75	LAA	4	68	95	67	86	37	40
	B»ACTIVATOR 90	0.125	PMV	4						
	C»LIQUID AMS	3.67	PMV	4						

## DATA MEAN

TITLE: USOYSTEMP C-600w

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	ABUTH	SOLPT	ERICA	CHEAL	DATST	SETFA
		RATE	UNIT		CON % 06/22/02	CON % 06/22/02	CON % 06/22/02	CON % 06/22/02	CON % 06/22/02	CON % 06/22/02
16A	CHECK	0.00	NA	0	0	0	0	0	0	0
	B»GRAMOX MAX 3SL	0.625	LAA	4						
	C»ACTIVATOR 90	0.25	PMV	4						
17A	»CANOPY XL 56.3	0.158	LAA	0	92	98	99	99	99	88
	B CLASSIC 25WG	0.026	LAA	5						
	C»AUTHORITY	0.132	LAA	5						
	D EXPRESS 75WG	0.008	LAA	5						
	E»COC	1.00	PMV	5						
18A	»PYTHON 80WG	0.063	LAA	5	93	93	96	96	96	73
	B SENCOR 75WG	0.141	LAA	5						
	C»COC	1.00	PMV	5						
19A	»BACKDRAFT 1.5L	0.75	LAA	5	77	85	89	91	93	37
	B»ACTIVATOR 90	0.125	PMV	5						
	C»LIQUID AMS	3.67	PMV	5						
20A	CHECK	0.00	NA	0	0	0	0	0	0	0
	B»GRAMOX MAX 3SL	0.625	LAA	5						
	C»ACTIVATOR 90	0.25	PMV	5						
21A	»CANOPY XL 56.3	0.158	LAA	0	93	90	89	99	99	83
	B CLASSIC 25WG	0.026	LAA	6						
	C»AUTHORITY	0.132	LAA	6						
	D EXPRESS 75WG	0.008	LAA	6						
	E»COC	1.00	PMV	6						
22A	»PYTHON 80WG	0.063	LAA	6	90	93	78	95	90	27
	B SENCOR 75WG	0.141	LAA	6						
	C»COC	1.00	PMV	6						
23A	»BACKDRAFT 1.5L	0.75	LAA	6	63	88	70	75	91	33
	B»ACTIVATOR 90	0.125	PMV	6						
	C»LIQUID AMS	3.67	PMV	6						
24A	CHECK	0.00	NA	0	0	0	0	0	0	0
	B»GRAMOX MAX 3SL	0.625	LAA	6						
	C»ACTIVATOR 90	0.25	PMV	6						
		LSD (0.05)			10.90	9.37	15.46	15.00	26.55	12.07
		STANDARD DEVIATION			5.45	4.68	7.73	7.49	13.27	6.00

## DATA MEAN

TITLE: USOYSTEMP C-600w  
 CREATED: 08/30/2001 REVISED: 11/14/2002 COMPLETED: N  
 PROJECT TYPE: HERBICIDE  
 LOCATION: Urbana RESEARCHED BY: UNIV. OF ILL  
 DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN  
 PLOT SIZE: 10.00 FT WIDE X 30.00 FT LONG REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	GLXMA CON % 10/16/02
		RATE	UNIT		
1A	CANOPY XL 56.3	0.158	LAA	0	69.2
B	CLASSIC 25WG	0.026	LAA	1	
C	AUTHORITY	0.132	LAA	1	
D	EXPRESS 75WG	0.008	LAA	1	
E	COC	1.00	PMV	1	
2A	PYTHON 80WG	0.063	LAA	1	66.7
B	SENCOR 75WG	0.141	LAA	1	
C	COC	1.00	PMV	1	
3A	BACKDRAFT 1.5L	0.75	LAA	1	60.8
B	ACTIVATOR 90	0.125	PMV	1	
C	LIQUID AMS	3.67	PMV	1	
4A	CHECK	0.00	NA	0	60.7
B	GRAMOX MAX 3SL	0.625	LAA	1	
C	ACTIVATOR 90	0.25	PMV	1	
5A	CANOPY XL 56.3	0.158	LAA	0	70.7
B	CLASSIC 25WG	0.026	LAA	2	
C	AUTHORITY	0.132	LAA	2	
D	EXPRESS 75WG	0.008	LAA	2	
E	COC	1.00	PMV	2	
6A	PYTHON 80WG	0.063	LAA	2	64.9
B	SENCOR 75WG	0.141	LAA	2	
C	COC	1.00	PMV	2	
7A	BACKDRAFT 1.5L	0.75	LAA	2	61.6
B	ACTIVATOR 90	0.125	PMV	2	
C	LIQUID AMS	3.67	PMV	2	
8A	CHECK	0.00	NA	0	60.9
B	GRAMOX MAX 3SL	0.625	LAA	2	
C	ACTIVATOR 90	0.25	PMV	2	
9A	CANOPY XL 56.3	0.158	LAA	0	71.4
B	CLASSIC 25WG	0.026	LAA	3	
C	AUTHORITY	0.132	LAA	3	
D	EXPRESS 75WG	0.008	LAA	3	
E	COC	1.00	PMV	3	
10A	PYTHON 80WG	0.063	LAA	3	60.7
B	SENCOR 75WG	0.141	LAA	3	
C	COC	1.00	PMV	3	
11A	BACKDRAFT 1.5L	0.75	LAA	3	65.4
B	ACTIVATOR 90	0.125	PMV	3	
C	LIQUID AMS	3.67	PMV	3	
12A	CHECK	0.00	NA	0	62.7
B	GRAMOX MAX 3SL	0.625	LAA	3	
C	ACTIVATOR 90	0.25	PMV	3	
13A	CANOPY XL 56.3	0.158	LAA	0	67.9
B	CLASSIC 25WG	0.026	LAA	4	
C	AUTHORITY	0.132	LAA	4	
D	EXPRESS 75WG	0.008	LAA	4	
E	COC	1.00	PMV	4	
14A	PYTHON 80WG	0.063	LAA	4	70.2
B	SENCOR 75WG	0.141	LAA	4	
C	COC	1.00	PMV	4	
15A	BACKDRAFT 1.5L	0.75	LAA	4	65.2
B	ACTIVATOR 90	0.125	PMV	4	
C	LIQUID AMS	3.67	PMV	4	

DATA MEAN

TITLE: USOYSTEMP C-600w

TRT	TREATMENT	DOSAGE	GLXMA		
NUM	COMPONENT	RATE	UNIT	TM	CON %
					10/16/02
16A	CHECK	0.00	NA	0	65.6
	B»GRAMOX MAX 3SL	0.625	LAA	4	
	C»ACTIVATOR 90	0.25	PMV	4	
17A»	CANOPY XL 56.3	0.158	LAA	0	66.4
	B CLASSIC 25WG	0.026	LAA	5	
	C»AUTHORITY	0.132	LAA	5	
	D EXPRESS 75WG	0.008	LAA	5	
	E»COC	1.00	PMV	5	
18A»	PYTHON 80WG	0.063	LAA	5	69.8
	B SENCOR 75WG	0.141	LAA	5	
	C»COC	1.00	PMV	5	
19A»	BACKDRAFT 1.5L	0.75	LAA	5	58.3
	B»ACTIVATOR 90	0.125	PMV	5	
	C»LIQUID AMS	3.67	PMV	5	
20A	CHECK	0.00	NA	0	58.3
	B»GRAMOX MAX 3SL	0.625	LAA	5	
	C»ACTIVATOR 90	0.25	PMV	5	
21A»	CANOPY XL 56.3	0.158	LAA	0	65.9
	B CLASSIC 25WG	0.026	LAA	6	
	C»AUTHORITY	0.132	LAA	6	
	D EXPRESS 75WG	0.008	LAA	6	
	E»COC	1.00	PMV	6	
22A»	PYTHON 80WG	0.063	LAA	6	61.3
	B SENCOR 75WG	0.141	LAA	6	
	C»COC	1.00	PMV	6	
23A»	BACKDRAFT 1.5L	0.75	LAA	6	68.7
	B»ACTIVATOR 90	0.125	PMV	6	
	C»LIQUID AMS	3.67	PMV	6	
24A	CHECK	0.00	NA	0	51.3
	B»GRAMOX MAX 3SL	0.625	LAA	6	
	C»ACTIVATOR 90	0.25	PMV	6	
		LSD (0.05)			12.45
		STANDARD DEVIATION			6.22

» = SUPPLEMENTAL CHEMICAL

\* TIMING CODES

- 00 = ----- / UNTREATED TIMING
- 01 = ----- / FALL APPL'D 09/15/2001(1), 09/28/2001(2), 10/19/2001(3), 11/07/2001(4), 12/06/2001(5), 01/02/2002(6)
- 02 = ----- / EPP 60 DBP
- 03 = ----- / EPP 45 DBP
- 04 = ----- / EPP 30 DBP
- 05 = ----- / EPP 15 DBP
- 06 = ----- / EPP 7 DBP

H#	CUSTOM#1	CUSTOM#2	EV. DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTRT	SS	NOTE
01	STEME	CON %	05/01/2002	01	P	STEME		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
02	LAMAM	CON %	05/01/2002	02	P	LAMAM		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
03	ERICA	CON %	05/01/2002	03	P	ERICA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
12	GLXMA	CON %	06/22/2002	11	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
13	AMBEL	CON %	06/22/2002	07	P	AMBEL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
14	POLPY	CON %	06/22/2002	08	P	POLPY		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
15	ABUTH	CON %	06/22/2002	09	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
16	SOLPT	CON %	06/22/2002	10	P	SOLPT		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
17	ERICA	CON %	06/22/2002	03	P	ERICA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
18	CHEAL	CON %	06/22/2002	04	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
19	DATST	CON %	06/22/2002	05	P	DATST		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
20	SETFA	CON %	06/22/2002	06	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
21	GLXMA	CON %	10/16/2002	11	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N



DATA MEAN

\* SPECIES COMMON NAME - CULTIVAR (IF APPLICABLE)

11 = FS 3616RR