

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: SIL
 PH: 6.4
 %OM: 4.8
 PREV. CROP: GLXMA - SOYBEAN
 %RESIDUE: 0
 PLOT WIDTH: 10 X 35 FEET

DESIGN: RCB
 REPS: 3

APPL. NUMBER	01	02	UNIT
TIMINGS	09	12	
TYPE	LIQMXSPR	LIQMXSPR	
APPLICATION DATE	05/31/02	07/02/02	AME
AIR TEMPERATURE	87	79	F
% REL. HUMIDITY	70	60	
WIND DIRECTION	NORTHWEST	SOUTHWEST	
WIND SPEED	10.0	3.0	M/H
CLOUD COVER	CLEAR	PARTCLDY	
DEW	NA/UNKNOW	DRY	
SOIL MOISTURE	DRY/MOIST	DRY/MOIST	
SOIL CONDITION	---	---	
METHOD	SPRAY	SPRAY	
EQUIPMENT	BACKPACKS	BACKPACKS	
PROPELLANT	COMPRSCO2	COMPRSCO2	
PLACEMENT	BROADCAST	BROADCAST	
NOZZLE	FLATFAN	FLATFAN	
NOZZLE NUMBER	6	6	
NOZZLE SPACING	20.000	20.000	IN
SWATH WIDTH	10.0	10.0	FT
SPRAY VOLUME	20.00	20.00	
VOLUME UNIT	GPA	GPA	
PRESSURE	32.00	32.00	PSI
DILUENT	WATER	WATER	
INC. DATE			AME
INC. START			24H
INC. END			24H
INC. DEPTH			IN
INC. EQUIPMENT	---	---	
DN/SG/MMZ			
*** CROP ***			
SOYBEAN		---/16	
GLYPHOSTAE TOLER		10.0/10.0	IN
05/31/2002			
*** PEST ***			
VELVETLEAF		---/15	
		3.00/5.00	IN
LAMBSQUARTERS, C		---/19	
		1.00/3.00	IN
MORNINGGLORY, IV		---/18	
		2.00/4.00	IN
FOXTAIL, GIANT		---/13	
		4.00/6.00	IN

* TIMING CODES

09 = ----- / PREEMERGENCE
 12 = ----- / POST

* STAGE CODE

13 = 3 LEAVES UNFOLDED
 15 = 5TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 16 = 6TH LEAF (4TH TRIFOLIATE LEAF) UNFOLDED, 5 NODES
 18 = 8TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

DATA MEAN

TITLE: Varieties and Tillage systems in Roundup Ready Soybean C-500E

CREATED: 05/17/2002 REVISED: 11/07/2002

COMPLETED: N

PROJECT TYPE: HERBICIDE

LOCATION: Urbana

RESEARCHED BY: UNIV. OF ILL

DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN

PLOT SIZE: 10.00 FT WIDE X 35.00 FT LONG

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			GLXMA CON %	SETFA CON %	IPOHE CON %	CHEAL CON %	ABUTH CON %	GLXMA CON %
		RATE	UNIT	TM	07/02/02	07/02/02	07/02/02	07/02/02	07/02/02	07/16/02
1A»	CONVENTIONAL T	0.00	PAM	0	0	92	50	92	92	0
B»A	2703RR RP	0.00	NA	0						
C	PROWL 3.3EC	1.24	LAA	9						
D»	EXTREME 2.17L	0.81	LAA	12						
E»	ACTIVATOR 90	0.125	PMV	12						
F»	LIQUID AMS	2.50	PMV	12						
2A»	CONVENTIONAL T	0.00	PAM	0	0	93	47	95	95	0
B»A	3003RR RP	0.00	NA	0						
C	PROWL 3.3EC	1.24	LAA	9						
D»	EXTREME 2.17L	0.81	LAA	12						
E»	ACTIVATOR 90	0.125	PMV	12						
F»	LIQUID AMS	2.50	PMV	12						
3A»	CONVENTIONAL T	0.00	PAM	0	0	93	65	93	93	0
B»A	3201RR	0.00	NA	0						
C	PROWL 3.3EC	1.24	LAA	9						
D»	EXTREME 2.17L	0.81	LAA	12						
E»	ACTIVATOR 90	0.125	PMV	12						
F»	LIQUID AMS	2.50	PMV	12						
4A»	CONVENTIONAL T	0.00	PAM	0	0	0	0	0	0	0
B»A	3201RR	0.00	NA	0						
C»	RNDUP ULTRA MA	0.75	LAA	12						
D»	LIQUID AMS	2.50	PMV	12						
5A»	NO-TILL	0.00	NA	0	0	87	62	92	93	0
B»A	3003RR RP	0.00	NA	0						
C	PROWL 3.3EC	1.24	LAA	9						
D»	EXTREME 2.17L	0.81	LAA	12						
E»	ACTIVATOR 90	0.125	PMV	12						
F»	LIQUID AMS	2.50	PMV	12						
6A»	NO-TILL	0.00	NA	0	0	0	0	0	0	0
B»A	3003RR RP	0.00	NA	0						
C»	RNDUP ULTRA MA	0.75	LAA	12						
D»	LIQUID AMS	2.50	PMV	12						
7A»	NO-TILL	0.00	NA	0	0	90	57	94	94	0
B»A	3201RR	0.00	NA	0						
C	PROWL 3.3EC	1.24	LAA	9						
D»	EXTREME 2.17L	0.81	LAA	12						
E»	ACTIVATOR 90	0.125	PMV	12						
F»	LIQUID AMS	2.50	PMV	12						
8A»	NO-TILL	0.00	NA	0	0	0	0	0	0	0
B»A	3201RR	0.00	NA	0						
C»	RNDUP ULTRA MA	0.75	LAA	12						
D»	LIQUID AMS	2.50	PMV	12						
9A»	CONVENTIONAL T	0.00	PAM	0	0	0	0	0	0	0
B»A	2703RR RP	0.00	NA	0						
C»	RNDUP ULTRA MA	0.75	LAA	12						
D»	LIQUID AMS	2.50	PMV	12						
10A»	CONVENTIONAL T	0.00	PAM	0	0	0	0	0	0	0
B»A	3003RR RP	0.00	NA	0						
C»	RNDUP ULTRA MA	0.75	LAA	12						
D»	LIQUID AMS	2.50	PMV	12						
11A»	CONVENTIONAL T	0.00	PAM	0	0	99	99	99	99	0
B»A	2703RR RP	0.00	NA	0						
C»	WEED FREE	0.00	NA	12						
12A»	CONVENTIONAL T	0.00	PAM	0	0	99	99	99	99	0
B»A	3201RR	0.00	NA	0						
C»	WEED FREE	0.00	NA	12						

DATA MEAN

TITLE: Varieties and Tillage systems in Roundup Ready Soybean C-500E

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	GLXMA	SETFA	IPOHE	CHEAL	ABUTH	GLXMA	
		RATE	UNIT		CON % 07/02/02	CON % 07/02/02	CON % 07/02/02	CON % 07/02/02	CON % 07/02/02	CON % 07/16/02	
13A	»NO-TILL	0.00	NA	0	0	87	52	92	92	0	
	B»A 2703RR RP	0.00	NA	0							
	C PROWL 3.3EC	1.24	LAA	9							
	D»EXTREME 2.17L	0.81	LAA	12							
	E»ACTIVATOR 90	0.125	PMV	12							
	F»LIQUID AMS	2.50	PMV	12							
14A	»NO-TILL	0.00	NA	0	0	99	99	99	99	0	
	B»A 3003RR RP	0.00	NA	0							
	C»WEED FREE	0.00	NA	12							
15A	»NO-TILL	0.00	NA	0	0	0	0	0	0	0	
	B»A 2703RR RP	0.00	NA	0							
	C»RNDUP ULTRA MA	0.75	LAA	12							
	D»LIQUID AMS	2.50	PMV	12							
16A	»NO-TILL	0.00	NA	0	0	99	99	99	99	0	
	B»A 3201RR	0.00	NA	0							
	C»WEED FREE	0.00	NA	12							
17A	»CONVENTIONAL T	0.00	PAM	0	0	99	99	99	99	0	
	B»A 3003RR RP	0.00	NA	0							
	C»WEED FREE	0.00	NA	12							
18A	»CONVENTIONAL T	0.00	PAM	0	0	0	0	0	0	0	
	B»A 2703RR RP	0.00	NA	0							
	C CHECK	0.00	NA	0							
19A	»CONVENTIONAL T	0.00	PAM	0	0	0	0	0	0	0	
	B»A 3201RR	0.00	NA	0							
	C CHECK	0.00	NA	0							
20A	»CONVENTIONAL T	0.00	PAM	0	0	0	0	0	0	0	
	B»A 3003RR RP	0.00	NA	0							
	C CHECK	0.00	NA	0							
21A	»NO-TILL	0.00	NA	0	0	0	0	0	0	0	
	B»A 3003RR RP	0.00	NA	0							
	C CHECK	0.00	NA	0							
22A	»NO-TILL	0.00	NA	0	0	99	99	99	99	0	
	B»A 2703RR RP	0.00	NA	0							
	C»WEED FREE	0.00	NA	12							
23A	»NO-TILL	0.00	NA	0	0	0	0	0	0	0	
	B»A 2703RR RP	0.00	NA	0							
	C CHECK	0.00	NA	0							
24A	»NO-TILL	0.00	NA	0	0	0	0	0	0	0	
	B»A 3201RR	0.00	NA	0							
	C CHECK	0.00	NA	0							
					LSD (0.05)	0.00	6.18	6.10	2.15	2.10	0.00
					STANDARD DEVIATION	0.00	3.09	3.00	1.08	1.00	0.00

DATA MEAN

TITLE: Varieties and Tillage systems in Roundup Ready Soybean C-500E

CREATED: 05/17/2002 REVISED: 11/07/2002

COMPLETED: N

PROJECT TYPE: HERBICIDE

LOCATION: Urbana

RESEARCHED BY: UNIV. OF ILL

DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN

PLOT SIZE: 10.00 FT WIDE X 35.00 FT LONG

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			SETFA CON %	CHEAL CON %	IPOHE CON %	ABUTH CON %	GLXMA CON %	SETFA CON %
		RATE	UNIT	TM	07/16/02	07/16/02	07/16/02	07/16/02	08/05/02	08/05/02
1A»	CONVENTIONAL T	0.00	PAM	0	99	99	60	99	0	99
B»A	2703RR RP	0.00	NA	0						
C	PROWL 3.3EC	1.24	LAA	9						
D»	EXTREME 2.17L	0.81	LAA	12						
E»	ACTIVATOR 90	0.125	PMV	12						
F»	LIQUID AMS	2.50	PMV	12						
2A»	CONVENTIONAL T	0.00	PAM	0	99	99	65	99	0	99
B»A	3003RR RP	0.00	NA	0						
C	PROWL 3.3EC	1.24	LAA	9						
D»	EXTREME 2.17L	0.81	LAA	12						
E»	ACTIVATOR 90	0.125	PMV	12						
F»	LIQUID AMS	2.50	PMV	12						
3A»	CONVENTIONAL T	0.00	PAM	0	99	99	67	99	0	99
B»A	3201RR	0.00	NA	0						
C	PROWL 3.3EC	1.24	LAA	9						
D»	EXTREME 2.17L	0.81	LAA	12						
E»	ACTIVATOR 90	0.125	PMV	12						
F»	LIQUID AMS	2.50	PMV	12						
4A»	CONVENTIONAL T	0.00	PAM	0	99	99	73	99	0	99
B»A	3201RR	0.00	NA	0						
C»	RNDUP ULTRA MA	0.75	LAA	12						
D»	LIQUID AMS	2.50	PMV	12						
5A»	NO-TILL	0.00	NA	0	99	99	70	99	0	99
B»A	3003RR RP	0.00	NA	0						
C	PROWL 3.3EC	1.24	LAA	9						
D»	EXTREME 2.17L	0.81	LAA	12						
E»	ACTIVATOR 90	0.125	PMV	12						
F»	LIQUID AMS	2.50	PMV	12						
6A»	NO-TILL	0.00	NA	0	99	99	72	99	0	99
B»A	3003RR RP	0.00	NA	0						
C»	RNDUP ULTRA MA	0.75	LAA	12						
D»	LIQUID AMS	2.50	PMV	12						
7A»	NO-TILL	0.00	NA	0	99	99	77	99	0	99
B»A	3201RR	0.00	NA	0						
C	PROWL 3.3EC	1.24	LAA	9						
D»	EXTREME 2.17L	0.81	LAA	12						
E»	ACTIVATOR 90	0.125	PMV	12						
F»	LIQUID AMS	2.50	PMV	12						
8A»	NO-TILL	0.00	NA	0	99	99	77	99	0	99
B»A	3201RR	0.00	NA	0						
C»	RNDUP ULTRA MA	0.75	LAA	12						
D»	LIQUID AMS	2.50	PMV	12						
9A»	CONVENTIONAL T	0.00	PAM	0	99	99	77	99	0	99
B»A	2703RR RP	0.00	NA	0						
C»	RNDUP ULTRA MA	0.75	LAA	12						
D»	LIQUID AMS	2.50	PMV	12						
10A»	CONVENTIONAL T	0.00	PAM	0	99	99	72	99	0	99
B»A	3003RR RP	0.00	NA	0						
C»	RNDUP ULTRA MA	0.75	LAA	12						
D»	LIQUID AMS	2.50	PMV	12						
11A»	CONVENTIONAL T	0.00	PAM	0	99	99	99	99	0	99
B»A	2703RR RP	0.00	NA	0						
C»	WEED FREE	0.00	NA	12						
12A»	CONVENTIONAL T	0.00	PAM	0	99	99	99	99	0	99
B»A	3201RR	0.00	NA	0						
C»	WEED FREE	0.00	NA	12						

DATA MEAN

TITLE: Varieties and Tillage systems in Roundup Ready Soybean C-500E

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	SETFA	CHEAL	IPOHE	ABUTH	GLXMA	SETFA	
		RATE	UNIT		CON % 07/16/02	CON % 07/16/02	CON % 07/16/02	CON % 07/16/02	CON % 08/05/02	CON % 08/05/02	
13A	»NO-TILL	0.00	NA	0	99	99	83	99	0	99	
	B»A 2703RR RP	0.00	NA	0							
	C PROWL 3.3EC	1.24	LAA	9							
	D»EXTREME 2.17L	0.81	LAA	12							
	E»ACTIVATOR 90	0.125	PMV	12							
	F»LIQUID AMS	2.50	PMV	12							
14A	»NO-TILL	0.00	NA	0	99	99	99	99	0	99	
	B»A 3003RR RP	0.00	NA	0							
	C»WEED FREE	0.00	NA	12							
15A	»NO-TILL	0.00	NA	0	99	99	83	99	0	99	
	B»A 2703RR RP	0.00	NA	0							
	C»RNDUP ULTRA MA	0.75	LAA	12							
	D»LIQUID AMS	2.50	PMV	12							
16A	»NO-TILL	0.00	NA	0	99	99	99	99	0	99	
	B»A 3201RR	0.00	NA	0							
	C»WEED FREE	0.00	NA	12							
17A	»CONVENTIONAL T	0.00	PAM	0	99	99	99	99	0	99	
	B»A 3003RR RP	0.00	NA	0							
	C»WEED FREE	0.00	NA	12							
18A	»CONVENTIONAL T	0.00	PAM	0	0	0	0	0	0	0	
	B»A 2703RR RP	0.00	NA	0							
	C CHECK	0.00	NA	0							
19A	»CONVENTIONAL T	0.00	PAM	0	0	0	0	0	0	0	
	B»A 3201RR	0.00	NA	0							
	C CHECK	0.00	NA	0							
20A	»CONVENTIONAL T	0.00	PAM	0	0	0	0	0	0	0	
	B»A 3003RR RP	0.00	NA	0							
	C CHECK	0.00	NA	0							
21A	»NO-TILL	0.00	NA	0	0	0	0	0	0	0	
	B»A 3003RR RP	0.00	NA	0							
	C CHECK	0.00	NA	0							
22A	»NO-TILL	0.00	NA	0	99	99	99	99	0	99	
	B»A 2703RR RP	0.00	NA	0							
	C»WEED FREE	0.00	NA	12							
23A	»NO-TILL	0.00	NA	0	0	0	0	0	0	0	
	B»A 2703RR RP	0.00	NA	0							
	C CHECK	0.00	NA	0							
24A	»NO-TILL	0.00	NA	0	0	0	0	0	0	0	
	B»A 3201RR	0.00	NA	0							
	C CHECK	0.00	NA	0							
					LSD (0.05)	0.00	0.00	8.63	0.00	0.00	0.00
					STANDARD DEVIATION	0.00	0.00	4.32	0.00	0.00	0.00

DATA MEAN

TITLE: Varieties and Tillage systems in Roundup Ready Soybean C-500E

CREATED: 05/17/2002 REVISED: 11/07/2002

COMPLETED: N

PROJECT TYPE: HERBICIDE

LOCATION: Urbana

RESEARCHED BY: UNIV. OF ILL

DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN

PLOT SIZE: 10.00 FT WIDE X 35.00 FT LONG

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			IPOHE	CHEAL	ABUTH	YIELD
		RATE	UNIT	TM	CON % 08/05/02	CON % 08/05/02	CON % 08/05/02	BU/A 10/16/02
1A»	CONVENTIONAL T	0.00	PAM	0	75	99	99	50.1
B»A	2703RR RP	0.00	NA	0				
C	PROWL 3.3EC	1.24	LAA	9				
D»	EXTREME 2.17L	0.81	LAA	12				
E»	ACTIVATOR 90	0.125	PMV	12				
F»	LIQUID AMS	2.50	PMV	12				
2A»	CONVENTIONAL T	0.00	PAM	0	70	99	99	51.9
B»A	3003RR RP	0.00	NA	0				
C	PROWL 3.3EC	1.24	LAA	9				
D»	EXTREME 2.17L	0.81	LAA	12				
E»	ACTIVATOR 90	0.125	PMV	12				
F»	LIQUID AMS	2.50	PMV	12				
3A»	CONVENTIONAL T	0.00	PAM	0	82	99	99	53.2
B»A	3201RR	0.00	NA	0				
C	PROWL 3.3EC	1.24	LAA	9				
D»	EXTREME 2.17L	0.81	LAA	12				
E»	ACTIVATOR 90	0.125	PMV	12				
F»	LIQUID AMS	2.50	PMV	12				
4A»	CONVENTIONAL T	0.00	PAM	0	78	99	99	52.7
B»A	3201RR	0.00	NA	0				
C»	RNDUP ULTRA MA	0.75	LAA	12				
D»	LIQUID AMS	2.50	PMV	12				
5A»	NO-TILL	0.00	NA	0	75	99	99	56.1
B»A	3003RR RP	0.00	NA	0				
C	PROWL 3.3EC	1.24	LAA	9				
D»	EXTREME 2.17L	0.81	LAA	12				
E»	ACTIVATOR 90	0.125	PMV	12				
F»	LIQUID AMS	2.50	PMV	12				
6A»	NO-TILL	0.00	NA	0	80	99	99	56.9
B»A	3003RR RP	0.00	NA	0				
C»	RNDUP ULTRA MA	0.75	LAA	12				
D»	LIQUID AMS	2.50	PMV	12				
7A»	NO-TILL	0.00	NA	0	85	99	99	59.9
B»A	3201RR	0.00	NA	0				
C	PROWL 3.3EC	1.24	LAA	9				
D»	EXTREME 2.17L	0.81	LAA	12				
E»	ACTIVATOR 90	0.125	PMV	12				
F»	LIQUID AMS	2.50	PMV	12				
8A»	NO-TILL	0.00	NA	0	82	99	99	51.0
B»A	3201RR	0.00	NA	0				
C»	RNDUP ULTRA MA	0.75	LAA	12				
D»	LIQUID AMS	2.50	PMV	12				
9A»	CONVENTIONAL T	0.00	PAM	0	77	99	99	48.7
B»A	2703RR RP	0.00	NA	0				
C»	RNDUP ULTRA MA	0.75	LAA	12				
D»	LIQUID AMS	2.50	PMV	12				
10A»	CONVENTIONAL T	0.00	PAM	0	73	99	99	43.8
B»A	3003RR RP	0.00	NA	0				
C»	RNDUP ULTRA MA	0.75	LAA	12				
D»	LIQUID AMS	2.50	PMV	12				
11A»	CONVENTIONAL T	0.00	PAM	0	99	99	99	47.7
B»A	2703RR RP	0.00	NA	0				
C»	WEED FREE	0.00	NA	12				
12A»	CONVENTIONAL T	0.00	PAM	0	99	99	99	53.0
B»A	3201RR	0.00	NA	0				
C»	WEED FREE	0.00	NA	12				

DATA MEAN

TITLE: Varieties and Tillage systems in Roundup Ready Soybean C-500E

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	IPOHE	CHEAL	ABUTH	YIELD
		RATE	UNIT		CON % 08/05/02	CON % 08/05/02	CON % 08/05/02	BU/A 10/16/02
13A	NO-TILL	0.00	NA	0	83	99	99	51.6
	B»A 2703RR RP	0.00	NA	0				
	C PROWL 3.3EC	1.24	LAA	9				
	D»EXTREME 2.17L	0.81	LAA	12				
	E»ACTIVATOR 90	0.125	PMV	12				
	F»LIQUID AMS	2.50	PMV	12				
14A	NO-TILL	0.00	NA	0	99	99	99	62.6
	B»A 3003RR RP	0.00	NA	0				
	C»WEED FREE	0.00	NA	12				
15A	NO-TILL	0.00	NA	0	85	99	99	58.8
	B»A 2703RR RP	0.00	NA	0				
	C»RNDUP ULTRA MA	0.75	LAA	12				
	D»LIQUID AMS	2.50	PMV	12				
16A	NO-TILL	0.00	NA	0	99	99	99	53.0
	B»A 3201RR	0.00	NA	0				
	C»WEED FREE	0.00	NA	12				
17A	CONVENTIONAL T	0.00	PAM	0	99	99	99	49.1
	B»A 3003RR RP	0.00	NA	0				
	C»WEED FREE	0.00	NA	12				
18A	CONVENTIONAL T	0.00	PAM	0	0	0	0	29.4
	B»A 2703RR RP	0.00	NA	0				
	C CHECK	0.00	NA	0				
19A	CONVENTIONAL T	0.00	PAM	0	0	0	0	37.3
	B»A 3201RR	0.00	NA	0				
	C CHECK	0.00	NA	0				
20A	CONVENTIONAL T	0.00	PAM	0	0	0	0	35.0
	B»A 3003RR RP	0.00	NA	0				
	C CHECK	0.00	NA	0				
21A	NO-TILL	0.00	NA	0	0	0	0	42.3
	B»A 3003RR RP	0.00	NA	0				
	C CHECK	0.00	NA	0				
22A	NO-TILL	0.00	NA	0	99	99	99	60.2
	B»A 2703RR RP	0.00	NA	0				
	C»WEED FREE	0.00	NA	12				
23A	NO-TILL	0.00	NA	0	0	0	0	39.0
	B»A 2703RR RP	0.00	NA	0				
	C CHECK	0.00	NA	0				
24A	NO-TILL	0.00	NA	0	0	0	0	39.8
	B»A 3201RR	0.00	NA	0				
	C CHECK	0.00	NA	0				
		LSD (0.05)			8.84	0.00	0.00	11.65
		STANDARD DEVIATION			4.42	0.00	0.00	5.82

» = SUPPLEMENTAL CHEMICAL

* TIMING CODES

00 = ----- / UNTREATED TIMING
 09 = ----- / PREEMERGENCE 05/31/2002 (1)
 12 = ----- / POST 07/02/2002 (2)

H#	CUSTOM#1	CUSTOM#2	EV. DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTR	SS	NOTE
01	GLXMA	CON %	07/02/2002	01	P	GLXMA	16	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
02	SETFA	CON %	07/02/2002	02	P	SETFA	13	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
03	IPOHE	CON %	07/02/2002	03	P	IPOHE	18	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
04	CHEAL	CON %	07/02/2002	04	P	CHEAL	19	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
05	ABUTH	CON %	07/02/2002	05	P	ABUTH	15	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

DATA MEAN

TITLE: Varieties and Tillage systems in Roundup Ready Soybean C-500E

H#	CUSTOM#1	CUSTOM#2	EV. DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTR	SS	NOTE
06	GLXMA	CON %	07/16/2002	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
07	SETFA	CON %	07/16/2002	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
09	CHEAL	CON %	07/16/2002	04	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
08	IPOHE	CON %	07/16/2002	03	P	IPOHE		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
10	ABUTH	CON %	07/16/2002	05	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
11	GLXMA	CON %	08/05/2002	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
12	SETFA	CON %	08/05/2002	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
13	IPOHE	CON %	08/05/2002	03	P	IPOHE		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
14	CHEAL	CON %	08/05/2002	04	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
15	ABUTH	CON %	08/05/2002	05	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
16	YIELD	BU/A	10/16/2002	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

* SPECIES COMMON NAME - CULTIVAR (IF APPLICABLE)

01 = GLYPHOSTAE TOLERANT

* STAGE CODE

13 = 3 LEAVES UNFOLDED

15 = 5TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

16 = 6TH LEAF (4TH TRIFOLIATE LEAF) UNFOLDED, 5 NODES

18 = 8TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED