

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: SIL
 PH: 6.6
 %OM: 4.7
 PREV.CROP: ZEAMD - CORN, DENT
 %RESIDUE: 0
 PLOT WIDTH: 7.5 X 30 FEET

DESIGN: RCB
 REPS: 3

APPL. NUMBER	01	02	03	04	UNIT
TIMINGS	09	11	12	13	
TYPE	LIQMXSPR	LIQMXSPR	LIQMXSPR	LIQMXSPR	
APPLICATION DATE	05/23/02	06/17/02	06/24/02	07/01/02	AME
AIR TEMPERATURE	65	80	90	86	F
% REL.HUMIDITY	60	50	70	60	
WIND DIRECTION	SOUTHWEST	WEST	SOUTH	WEST	
WIND SPEED	10.0	5.0	2.0	4.0	M/H
CLOUD COVER	OVERCAST	PARTCLDY	CLEAR	CLEAR	
DEW	DRY	DRY	DRY	DRY	
SOIL MOISTURE	DRY/DRY	DRY/MOIST	DRY/MOIST	DRY/MOIST	
SOIL CONDITION	---	---	---	---	
METHOD	SPRAY	SPRAY	SPRAY	SPRAY	
EQUIPMENT	BACKPACKS	BACKPACKS	BACKPACKS	BACKPACKS	
PROPELLANT	COMPRSCO2	COMPRSCO2	COMPRSCO2	COMPRSCO2	
PLACEMENT	BROADCAST	BROADCAST	BROADCAST	BROADCAST	
NOZZLE	FLATFAN	FLATFAN	FLATFAN	FLATFAN	
NOZZLE NUMBER	5	5	5	5	
NOZZLE SPACING	18.000	18.000	18.000	18.000	IN
SWATH WIDTH	7.5	7.5	7.5	7.5	FT
SPRAY VOLUME	20.00	20.00	20.00	20.00	
VOLUME UNIT	GPA	GPA	GPA	GPA	
PRESSURE	30.00	30.00	30.00	30.00	PSI
DILUENT	WATER	WATER	WATER	WATER	
INC. DATE					AME
INC. START					24H
INC. END					24H
INC. DEPTH					IN
INC. EQUIPMENT	---	---	---	---	
DENSITY /					
*** CROP ***					
SOYBEAN		---/11	---/13	---/15	
FS 3616RR		5.00/5.00	6.00/6.00	8.00/10.0	IN
05/23/2002					
*** PEST ***					
VELVETLEAF		---/12	---/15	---/16	
		1.00/3.00	2.00/5.00	2.00/8.00	IN
MORNINGGLORY, TA		---/12	---/15	---/18	
		1.00/1.00	1.00/3.00	2.00/4.00	IN
SMARTWEED, PENNS		---/13	---/16	---/18	
		1.00/2.00	2.00/4.00	4.00/8.00	IN
FOXTAIL, GIANT		---/12	---/13	---/14	
		1.00/3.00	2.00/8.00	2.00/12.0	IN

* TIMING CODES

09 = ----- / PREEMERGENCE
 11 = ----- / EPOST
 12 = ----- / POST
 13 = ----- / LPOST

* STAGE CODE

11 = FIRST LEAF UNFOLDED
 12 = 2 LEAVES UNFOLDED
 13 = 3RD TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 14 = 4 LEAVES UNFOLDED
 15 = 5TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 16 = 6TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 18 = 8TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

DATA MEAN

TITLE: Sequential Herbicide Programs in Roundup-Ready Soybean AS-200

CREATED: 04/25/2002 REVISED: 10/24/2002

COMPLETED: N

PROJECT TYPE: HERBICIDE

LOCATION: Urbana

RESEARCHED BY: UNIV. OF ILL

DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN

PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			GLXMA CON %	SETFA CON %	PHBPU CON %	ABUTH CON %	POLPY CON %	GLXMA CON %
		RATE	UNIT	TM	06/18/02	06/18/02	06/18/02	06/18/02	06/18/02	07/08/02
1A	GAUNTLET	0.00	LAA	0	0	0	37	63	40	0
B	FIRSTRATE 84WG	0.01	LAA	9						
C	AUTHORITY	0.083	LAA	9						
D	GLYPHOMAX PLUS	0.56	LAA	12						
E	ACTIVATOR 90	0.25	PMV	12						
F	LIQUID AMS	3.75	PMV	12						
2A	GAUNTLET	0.00	LAA	0	0	12	60	68	53	0
B	FIRSTRATE 84WG	0.015	LAA	9						
C	AUTHORITY	0.125	LAA	9						
D	GLYPHOMAX PLUS	0.56	LAA	12						
E	ACTIVATOR 90	0.25	PMV	12						
F	LIQUID AMS	3.75	PMV	12						
3A	GAUNTLET	0.00	LAA	0	0	15	70	73	70	0
B	FIRSTRATE 84WG	0.021	LAA	9						
C	AUTHORITY	0.166	LAA	9						
D	GLYPHOMAX PLUS	0.56	LAA	12						
E	ACTIVATOR 90	0.25	PMV	12						
F	LIQUID AMS	3.75	PMV	12						
4A	GAUNTLET	0.00	LAA	0	0	17	73	73	82	0
B	FIRSTRATE 84WG	0.032	LAA	9						
C	AUTHORITY	0.25	LAA	9						
D	GLYPHOMAX PLUS	0.56	LAA	12						
E	ACTIVATOR 90	0.25	PMV	12						
F	LIQUID AMS	3.75	PMV	12						
5A	PYTHON 80WG	0.025	LAA	9	0	10	30	40	60	0
B	VALOR 51WDG	0.047	LAA	9						
C	GLYPHOMAX PLUS	0.75	LAA	12						
D	ACTIVATOR 90	0.25	PMV	12						
E	LIQUID AMS	3.75	PMV	12						
6A	PYTHON 80WG	0.04	LAA	9	0	37	57	65	70	0
B	VALOR 51WDG	0.047	LAA	9						
C	GLYPHOMAX PLUS	0.75	LAA	12						
D	ACTIVATOR 90	0.25	PMV	12						
E	LIQUID AMS	3.75	PMV	12						
7A	PYTHON 80WG	0.04	LAA	9	0	53	40	33	60	0
B	PENDIMAX 3.3L	1.24	LAA	9						
C	GLYPHOMAX PLUS	0.56	LAA	12						
D	ACTIVATOR 90	0.25	PMV	12						
E	LIQUID AMS	3.75	PMV	12						
8A	FIRSTRATE 84WG	0.032	LAA	9	0	0	0	0	0	0
B	GLYPHOMAX PLUS	0.56	LAA	12						
C	LIQUID AMS	3.75	PMV	12						
9A	FIRSTRATE 84WG	0.021	LAA	9	0	0	0	0	0	0
B	PYTHON 80WG	0.025	LAA	9						
C	GLYPHOMAX PLUS	0.56	LAA	12						
D	LIQUID AMS	3.75	PMV	12						
10A	PENDIMAX 3.3L	1.24	LAA	9	0	45	30	23	37	0
B	FIRSTRATE 84WG	0.015	LAA	9						
C	GLYPHOMAX PLUS	0.56	LAA	12						
D	ACTIVATOR 90	0.25	PMV	12						
E	LIQUID AMS	3.75	PMV	12						
11A	GLYPHOMAX PLUS	0.75	LAA	12	0	0	0	0	0	0
B	LIQUID AMS	3.75	PMV	12						
12A	CHECK	0.00	NA	0	0	0	0	0	0	0

DATA MEAN

TITLE: Sequential Herbicide Programs in Roundup-Ready Soybean AS-200

TRT NUM	TREATMENT COMPONENT	DOSAGE			GLXMA	SETFA	PHBPU	ABUTH	POLPY	GLXMA
		RATE	UNIT	TM	CON % 06/18/02	CON % 06/18/02	CON % 06/18/02	CON % 06/18/02	CON % 06/18/02	CON % 07/08/02
13A	»DOMAIN 60DF	0.45	LAA	9	0	60	0	0	0	0
	B»RNDUP ULTRA MA	0.56	LAA	12						
	C»LIQUID AMS	3.75	PMV	12						
14A	»DOMAIN 60DF	0.53	LAA	9	0	53	10	10	7	0
	B»RNDUP ULTRA MA	0.56	LAA	12						
	C»LIQUID AMS	3.75	PMV	12						
15A	»BOUNDARY 6.5EC	1.22	LAA	9	0	80	0	0	0	0
	B»TOUCHDOWN 3L	0.56	LAA	12						
	C»LIQUID AMS	3.75	PMV	12						
16A	»BOUNDARY 6.5EC	1.63	LAA	9	0	85	27	33	27	0
	B»TOUCHDOWN 3L	0.56	LAA	12						
	C»LIQUID AMS	3.75	PMV	12						
17A	PROWL 3.3EC	1.24	LAA	9	0	27	0	0	0	0
	B»EXTREME 2.17L	0.81	LAA	12						
	C»ACTIVATOR 90	0.125	PMV	12						
	D»LIQUID AMS	3.75	PMV	12						
18A	PROWL 3.3EC	1.24	LAA	9	0	18	0	0	0	0
	B»RNDUP ULTRA MA	0.56	LAA	12						
	C»LIQUID AMS	3.75	PMV	12						
19A	»AUTHORITY	0.188	LAA	9	0	15	0	0	0	0
	B»RNDUP ULTRA MA	0.56	LAA	12						
	C»LIQUID AMS	3.75	PMV	12						
20A	PURSUIT +	0.91	LAA	9	0	87	30	77	53	0
	B»RNDUP ULTRA MA	0.75	LAA	12						
	C»ACTIVATOR 90	0.125	PMV	12						
	D»LIQUID AMS	3.75	PMV	12						
21A	»EXTREME 2.17L	0.81	LAA	13	0	0	0	0	0	0
	B»ACTIVATOR 90	0.125	PMV	13						
	C»LIQUID AMS	3.75	PMV	13						
22A	»RNDUP ULTRA MA	0.75	LAA	13	0	0	0	0	0	0
	B»LIQUID AMS	3.75	PMV	13						
23A	»TOUCHDOWN 3L	0.75	LAA	13	0	0	0	0	0	0
	B»LIQUID AMS	3.75	PMV	13						
24A	»RNDUP ULTRA MA	0.75	LAA	11	0	0	0	0	0	0
	B»LIQUID AMS	3.75	PMV	11						
	C»RNDUP ULTRA MA	0.75	LAA	13						
	D»LIQUID AMS	3.75	PMV	13						
		LSD (0.05)			0.00	14.00	12.77	13.61	11.26	0.00
		STANDARD DEVIATION			0.00	7.00	6.39	6.80	5.63	0.00

DATA MEAN

TITLE: Sequential Herbicide Programs in Roundup-Ready Soybean AS-200

CREATED: 04/25/2002 REVISED: 10/24/2002

COMPLETED: N

PROJECT TYPE: HERBICIDE

LOCATION: Urbana

RESEARCHED BY: UNIV. OF ILL

DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN

PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			SETFA	ABUTH	POLPY	PHBPU	GLXMA	SETFA
		RATE	UNIT	TM	CON % 07/08/02	CON % 07/08/02	CON % 07/08/02	CON % 07/08/02	CON % 07/23/02	CON % 07/23/02
1A	GAUNTLET	0.00	LAA	0	68	70	65	62	0	96
B	FIRSTRATE 84WG	0.01	LAA	9						
C	AUTHORITY	0.083	LAA	9						
D	GLYPHOMAX PLUS	0.56	LAA	12						
E	ACTIVATOR 90	0.25	PMV	12						
F	LIQUID AMS	3.75	PMV	12						
2A	GAUNTLET	0.00	LAA	0	60	67	68	67	0	96
B	FIRSTRATE 84WG	0.015	LAA	9						
C	AUTHORITY	0.125	LAA	9						
D	GLYPHOMAX PLUS	0.56	LAA	12						
E	ACTIVATOR 90	0.25	PMV	12						
F	LIQUID AMS	3.75	PMV	12						
3A	GAUNTLET	0.00	LAA	0	65	80	88	78	0	97
B	FIRSTRATE 84WG	0.021	LAA	9						
C	AUTHORITY	0.166	LAA	9						
D	GLYPHOMAX PLUS	0.56	LAA	12						
E	ACTIVATOR 90	0.25	PMV	12						
F	LIQUID AMS	3.75	PMV	12						
4A	GAUNTLET	0.00	LAA	0	75	82	87	82	0	94
B	FIRSTRATE 84WG	0.032	LAA	9						
C	AUTHORITY	0.25	LAA	9						
D	GLYPHOMAX PLUS	0.56	LAA	12						
E	ACTIVATOR 90	0.25	PMV	12						
F	LIQUID AMS	3.75	PMV	12						
5A	PYTHON 80WG	0.025	LAA	9	62	75	58	62	0	93
B	VALOR 51WDG	0.047	LAA	9						
C	GLYPHOMAX PLUS	0.75	LAA	12						
D	ACTIVATOR 90	0.25	PMV	12						
E	LIQUID AMS	3.75	PMV	12						
6A	PYTHON 80WG	0.04	LAA	9	67	82	91	91	0	96
B	VALOR 51WDG	0.047	LAA	9						
C	GLYPHOMAX PLUS	0.75	LAA	12						
D	ACTIVATOR 90	0.25	PMV	12						
E	LIQUID AMS	3.75	PMV	12						
7A	PYTHON 80WG	0.04	LAA	9	78	72	70	72	0	98
B	PENDIMAX 3.3L	1.24	LAA	9						
C	GLYPHOMAX PLUS	0.56	LAA	12						
D	ACTIVATOR 90	0.25	PMV	12						
E	LIQUID AMS	3.75	PMV	12						
8A	FIRSTRATE 84WG	0.032	LAA	9	57	65	47	57	0	98
B	GLYPHOMAX PLUS	0.56	LAA	12						
C	LIQUID AMS	3.75	PMV	12						
9A	FIRSTRATE 84WG	0.021	LAA	9	50	82	60	52	0	99
B	PYTHON 80WG	0.025	LAA	9						
C	GLYPHOMAX PLUS	0.56	LAA	12						
D	LIQUID AMS	3.75	PMV	12						
10A	PENDIMAX 3.3L	1.24	LAA	9	80	67	70	68	0	97
B	FIRSTRATE 84WG	0.015	LAA	9						
C	GLYPHOMAX PLUS	0.56	LAA	12						
D	ACTIVATOR 90	0.25	PMV	12						
E	LIQUID AMS	3.75	PMV	12						
11A	GLYPHOMAX PLUS	0.75	LAA	12	52	50	50	42	0	95
B	LIQUID AMS	3.75	PMV	12						
12A	CHECK	0.00	NA	0	0	0	0	0	0	0

DATA MEAN

TITLE: Sequential Herbicide Programs in Roundup-Ready Soybean AS-200

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	SETFA	ABUTH	POLPY	PHBPU	GLXMA	SETFA
		RATE	UNIT		CON % 07/08/02	CON % 07/08/02	CON % 07/08/02	CON % 07/08/02	CON % 07/23/02	CON % 07/23/02
13A	»DOMAIN 60DF	0.45	LAA	9	73	58	50	42	0	91
	B»RNDUP ULTRA MA	0.56	LAA	12						
	C»LIQUID AMS	3.75	PMV	12						
14A	»DOMAIN 60DF	0.53	LAA	9	77	60	37	33	0	91
	B»RNDUP ULTRA MA	0.56	LAA	12						
	C»LIQUID AMS	3.75	PMV	12						
15A	»BOUNDARY 6.5EC	1.22	LAA	9	91	57	42	43	0	93
	B»TOUCHDOWN 3L	0.56	LAA	12						
	C»LIQUID AMS	3.75	PMV	12						
16A	»BOUNDARY 6.5EC	1.63	LAA	9	90	68	63	52	0	95
	B»TOUCHDOWN 3L	0.56	LAA	12						
	C»LIQUID AMS	3.75	PMV	12						
17A	PROWL 3.3EC	1.24	LAA	9	73	72	50	48	0	97
	B»EXTREME 2.17L	0.81	LAA	12						
	C»ACTIVATOR 90	0.125	PMV	12						
	D»LIQUID AMS	3.75	PMV	12						
18A	PROWL 3.3EC	1.24	LAA	9	68	63	59	47	0	98
	B»RNDUP ULTRA MA	0.56	LAA	12						
	C»LIQUID AMS	3.75	PMV	12						
19A	»AUTHORITY	0.188	LAA	9	62	63	50	47	0	98
	B»RNDUP ULTRA MA	0.56	LAA	12						
	C»LIQUID AMS	3.75	PMV	12						
20A	PURSUIT +	0.91	LAA	9	95	95	90	81	0	97
	B»RNDUP ULTRA MA	0.75	LAA	12						
	C»ACTIVATOR 90	0.125	PMV	12						
	D»LIQUID AMS	3.75	PMV	12						
21A	»EXTREME 2.17L	0.81	LAA	13	33	77	33	33	0	98
	B»ACTIVATOR 90	0.125	PMV	13						
	C»LIQUID AMS	3.75	PMV	13						
22A	»RNDUP ULTRA MA	0.75	LAA	13	42	58	50	48	0	96
	B»LIQUID AMS	3.75	PMV	13						
23A	»TOUCHDOWN 3L	0.75	LAA	13	25	60	25	28	0	97
	B»LIQUID AMS	3.75	PMV	13						
24A	»RNDUP ULTRA MA	0.75	LAA	11	89	97	84	85	0	98
	B»LIQUID AMS	3.75	PMV	11						
	C»RNDUP ULTRA MA	0.75	LAA	13						
	D»LIQUID AMS	3.75	PMV	13						
		LSD (0.05)			15.65	11.71	21.14	21.26	0.00	5.67
		STANDARD DEVIATION			7.82	5.85	10.57	10.63	0.00	2.83

DATA MEAN

TITLE: Sequential Herbicide Programs in Roundup-Ready Soybean AS-200

CREATED: 04/25/2002 REVISED: 10/24/2002

COMPLETED: N

PROJECT TYPE: HERBICIDE

LOCATION: Urbana

RESEARCHED BY: UNIV. OF ILL

DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN

PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			ABUTH CON % 07/23/02	POLPY CON % 07/23/02	PHBPU CON % 07/23/02	YIELD BU/A 10/16/02
		RATE	UNIT	TM				
1A	GAUNTLET	0.00	LAA	0	93	85	70	56.2
B	FIRSTRATE 84WG	0.01	LAA	9				
C	AUTHORITY	0.083	LAA	9				
D	GLYPHOMAX PLUS	0.56	LAA	12				
E	ACTIVATOR 90	0.25	PMV	12				
F	LIQUID AMS	3.75	PMV	12				
2A	GAUNTLET	0.00	LAA	0	95	90	77	58.7
B	FIRSTRATE 84WG	0.015	LAA	9				
C	AUTHORITY	0.125	LAA	9				
D	GLYPHOMAX PLUS	0.56	LAA	12				
E	ACTIVATOR 90	0.25	PMV	12				
F	LIQUID AMS	3.75	PMV	12				
3A	GAUNTLET	0.00	LAA	0	97	94	90	63.3
B	FIRSTRATE 84WG	0.021	LAA	9				
C	AUTHORITY	0.166	LAA	9				
D	GLYPHOMAX PLUS	0.56	LAA	12				
E	ACTIVATOR 90	0.25	PMV	12				
F	LIQUID AMS	3.75	PMV	12				
4A	GAUNTLET	0.00	LAA	0	98	93	83	68.0
B	FIRSTRATE 84WG	0.032	LAA	9				
C	AUTHORITY	0.25	LAA	9				
D	GLYPHOMAX PLUS	0.56	LAA	12				
E	ACTIVATOR 90	0.25	PMV	12				
F	LIQUID AMS	3.75	PMV	12				
5A	PYTHON 80WG	0.025	LAA	9	96	88	73	58.9
B	VALOR 51WDG	0.047	LAA	9				
C	GLYPHOMAX PLUS	0.75	LAA	12				
D	ACTIVATOR 90	0.25	PMV	12				
E	LIQUID AMS	3.75	PMV	12				
6A	PYTHON 80WG	0.04	LAA	9	96	93	82	65.7
B	VALOR 51WDG	0.047	LAA	9				
C	GLYPHOMAX PLUS	0.75	LAA	12				
D	ACTIVATOR 90	0.25	PMV	12				
E	LIQUID AMS	3.75	PMV	12				
7A	PYTHON 80WG	0.04	LAA	9	96	93	72	55.2
B	PENDIMAX 3.3L	1.24	LAA	9				
C	GLYPHOMAX PLUS	0.56	LAA	12				
D	ACTIVATOR 90	0.25	PMV	12				
E	LIQUID AMS	3.75	PMV	12				
8A	FIRSTRATE 84WG	0.032	LAA	9	93	87	76	56.4
B	GLYPHOMAX PLUS	0.56	LAA	12				
C	LIQUID AMS	3.75	PMV	12				
9A	FIRSTRATE 84WG	0.021	LAA	9	93	87	77	56.7
B	PYTHON 80WG	0.025	LAA	9				
C	GLYPHOMAX PLUS	0.56	LAA	12				
D	LIQUID AMS	3.75	PMV	12				
10A	PENDIMAX 3.3L	1.24	LAA	9	96	89	85	62.5
B	FIRSTRATE 84WG	0.015	LAA	9				
C	GLYPHOMAX PLUS	0.56	LAA	12				
D	ACTIVATOR 90	0.25	PMV	12				
E	LIQUID AMS	3.75	PMV	12				
11A	GLYPHOMAX PLUS	0.75	LAA	12	85	88	70	53.1
B	LIQUID AMS	3.75	PMV	12				
12A	CHECK	0.00	NA	0	0	0	0	16.2

DATA MEAN

TITLE: Sequential Herbicide Programs in Roundup-Ready Soybean AS-200

TRT NUM	TREATMENT COMPONENT	DOSAGE		ABUTH CON % 07/23/02	POLPY CON % 07/23/02	PHBPU CON % 07/23/02	YIELD BU/A 10/16/02
		RATE	UNIT TM				
13A»	DOMAIN 60DF	0.45	LAA 9	97	88	58	46.9
	B»RNDUP ULTRA MA	0.56	LAA 12				
	C»LIQUID AMS	3.75	PMV 12				
14A»	DOMAIN 60DF	0.53	LAA 9	93	99	52	48.4
	B»RNDUP ULTRA MA	0.56	LAA 12				
	C»LIQUID AMS	3.75	PMV 12				
15A»	BOUNDARY 6.5EC	1.22	LAA 9	92	90	53	56.3
	B»TOUCHDOWN 3L	0.56	LAA 12				
	C»LIQUID AMS	3.75	PMV 12				
16A»	BOUNDARY 6.5EC	1.63	LAA 9	98	91	62	59.0
	B»TOUCHDOWN 3L	0.56	LAA 12				
	C»LIQUID AMS	3.75	PMV 12				
17A	PROWL 3.3EC	1.24	LAA 9	99	85	72	58.6
	B»EXTREME 2.17L	0.81	LAA 12				
	C»ACTIVATOR 90	0.125	PMV 12				
	D»LIQUID AMS	3.75	PMV 12				
18A	PROWL 3.3EC	1.24	LAA 9	97	88	62	55.1
	B»RNDUP ULTRA MA	0.56	LAA 12				
	C»LIQUID AMS	3.75	PMV 12				
19A»	AUTHORITY	0.188	LAA 9	95	84	83	63.5
	B»RNDUP ULTRA MA	0.56	LAA 12				
	C»LIQUID AMS	3.75	PMV 12				
20A	PURSUIT +	0.91	LAA 9	98	97	83	66.9
	B»RNDUP ULTRA MA	0.75	LAA 12				
	C»ACTIVATOR 90	0.125	PMV 12				
	D»LIQUID AMS	3.75	PMV 12				
21A»	EXTREME 2.17L	0.81	LAA 13	99	80	78	44.7
	B»ACTIVATOR 90	0.125	PMV 13				
	C»LIQUID AMS	3.75	PMV 13				
22A»	RNDUP ULTRA MA	0.75	LAA 13	85	87	78	40.7
	B»LIQUID AMS	3.75	PMV 13				
23A»	TOUCHDOWN 3L	0.75	LAA 13	87	90	78	40.0
	B»LIQUID AMS	3.75	PMV 13				
24A»	RNDUP ULTRA MA	0.75	LAA 11	98	98	85	64.4
	B»LIQUID AMS	3.75	PMV 11				
	C»RNDUP ULTRA MA	0.75	LAA 13				
	D»LIQUID AMS	3.75	PMV 13				
		LSD (0.05)		7.57	11.83	15.77	9.80
		STANDARD DEVIATION		3.78	5.91	7.88	4.90

» = SUPPLEMENTAL CHEMICAL

* TIMING CODES

- 00 = ----- / UNTREATED TIMING
- 09 = ----- / PREEMERGENCE 05/23/2002(1)
- 11 = ----- / EPOST 06/17/2002(2)
- 12 = ----- / POST 06/24/2002(3)
- 13 = ----- / LPOST 07/01/2002(4)

H#	CUSTOM#1	CUSTOM#2	EV. DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTRTR	SS	NOTE
01	GLXMA	CON %	06/18/2002	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
02	SETFA	CON %	06/18/2002	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
05	PHBPU	CON %	06/18/2002	05	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
03	ABUTH	CON %	06/18/2002	03	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
04	POLPY	CON %	06/18/2002	04	P	POLPY		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
06	GLXMA	CON %	07/08/2002	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

DATA MEAN

TITLE: Sequential Herbicide Programs in Roundup-Ready Soybean AS-200

H#	CUSTOM#1	CUSTOM#2	EV.DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTR1	SS	NOTE
07	SETFA	CON %	07/08/2002	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
08	ABUTH	CON %	07/08/2002	03	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
09	POLPY	CON %	07/08/2002	04	P	POLPY		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
10	PHBPU	CON %	07/08/2002	05	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
11	GLXMA	CON %	07/23/2002	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
12	SETFA	CON %	07/23/2002	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
13	ABUTH	CON %	07/23/2002	03	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
14	POLPY	CON %	07/23/2002	04	P	POLPY		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
15	PHBPU	CON %	07/23/2002	05	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
16	YIELD	BU/A	10/16/2002	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

* SPECIES COMMON NAME - CULTIVAR (IF APPLICABLE)

01 = FS 3616RR