

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: SIL
 PH: 6.7
 %OM: 1.5
 PREV.CROP: GLXMA - SOYBEAN
 %RESIDUE: 0
 PLOT WIDTH: 7.5 X 32 FEET

DESIGN: RCB
 REPS: 3

| APPL. NUMBER | 01 | UNIT |
|------------------|-----------|------|
| TIMINGS | 11 | |
| TYPE | LIQMIX | |
| APPLICATION DATE | 07/01/03 | AME |
| AIR TEMPERATURE | 82 | F |
| % REL.HUMIDITY | 77 | |
| WIND DIRECTION | SOUTH | |
| WIND SPEED | 3.0 | M/H |
| CLOUD COVER | PARTCLDY | |
| DEW | NO | |
| SOIL MOISTURE | DRY/MOIST | |
| SOIL CONDITION | --- | |
| METHOD | SPRAY | |
| EQUIPMENT | SPRBAC | |
| PROPELLANT | COMCO2 | |
| PLACEMENT | BRFOSO | |
| NOZZLE | FLATFAN | |
| NOZZLE NUMBER | 5 | |
| NOZZLE SPACING | 18.000 | IN |
| SWATH WIDTH | 7.5 | FT |
| SPRAY VOLUME | 20.00 | |
| VOLUME UNIT | GPA | |
| PRESSURE | 30.00 | PSI |
| DILUENT | WATER | |
| INC. DATE | | AME |
| INC. START | | 24H |
| INC. END | | 24H |
| INC. DEPTH | | IN |
| INC. EQUIPMENT | --- | |
| | DN/SG/MMZ | |
| *** CROP *** | | |
| CORN, DENT | ---/15 | |
| NK 32K61 | 12.0/12.0 | IN |
| 06/05/2003 | | |
| *** PEST *** | | |
| WATERHEMP, COMMO | ---/19 | |
| | 3.00/6.00 | IN |
| RAGWEED, COMMON | ---/14 | |
| | 3.00/5.00 | IN |
| MORNINGGLORY, TA | ---/15 | |
| | 1.00/2.00 | IN |
| SMARTWEED, PENNS | ---/19 | |
| | 3.00/6.00 | IN |
| FOXTAIL, GIANT | ---/12 | |
| | 2.00/6.00 | IN |

* TIMING CODES

11 = ----- / EPOST

* STAGE CODE

12 = 2 LEAVES UNFOLDED
 14 = 4TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 15 = 5 LEAVES UNFOLDED
 19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

TITLE: Total Postemergence Weed Control in Corn C4S
CREATED: 05/22/2003 **REVISED:** 12/12/2003 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: BTOWN C4S **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 32.00 FT LONG **REPS:** 03

| TRT NUM | TREATMENT COMPONENT | DOSAGE | | TM | ZEAMD | SETFA | AMATA | AMBEL | PHBPU | ZEAMD |
|------------|------------------------|--------|--------|----|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| | | RATE | UNIT | | CON % 07/10/03 | CON % 07/10/03 | CON % 07/10/03 | CON % 07/10/03 | CON % 07/10/03 | CON % 07/21/03 |
| 1A | ACCENT 75WG | 0.016 | LAA 11 | | 0 | 96 | 99 | 99 | 91 | 0 |
| | B»CALLISTO 4SC | 0.094 | LAA 11 | | | | | | | |
| | C ATRAZINE DF | 1.00 | LAA 11 | | | | | | | |
| | D»COC | 1.00 | PMV 11 | | | | | | | |
| | E 28% UAN | 2.50 | PMV 11 | | | | | | | |
| 2A | ACCENT 75WG | 0.023 | LAA 11 | | 0 | 96 | 99 | 99 | 87 | 0 |
| | B»CALLISTO 4SC | 0.094 | LAA 11 | | | | | | | |
| | C ATRAZINE DF | 1.00 | LAA 11 | | | | | | | |
| | D»COC | 1.00 | PMV 11 | | | | | | | |
| | E 28% UAN | 2.50 | PMV 11 | | | | | | | |
| 3A | ACCENT 75WG | 0.023 | LAA 11 | | 0 | 99 | 27 | 82 | 91 | 0 |
| | B»HORNET 68.5WG | 0.128 | LAA 11 | | | | | | | |
| | C»COC | 1.00 | PMV 11 | | | | | | | |
| | D 28% UAN | 2.50 | PMV 11 | | | | | | | |
| 4A | ACCENT 75WG | 0.023 | LAA 11 | | 0 | 99 | 95 | 95 | 88 | 0 |
| | B»DISTINCT 70WG | 0.175 | LAA 11 | | | | | | | |
| | C»ACTIVATOR 90 | 0.25 | PMV 11 | | | | | | | |
| | D 28% UAN | 2.50 | PMV 11 | | | | | | | |
| 5A» | STEADFAST 75DF | 0.016 | LAA 11 | | 0 | 96 | 99 | 99 | 90 | 0 |
| | B»CALLISTO 4SC | 0.094 | LAA 11 | | | | | | | |
| | C ATRAZINE DF | 1.00 | LAA 11 | | | | | | | |
| | D»COC | 1.00 | PMV 11 | | | | | | | |
| | E 28% UAN | 2.50 | PMV 11 | | | | | | | |
| 6A» | STEADFAST 75DF | 0.023 | LAA 11 | | 0 | 99 | 99 | 99 | 89 | 0 |
| | B»CALLISTO 4SC | 0.094 | LAA 11 | | | | | | | |
| | C ATRAZINE DF | 1.00 | LAA 11 | | | | | | | |
| | D»COC | 1.00 | PMV 11 | | | | | | | |
| | E 28% UAN | 2.50 | PMV 11 | | | | | | | |
| 7A | CHECK | 0.00 | NA 0 | | 0 | 0 | 0 | 0 | 0 | 0 |
| 8A» | STEADFAST 75DF | 0.035 | LAA 11 | | 0 | 93 | 98 | 99 | 98 | 0 |
| | B»CALLISTO 4SC | 0.094 | LAA 11 | | | | | | | |
| | C ATRAZINE DF | 1.00 | LAA 11 | | | | | | | |
| | D»COC | 1.00 | PMV 11 | | | | | | | |
| | E 28% UAN | 2.50 | PMV 11 | | | | | | | |
| 9A» | STEADFAST 75DF | 0.035 | LAA 11 | | 0 | 98 | 95 | 94 | 97 | 0 |
| | B»CALLISTO 4SC | 0.047 | LAA 11 | | | | | | | |
| | C»COC | 1.00 | PMV 11 | | | | | | | |
| | D 28% UAN | 2.50 | PMV 11 | | | | | | | |
| 10A» | STEADFAST ATZ | 0.00 | LAA 0 | | 0 | 99 | 99 | 99 | 96 | 0 |
| | B»STEADFAST 75DF | 0.035 | LAA 11 | | | | | | | |
| | C ATRAZINE DF | 0.75 | LAA 11 | | | | | | | |
| | D»CALLISTO 4SC | 0.047 | LAA 11 | | | | | | | |
| | E»COC | 1.00 | PMV 11 | | | | | | | |
| | F 28% UAN | 2.50 | PMV 11 | | | | | | | |
| 11A» | STEADFAST 75DF | 0.035 | LAA 11 | | 0 | 98 | 96 | 96 | 94 | 0 |
| | B»DISTINCT 70WG | 0.088 | LAA 11 | | | | | | | |
| | C ATRAZINE DF | 0.25 | LAA 11 | | | | | | | |
| | D»COC | 1.00 | PMV 11 | | | | | | | |
| | E 28% UAN | 2.50 | PMV 11 | | | | | | | |
| 12A» | STEADFAST ATZ | 0.00 | LAA 0 | | 0 | 98 | 83 | 83 | 94 | 0 |
| | B»STEADFAST 75DF | 0.035 | LAA 11 | | | | | | | |
| | C ATRAZINE DF | 0.75 | LAA 11 | | | | | | | |
| | D»COC | 1.00 | PMV 11 | | | | | | | |
| | E 28% UAN | 2.50 | PMV 11 | | | | | | | |
| 13A» | STEADFAST 75DF | 0.035 | LAA 11 | | 0 | 96 | 85 | 92 | 93 | 0 |
| | B ATRAZINE DF | 1.00 | LAA 11 | | | | | | | |
| | C»COC | 1.00 | PMV 11 | | | | | | | |
| | D 28% UAN | 2.50 | PMV 11 | | | | | | | |

TITLE: Total Postemergence Weed Control in Corn C4S

| TRT NUM | TREATMENT COMPONENT | DOSAGE | | TM | ZEAMD | SETFA | AMATA | AMBEL | PHBPU | ZEAMD |
|------------|------------------------|--------------------|------|----|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| | | RATE | UNIT | | CON % 07/10/03 | CON % 07/10/03 | CON % 07/10/03 | CON % 07/10/03 | CON % 07/10/03 | CON % 07/21/03 |
| 14A» | STEADFAST 75DF | 0.035 | LAA | 11 | 0 | 99 | 82 | 92 | 98 | 0 |
| | B»HORNET 68.5WG | 0.128 | LAA | 11 | | | | | | |
| | C ATRAZINE DF | 0.50 | LAA | 11 | | | | | | |
| | D»COC | 1.00 | PMV | 11 | | | | | | |
| | E 28% UAN | 2.50 | PMV | 11 | | | | | | |
| 15A» | OPTION 35WDG | 0.033 | LAA | 11 | 0 | 99 | 82 | 92 | 95 | 0 |
| | B»CALLISTO 4SC | 0.094 | LAA | 11 | | | | | | |
| | C ATRAZINE DF | 1.00 | LAA | 11 | | | | | | |
| | D»COC | 1.00 | PMV | 11 | | | | | | |
| | E 28% UAN | 2.50 | PMV | 11 | | | | | | |
| 16A» | OPTION 35WDG | 0.033 | LAA | 11 | 0 | 99 | 99 | 99 | 94 | 0 |
| | B»CALLISTO 4SC | 0.094 | LAA | 11 | | | | | | |
| | C ATRAZINE DF | 1.00 | LAA | 11 | | | | | | |
| | D»MSO | 1.00 | PMV | 11 | | | | | | |
| | E 28% UAN | 2.50 | PMV | 11 | | | | | | |
| 17A» | OPTION 35WDG | 0.033 | LAA | 11 | 0 | 99 | 37 | 83 | 99 | 0 |
| | B»HORNET 68.5WG | 0.128 | LAA | 11 | | | | | | |
| | C»MSO | 1.00 | PMV | 11 | | | | | | |
| | D 28% UAN | 2.50 | PMV | 11 | | | | | | |
| 18A» | OPTION 35WDG | 0.033 | LAA | 11 | 0 | 99 | 94 | 94 | 98 | 0 |
| | B»DISTINCT 70WG | 0.088 | LAA | 11 | | | | | | |
| | C»MSO | 1.00 | PMV | 11 | | | | | | |
| | D 28% UAN | 2.50 | PMV | 11 | | | | | | |
| 19A» | STEADFAST 75DF | 0.035 | LAA | 11 | 0 | 99 | 45 | 37 | 95 | 0 |
| | B»COC | 1.00 | PMV | 11 | | | | | | |
| | C 28% UAN | 2.50 | PMV | 11 | | | | | | |
| 20A» | OPTION 35WDG | 0.033 | LAA | 11 | 0 | 99 | 12 | 33 | 99 | 0 |
| | B»MSO | 1.00 | PMV | 11 | | | | | | |
| | C 28% UAN | 2.50 | PMV | 11 | | | | | | |
| 21A» | EQUIP 62WG | 0.058 | LAA | 11 | 0 | 99 | 28 | 62 | 97 | 0 |
| | B»MSO | 1.00 | PMV | 11 | | | | | | |
| | C 28% UAN | 2.50 | PMV | 11 | | | | | | |
| 22A» | EQUIP 62WG | 0.058 | LAA | 11 | 0 | 99 | 95 | 96 | 99 | 0 |
| | B»DISTINCT 70WG | 0.088 | LAA | 11 | | | | | | |
| | C»MSO | 1.00 | PMV | 11 | | | | | | |
| | D 28% UAN | 2.50 | PMV | 11 | | | | | | |
| 23A» | OPTION 35WDG | 0.033 | LAA | 11 | 0 | 99 | 96 | 93 | 95 | 0 |
| | B»CALLISTO 4SC | 0.047 | LAA | 11 | | | | | | |
| | C»MSO | 1.00 | PMV | 11 | | | | | | |
| | D 28% UAN | 2.50 | PMV | 11 | | | | | | |
| 24A» | EQUIP 62WG | 0.058 | LAA | 11 | 0 | 98 | 96 | 96 | 97 | 0 |
| | B»CALLISTO 4SC | 0.047 | LAA | 11 | | | | | | |
| | C»MSO | 1.00 | PMV | 11 | | | | | | |
| | D 28% UAN | 2.50 | PMV | 11 | | | | | | |
| | | LSD (0.05) | | | 0.00 | 5.27 | 11.41 | 7.49 | 8.44 | 0.00 |
| | | STANDARD DEVIATION | | | 0.00 | 2.63 | 5.71 | 3.74 | 4.22 | 0.00 |

TITLE: Total Postemergence Weed Control in Corn C4S
CREATED: 05/22/2003 **REVISED:** 12/12/2003 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: BTOWN C4S **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT **WIDE X** 32.00 FT **LONG** **REPS:** 03

| TRT NUM | TREATMENT COMPONENT | DOSAGE | | TM | SETFA | AMATA | AMBEL | PHBPU |
|------------|------------------------|--------|--------|----|-------------------|-------------------|-------------------|-------------------|
| | | RATE | UNIT | | CON % 07/21/03 | CON % 07/21/03 | CON % 07/21/03 | CON % 07/21/03 |
| 1A | ACCENT 75WG | 0.016 | LAA 11 | | 98 | 95 | 97 | 77 |
| | B»CALLISTO 4SC | 0.094 | LAA 11 | | | | | |
| | C ATRAZINE DF | 1.00 | LAA 11 | | | | | |
| | D»COC | 1.00 | PMV 11 | | | | | |
| | E 28% UAN | 2.50 | PMV 11 | | | | | |
| 2A | ACCENT 75WG | 0.023 | LAA 11 | | 95 | 96 | 95 | 73 |
| | B»CALLISTO 4SC | 0.094 | LAA 11 | | | | | |
| | C ATRAZINE DF | 1.00 | LAA 11 | | | | | |
| | D»COC | 1.00 | PMV 11 | | | | | |
| | E 28% UAN | 2.50 | PMV 11 | | | | | |
| 3A | ACCENT 75WG | 0.023 | LAA 11 | | 96 | 67 | 80 | 85 |
| | B»HORNET 68.5WG | 0.128 | LAA 11 | | | | | |
| | C»COC | 1.00 | PMV 11 | | | | | |
| | D 28% UAN | 2.50 | PMV 11 | | | | | |
| 4A | ACCENT 75WG | 0.023 | LAA 11 | | 96 | 90 | 90 | 90 |
| | B»DISTINCT 70WG | 0.175 | LAA 11 | | | | | |
| | C»ACTIVATOR 90 | 0.25 | PMV 11 | | | | | |
| | D 28% UAN | 2.50 | PMV 11 | | | | | |
| 5A» | STEADFAST 75DF | 0.016 | LAA 11 | | 97 | 95 | 99 | 85 |
| | B»CALLISTO 4SC | 0.094 | LAA 11 | | | | | |
| | C ATRAZINE DF | 1.00 | LAA 11 | | | | | |
| | D»COC | 1.00 | PMV 11 | | | | | |
| | E 28% UAN | 2.50 | PMV 11 | | | | | |
| 6A» | STEADFAST 75DF | 0.023 | LAA 11 | | 98 | 96 | 99 | 92 |
| | B»CALLISTO 4SC | 0.094 | LAA 11 | | | | | |
| | C ATRAZINE DF | 1.00 | LAA 11 | | | | | |
| | D»COC | 1.00 | PMV 11 | | | | | |
| | E 28% UAN | 2.50 | PMV 11 | | | | | |
| 7A | CHECK | 0.00 | NA 0 | | 0 | 0 | 0 | 0 |
| 8A» | STEADFAST 75DF | 0.035 | LAA 11 | | 85 | 92 | 99 | 92 |
| | B»CALLISTO 4SC | 0.094 | LAA 11 | | | | | |
| | C ATRAZINE DF | 1.00 | LAA 11 | | | | | |
| | D»COC | 1.00 | PMV 11 | | | | | |
| | E 28% UAN | 2.50 | PMV 11 | | | | | |
| 9A» | STEADFAST 75DF | 0.035 | LAA 11 | | 95 | 90 | 92 | 82 |
| | B»CALLISTO 4SC | 0.047 | LAA 11 | | | | | |
| | C»COC | 1.00 | PMV 11 | | | | | |
| | D 28% UAN | 2.50 | PMV 11 | | | | | |
| 10A» | STEADFAST ATZ | 0.00 | LAA 0 | | 99 | 95 | 97 | 93 |
| | B»STEADFAST 75DF | 0.035 | LAA 11 | | | | | |
| | C ATRAZINE DF | 0.75 | LAA 11 | | | | | |
| | D»CALLISTO 4SC | 0.047 | LAA 11 | | | | | |
| | E»COC | 1.00 | PMV 11 | | | | | |
| | F 28% UAN | 2.50 | PMV 11 | | | | | |
| 11A» | STEADFAST 75DF | 0.035 | LAA 11 | | 99 | 92 | 95 | 95 |
| | B»DISTINCT 70WG | 0.088 | LAA 11 | | | | | |
| | C ATRAZINE DF | 0.25 | LAA 11 | | | | | |
| | D»COC | 1.00 | PMV 11 | | | | | |
| | E 28% UAN | 2.50 | PMV 11 | | | | | |
| 12A» | STEADFAST ATZ | 0.00 | LAA 0 | | 97 | 73 | 80 | 80 |
| | B»STEADFAST 75DF | 0.035 | LAA 11 | | | | | |
| | C ATRAZINE DF | 0.75 | LAA 11 | | | | | |
| | D»COC | 1.00 | PMV 11 | | | | | |
| | E 28% UAN | 2.50 | PMV 11 | | | | | |
| 13A» | STEADFAST 75DF | 0.035 | LAA 11 | | 96 | 77 | 85 | 88 |
| | B ATRAZINE DF | 1.00 | LAA 11 | | | | | |
| | C»COC | 1.00 | PMV 11 | | | | | |
| | D 28% UAN | 2.50 | PMV 11 | | | | | |

TITLE: Total Postemergence Weed Control in Corn C4S

| TRT NUM | TREATMENT COMPONENT | DOSAGE | | TM | SETFA | AMATA | AMBEL | PHBPU |
|------------|------------------------|--------------------|------|----|-------------------|-------------------|-------------------|-------------------|
| | | RATE | UNIT | | CON % 07/21/03 | CON % 07/21/03 | CON % 07/21/03 | CON % 07/21/03 |
| 14A | »STEADFAST 75DF | 0.035 | LAA | 11 | 99 | 77 | 82 | 93 |
| | B»HORNET 68.5WG | 0.128 | LAA | 11 | | | | |
| | C ATRAZINE DF | 0.50 | LAA | 11 | | | | |
| | D»COC | 1.00 | PMV | 11 | | | | |
| | E 28% UAN | 2.50 | PMV | 11 | | | | |
| 15A | »OPTION 35WDG | 0.033 | LAA | 11 | 99 | 96 | 99 | 93 |
| | B»CALLISTO 4SC | 0.094 | LAA | 11 | | | | |
| | C ATRAZINE DF | 1.00 | LAA | 11 | | | | |
| | D»COC | 1.00 | PMV | 11 | | | | |
| | E 28% UAN | 2.50 | PMV | 11 | | | | |
| 16A | »OPTION 35WDG | 0.033 | LAA | 11 | 99 | 96 | 99 | 88 |
| | B»CALLISTO 4SC | 0.094 | LAA | 11 | | | | |
| | C ATRAZINE DF | 1.00 | LAA | 11 | | | | |
| | D»MSO | 1.00 | PMV | 11 | | | | |
| | E 28% UAN | 2.50 | PMV | 11 | | | | |
| 17A | »OPTION 35WDG | 0.033 | LAA | 11 | 99 | 30 | 90 | 90 |
| | B»HORNET 68.5WG | 0.128 | LAA | 11 | | | | |
| | C»MSO | 1.00 | PMV | 11 | | | | |
| | D 28% UAN | 2.50 | PMV | 11 | | | | |
| 18A | »OPTION 35WDG | 0.033 | LAA | 11 | 99 | 85 | 93 | 95 |
| | B»DISTINCT 70WG | 0.088 | LAA | 11 | | | | |
| | C»MSO | 1.00 | PMV | 11 | | | | |
| | D 28% UAN | 2.50 | PMV | 11 | | | | |
| 19A | »STEADFAST 75DF | 0.035 | LAA | 11 | 99 | 37 | 25 | 70 |
| | B»COC | 1.00 | PMV | 11 | | | | |
| | C 28% UAN | 2.50 | PMV | 11 | | | | |
| 20A | »OPTION 35WDG | 0.033 | LAA | 11 | 99 | 0 | 35 | 63 |
| | B»MSO | 1.00 | PMV | 11 | | | | |
| | C 28% UAN | 2.50 | PMV | 11 | | | | |
| 21A | »EQUIP 62WG | 0.058 | LAA | 11 | 97 | 30 | 60 | 75 |
| | B»MSO | 1.00 | PMV | 11 | | | | |
| | C 28% UAN | 2.50 | PMV | 11 | | | | |
| 22A | »EQUIP 62WG | 0.058 | LAA | 11 | 95 | 90 | 97 | 95 |
| | B»DISTINCT 70WG | 0.088 | LAA | 11 | | | | |
| | C»MSO | 1.00 | PMV | 11 | | | | |
| | D 28% UAN | 2.50 | PMV | 11 | | | | |
| 23A | »OPTION 35WDG | 0.033 | LAA | 11 | 97 | 95 | 93 | 95 |
| | B»CALLISTO 4SC | 0.047 | LAA | 11 | | | | |
| | C»MSO | 1.00 | PMV | 11 | | | | |
| | D 28% UAN | 2.50 | PMV | 11 | | | | |
| 24A | »EQUIP 62WG | 0.058 | LAA | 11 | 95 | 95 | 95 | 90 |
| | B»CALLISTO 4SC | 0.047 | LAA | 11 | | | | |
| | C»MSO | 1.00 | PMV | 11 | | | | |
| | D 28% UAN | 2.50 | PMV | 11 | | | | |
| | | LSD (0.05) | | | 6.00 | 10.27 | 7.00 | 5.00 |
| | | STANDARD DEVIATION | | | 3.00 | 5.13 | 3.48 | 2.50 |

» = SUPPLEMENTAL CHEMICAL

* TIMING CODES

00 = ----- / UNTREATED TIMING
11 = ----- / EPOST 07/01/2003(1)

| H# | CUSTOM#1 | CUSTOM#2 | EV.DATE | S# | TYP | SPECIE | STAGE | RAW | PRT | SYM | MTH | CNF | BASIS | C.M | CTR | SS | NOTE |
|-----|----------|----------|------------|----|-----|--------|-------|-----|-----|-----|-----|-----|---------|-----|------|----|------|
| 001 | ZEAMD | CON % | 07/10/2003 | 01 | P | ZEAMD | | RAW | ALL | CON | % | --- | 1.00 PL | NO | 0001 | 0 | N |
| 002 | SETFA | CON % | 07/10/2003 | 02 | P | SETFA | | RAW | ALL | CON | % | --- | 1.00 PL | NO | 0001 | 0 | N |
| 003 | AMATA | CON % | 07/10/2003 | 03 | P | AMATA | | RAW | ALL | CON | % | --- | 1.00 PL | NO | 0001 | 0 | N |
| 004 | AMBEL | CON % | 07/10/2003 | 04 | P | AMBEL | | RAW | ALL | CON | % | --- | 1.00 PL | NO | 0001 | 0 | N |
| 005 | PHBPU | CON % | 07/10/2003 | 06 | P | PHBPU | | RAW | ALL | CON | % | --- | 1.00 PL | NO | 0001 | 0 | N |

TITLE: Total Postemergence Weed Control in Corn C4S

| H# | CUSTOM#1 | CUSTOM#2 | EV.DATE | S# | TYP | SPECIE | STAGE | RAW | PRT | SYM | MTH | CNF | BASIS | C.M | CTR1 | SS | NOTE |
|-----|----------|----------|------------|----|-----|--------|-------|-----|-----|-----|-----|-----|---------|-----|------|----|------|
| 006 | ZEAMD | CON % | 07/21/2003 | 01 | P | ZEAMD | | RAW | ALL | CON | % | --- | 1.00 PL | NO | 0001 | 0 | N |
| 007 | SETFA | CON % | 07/21/2003 | 02 | P | SETFA | | RAW | ALL | CON | % | --- | 1.00 PL | NO | 0001 | 0 | N |
| 008 | AMATA | CON % | 07/21/2003 | 03 | P | AMATA | | RAW | ALL | CON | % | --- | 1.00 PL | NO | 0001 | 0 | N |
| 009 | AMBEL | CON % | 07/21/2003 | 04 | P | AMBEL | | RAW | ALL | CON | % | --- | 1.00 PL | NO | 0001 | 0 | N |
| 010 | PHBPU | CON % | 07/21/2003 | 06 | P | PHBPU | | RAW | ALL | CON | % | --- | 1.00 PL | NO | 0001 | 0 | N |

* SPECIES COMMON NAME - CULTIVAR (IF APPLICABLE)

01 = NK 32K61