

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: SIX
 PH: 6.2
 %OM: 6.0
 PREV.CROP: GLXMA - SOYBEAN
 %RESIDUE: 0
 PLOT WIDTH: 10 X 33 FEET

DESIGN: RCB
 REPS: 3

APPL. NUMBER	01	02	03	04	UNIT
TIMINGS	09	10	11	13	
TYPE	LIQMIX	LIQMIX	LIQMIX	LIQMIX	
APPLICATION DATE	04/29/03	05/28/03	06/11/03	06/23/03	AME
AIR TEMPERATURE	72	68	57	89	F
% REL.HUMIDITY	85	25	80	31	
WIND DIRECTION	WEST	NORTH	EAST	SOUTHWEST	
WIND SPEED	5.0	4.0	10.0	9.0	M/H
CLOUD COVER	OVERCAST	CLEAR	OVERCAST	CLEAR	
DEW	NO	NO	NO	NO	
SOIL MOISTURE	DRY/DRY	DRY/MOIST	DRY/MOIST	DRY/MOIST	
SOIL CONDITION	FRIABLE	FRIABLE	FRIABLE	FRIABLE	
METHOD	SPRAY	SPRAY	SPRAY	SPRAY	
EQUIPMENT	SPRBAC	SPRBAC	SPRBAC	SPRBAC	
PROPELLANT	COMCO2	COMCO2	COMCO2	COMCO2	
PLACEMENT	BRFOSO	BRFOSO	BRFOSO	BRFOSO	
NOZZLE	FLATFAN	FLATFAN	FLATFAN	FLATFAN	
NOZZLE NUMBER	6	6	6	6	
NOZZLE SPACING	20.000	20.000	20.000	20.000	IN
SWATH WIDTH	10.0	10.0	10.0	10.0	FT
SPRAY VOLUME	20.00	20.00	20.00	20.00	
VOLUME UNIT	GPA	GPA	GPA	GPA	
PRESSURE	32.00	32.00	32.00	32.00	PSI
DILUENT	WATER	WATER	WATER	WATER	
INC. DATE					AME
INC. START					24H
INC. END					24H
INC. DEPTH					IN
INC. EQUIPMENT	---	---	---	---	
DENSITY /					
*** PEST ***					
VELVETLEAF		HGH/13 1.00/1.00	HGH/16 2.00/2.00	HGH/18 5.00/5.00	IN
RAGWEED, GIANT		HGH/14 3.00/3.00	HGH/19 8.00/8.00	HGH/18 7.00/7.00	IN
LAMBSQUARTERS, C		HGH/14 0.50/0.50	HGH/19 3.00/3.00	HGH/19 5.00/5.00	IN
FOXTAIL, GIANT		HGH/13 1.00/1.00	HGH/14 2.50/2.50	HGH/15 5.00/5.00	IN
CORN, DENT ASGROW 718 RR/YG 04/28/2003	---/01 /	---/12 3.00/4.00	---/14 6.00/8.00	---/18 22.0/22.0	IN

* TIMING CODES

09 = ----- / PREEMERGENCE
 10 = ----- / VEPOST
 11 = ----- / EPOST
 13 = ----- / LPOST

* STAGE CODE

01 = BEGINNING OF IMBIBITION
 12 = 2 LEAVES UNFOLDED
 13 = 3 LEAVES UNFOLDED
 14 = 4TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 15 = 5 LEAVES UNFOLDED
 16 = 6TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 18 = 8 LEAVES UNFOLDED
 19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

TITLE: Comparison of Roundup Ready and Conventional Systems in Corn SW-1600
CREATED: 04/17/2003 **REVISED:** 11/06/2003 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Dekalb **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT WIDE X 33.00 FT LONG **REPS:** 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	ZEAMD	SETFA	AMBTR	ABUTH	CHEAL	ZEAMD
		RATE	UNIT		CON %PRE 06/12/03	CON %PRE 06/12/03	CON %PRE 06/12/03	CON %PRE 06/12/03	CON %PRE 06/12/03	CON % 06/23/03
1A	CHECK	0.00	NA	0	0	0	0	0	0	0
2A	LUMAX 3.9L	2.95	LAA	9	0	96	68	99	99	0
3A	LUMAX 3.9L	2.95	LAA	9	0	99	83	99	99	0
	B ATRAZINE DF	1.00	LAA	9						
4A	BICEP II MAGNU	3.60	LAA	9	0	99	77	99	99	0
	B>>CALLISTO 4SC	0.094	LAA	11						
	C ATRAZINE DF	0.25	LAA	11						
	D>>COC	1.00	PMV	11						
	E 28% UAN	2.50	PMV	11						
5A	DEGREE XTRA 4S	3.70	LAA	9	0	95	62	83	99	0
	B>>YUKON 67.5WG	0.169	LAA	11						
	C>>COC	1.00	PMV	11						
	D 28% UAN	2.50	PMV	11						
6A	OUTLOOK 6EC	0.98	LAA	9	0	99	0	0	96	0
	B MARKSMAN SC	1.40	LAA	10						
	C>>ACTIVATOR 90	0.125	PMV	10						
7A	GUARDS MAX 5L	2.88	LAA	9	0	99	82	99	99	0
	B>>DISTINCT 70WG	0.175	LAA	11						
	C>>ACTIVATOR 90	0.25	PMV	11						
	D 28% UAN	2.50	PMV	11						
8A	KEYSTONE 5.25L	4.46	LAA	9	0	99	70	96	99	0
	B>>HORNET 68.5WG	0.128	LAA	11						
	C>>ACTIVATOR 90	0.25	PMV	11						
	D 28% UAN	2.50	PMV	11						
9A	CINCH ATZ 5.5L	1.03	LAA	9	0	83	47	48	99	0
	B>>STEADFAST 75DF	0.035	LAA	11						
	C ATRAZINE DF	0.50	LAA	11						
	D>>COC	1.00	PMV	11						
	E 28% UAN	2.50	PMV	11						
10A	HARNES XTRA	2.10	LAA	9	0	99	63	99	99	0
	B>>WEATHERMAX 4.5	0.75	LAA	11						
	C>>LIQUID AMS	5.00	PMV	11						
11A	WEATHERMAX 4.5	0.75	LAA	10	0	99	73	57	52	0
	B>>LIQUID AMS	5.00	PMV	10						
	C>>WEATHERMAX 4.5	0.56	LAA	13						
	D>>LIQUID AMS	5.00	PMV	13						
12A	BASIS GOLD 90D	0.79	LAA	11	0					0
	B CLARITY	0.125	LAA	11						
	C>>ACTIVATOR 90	0.25	LAA	11						
	D>>LIQUID AMS	5.00	PMV	11						
13A	CELEBRITY PLUS	0.21	LAA	11	0					0
	B>>ACTIVATOR 90	0.25	PMV	11						
	C 28% UAN	2.50	PMV	11						
14A	STEADFAST 75DF	0.035	LAA	11	0					0
	B ATRAZINE DF	0.50	LAA	11						
	C>>CALLISTO 4SC	0.094	LAA	11						
	D>>COC	1.00	PMV	11						
	E 28% UAN	2.50	PMV	11						
15A	STEADFAST 75DF	0.035	LAA	11	0					0
	B ATRAZINE DF	1.00	LAA	11						
	C CLARITY	0.063	LAA	11						
	D>>ACTIVATOR 90	0.25	PMV	11						
	E 28% UAN	2.50	PMV	11						

TITLE: Comparison of Roundup Ready and Conventional Systems in Corn SW-1600

TRT NUM	TREATMENT COMPONENT	DOSAGE			ZEAMD		SETFA		AMBTR		ABUTH		CHEAL		ZEAMD	
		RATE	UNIT	TM	CON	%PRE	CON	%PRE	CON	%PRE	CON	%PRE	CON	%PRE	CON	%
					06/12/03	06/12/03	06/12/03	06/12/03	06/12/03	06/12/03	06/12/03	06/12/03	06/12/03	06/23/03		
16A	»OPTION 35WDG	0.033	LAA	11		0										0
	B»HORNET 68.5WG	0.128	LAA	11												
	C»MSO	1.00	PMV	11												
	D 28% UAN	2.50	PMV	11												
17A	»RDYMASTR ATZ 4	2.00	LAA	11		0										0
	B»LIQUID AMS	2.50	PMV	11												
18A	»LUMAX 3.9L	2.46	LAA	9		0	99	90	99	99	99	99	99			0
19A	»LUMAX 3.9L	2.46	LAA	9		0	99	91	99	99	99	99	99			0
	B ATRAZINE DF	1.00	LAA	9												
20A	»FULTIME 4SC	1.70	LAA	9		0	98	63	89	99	99	99	99			0
	B»GLYPHOMAX PLUS	0.75	LAA	11												
	C»LIQUID AMS	5.00	PMV	11												
21A	»BICEP II MAGNU	1.72	LAA	9		0	91	55	93	99	99	99	99			0
	B»TOUCHDN KPMG 4	0.75	LAA	11												
	C»LIQUID AMS	5.00	PMV	11												
22A	»FULTIME 4SC	1.70	LAA	9		0	99	53	99	99	99	99	99			0
	B»GLYPHOMAX HC 5	0.75	LAA	11												
	C»LIQUID AMS	5.00	PMV	11												
23A	»BICEP II MAGNU	1.72	LAA	11		0										0
	B»TOUCHDN KPMG 4	0.375	LAA	11												
	C»NORTHSTAR 47.4	0.148	LAA	11												
	D»LIQUID AMS	5.00	PMV	11												
24A	»DISTINCT 70WG	0.175	LAA	11		0										0
	B»ROUNDUP ORIGIN	0.375	LAA	11												
	C»ACTIVATOR 90	0.25	PMV	11												
	D»LIQUID AMS	3.67	PMV	11												
25A	»WEATHERMAX 4.5	0.75	LAA	11		0										0
	B»LIQUID AMS	5.00	PMV	11												
26A	»WEATHERMAX 4.5	0.56	LAA	11		0										0
	B»LIQUID AMS	5.00	PMV	11												
27A	»WEATHERMAX 4.5	0.75	LAA	11		0										0
	B»AIM EW 1.9	0.008	LAA	11												
	C»LIQUID AMS	5.00	PMV	11												
28A	»WEATHERMAX 4.5	0.56	LAA	11		0										0
	B»AIM EW 1.9	0.008	LAA	11												
	C»LIQUID AMS	5.00	PMV	11												
LSD (0.05)					0.00	5.00	12.33	8.36	3.69	0.00						
STANDARD DEVIATION					0.00	2.52	6.17	4.18	1.85	0.00						

TITLE: Comparison of Roundup Ready and Conventional Systems in Corn SW-1600
CREATED: 04/17/2003 **REVISED:** 11/06/2003 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Dekalb **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT WIDE X 33.00 FT LONG **REPS:** 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	SETFA	AMBTR	ABUTH	CHEAL	ZEAMD	SETFA
		RATE	UNIT		CON % 06/23/03	CON % 06/23/03	CON % 06/23/03	CON % 06/23/03	CON % 07/09/03	CON % 07/09/03
1A	CHECK	0.00	NA	0	0	0	0	0	0	0
2A	LUMAX 3.9L	2.95	LAA	9	96	58	99	98	0	96
3A	LUMAX 3.9L	2.95	LAA	9	99	68	89	99	0	99
	B ATRAZINE DF	1.00	LAA	9						
4A	BICEP II MAGNU	3.60	LAA	9	99	97	99	99	0	98
	B>>CALLISTO 4SC	0.094	LAA	11						
	C ATRAZINE DF	0.25	LAA	11						
	D>>COC	1.00	PMV	11						
	E 28% UAN	2.50	PMV	11						
5A	DEGREE XTRA 4S	3.70	LAA	9	99	95	99	99	0	93
	B>>YUKON 67.5WG	0.169	LAA	11						
	C>>COC	1.00	PMV	11						
	D 28% UAN	2.50	PMV	11						
6A	OUTLOOK 6EC	0.98	LAA	9	99	91	98	99	0	99
	B MARKSMAN SC	1.40	LAA	10						
	C>>ACTIVATOR 90	0.125	PMV	10						
7A	GUARDS MAX 5L	2.88	LAA	9	99	96	99	99	0	96
	B>>DISTINCT 70WG	0.175	LAA	11						
	C>>ACTIVATOR 90	0.25	PMV	11						
	D 28% UAN	2.50	PMV	11						
8A	KEYSTONE 5.25L	4.46	LAA	9	99	92	99	99	0	98
	B>>HORNET 68.5WG	0.128	LAA	11						
	C>>ACTIVATOR 90	0.25	PMV	11						
	D 28% UAN	2.50	PMV	11						
9A	CINCH ATZ 5.5L	1.03	LAA	9	99	68	96	92	0	96
	B>>STEADFAST 75DF	0.035	LAA	11						
	C ATRAZINE DF	0.50	LAA	11						
	D>>COC	1.00	PMV	11						
	E 28% UAN	2.50	PMV	11						
10A	HARNES XTRA	2.10	LAA	9	99	95	99	99	0	96
	B>>WEATHERMAX 4.5	0.75	LAA	11						
	C>>LIQUID AMS	5.00	PMV	11						
11A	WEATHERMAX 4.5	0.75	LAA	10	72	63	57	55	0	93
	B>>LIQUID AMS	5.00	PMV	10						
	C>>WEATHERMAX 4.5	0.56	LAA	13						
	D>>LIQUID AMS	5.00	PMV	13						
12A	BASIS GOLD 90D	0.79	LAA	11	99	94	99	99	0	95
	B CLARITY	0.125	LAA	11						
	C>>ACTIVATOR 90	0.25	LAA	11						
	D>>LIQUID AMS	5.00	PMV	11						
13A	CELEBRITY PLUS	0.21	LAA	11	96	87	73	58	0	96
	B>>ACTIVATOR 90	0.25	PMV	11						
	C 28% UAN	2.50	PMV	11						
14A	STEADFAST 75DF	0.035	LAA	11	92	93	99	99	0	73
	B ATRAZINE DF	0.50	LAA	11						
	C>>CALLISTO 4SC	0.094	LAA	11						
	D>>COC	1.00	PMV	11						
	E 28% UAN	2.50	PMV	11						
15A	STEADFAST 75DF	0.035	LAA	11	96	86	99	99	0	89
	B ATRAZINE DF	1.00	LAA	11						
	C CLARITY	0.063	LAA	11						
	D>>ACTIVATOR 90	0.25	PMV	11						
	E 28% UAN	2.50	PMV	11						

TITLE: Comparison of Roundup Ready and Conventional Systems in Corn SW-1600

TRT NUM	TREATMENT COMPONENT	DOSAGE		SETFA	AMBTR	ABUTH	CHEAL	ZEAMD	SETFA
		RATE	UNIT TM	CON % 06/23/03	CON % 06/23/03	CON % 06/23/03	CON % 06/23/03	CON % 07/09/03	CON % 07/09/03
16A	»OPTION 35WDG	0.033	LAA 11	99	92	99	96	0	99
	B»HORNET 68.5WG	0.128	LAA 11						
	C»MSO	1.00	PMV 11						
	D 28% UAN	2.50	PMV 11						
17A	»RDYMASTR ATZ 4	2.00	LAA 11	99	76	99	99	0	95
	B»LIQUID AMS	2.50	PMV 11						
18A	»LUMAX 3.9L	2.46	LAA 9	99	83	99	99	0	98
19A	»LUMAX 3.9L	2.46	LAA 9	99	94	99	99	0	98
	B ATRAZINE DF	1.00	LAA 9						
20A	»FULTIME 4SC	1.70	LAA 9	99	95	99	99	0	98
	B»GLYPHOMAX PLUS	0.75	LAA 11						
	C»LIQUID AMS	5.00	PMV 11						
21A	»BICEP II MAGNU	1.72	LAA 9	99	96	99	99	0	95
	B»TOUCHDN KPMG 4	0.75	LAA 11						
	C»LIQUID AMS	5.00	PMV 11						
22A	»FULTIME 4SC	1.70	LAA 9	99	88	99	99	0	95
	B»GLYPHOMAX HC 5	0.75	LAA 11						
	C»LIQUID AMS	5.00	PMV 11						
23A	»BICEP II MAGNU	1.72	LAA 11	99	93	99	99	0	98
	B»TOUCHDN KPMG 4	0.375	LAA 11						
	C»NORTHSTAR 47.4	0.148	LAA 11						
	D»LIQUID AMS	5.00	PMV 11						
24A	»DISTINCT 70WG	0.175	LAA 11	99	90	98	95	0	95
	B»ROUNDUP ORIGIN	0.375	LAA 11						
	C»ACTIVATOR 90	0.25	PMV 11						
	D»LIQUID AMS	3.67	PMV 11						
25A	»WEATHERMAX 4.5	0.75	LAA 11	99	82	93	93	0	95
	B»LIQUID AMS	5.00	PMV 11						
26A	»WEATHERMAX 4.5	0.56	LAA 11	99	77	77	79	0	95
	B»LIQUID AMS	5.00	PMV 11						
27A	»WEATHERMAX 4.5	0.75	LAA 11	98	82	99	99	0	93
	B»AIM EW 1.9	0.008	LAA 11						
	C»LIQUID AMS	5.00	PMV 11						
28A	»WEATHERMAX 4.5	0.56	LAA 11	99	74	99	96	0	91
	B»AIM EW 1.9	0.008	LAA 11						
	C»LIQUID AMS	5.00	PMV 11						
		LSD (0.05)		3.00	9.00	4.00	6.25	0.00	6.22
		STANDARD DEVIATION		1.49	4.48	2.00	3.13	0.00	3.11

TITLE: Comparison of Roundup Ready and Conventional Systems in Corn SW-1600
CREATED: 04/17/2003 **REVISED:** 11/06/2003 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Dekalb **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT **WIDE X** 33.00 FT **LONG** **REPS:** 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	AMBTR	ABUTH	CHEAL
		RATE	UNIT		CON % 07/09/03	CON % 07/09/03	CON % 07/09/03
1A	CHECK	0.00	NA	0	0	0	0
2A»	LUMAX 3.9L	2.95	LAA	9	35	89	99
3A»	LUMAX 3.9L	2.95	LAA	9	48	88	99
	B ATRAZINE DF	1.00	LAA	9			
4A»	BICEP II MAGNU	3.60	LAA	9	92	98	99
	B»CALLISTO 4SC	0.094	LAA	11			
	C ATRAZINE DF	0.25	LAA	11			
	D»COC	1.00	PMV	11			
	E 28% UAN	2.50	PMV	11			
5A»	DEGREE XTRA 4S	3.70	LAA	9	88	93	99
	B»YUKON 67.5WG	0.169	LAA	11			
	C»COC	1.00	PMV	11			
	D 28% UAN	2.50	PMV	11			
6A»	OUTLOOK 6EC	0.98	LAA	9	87	96	99
	B MARKSMAN SC	1.40	LAA	10			
	C»ACTIVATOR 90	0.125	PMV	10			
7A»	GUARDS MAX 5L	2.88	LAA	9	91	93	99
	B»DISTINCT 70WG	0.175	LAA	11			
	C»ACTIVATOR 90	0.25	PMV	11			
	D 28% UAN	2.50	PMV	11			
8A»	KEYSTONE 5.25L	4.46	LAA	9	79	96	99
	B»HORNET 68.5WG	0.128	LAA	11			
	C»ACTIVATOR 90	0.25	PMV	11			
	D 28% UAN	2.50	PMV	11			
9A»	CINCH ATZ 5.5L	1.03	LAA	9	65	93	98
	B»STEADFAST 75DF	0.035	LAA	11			
	C ATRAZINE DF	0.50	LAA	11			
	D»COC	1.00	PMV	11			
	E 28% UAN	2.50	PMV	11			
10A	HARNES XTRA	2.10	LAA	9	92	95	99
	B»WEATHERMAX 4.5	0.75	LAA	11			
	C»LIQUID AMS	5.00	PMV	11			
11A»	WEATHERMAX 4.5	0.75	LAA	10	89	91	78
	B»LIQUID AMS	5.00	PMV	10			
	C»WEATHERMAX 4.5	0.56	LAA	13			
	D»LIQUID AMS	5.00	PMV	13			
12A»	BASIS GOLD 90D	0.79	LAA	11	94	99	99
	B CLARITY	0.125	LAA	11			
	C»ACTIVATOR 90	0.25	LAA	11			
	D»LIQUID AMS	5.00	PMV	11			
13A»	CELEBRITY PLUS	0.21	LAA	11	95	88	68
	B»ACTIVATOR 90	0.25	PMV	11			
	C 28% UAN	2.50	PMV	11			
14A»	STEADFAST 75DF	0.035	LAA	11	80	96	93
	B ATRAZINE DF	0.50	LAA	11			
	C»CALLISTO 4SC	0.094	LAA	11			
	D»COC	1.00	PMV	11			
	E 28% UAN	2.50	PMV	11			
15A»	STEADFAST 75DF	0.035	LAA	11	86	91	99
	B ATRAZINE DF	1.00	LAA	11			
	C CLARITY	0.063	LAA	11			
	D»ACTIVATOR 90	0.25	PMV	11			
	E 28% UAN	2.50	PMV	11			

TITLE: Comparison of Roundup Ready and Conventional Systems in Corn SW-1600

TRT NUM	TREATMENT COMPONENT	DOSAGE RATE	UNIT	TM	AMBTR CON % 07/09/03	ABUTH CON % 07/09/03	CHEAL CON % 07/09/03
16A	»OPTION 35WDG	0.033	LAA	11	88	95	95
	B»HORNET 68.5WG	0.128	LAA	11			
	C»MSO	1.00	PMV	11			
	D 28% UAN	2.50	PMV	11			
17A	»RDYMASTR ATZ 4	2.00	LAA	11	80	90	93
	B»LIQUID AMS	2.50	PMV	11			
18A	»LUMAX 3.9L	2.46	LAA	9	72	99	99
19A	»LUMAX 3.9L	2.46	LAA	9	72	92	99
	B ATRAZINE DF	1.00	LAA	9			
20A	»FULTIME 4SC	1.70	LAA	9	80	98	99
	B»GLYPHOMAX PLUS	0.75	LAA	11			
	C»LIQUID AMS	5.00	PMV	11			
21A	»BICEP II MAGNU	1.72	LAA	9	80	95	98
	B»TOUCHDN KPMG 4	0.75	LAA	11			
	C»LIQUID AMS	5.00	PMV	11			
22A	»FULTIME 4SC	1.70	LAA	9	77	83	96
	B»GLYPHOMAX HC 5	0.75	LAA	11			
	C»LIQUID AMS	5.00	PMV	11			
23A	»BICEP II MAGNU	1.72	LAA	11	93	98	99
	B»TOUCHDN KPMG 4	0.375	LAA	11			
	C»NORTHSTAR 47.4	0.148	LAA	11			
	D»LIQUID AMS	5.00	PMV	11			
24A	»DISTINCT 70WG	0.175	LAA	11	78	88	90
	B»ROUNDUP ORIGIN	0.375	LAA	11			
	C»ACTIVATOR 90	0.25	PMV	11			
	D»LIQUID AMS	3.67	PMV	11			
25A	»WEATHERMAX 4.5	0.75	LAA	11	79	82	80
	B»LIQUID AMS	5.00	PMV	11			
26A	»WEATHERMAX 4.5	0.56	LAA	11	75	80	91
	B»LIQUID AMS	5.00	PMV	11			
27A	»WEATHERMAX 4.5	0.75	LAA	11	79	95	95
	B»AIM EW 1.9	0.008	LAA	11			
	C»LIQUID AMS	5.00	PMV	11			
28A	»WEATHERMAX 4.5	0.56	LAA	11	76	95	96
	B»AIM EW 1.9	0.008	LAA	11			
	C»LIQUID AMS	5.00	PMV	11			
	LSD (0.05)				13.62	9.88	8.40
	STANDARD DEVIATION				6.81	4.94	4.20

» = SUPPLEMENTAL CHEMICAL

* TIMING CODES

- 00 = ----- / UNTREATED TIMING
- 09 = ----- / PREEMERGENCE 04/29/2003(1)
- 10 = ----- / VEPOST 05/28/2003(2)
- 11 = ----- / EPOST 06/11/2003(3)
- 13 = ----- / LPOST 06/23/2003(4)

H#	CUSTOM#1	CUSTOM#2	EV. DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTRTR	SS	NOTE
001	ZEAMD	CON %PRE	06/12/2003	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
002	SETFA	CON %PRE	06/12/2003	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
003	AMBTR	CON %PRE	06/12/2003	03	P	AMBTR		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
004	ABUTH	CON %PRE	06/12/2003	04	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
005	CHEAL	CON %PRE	06/12/2003	05	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
006	ZEAMD	CON %	06/23/2003	01	P	ZEAMD	18	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
007	SETFA	CON %	06/23/2003	02	P	SETFA	15	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
008	AMBTR	CON %	06/23/2003	03	P	AMBTR	18	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

TITLE: Comparison of Roundup Ready and Conventional Systems in Corn SW-1600

H#	CUSTOM#1	CUSTOM#2	EV.DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTR1	SS	NOTE
009	ABUTH	CON %	06/23/2003	04	P	ABUTH	18	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
010	CHEAL	CON %	06/23/2003	05	P	CHEAL	19	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
011	ZEAMD	CON %	07/09/2003	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
012	SETFA	CON %	07/09/2003	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
013	AMBTR	CON %	07/09/2003	03	P	AMBTR		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
014	ABUTH	CON %	07/09/2003	04	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
015	CHEAL	CON %	07/09/2003	05	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

* SPECIES COMMON NAME - CULTIVAR (IF APPLICABLE)

01 = ASGROW 718 RR/YG

* STAGE CODE

15 = 5 LEAVES UNFOLDED

18 = 8 LEAVES UNFOLDED

19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED