

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: SIL  
 PH: 6.2  
 %OM: 4.7  
 PREV.CROP: GLXMA - SOYBEAN  
 %RESIDUE: 0  
 PLOT WIDTH: 7.5 X 30 FEET

DESIGN: RCB  
 REPS: 3

APPL. NUMBER	01	02	03	04	UNIT
TIMINGS	04	05	09	12	
TYPE	LIQMIX	LIQMIX	LIQMIX	LIQMIX	
APPLICATION DATE	03/31/03	04/14/03	04/28/03	06/11/03	AME
AIR TEMPERATURE	54	83	70	78	F
% REL.HUMIDITY	40	50	68	75	
WIND DIRECTION	SOUTHWEST	SOUTHWEST	SOUTHWEST	SOUTHWEST	
WIND SPEED	10.0	15.0	3.0	3.0	M/H
CLOUD COVER	PARTCLDY	CLEAR	CLOUDY	CLOUDY	
DEW	NO	---	NO	YES	
SOIL MOISTURE	DRY/MOIST	DRY/MOIST	DRY/MOIST	MOIST/MOI	
SOIL CONDITION	---	---	---	---	
METHOD	SPRAY	SPRAY	SPRAY	SPRAY	
EQUIPMENT	SPRBAC	SPRBAC	SPRBAC	SPRBAC	
PROPELLANT	COMCO2	COMCO2	COMCO2	COMCO2	
PLACEMENT	BRFOSO	BRFOSO	BRFOSO	BRFOSO	
NOZZLE	FLATFAN	FLATFAN	FLATFAN	FLATFAN	
NOZZLE NUMBER	5	5	5	5	
NOZZLE SPACING	18.000	18.000	18.000	18.000	IN
SWATH WIDTH	7.5	7.5	7.5	7.5	FT
SPRAY VOLUME	20.00	20.00	20.00	20.00	
VOLUME UNIT	GPA	GPA	GPA	GPA	
PRESSURE	30.00	30.00	30.00	30.00	PSI
DILUENT	WATER	WATER	WATER	WATER	
INC. DATE					AME
INC. START					24H
INC. END					24H
INC. DEPTH					IN
INC. EQUIPMENT	---	---	---	---	
DENSITY /					
*** CROP *** CORN, DENT DEKALB 6017 RR 04/28/2003				---/17 18.0/18.0	IN
*** PEST *** VELVETLEAF	---/00 /	---/00 /	---/10 0.50/0.50	---/16 2.00/6.00	IN
LAMBSQUARTERS, C	---/00 /	---/13 0.50/0.50	---/17 1.00/1.00	---/19 2.00/12.0	IN
HORSEWEED	---/13 1.00/1.00	---/19 1.00/2.00	---/19 1.00/3.00	---/19 4.00/12.0	IN
HENBIT	---/00 /	---/14 1.00/3.00	---/19 2.00/4.00	---/19 3.00/6.00	IN
FOXTAIL, GIANT	---/00 /	---/10 0.50/0.50	---/12 1.00/3.00	---/13 2.00/6.00	IN
CHICKWEED, COMMO	---/17 1.00/2.00	---/19 1.00/3.00	---/ 2.00/4.00	---/19 6.00/6.00	IN
DANDELION, COMMO	---/13 0.50/0.50	---/18 1.00/2.00	---/19 1.00/3.00	---/19 3.00/6.00	IN

\* TIMING CODES

04 = ----- / EPP 30DBP  
 05 = ----- / EPP 15DBP  
 09 = ----- / PREEMERGENCE  
 12 = ----- / POST

\* STAGE CODE

00 = DRY SEED; DORMANCY  
 10 = FIRST LEAF THROUGH COLEOPTILE  
 12 = 2 LEAVES UNFOLDED  
 13 = 3RD TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED  
 14 = 4TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

## \* STAGE CODE

16 = 6TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED  
17 = 7TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED  
18 = 8TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED  
19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

**TITLE:** UCNTEPP Early Preplant Evaluation in NoTill Corn C-600W  
**CREATED:** 03/28/2003 **REVISED:** 11/05/2003 **COMPLETED:** N  
**PROJECT TYPE:** HERBICIDE  
**LOCATION:** Urbana **RESEARCHED BY:** UNIV. OF ILL  
**DESIGN:** RANDOMIZED COMPLETE BLOCK DESIGN  
**PLOT SIZE:** 7.50 FT WIDE X 30.00 FT LONG **REPS:** 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	ZEAMD	STEME	ERICA	TAROF	CHEAL	SETFA
		RATE	UNIT		CON % 04/30/03	CON % 04/30/03	CON % 04/30/03	CON % 04/30/03	CON % 04/30/03	CON % 04/30/03
1A	BALANCE PRO 4S	0.063	LAA	4	0	97	99	99	99	99
	B»COC	1.25	PMV	4						
	C»OPTION 35WDG	0.033	LAA	12						
	D»MSO	1.00	PMV	12						
	E 28% UAN	1.67	PMV	12						
2A	BALANCE PRO 4S	0.063	LAA	4	0	99	99	99	99	99
	B»COC	1.25	PMV	4						
	C»EQUIP 62WG	0.058	LAA	12						
	D»MSO	1.00	PMV	12						
	E 28% UAN	1.67	PMV	12						
3A	BICEP II MAGNU	2.89	LAA	4	0	99	99	99	99	99
	B»COC	1.25	PMV	4						
	C»CALLISTO 4SC	0.094	LAA	12						
	D ATRAZINE DF	0.50	LAA	12						
	E»COC	1.00	PMV	12						
	F 28% UAN	2.00	PMV	12						
4A	FIELDMASTER 4.	4.25	LAA	4	0	99	99	99	99	99
	B»LIQUID AMS	2.50	PMV	4						
	C»YUKON 67.5WG	0.169	LAA	12						
	D»ACTIVATOR 90	0.25	PMV	12						
	E»LIQUID AMS	2.50	PMV	12						
5A	BALANCE PRO 4S	0.063	LAA	5	0	98	95	96	99	99
	B»WEATHERMAX 4.5	0.75	PMV	5						
	C»LIQUID AMS	2.50	PMV	5						
	D»OPTION 35WDG	0.033	LAA	12						
	E»MSO	1.00	PMV	12						
	F 28% UAN	1.67	PMV	12						
6A	BALANCE PRO 4S	0.063	LAA	5	0	99	96	99	99	99
	B»WEATHERMAX 4.5	0.75	PMV	5						
	C»LIQUID AMS	2.50	PMV	5						
	D»EQUIP 62WG	0.058	LAA	12						
	E»MSO	1.00	PMV	12						
	F 28% UAN	1.67	PMV	12						
7A	BICEP II MAGNU	2.89	LAA	5	0	99	99	99	99	99
	B»WEATHERMAX 4.5	0.75	PMV	5						
	C»LIQUID AMS	2.50	PMV	5						
	D»CALLISTO 4SC	0.094	LAA	12						
	E ATRAZINE DF	0.50	LAA	12						
	F»COC	1.00	PMV	12						
	G 28% UAN	2.00	PMV	12						
8A	FIELDMASTER 4.	4.25	LAA	5	0	99	99	99	99	99
	B»LIQUID AMS	2.50	PMV	5						
	C»YUKON 67.5WG	0.169	LAA	12						
	D»ACTIVATOR 90	0.25	PMV	12						
	E»LIQUID AMS	2.50	PMV	12						
9A	CHECK	0.00	NA	0	0	0	0	0	0	0
10A	BALANCE PRO 4S	0.063	LAA	9	0					
	B»WEATHERMAX 4.5	0.75	PMV	9						
	C»LIQUID AMS	2.50	PMV	9						
	D»OPTION 35WDG	0.033	LAA	12						
	E»MSO	1.00	PMV	12						
	F 28% UAN	1.67	PMV	12						
11A	BALANCE PRO 4S	0.063	LAA	9	0					
	B»WEATHERMAX 4.5	0.75	PMV	9						
	C»LIQUID AMS	2.50	PMV	9						
	D»EQUIP 62WG	0.058	LAA	12						
	E»MSO	1.00	PMV	12						
	F 28% UAN	1.67	PMV	12						

## TITLE: UCNTEPP Early Preplant Evaluation in NoTill Corn C-600W

TRT NUM	TREATMENT COMPONENT	DOSAGE			ZEAMD	STEME	ERICA	TAROF	CHEAL	SETFA
		RATE	UNIT	TM	CON % 04/30/03	CON % 04/30/03	CON % 04/30/03	CON % 04/30/03	CON % 04/30/03	CON % 04/30/03
12A	BICEP II MAGNU	2.89	LAA	9	0					
	B»WEATHERMAX 4.5	0.75	PMV	9						
	C»LIQUID AMS	2.50	PMV	9						
	D»CALLISTO 4SC	0.094	LAA	12						
	E ATRAZINE DF	0.50	LAA	12						
	F»COC	1.00	PMV	12						
	G 28% UAN	2.00	PMV	12						
13A	FIELDMASTER 4.	4.25	LAA	9	0					
	B»LIQUID AMS	2.50	PMV	9						
	C»YUKON 67.5WG	0.169	LAA	12						
	D»ACTIVATOR 90	0.25	PMV	12						
	E»LIQUID AMS	2.50	PMV	12						
14A	WEATHERMAX 4.5	0.75	PMV	9	0					
	B»LIQUID AMS	2.50	PMV	9						
	C»OPTION 35WDG	0.033	LAA	12						
	D»MSO	1.00	PMV	12						
	E 28% UAN	1.67	PMV	12						
15A	WEATHERMAX 4.5	0.75	PMV	9	0					
	B»LIQUID AMS	2.50	PMV	9						
	C»EQUIP 62WG	0.058	LAA	12						
	D»MSO	1.00	PMV	12						
	E 28% UAN	1.67	PMV	12						
		LSD (0.05)			0.00	1.07	2.34	2.33	0.00	0.00
		STANDARD DEVIATION			0.00	0.518	1.14	1.13	0.00	0.00

**TITLE:** UCNTEPP Early Preplant Evaluation in NoTill Corn C-600W  
**CREATED:** 03/28/2003 **REVISED:** 11/05/2003 **COMPLETED:** N  
**PROJECT TYPE:** HERBICIDE  
**LOCATION:** Urbana **RESEARCHED BY:** UNIV. OF ILL  
**DESIGN:** RANDOMIZED COMPLETE BLOCK DESIGN  
**PLOT SIZE:** 7.50 FT WIDE X 30.00 FT LONG **REPS:** 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	LAMAM	ABUTH	ZEAMD	STEME	ERICA	TAROF
		RATE	UNIT		CON % 04/30/03	CON % 04/30/03	CON % 05/09/03	CON % 05/09/03	CON % 05/09/03	CON % 05/09/03
1A	BALANCE PRO 4S	0.063	LAA	4	99	99	0	98	99	97
	B»COC	1.25	PMV	4						
	C»OPTION 35WDG	0.033	LAA	12						
	D»MSO	1.00	PMV	12						
	E 28% UAN	1.67	PMV	12						
2A	BALANCE PRO 4S	0.063	LAA	4	99	99	0	99	99	99
	B»COC	1.25	PMV	4						
	C»EQUIP 62WG	0.058	LAA	12						
	D»MSO	1.00	PMV	12						
	E 28% UAN	1.67	PMV	12						
3A	BICEP II MAGNU	2.89	LAA	4	99	99	0	99	99	99
	B»COC	1.25	PMV	4						
	C»CALLISTO 4SC	0.094	LAA	12						
	D ATRAZINE DF	0.50	LAA	12						
	E»COC	1.00	PMV	12						
	F 28% UAN	2.00	PMV	12						
4A	FIELDMASTER 4.	4.25	LAA	4	99	99	0	99	99	99
	B»LIQUID AMS	2.50	PMV	4						
	C»YUKON 67.5WG	0.169	LAA	12						
	D»ACTIVATOR 90	0.25	PMV	12						
	E»LIQUID AMS	2.50	PMV	12						
5A	BALANCE PRO 4S	0.063	LAA	5	96	99	0	99	95	96
	B»WEATHERMAX 4.5	0.75	PMV	5						
	C»LIQUID AMS	2.50	PMV	5						
	D»OPTION 35WDG	0.033	LAA	12						
	E»MSO	1.00	PMV	12						
	F 28% UAN	1.67	PMV	12						
6A	BALANCE PRO 4S	0.063	LAA	5	99	99	0	99	96	97
	B»WEATHERMAX 4.5	0.75	PMV	5						
	C»LIQUID AMS	2.50	PMV	5						
	D»EQUIP 62WG	0.058	LAA	12						
	E»MSO	1.00	PMV	12						
	F 28% UAN	1.67	PMV	12						
7A	BICEP II MAGNU	2.89	LAA	5	99	99	0	99	99	99
	B»WEATHERMAX 4.5	0.75	PMV	5						
	C»LIQUID AMS	2.50	PMV	5						
	D»CALLISTO 4SC	0.094	LAA	12						
	E ATRAZINE DF	0.50	LAA	12						
	F»COC	1.00	PMV	12						
	G 28% UAN	2.00	PMV	12						
8A	FIELDMASTER 4.	4.25	LAA	5	99	99	0	99	99	98
	B»LIQUID AMS	2.50	PMV	5						
	C»YUKON 67.5WG	0.169	LAA	12						
	D»ACTIVATOR 90	0.25	PMV	12						
	E»LIQUID AMS	2.50	PMV	12						
9A	CHECK	0.00	NA	0	0	0	0	0	0	0
10A	BALANCE PRO 4S	0.063	LAA	9			0	99	96	94
	B»WEATHERMAX 4.5	0.75	PMV	9						
	C»LIQUID AMS	2.50	PMV	9						
	D»OPTION 35WDG	0.033	LAA	12						
	E»MSO	1.00	PMV	12						
	F 28% UAN	1.67	PMV	12						
11A	BALANCE PRO 4S	0.063	LAA	9			0	99	98	96
	B»WEATHERMAX 4.5	0.75	PMV	9						
	C»LIQUID AMS	2.50	PMV	9						
	D»EQUIP 62WG	0.058	LAA	12						
	E»MSO	1.00	PMV	12						
	F 28% UAN	1.67	PMV	12						

## TITLE: UCNTEPP Early Preplant Evaluation in NoTill Corn C-600W

TRT NUM	TREATMENT COMPONENT	DOSAGE		LAMAM	ABUTH	ZEAMD	STEME	ERICA	TAROF
		RATE	UNIT	CON % 04/30/03	CON % 04/30/03	CON % 05/09/03	CON % 05/09/03	CON % 05/09/03	CON % 05/09/03
12A»	BICEP II MAGNU	2.89	LAA	9		0	99	99	99
	B»WEATHERMAX 4.5	0.75	PMV	9					
	C»LIQUID AMS	2.50	PMV	9					
	D»CALLISTO 4SC	0.094	LAA	12					
	E ATRAZINE DF	0.50	LAA	12					
	F»COC	1.00	PMV	12					
	G 28% UAN	2.00	PMV	12					
13A»	FIELDMASTER 4.	4.25	LAA	9		0	99	99	99
	B»LIQUID AMS	2.50	PMV	9					
	C»YUKON 67.5WG	0.169	LAA	12					
	D»ACTIVATOR 90	0.25	PMV	12					
	E»LIQUID AMS	2.50	PMV	12					
14A»	WEATHERMAX 4.5	0.75	PMV	9		0	99	89	82
	B»LIQUID AMS	2.50	PMV	9					
	C»OPTION 35WDG	0.033	LAA	12					
	D»MSO	1.00	PMV	12					
	E 28% UAN	1.67	PMV	12					
15A»	WEATHERMAX 4.5	0.75	PMV	9		0	99	90	85
	B»LIQUID AMS	2.50	PMV	9					
	C»EQUIP 62WG	0.058	LAA	12					
	D»MSO	1.00	PMV	12					
	E 28% UAN	1.67	PMV	12					
		LSD (0.05)		1.00	0.00	0.00	0.518	2.64	4.64
		STANDARD DEVIATION		0.504	0.00	0.00	0.252	1.29	2.26

**TITLE:** UCNTEPP Early Preplant Evaluation in NoTill Corn C-600W  
**CREATED:** 03/28/2003 **REVISED:** 11/05/2003 **COMPLETED:** N  
**PROJECT TYPE:** HERBICIDE  
**LOCATION:** Urbana **RESEARCHED BY:** UNIV. OF ILL  
**DESIGN:** RANDOMIZED COMPLETE BLOCK DESIGN  
**PLOT SIZE:** 7.50 FT WIDE X 30.00 FT LONG **REPS:** 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	CHEAL	SETFA	LAMAM	ABUTH	ZEAMD	STEME
		RATE	UNIT		CON % 05/09/03	CON % 05/09/03	CON % 05/09/03	CON % 05/09/03	CON % 05/29/03	CON % 05/29/03
1A	BALANCE PRO 4S	0.063	LAA	4	98	99	99	99	0	99
	B»COC	1.25	PMV	4						
	C»OPTION 35WDG	0.033	LAA	12						
	D»MSO	1.00	PMV	12						
	E 28% UAN	1.67	PMV	12						
2A	BALANCE PRO 4S	0.063	LAA	4	99	99	99	99	0	99
	B»COC	1.25	PMV	4						
	C»EQUIP 62WG	0.058	LAA	12						
	D»MSO	1.00	PMV	12						
	E 28% UAN	1.67	PMV	12						
3A	BICEP II MAGNU	2.89	LAA	4	99	99	99	99	0	99
	B»COC	1.25	PMV	4						
	C»CALLISTO 4SC	0.094	LAA	12						
	D ATRAZINE DF	0.50	LAA	12						
	E»COC	1.00	PMV	12						
	F 28% UAN	2.00	PMV	12						
4A	FIELDMASTER 4.	4.25	LAA	4	99	99	99	98	0	99
	B»LIQUID AMS	2.50	PMV	4						
	C»YUKON 67.5WG	0.169	LAA	12						
	D»ACTIVATOR 90	0.25	PMV	12						
	E»LIQUID AMS	2.50	PMV	12						
5A	BALANCE PRO 4S	0.063	LAA	5	99	99	95	99	0	99
	B»WEATHERMAX 4.5	0.75	PMV	5						
	C»LIQUID AMS	2.50	PMV	5						
	D»OPTION 35WDG	0.033	LAA	12						
	E»MSO	1.00	PMV	12						
	F 28% UAN	1.67	PMV	12						
6A	BALANCE PRO 4S	0.063	LAA	5	99	99	99	99	0	99
	B»WEATHERMAX 4.5	0.75	PMV	5						
	C»LIQUID AMS	2.50	PMV	5						
	D»EQUIP 62WG	0.058	LAA	12						
	E»MSO	1.00	PMV	12						
	F 28% UAN	1.67	PMV	12						
7A	BICEP II MAGNU	2.89	LAA	5	99	99	99	99	0	99
	B»WEATHERMAX 4.5	0.75	PMV	5						
	C»LIQUID AMS	2.50	PMV	5						
	D»CALLISTO 4SC	0.094	LAA	12						
	E ATRAZINE DF	0.50	LAA	12						
	F»COC	1.00	PMV	12						
	G 28% UAN	2.00	PMV	12						
8A	FIELDMASTER 4.	4.25	LAA	5	99	99	99	98	0	99
	B»LIQUID AMS	2.50	PMV	5						
	C»YUKON 67.5WG	0.169	LAA	12						
	D»ACTIVATOR 90	0.25	PMV	12						
	E»LIQUID AMS	2.50	PMV	12						
9A	CHECK	0.00	NA	0	0	0	0	0	0	0
10A	BALANCE PRO 4S	0.063	LAA	9	95	99	88	99	0	99
	B»WEATHERMAX 4.5	0.75	PMV	9						
	C»LIQUID AMS	2.50	PMV	9						
	D»OPTION 35WDG	0.033	LAA	12						
	E»MSO	1.00	PMV	12						
	F 28% UAN	1.67	PMV	12						
11A	BALANCE PRO 4S	0.063	LAA	9	96	99	94	99	0	99
	B»WEATHERMAX 4.5	0.75	PMV	9						
	C»LIQUID AMS	2.50	PMV	9						
	D»EQUIP 62WG	0.058	LAA	12						
	E»MSO	1.00	PMV	12						
	F 28% UAN	1.67	PMV	12						

## TITLE: UCNTEPP Early Preplant Evaluation in NoTill Corn C-600W

TRT NUM	TREATMENT COMPONENT	DOSAGE			CHEAL	SETFA	LAMAM	ABUTH	ZEAMD	STEME
		RATE	UNIT	TM	CON % 05/09/03	CON % 05/09/03	CON % 05/09/03	CON % 05/09/03	CON % 05/29/03	CON % 05/29/03
12A»	BICEP II MAGNU	2.89	LAA	9	99	99	99	95	0	99
	B»WEATHERMAX 4.5	0.75	PMV	9						
	C»LIQUID AMS	2.50	PMV	9						
	D»CALLISTO 4SC	0.094	LAA	12						
	E ATRAZINE DF	0.50	LAA	12						
	F»COC	1.00	PMV	12						
	G 28% UAN	2.00	PMV	12						
13A»	FIELDMASTER 4.	4.25	LAA	9	99	99	99	98	0	99
	B»LIQUID AMS	2.50	PMV	9						
	C»YUKON 67.5WG	0.169	LAA	12						
	D»ACTIVATOR 90	0.25	PMV	12						
	E»LIQUID AMS	2.50	PMV	12						
14A»	WEATHERMAX 4.5	0.75	PMV	9	88	99	85	99	0	99
	B»LIQUID AMS	2.50	PMV	9						
	C»OPTION 35WDG	0.033	LAA	12						
	D»MSO	1.00	PMV	12						
	E 28% UAN	1.67	PMV	12						
15A»	WEATHERMAX 4.5	0.75	PMV	9	86	99	83	99	0	99
	B»LIQUID AMS	2.50	PMV	9						
	C»EQUIP 62WG	0.058	LAA	12						
	D»MSO	1.00	PMV	12						
	E 28% UAN	1.67	PMV	12						
		LSD (0.05)			3.91	0.00	3.52	2.37	0.00	0.00
		STANDARD DEVIATION			1.90	0.00	1.71	1.15	0.00	0.00



**TITLE:** UCNTEPP Early Preplant Evaluation in NoTill Corn C-600W  
**CREATED:** 03/28/2003 **REVISED:** 11/05/2003 **COMPLETED:** N  
**PROJECT TYPE:** HERBICIDE  
**LOCATION:** Urbana **RESEARCHED BY:** UNIV. OF ILL  
**DESIGN:** RANDOMIZED COMPLETE BLOCK DESIGN  
**PLOT SIZE:** 7.50 FT WIDE X 30.00 FT LONG **REPS:** 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	ERICA	TAROF	CHEAL	SETFA	LAMAM	ABUTH
		RATE	UNIT		CON % 05/29/03	CON % 05/29/03	CON % 05/29/03	CON % 05/29/03	CON % 05/29/03	CON % 05/29/03
1A	BALANCE PRO 4S	0.063	LAA	4	96	89	80	92	96	99
	B»COC	1.25	PMV	4						
	C»OPTION 35WDG	0.033	LAA	12						
	D»MSO	1.00	PMV	12						
	E 28% UAN	1.67	PMV	12						
2A	BALANCE PRO 4S	0.063	LAA	4	96	93	88	89	97	99
	B»COC	1.25	PMV	4						
	C»EQUIP 62WG	0.058	LAA	12						
	D»MSO	1.00	PMV	12						
	E 28% UAN	1.67	PMV	12						
3A	BICEP II MAGNU	2.89	LAA	4	92	84	75	99	99	63
	B»COC	1.25	PMV	4						
	C»CALLISTO 4SC	0.094	LAA	12						
	D ATRAZINE DF	0.50	LAA	12						
	E»COC	1.00	PMV	12						
	F 28% UAN	2.00	PMV	12						
4A	FIELDMASTER 4.	4.25	LAA	4	99	97	99	98	99	60
	B»LIQUID AMS	2.50	PMV	4						
	C»YUKON 67.5WG	0.169	LAA	12						
	D»ACTIVATOR 90	0.25	PMV	12						
	E»LIQUID AMS	2.50	PMV	12						
5A	BALANCE PRO 4S	0.063	LAA	5	94	96	93	96	96	99
	B»WEATHERMAX 4.5	0.75	PMV	5						
	C»LIQUID AMS	2.50	PMV	5						
	D»OPTION 35WDG	0.033	LAA	12						
	E»MSO	1.00	PMV	12						
	F 28% UAN	1.67	PMV	12						
6A	BALANCE PRO 4S	0.063	LAA	5	96	97	94	98	99	99
	B»WEATHERMAX 4.5	0.75	PMV	5						
	C»LIQUID AMS	2.50	PMV	5						
	D»EQUIP 62WG	0.058	LAA	12						
	E»MSO	1.00	PMV	12						
	F 28% UAN	1.67	PMV	12						
7A	BICEP II MAGNU	2.89	LAA	5	99	98	99	99	99	82
	B»WEATHERMAX 4.5	0.75	PMV	5						
	C»LIQUID AMS	2.50	PMV	5						
	D»CALLISTO 4SC	0.094	LAA	12						
	E ATRAZINE DF	0.50	LAA	12						
	F»COC	1.00	PMV	12						
	G 28% UAN	2.00	PMV	12						
8A	FIELDMASTER 4.	4.25	LAA	5	99	96	98	99	99	63
	B»LIQUID AMS	2.50	PMV	5						
	C»YUKON 67.5WG	0.169	LAA	12						
	D»ACTIVATOR 90	0.25	PMV	12						
	E»LIQUID AMS	2.50	PMV	12						
9A	CHECK	0.00	NA	0	0	0	0	0	0	0
10A	BALANCE PRO 4S	0.063	LAA	9	99	99	97	99	99	99
	B»WEATHERMAX 4.5	0.75	PMV	9						
	C»LIQUID AMS	2.50	PMV	9						
	D»OPTION 35WDG	0.033	LAA	12						
	E»MSO	1.00	PMV	12						
	F 28% UAN	1.67	PMV	12						
11A	BALANCE PRO 4S	0.063	LAA	9	99	99	98	99	99	99
	B»WEATHERMAX 4.5	0.75	PMV	9						
	C»LIQUID AMS	2.50	PMV	9						
	D»EQUIP 62WG	0.058	LAA	12						
	E»MSO	1.00	PMV	12						
	F 28% UAN	1.67	PMV	12						

## TITLE: UCNTEPP Early Preplant Evaluation in NoTill Corn C-600W

TRT NUM	TREATMENT COMPONENT	DOSAGE			ERICA	TAROF	CHEAL	SETFA	LAMAM	ABUTH
		RATE	UNIT	TM	CON % 05/29/03	CON % 05/29/03	CON % 05/29/03	CON % 05/29/03	CON % 05/29/03	CON % 05/29/03
12A	BICEP II MAGNU	2.89	LAA	9	99	99	99	98	99	86
	B»WEATHERMAX 4.5	0.75	PMV	9						
	C»LIQUID AMS	2.50	PMV	9						
	D»CALLISTO 4SC	0.094	LAA	12						
	E ATRAZINE DF	0.50	LAA	12						
	F»COC	1.00	PMV	12						
	G 28% UAN	2.00	PMV	12						
13A	FIELDMASTER 4.	4.25	LAA	9	99	99	99	99	99	83
	B»LIQUID AMS	2.50	PMV	9						
	C»YUKON 67.5WG	0.169	LAA	12						
	D»ACTIVATOR 90	0.25	PMV	12						
	E»LIQUID AMS	2.50	PMV	12						
14A	WEATHERMAX 4.5	0.75	PMV	9	93	93	62	88	97	33
	B»LIQUID AMS	2.50	PMV	9						
	C»OPTION 35WDG	0.033	LAA	12						
	D»MSO	1.00	PMV	12						
	E 28% UAN	1.67	PMV	12						
15A	WEATHERMAX 4.5	0.75	PMV	9	99	95	67	91	99	33
	B»LIQUID AMS	2.50	PMV	9						
	C»EQUIP 62WG	0.058	LAA	12						
	D»MSO	1.00	PMV	12						
	E 28% UAN	1.67	PMV	12						
		LSD (0.05)			4.93	6.51	9.00	5.22	3.00	7.80
		STANDARD DEVIATION			2.40	3.16	4.37	2.54	1.44	3.79

**TITLE:** UCNTEPP Early Preplant Evaluation in NoTill Corn C-600W  
**CREATED:** 03/28/2003 **REVISED:** 11/05/2003 **COMPLETED:** N  
**PROJECT TYPE:** HERBICIDE  
**LOCATION:** Urbana **RESEARCHED BY:** UNIV. OF ILL  
**DESIGN:** RANDOMIZED COMPLETE BLOCK DESIGN  
**PLOT SIZE:** 7.50 FT WIDE X 30.00 FT LONG **REPS:** 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	ZEAMD	STEME	ERICA	TAROF	CHEAL	SETFA
		RATE	UNIT		CON % 06/20/03	CON % 06/20/03	CON % 06/20/03	CON % 06/20/03	CON % 06/20/03	CON % 06/20/03
1A	BALANCE PRO 4S	0.063	LAA	4	0	99	94	98	99	99
	B»COC	1.25	PMV	4						
	C»OPTION 35WDG	0.033	LAA	12						
	D»MSO	1.00	PMV	12						
	E 28% UAN	1.67	PMV	12						
2A	BALANCE PRO 4S	0.063	LAA	4	0	99	99	98	99	99
	B»COC	1.25	PMV	4						
	C»EQUIP 62WG	0.058	LAA	12						
	D»MSO	1.00	PMV	12						
	E 28% UAN	1.67	PMV	12						
3A	BICEP II MAGNU	2.89	LAA	4	0	99	99	99	99	99
	B»COC	1.25	PMV	4						
	C»CALLISTO 4SC	0.094	LAA	12						
	D ATRAZINE DF	0.50	LAA	12						
	E»COC	1.00	PMV	12						
	F 28% UAN	2.00	PMV	12						
4A	FIELDMASTER 4.	4.25	LAA	4	0	99	99	99	99	98
	B»LIQUID AMS	2.50	PMV	4						
	C»YUKON 67.5WG	0.169	LAA	12						
	D»ACTIVATOR 90	0.25	PMV	12						
	E»LIQUID AMS	2.50	PMV	12						
5A	BALANCE PRO 4S	0.063	LAA	5	0	99	85	99	99	99
	B»WEATHERMAX 4.5	0.75	PMV	5						
	C»LIQUID AMS	2.50	PMV	5						
	D»OPTION 35WDG	0.033	LAA	12						
	E»MSO	1.00	PMV	12						
	F 28% UAN	1.67	PMV	12						
6A	BALANCE PRO 4S	0.063	LAA	5	0	99	98	99	99	99
	B»WEATHERMAX 4.5	0.75	PMV	5						
	C»LIQUID AMS	2.50	PMV	5						
	D»EQUIP 62WG	0.058	LAA	12						
	E»MSO	1.00	PMV	12						
	F 28% UAN	1.67	PMV	12						
7A	BICEP II MAGNU	2.89	LAA	5	0	99	99	99	99	99
	B»WEATHERMAX 4.5	0.75	PMV	5						
	C»LIQUID AMS	2.50	PMV	5						
	D»CALLISTO 4SC	0.094	LAA	12						
	E ATRAZINE DF	0.50	LAA	12						
	F»COC	1.00	PMV	12						
	G 28% UAN	2.00	PMV	12						
8A	FIELDMASTER 4.	4.25	LAA	5	0	99	99	99	99	99
	B»LIQUID AMS	2.50	PMV	5						
	C»YUKON 67.5WG	0.169	LAA	12						
	D»ACTIVATOR 90	0.25	PMV	12						
	E»LIQUID AMS	2.50	PMV	12						
9A	CHECK	0.00	NA	0	0	0	0	0	0	0
10A	BALANCE PRO 4S	0.063	LAA	9	0	99	99	99	99	99
	B»WEATHERMAX 4.5	0.75	PMV	9						
	C»LIQUID AMS	2.50	PMV	9						
	D»OPTION 35WDG	0.033	LAA	12						
	E»MSO	1.00	PMV	12						
	F 28% UAN	1.67	PMV	12						
11A	BALANCE PRO 4S	0.063	LAA	9	0	99	99	99	99	99
	B»WEATHERMAX 4.5	0.75	PMV	9						
	C»LIQUID AMS	2.50	PMV	9						
	D»EQUIP 62WG	0.058	LAA	12						
	E»MSO	1.00	PMV	12						
	F 28% UAN	1.67	PMV	12						

## TITLE: UCNTEPP Early Preplant Evaluation in NoTill Corn C-600W

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	ZEAMD	STEME	ERICA	TAROF	CHEAL	SETFA
		RATE	UNIT		CON % 06/20/03	CON % 06/20/03	CON % 06/20/03	CON % 06/20/03	CON % 06/20/03	CON % 06/20/03
12A	BICEP II MAGNU	2.89	LAA	9	0	99	99	99	99	99
	B»WEATHERMAX 4.5	0.75	PMV	9						
	C»LIQUID AMS	2.50	PMV	9						
	D»CALLISTO 4SC	0.094	LAA	12						
	E ATRAZINE DF	0.50	LAA	12						
	F»COC	1.00	PMV	12						
	G 28% UAN	2.00	PMV	12						
13A	FIELDMASTER 4.	4.25	LAA	9	0	99	99	99	99	99
	B»LIQUID AMS	2.50	PMV	9						
	C»YUKON 67.5WG	0.169	LAA	12						
	D»ACTIVATOR 90	0.25	PMV	12						
	E»LIQUID AMS	2.50	PMV	12						
14A	WEATHERMAX 4.5	0.75	PMV	9	0	99	96	99	95	99
	B»LIQUID AMS	2.50	PMV	9						
	C»OPTION 35WDG	0.033	LAA	12						
	D»MSO	1.00	PMV	12						
	E 28% UAN	1.67	PMV	12						
15A	WEATHERMAX 4.5	0.75	PMV	9	0	99	99	99	98	99
	B»LIQUID AMS	2.50	PMV	9						
	C»EQUIP 62WG	0.058	LAA	12						
	D»MSO	1.00	PMV	12						
	E 28% UAN	1.67	PMV	12						
		LSD (0.05)			0.00	0.00	4.46	1.12	0.518	0.561
		STANDARD DEVIATION			0.00	0.00	2.17	0.546	0.252	0.273

**TITLE:** UCNTEPP Early Preplant Evaluation in NoTill Corn C-600W  
**CREATED:** 03/28/2003 **REVISED:** 11/05/2003 **COMPLETED:** N  
**PROJECT TYPE:** HERBICIDE  
**LOCATION:** Urbana **RESEARCHED BY:** UNIV. OF ILL  
**DESIGN:** RANDOMIZED COMPLETE BLOCK DESIGN  
**PLOT SIZE:** 7.50 FT WIDE X 30.00 FT LONG **REPS:** 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	LAMAM	ABUTH	ZEAMD	STEME	ERICA	TAROF
		RATE	UNIT		CON % 06/20/03	CON % 06/20/03	CON % 07/08/03	CON % 07/08/03	CON % 07/08/03	CON % 07/08/03
1A	BALANCE PRO 4S	0.063	LAA	4	99	99	5	99	90	95
	B»COC	1.25	PMV	4						
	C»OPTION 35WDG	0.033	LAA	12						
	D»MSO	1.00	PMV	12						
	E 28% UAN	1.67	PMV	12						
2A	BALANCE PRO 4S	0.063	LAA	4	99	99	3	99	94	96
	B»COC	1.25	PMV	4						
	C»EQUIP 62WG	0.058	LAA	12						
	D»MSO	1.00	PMV	12						
	E 28% UAN	1.67	PMV	12						
3A	BICEP II MAGNU	2.89	LAA	4	99	99	0	99	99	99
	B»COC	1.25	PMV	4						
	C»CALLISTO 4SC	0.094	LAA	12						
	D ATRAZINE DF	0.50	LAA	12						
	E»COC	1.00	PMV	12						
	F 28% UAN	2.00	PMV	12						
4A	FIELDMASTER 4.	4.25	LAA	4	99	99	0	99	99	99
	B»LIQUID AMS	2.50	PMV	4						
	C»YUKON 67.5WG	0.169	LAA	12						
	D»ACTIVATOR 90	0.25	PMV	12						
	E»LIQUID AMS	2.50	PMV	12						
5A	BALANCE PRO 4S	0.063	LAA	5	99	99	5	99	75	95
	B»WEATHERMAX 4.5	0.75	PMV	5						
	C»LIQUID AMS	2.50	PMV	5						
	D»OPTION 35WDG	0.033	LAA	12						
	E»MSO	1.00	PMV	12						
	F 28% UAN	1.67	PMV	12						
6A	BALANCE PRO 4S	0.063	LAA	5	99	99	2	99	93	99
	B»WEATHERMAX 4.5	0.75	PMV	5						
	C»LIQUID AMS	2.50	PMV	5						
	D»EQUIP 62WG	0.058	LAA	12						
	E»MSO	1.00	PMV	12						
	F 28% UAN	1.67	PMV	12						
7A	BICEP II MAGNU	2.89	LAA	5	99	99	0	99	94	99
	B»WEATHERMAX 4.5	0.75	PMV	5						
	C»LIQUID AMS	2.50	PMV	5						
	D»CALLISTO 4SC	0.094	LAA	12						
	E ATRAZINE DF	0.50	LAA	12						
	F»COC	1.00	PMV	12						
	G 28% UAN	2.00	PMV	12						
8A	FIELDMASTER 4.	4.25	LAA	5	99	99	0	99	99	99
	B»LIQUID AMS	2.50	PMV	5						
	C»YUKON 67.5WG	0.169	LAA	12						
	D»ACTIVATOR 90	0.25	PMV	12						
	E»LIQUID AMS	2.50	PMV	12						
9A	CHECK	0.00	NA	0	0	0	0	0	0	0
10A	BALANCE PRO 4S	0.063	LAA	9	99	99	5	99	99	99
	B»WEATHERMAX 4.5	0.75	PMV	9						
	C»LIQUID AMS	2.50	PMV	9						
	D»OPTION 35WDG	0.033	LAA	12						
	E»MSO	1.00	PMV	12						
	F 28% UAN	1.67	PMV	12						
11A	BALANCE PRO 4S	0.063	LAA	9	99	99	5	99	99	99
	B»WEATHERMAX 4.5	0.75	PMV	9						
	C»LIQUID AMS	2.50	PMV	9						
	D»EQUIP 62WG	0.058	LAA	12						
	E»MSO	1.00	PMV	12						
	F 28% UAN	1.67	PMV	12						

## TITLE: UCNTEPP Early Preplant Evaluation in NoTill Corn C-600W

TRT NUM	TREATMENT COMPONENT	DOSAGE			LAMAM	ABUTH	ZEAMD	STEME	ERICA	TAROF
		RATE	UNIT	TM	CON % 06/20/03	CON % 06/20/03	CON % 07/08/03	CON % 07/08/03	CON % 07/08/03	CON % 07/08/03
12A	BICEP II MAGNU	2.89	LAA	9	99	99	0	99	99	99
	B»WEATHERMAX 4.5	0.75	PMV	9						
	C»LIQUID AMS	2.50	PMV	9						
	D»CALLISTO 4SC	0.094	LAA	12						
	E ATRAZINE DF	0.50	LAA	12						
	F»COC	1.00	PMV	12						
	G 28% UAN	2.00	PMV	12						
13A	FIELDMASTER 4.	4.25	LAA	9	99	99	0	99	99	99
	B»LIQUID AMS	2.50	PMV	9						
	C»YUKON 67.5WG	0.169	LAA	12						
	D»ACTIVATOR 90	0.25	PMV	12						
	E»LIQUID AMS	2.50	PMV	12						
14A	WEATHERMAX 4.5	0.75	PMV	9	99	99	5	99	90	99
	B»LIQUID AMS	2.50	PMV	9						
	C»OPTION 35WDG	0.033	LAA	12						
	D»MSO	1.00	PMV	12						
	E 28% UAN	1.67	PMV	12						
15A	WEATHERMAX 4.5	0.75	PMV	9	99	99	3	99	96	99
	B»LIQUID AMS	2.50	PMV	9						
	C»EQUIP 62WG	0.058	LAA	12						
	D»MSO	1.00	PMV	12						
	E 28% UAN	1.67	PMV	12						
		LSD (0.05)			0.00	0.00	2.30	0.00	4.11	2.32
		STANDARD DEVIATION			0.00	0.00	1.12	0.00	2.00	1.13

**TITLE:** UCNTEPP Early Preplant Evaluation in NoTill Corn C-600W  
**CREATED:** 03/28/2003 **REVISED:** 11/05/2003 **COMPLETED:** N  
**PROJECT TYPE:** HERBICIDE  
**LOCATION:** Urbana **RESEARCHED BY:** UNIV. OF ILL  
**DESIGN:** RANDOMIZED COMPLETE BLOCK DESIGN  
**PLOT SIZE:** 7.50 FT WIDE X 30.00 FT LONG **REPS:** 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	CHEAL	SETFA	LAMAM	ABUTH
		RATE	UNIT		CON % 07/08/03	CON % 07/08/03	CON % 07/08/03	CON % 07/08/03
1A	BALANCE PRO 4S	0.063	LAA	4	97	99	99	95
	B»COC	1.25	PMV	4				
	C»OPTION 35WDG	0.033	LAA	12				
	D»MSO	1.00	PMV	12				
	E 28% UAN	1.67	PMV	12				
2A	BALANCE PRO 4S	0.063	LAA	4	99	99	99	96
	B»COC	1.25	PMV	4				
	C»EQUIP 62WG	0.058	LAA	12				
	D»MSO	1.00	PMV	12				
	E 28% UAN	1.67	PMV	12				
3A	BICEP II MAGNU	2.89	LAA	4	98	99	99	97
	B»COC	1.25	PMV	4				
	C»CALLISTO 4SC	0.094	LAA	12				
	D ATRAZINE DF	0.50	LAA	12				
	E»COC	1.00	PMV	12				
	F 28% UAN	2.00	PMV	12				
4A	FIELDMASTER 4.	4.25	LAA	4	99	94	99	96
	B»LIQUID AMS	2.50	PMV	4				
	C»YUKON 67.5WG	0.169	LAA	12				
	D»ACTIVATOR 90	0.25	PMV	12				
	E»LIQUID AMS	2.50	PMV	12				
5A	BALANCE PRO 4S	0.063	LAA	5	96	99	99	93
	B»WEATHERMAX 4.5	0.75	PMV	5				
	C»LIQUID AMS	2.50	PMV	5				
	D»OPTION 35WDG	0.033	LAA	12				
	E»MSO	1.00	PMV	12				
	F 28% UAN	1.67	PMV	12				
6A	BALANCE PRO 4S	0.063	LAA	5	99	99	99	99
	B»WEATHERMAX 4.5	0.75	PMV	5				
	C»LIQUID AMS	2.50	PMV	5				
	D»EQUIP 62WG	0.058	LAA	12				
	E»MSO	1.00	PMV	12				
	F 28% UAN	1.67	PMV	12				
7A	BICEP II MAGNU	2.89	LAA	5	99	99	99	99
	B»WEATHERMAX 4.5	0.75	PMV	5				
	C»LIQUID AMS	2.50	PMV	5				
	D»CALLISTO 4SC	0.094	LAA	12				
	E ATRAZINE DF	0.50	LAA	12				
	F»COC	1.00	PMV	12				
	G 28% UAN	2.00	PMV	12				
8A	FIELDMASTER 4.	4.25	LAA	5	99	99	99	98
	B»LIQUID AMS	2.50	PMV	5				
	C»YUKON 67.5WG	0.169	LAA	12				
	D»ACTIVATOR 90	0.25	PMV	12				
	E»LIQUID AMS	2.50	PMV	12				
9A	CHECK	0.00	NA	0	0	0	0	0
10A	BALANCE PRO 4S	0.063	LAA	9	97	99	99	97
	B»WEATHERMAX 4.5	0.75	PMV	9				
	C»LIQUID AMS	2.50	PMV	9				
	D»OPTION 35WDG	0.033	LAA	12				
	E»MSO	1.00	PMV	12				
	F 28% UAN	1.67	PMV	12				
11A	BALANCE PRO 4S	0.063	LAA	9	99	99	99	99
	B»WEATHERMAX 4.5	0.75	PMV	9				
	C»LIQUID AMS	2.50	PMV	9				
	D»EQUIP 62WG	0.058	LAA	12				
	E»MSO	1.00	PMV	12				
	F 28% UAN	1.67	PMV	12				

TITLE: UCNTEPP Early Preplant Evaluation in NoTill Corn C-600W

TRT NUM	TREATMENT COMPONENT	DOSAGE RATE	UNIT	TM	CHEAL CON % 07/08/03	SETFA CON % 07/08/03	LAMAM CON % 07/08/03	ABUTH CON % 07/08/03
12A	BICEP II MAGNU	2.89	LAA	9	99	99	99	99
	B>>WEATHERMAX 4.5	0.75	PMV	9				
	C>>LIQUID AMS	2.50	PMV	9				
	D>>CALLISTO 4SC	0.094	LAA	12				
	E ATRAZINE DF	0.50	LAA	12				
	F>>COC	1.00	PMV	12				
	G 28% UAN	2.00	PMV	12				
13A	FIELDMASTER 4.	4.25	LAA	9	99	99	99	98
	B>>LIQUID AMS	2.50	PMV	9				
	C>>YUKON 67.5WG	0.169	LAA	12				
	D>>ACTIVATOR 90	0.25	PMV	12				
	E>>LIQUID AMS	2.50	PMV	12				
14A	WEATHERMAX 4.5	0.75	PMV	9	87	99	99	94
	B>>LIQUID AMS	2.50	PMV	9				
	C>>OPTION 35WDG	0.033	LAA	12				
	D>>MSO	1.00	PMV	12				
	E 28% UAN	1.67	PMV	12				
15A	WEATHERMAX 4.5	0.75	PMV	9	94	99	99	96
	B>>LIQUID AMS	2.50	PMV	9				
	C>>EQUIP 62WG	0.058	LAA	12				
	D>>MSO	1.00	PMV	12				
	E 28% UAN	1.67	PMV	12				
		LSD (0.05)			3.37	2.46	0.00	1.74
		STANDARD DEVIATION			1.64	1.19	0.00	0.845

>> = SUPPLEMENTAL CHEMICAL

\* TIMING CODES

- 00 = ----- / UNTREATED TIMING
- 04 = ----- / EPP 30DBP 03/31/2003 (1)
- 05 = ----- / EPP 15DBP 04/14/2003 (2)
- 09 = ----- / PREEMERGENCE 04/28/2003 (3)
- 12 = ----- / POST 06/11/2003 (4)

H#	CUSTOM#1	CUSTOM#2	EV.DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTRT	SS	NOTE
001	ZEAMD	CON %	04/30/2003	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
002	STEME	CON %	04/30/2003	02	P	STEME		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
003	ERICA	CON %	04/30/2003	03	P	ERICA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
004	TAROF	CON %	04/30/2003	04	P	TAROF		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
005	CHEAL	CON %	04/30/2003	05	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
006	SETFA	CON %	04/30/2003	06	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
007	LAMAM	CON %	04/30/2003	07	P	LAMAM		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
008	ABUTH	CON %	04/30/2003	08	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
009	ZEAMD	CON %	05/09/2003	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
010	STEME	CON %	05/09/2003	02	P	STEME		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
011	ERICA	CON %	05/09/2003	03	P	ERICA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
012	TAROF	CON %	05/09/2003	04	P	TAROF		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
013	CHEAL	CON %	05/09/2003	05	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
014	SETFA	CON %	05/09/2003	06	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
015	LAMAM	CON %	05/09/2003	07	P	LAMAM		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
016	ABUTH	CON %	05/09/2003	08	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
017	ZEAMD	CON %	05/29/2003	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
018	STEME	CON %	05/29/2003	02	P	STEME		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
019	ERICA	CON %	05/29/2003	03	P	ERICA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
020	TAROF	CON %	05/29/2003	04	P	TAROF		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
021	CHEAL	CON %	05/29/2003	05	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
022	SETFA	CON %	05/29/2003	06	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
023	LAMAM	CON %	05/29/2003	07	P	LAMAM		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
024	ABUTH	CON %	05/29/2003	08	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
025	ZEAMD	CON %	06/20/2003	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
026	STEME	CON %	06/20/2003	02	P	STEME		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
027	ERICA	CON %	06/20/2003	03	P	ERICA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
028	TAROF	CON %	06/20/2003	04	P	TAROF		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
029	CHEAL	CON %	06/20/2003	05	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
030	SETFA	CON %	06/20/2003	06	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
031	LAMAM	CON %	06/20/2003	07	P	LAMAM		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N



## TITLE: UCNTEPP Early Preplant Evaluation in NoTill Corn C-600W

H#	CUSTOM#1	CUSTOM#2	EV.DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTRTR	SS	NOTE
032	ABUTH	CON %	06/20/2003	08	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
033	ZEAMD	CON %	07/08/2003	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
034	STEME	CON %	07/08/2003	02	P	STEME		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
035	ERICA	CON %	07/08/2003	03	P	ERICA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
036	TAROF	CON %	07/08/2003	04	P	TAROF		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
037	CHEAL	CON %	07/08/2003	05	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
038	SETFA	CON %	07/08/2003	06	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
039	LAMAM	CON %	07/08/2003	07	P	LAMAM		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
040	ABUTH	CON %	07/08/2003	08	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

\* SPECIES COMMON NAME - CULTIVAR (IF APPLICABLE)

01 = DEKALB 6017 RR