

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: SIL
 PH: 6.4
 %OM: 4.8
 PREV.CROP: GLXMA - SOYBEAN
 %RESIDUE: 0
 PLOT WIDTH: 7.5 X 36 FEET

DESIGN: RCB
 REPS: 3

APPL. NUMBER	01	02	03	UNIT
TIMINGS	09	11	12	
TYPE	LIQMIX	LIQMIX	LIQMIX	
APPLICATION DATE	05/07/03	05/19/03	05/27/03	AME
AIR TEMPERATURE	84	74	75	F
% REL.HUMIDITY	40	73	35	
WIND DIRECTION	SOUTHWEST	SOUTHEAST	NORTH	
WIND SPEED	15.0	6.0	3.0	M/H
CLOUD COVER	CLEAR	OVERCAST	CLEAR	
DEW	NO	---	---	
SOIL MOISTURE	DRY/MOIST	DRY/MOIST	DRY/MOIST	
SOIL CONDITION	---	---	---	
METHOD	SPRAY	SPRAY	SPRAY	
EQUIPMENT	SPRBAC	SPRBAC	SPRBAC	
PROPELLANT	COMCO2	COMCO2	COMCO2	
PLACEMENT	BRFOSO	BRFOSO	BRFOSO	
NOZZLE	FLATFAN	FLATFAN	FLATFAN	
NOZZLE NUMBER	5	5	5	
NOZZLE SPACING	18.000	18.000	18.000	IN
SWATH WIDTH	7.5	7.5	7.5	FT
SPRAY VOLUME	20.00	20.00	20.00	
VOLUME UNIT	GPA	GPA	GPA	
PRESSURE	42.00	42.00	42.00	PSI
DILUENT	WATER	WATER	WATER	
INC. DATE				AME
INC. START				24H
INC. END				24H
INC. DEPTH				IN
INC. EQUIPMENT	---	---	---	
DEN/ STG/ MINMAXSZ				
*** CROP *** CORN, DENT DEKALB 6017 RR 04/14/2003		---/13 6.00/6.00	---/15 15.0/15.0	IN
*** PEST *** VELVETLEAF		---/12 1.00/3.00	---/14 2.00/4.00	IN
RAGWEED, COMMON		---/12 1.00/3.00	---/14 2.00/6.00	IN
LAMBSQUARTERS, C		---/17 1.00/2.00	---/19 2.00/8.00	IN
MORNINGGLORY, TA		---/12 1.00/2.00	---/14 2.00/4.00	IN
SMARTWEED, PENNS		---/18 3.00/5.00	---/19 2.00/8.00	IN
FOXTAIL, GIANT		---/12 4.00/4.00	---/13 2.00/10.0	IN
COCKLEBUR, COMMO			---/12 1.00/3.00	IN

* TIMING CODES

09 = ----- / PREEMERGENCE
 11 = ----- / EPOST
 12 = ----- / POST

* STAGE CODE

12 = 2 LEAVES UNFOLDED
 13 = 3 LEAVES UNFOLDED
 14 = 4TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 15 = 5 LEAVES UNFOLDED
 17 = 7TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 18 = 8TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

* STAGE CODE

19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

TITLE: Roundup Ready and Conventional Systems in Corn II C-500
CREATED: 04/10/2003 **REVISED:** 11/05/2003 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT **WIDE X** 36.00 FT **LONG** **REPS:** 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	ZEAMD	SETFA	AMBEL	ABUTH	POLPY	CHEAL
		RATE	UNIT		CON % 05/07/03	CON % 05/07/03	CON % 05/07/03	CON % 05/07/03	CON % 05/07/03	CON % 05/07/03
1A	»PROWL H20 3.8C	1.00	LAA	11	0					
	B»ROUNDUP ORIGIN	0.56	LAA	11						
	C»ACTIVATOR 90	0.25	PMV	11						
	D»LIQUID AMS	3.67	PMV	11						
2A	»OUTLOOK 6EC	0.56	LAA	9	0	98	27	13	43	53
	B CLARITY	0.25	LAA	11						
	C»ROUNDUP ORIGIN	0.38	LAA	11						
	D»ACTIVATOR 90	0.25	PMV	11						
	E»LIQUID AMS	3.67	PMV	11						
3A	»OUTLOOK 6EC	0.56	LAA	11	0					
	B CLARITY	0.25	LAA	11						
	C»ROUNDUP ORIGIN	0.38	LAA	11						
	D»ACTIVATOR 90	0.25	PMV	11						
	E»LIQUID AMS	3.67	PMV	11						
4A	CLARITY	0.25	LAA	11	0					
	B»ROUNDUP ORIGIN	0.38	LAA	11						
	C»ACTIVATOR 90	0.25	PMV	11						
	D»LIQUID AMS	3.67	PMV	11						
5A	»DISTINCT 70WG	0.088	LAA	11	0					
	B»ROUNDUP ORIGIN	0.38	LAA	11						
	C»ACTIVATOR 90	0.25	PMV	11						
	D»LIQUID AMS	3.67	PMV	11						
6A	»DISTINCT 70WG	0.175	LAA	11	0					
	B»ROUNDUP ORIGIN	0.38	LAA	11						
	C»ACTIVATOR 90	0.25	PMV	11						
	D»LIQUID AMS	3.67	PMV	11						
7A	»WEATHERMAX 4.5	0.75	LAA	11	0					
	B»LIQUID AMS	3.67	PMV	11						
8A	»OUTLOOK 6EC	0.56	LAA	9	0	98	27	13	33	47
	B CLARITY	0.25	LAA	12						
	C»ROUNDUP ORIGIN	0.38	LAA	12						
	D»ACTIVATOR 90	0.25	PMV	12						
	E»LIQUID AMS	3.67	PMV	12						
9A	»OUTLOOK 6EC	0.56	LAA	9	0	99	27	17	33	57
	B»DISTINCT 70WG	0.088	LAA	12						
	C»ROUNDUP ORIGIN	0.38	LAA	12						
	D»ACTIVATOR 90	0.25	PMV	12						
	E»LIQUID AMS	3.67	PMV	12						
10A	»OUTLOOK 6EC	0.56	LAA	9	0	99	23	17	37	47
	B»DISTINCT 70WG	0.175	LAA	12						
	C»ROUNDUP ORIGIN	0.38	LAA	12						
	D»ACTIVATOR 90	0.25	PMV	12						
	E»LIQUID AMS	3.67	PMV	12						
11A	»OUTLOOK 6EC	0.56	LAA	9	0	98	23	17	43	53
	B»WEATHERMAX 4.5	0.75	LAA	12						
	C»LIQUID AMS	3.67	PMV	12						
12A	»PROWL H20 3.8C	1.00	LAA	12	0					
	B»ROUNDUP ORIGIN	0.56	LAA	12						
	C»ACTIVATOR 90	0.25	PMV	12						
	D»LIQUID AMS	3.67	PMV	12						
13A	CHECK	0.00	NA	0	0	0	0	0	0	0
14A	»HORNET 68.5WG	0.128	LAA	11	0					
	B»GLYPHOMAX HC 5	0.56	LAA	11						
	C»LIQUID AMS	3.67	PMV	11						

TITLE: Roundup Ready and Conventional Systems in Corn II C-500

TRT NUM	TREATMENT COMPONENT	DOSAGE		ZEAMD	SETFA	AMBEL	ABUTH	POLPY	CHEAL
		RATE	UNIT TM	CON % 05/07/03	CON % 05/07/03	CON % 05/07/03	CON % 05/07/03	CON % 05/07/03	CON % 05/07/03
15A»	CALLISTO 4SC	0.094	LAA 11	0					
	B»TOUCHDN KPMG 4	0.56	LAA 11						
	C»LIQUID AMS	3.67	PMV 11						
16A»	YUKON 67.5WG	0.169	LAA 11	0					
	B»WEATHERMAX 4.5	0.56	LAA 11						
	C»LIQUID AMS	3.67	PMV 11						
			LSD (0.05)	0.00	0.899	5.49	7.18	5.65	7.80
			STANDARD DEVIATION	0.00	0.439	2.68	3.50	2.76	3.81

TITLE: Roundup Ready and Conventional Systems in Corn II C-500
CREATED: 04/10/2003 **REVISED:** 11/05/2003 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT **WIDE X** 36.00 FT **LONG** **REPS:** 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	PHBPU	XANST	ZEAMD	SETFA	AMBEL	ABUTH
		RATE	UNIT		CON % 05/07/03	CON % 05/07/03	CON % 06/06/03	CON % 06/06/03	CON % 06/06/03	CON % 06/06/03
1A	PROWL H20 3.8C	1.00	LAA	11			0	99	98	99
B	ROUNDUP ORIGIN	0.56	LAA	11						
C	ACTIVATOR 90	0.25	PMV	11						
D	LIQUID AMS	3.67	PMV	11						
2A	OUTLOOK 6EC	0.56	LAA	9	17	10	0	98	99	99
B	CLARITY	0.25	LAA	11						
C	ROUNDUP ORIGIN	0.38	LAA	11						
D	ACTIVATOR 90	0.25	PMV	11						
E	LIQUID AMS	3.67	PMV	11						
3A	OUTLOOK 6EC	0.56	LAA	11			5	98	98	99
B	CLARITY	0.25	LAA	11						
C	ROUNDUP ORIGIN	0.38	LAA	11						
D	ACTIVATOR 90	0.25	PMV	11						
E	LIQUID AMS	3.67	PMV	11						
4A	CLARITY	0.25	LAA	11			0	98	99	99
B	ROUNDUP ORIGIN	0.38	LAA	11						
C	ACTIVATOR 90	0.25	PMV	11						
D	LIQUID AMS	3.67	PMV	11						
5A	DISTINCT 70WG	0.088	LAA	11			0	98	99	99
B	ROUNDUP ORIGIN	0.38	LAA	11						
C	ACTIVATOR 90	0.25	PMV	11						
D	LIQUID AMS	3.67	PMV	11						
6A	DISTINCT 70WG	0.175	LAA	11			0	98	99	99
B	ROUNDUP ORIGIN	0.38	LAA	11						
C	ACTIVATOR 90	0.25	PMV	11						
D	LIQUID AMS	3.67	PMV	11						
7A	WEATHERMAX 4.5	0.75	LAA	11			0	97	99	99
B	LIQUID AMS	3.67	PMV	11						
8A	OUTLOOK 6EC	0.56	LAA	9	13	10	8	99	98	99
B	CLARITY	0.25	LAA	12						
C	ROUNDUP ORIGIN	0.38	LAA	12						
D	ACTIVATOR 90	0.25	PMV	12						
E	LIQUID AMS	3.67	PMV	12						
9A	OUTLOOK 6EC	0.56	LAA	9	17	13	3	99	99	99
B	DISTINCT 70WG	0.088	LAA	12						
C	ROUNDUP ORIGIN	0.38	LAA	12						
D	ACTIVATOR 90	0.25	PMV	12						
E	LIQUID AMS	3.67	PMV	12						
10A	OUTLOOK 6EC	0.56	LAA	9	20	13	5	99	99	99
B	DISTINCT 70WG	0.175	LAA	12						
C	ROUNDUP ORIGIN	0.38	LAA	12						
D	ACTIVATOR 90	0.25	PMV	12						
E	LIQUID AMS	3.67	PMV	12						
11A	OUTLOOK 6EC	0.56	LAA	9	13	10	0	99	97	96
B	WEATHERMAX 4.5	0.75	LAA	12						
C	LIQUID AMS	3.67	PMV	12						
12A	PROWL H20 3.8C	1.00	LAA	12			3	93	85	85
B	ROUNDUP ORIGIN	0.56	LAA	12						
C	ACTIVATOR 90	0.25	PMV	12						
D	LIQUID AMS	3.67	PMV	12						
13A	CHECK	0.00	NA	0	0	0	0	0	0	0
14A	HORNET 68.5WG	0.128	LAA	11			0	98	99	99
B	GLYPHOMAX HC 5	0.56	LAA	11						
C	LIQUID AMS	3.67	PMV	11						

TITLE: Roundup Ready and Conventional Systems in Corn II C-500

TRT NUM	TREATMENT COMPONENT	DOSAGE		PHBPU	XANST	ZEAMD	SETFA	AMBEL	ABUTH
		RATE	UNIT TM	CON % 05/07/03	CON % 05/07/03	CON % 06/06/03	CON % 06/06/03	CON % 06/06/03	CON % 06/06/03
15A»	CALLISTO 4SC	0.094	LAA 11			0	99	98	99
	B»TOUCHDN KPMG 4	0.56	LAA 11						
	C»LIQUID AMS	3.67	PMV 11						
16A»	YUKON 67.5WG	0.169	LAA 11			0	97	99	99
	B»WEATHERMAX 4.5	0.56	LAA 11						
	C»LIQUID AMS	3.67	PMV 11						
			LSD (0.05)	4.62	3.59	2.16	1.85	2.49	2.25
			STANDARD DEVIATION	2.25	1.75	1.05	0.905	1.22	1.10

TITLE: Roundup Ready and Conventional Systems in Corn II C-500
CREATED: 04/10/2003 **REVISED:** 11/05/2003 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT **WIDE X** 36.00 FT **LONG** **REPS:** 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	POLPY	CHEAL	PHBPU	XANST	ZEAMD	SETFA
		RATE	UNIT		CON % 06/06/03	CON % 06/06/03	CON % 06/06/03	CON % 06/06/03	CON % 06/26/03	CON % 06/26/03
1A	»PROWL H20 3.8C	1.00	LAA	11	99	99	95	96	0	91
	B»ROUNDUP ORIGIN	0.56	LAA	11						
	C»ACTIVATOR 90	0.25	PMV	11						
	D»LIQUID AMS	3.67	PMV	11						
2A	»OUTLOOK 6EC	0.56	LAA	9	99	99	96	95	0	96
	B CLARITY	0.25	LAA	11						
	C»ROUNDUP ORIGIN	0.38	LAA	11						
	D»ACTIVATOR 90	0.25	PMV	11						
	E»LIQUID AMS	3.67	PMV	11						
3A	»OUTLOOK 6EC	0.56	LAA	11	99	99	98	98	0	91
	B CLARITY	0.25	LAA	11						
	C»ROUNDUP ORIGIN	0.38	LAA	11						
	D»ACTIVATOR 90	0.25	PMV	11						
	E»LIQUID AMS	3.67	PMV	11						
4A	CLARITY	0.25	LAA	11	99	99	96	96	0	81
	B»ROUNDUP ORIGIN	0.38	LAA	11						
	C»ACTIVATOR 90	0.25	PMV	11						
	D»LIQUID AMS	3.67	PMV	11						
5A	»DISTINCT 70WG	0.088	LAA	11	99	99	95	96	0	78
	B»ROUNDUP ORIGIN	0.38	LAA	11						
	C»ACTIVATOR 90	0.25	PMV	11						
	D»LIQUID AMS	3.67	PMV	11						
6A	»DISTINCT 70WG	0.175	LAA	11	99	99	98	98	0	81
	B»ROUNDUP ORIGIN	0.38	LAA	11						
	C»ACTIVATOR 90	0.25	PMV	11						
	D»LIQUID AMS	3.67	PMV	11						
7A	»WEATHERMAX 4.5	0.75	LAA	11	99	99	94	95	0	82
	B»LIQUID AMS	3.67	PMV	11						
8A	»OUTLOOK 6EC	0.56	LAA	9	99	99	97	97	0	98
	B CLARITY	0.25	LAA	12						
	C»ROUNDUP ORIGIN	0.38	LAA	12						
	D»ACTIVATOR 90	0.25	PMV	12						
	E»LIQUID AMS	3.67	PMV	12						
9A	»OUTLOOK 6EC	0.56	LAA	9	99	99	98	99	0	98
	B»DISTINCT 70WG	0.088	LAA	12						
	C»ROUNDUP ORIGIN	0.38	LAA	12						
	D»ACTIVATOR 90	0.25	PMV	12						
	E»LIQUID AMS	3.67	PMV	12						
10A	»OUTLOOK 6EC	0.56	LAA	9	99	99	99	98	0	99
	B»DISTINCT 70WG	0.175	LAA	12						
	C»ROUNDUP ORIGIN	0.38	LAA	12						
	D»ACTIVATOR 90	0.25	PMV	12						
	E»LIQUID AMS	3.67	PMV	12						
11A	»OUTLOOK 6EC	0.56	LAA	9	96	99	95	98	0	99
	B»WEATHERMAX 4.5	0.75	LAA	12						
	C»LIQUID AMS	3.67	PMV	12						
12A	»PROWL H20 3.8C	1.00	LAA	12	86	93	85	91	20	99
	B»ROUNDUP ORIGIN	0.56	LAA	12						
	C»ACTIVATOR 90	0.25	PMV	12						
	D»LIQUID AMS	3.67	PMV	12						
13A	CHECK	0.00	NA	0	0	0	0	0	0	0
14A	»HORNET 68.5WG	0.128	LAA	11	99	99	96	94	0	83
	B»GLYPHOMAX HC 5	0.56	LAA	11						
	C»LIQUID AMS	3.67	PMV	11						

TITLE: Roundup Ready and Conventional Systems in Corn II C-500

TRT NUM	TREATMENT COMPONENT	DOSAGE		POLPY	CHEAL	PHBPU	XANST	ZEAMD	SETFA
		RATE	UNIT TM	CON % 06/06/03	CON % 06/06/03	CON % 06/06/03	CON % 06/06/03	CON % 06/26/03	CON % 06/26/03
15A»	CALLISTO 4SC	0.094	LAA 11	99	98	98	97	0	78
	B»TOUCHDN KPMG 4	0.56	LAA 11						
	C»LIQUID AMS	3.67	PMV 11						
16A»	YUKON 67.5WG	0.169	LAA 11	99	99	98	98	0	83
	B»WEATHERMAX 4.5	0.56	LAA 11						
	C»LIQUID AMS	3.67	PMV 11						
			LSD (0.05)	2.32	1.36	3.11	2.00	0.00	4.15
			STANDARD DEVIATION	1.13	0.663	1.52	1.00	0.00	2.00

TITLE: Roundup Ready and Conventional Systems in Corn II C-500
CREATED: 04/10/2003 **REVISED:** 11/05/2003 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT **WIDE X** 36.00 FT **LONG** **REPS:** 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	AMBEL	ABUTH	POLPY	CHEAL	PHBPU	XANST
		RATE	UNIT		CON % 06/26/03	CON % 06/26/03	CON % 06/26/03	CON % 06/26/03	CON % 06/26/03	CON % 06/26/03
1A	»PROWL H20 3.8C	1.00	LAA	11	89	88	98	99	80	78
	B»ROUNDUP ORIGIN	0.56	LAA	11						
	C»ACTIVATOR 90	0.25	PMV	11						
	D»LIQUID AMS	3.67	PMV	11						
2A	»OUTLOOK 6EC	0.56	LAA	9	99	93	99	99	89	87
	B CLARITY	0.25	LAA	11						
	C»ROUNDUP ORIGIN	0.38	LAA	11						
	D»ACTIVATOR 90	0.25	PMV	11						
	E»LIQUID AMS	3.67	PMV	11						
3A	»OUTLOOK 6EC	0.56	LAA	11	99	93	99	99	93	89
	B CLARITY	0.25	LAA	11						
	C»ROUNDUP ORIGIN	0.38	LAA	11						
	D»ACTIVATOR 90	0.25	PMV	11						
	E»LIQUID AMS	3.67	PMV	11						
4A	CLARITY	0.25	LAA	11	93	88	99	98	84	80
	B»ROUNDUP ORIGIN	0.38	LAA	11						
	C»ACTIVATOR 90	0.25	PMV	11						
	D»LIQUID AMS	3.67	PMV	11						
5A	»DISTINCT 70WG	0.088	LAA	11	93	91	99	99	85	81
	B»ROUNDUP ORIGIN	0.38	LAA	11						
	C»ACTIVATOR 90	0.25	PMV	11						
	D»LIQUID AMS	3.67	PMV	11						
6A	»DISTINCT 70WG	0.175	LAA	11	99	92	99	99	85	83
	B»ROUNDUP ORIGIN	0.38	LAA	11						
	C»ACTIVATOR 90	0.25	PMV	11						
	D»LIQUID AMS	3.67	PMV	11						
7A	»WEATHERMAX 4.5	0.75	LAA	11	90	87	96	88	72	75
	B»LIQUID AMS	3.67	PMV	11						
8A	»OUTLOOK 6EC	0.56	LAA	9	99	94	99	99	90	88
	B CLARITY	0.25	LAA	12						
	C»ROUNDUP ORIGIN	0.38	LAA	12						
	D»ACTIVATOR 90	0.25	PMV	12						
	E»LIQUID AMS	3.67	PMV	12						
9A	»OUTLOOK 6EC	0.56	LAA	9	99	98	99	99	93	90
	B»DISTINCT 70WG	0.088	LAA	12						
	C»ROUNDUP ORIGIN	0.38	LAA	12						
	D»ACTIVATOR 90	0.25	PMV	12						
	E»LIQUID AMS	3.67	PMV	12						
10A	»OUTLOOK 6EC	0.56	LAA	9	99	99	99	99	96	93
	B»DISTINCT 70WG	0.175	LAA	12						
	C»ROUNDUP ORIGIN	0.38	LAA	12						
	D»ACTIVATOR 90	0.25	PMV	12						
	E»LIQUID AMS	3.67	PMV	12						
11A	»OUTLOOK 6EC	0.56	LAA	9	95	95	99	99	93	91
	B»WEATHERMAX 4.5	0.75	LAA	12						
	C»LIQUID AMS	3.67	PMV	12						
12A	»PROWL H20 3.8C	1.00	LAA	12	99	97	99	93	94	96
	B»ROUNDUP ORIGIN	0.56	LAA	12						
	C»ACTIVATOR 90	0.25	PMV	12						
	D»LIQUID AMS	3.67	PMV	12						
13A	CHECK	0.00	NA	0	0	0	0	0	0	0
14A	»HORNET 68.5WG	0.128	LAA	11	93	89	99	99	87	82
	B»GLYPHOMAX HC 5	0.56	LAA	11						
	C»LIQUID AMS	3.67	PMV	11						

TITLE: Roundup Ready and Conventional Systems in Corn II C-500

TRT NUM	TREATMENT COMPONENT	DOSAGE RATE	DOSAGE UNIT	AMBEL CON % 06/26/03	ABUTH CON % 06/26/03	POLPY CON % 06/26/03	CHEAL CON % 06/26/03	PHBPU CON % 06/26/03	XANST CON % 06/26/03
15A	CALLISTO 4SC	0.094	LAA 11	99	99	99	99	95	93
	B>TOUCHDN KPMG 4	0.56	LAA 11						
	C>LIQUID AMS	3.67	PMV 11						
16A	YUKON 67.5WG	0.169	LAA 11	99	93	99	99	93	89
	B>WEATHERMAX 4.5	0.56	LAA 11						
	C>LIQUID AMS	3.67	PMV 11						
		LSD (0.05)		2.68	3.39	2.31	1.58	4.88	4.48
		STANDARD DEVIATION		1.31	1.66	1.13	0.773	2.39	2.19

>> = SUPPLEMENTAL CHEMICAL

* TIMING CODES

00 = ----- / UNTREATED TIMING
 09 = ----- / PREEMERGENCE 05/07/2003(1)
 11 = ----- / EPOST 05/19/2003(2)
 12 = ----- / POST 05/27/2003(3)

H#	CUSTOM#1	CUSTOM#2	EV. DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTR	SS	NOTE
001	ZEAMD	CON %	05/07/2003	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
002	SETFA	CON %	05/07/2003	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
003	AMBEL	CON %	05/07/2003	03	P	AMBEL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
004	ABUTH	CON %	05/07/2003	04	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
005	POLPY	CON %	05/07/2003	05	P	POLPY		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
006	CHEAL	CON %	05/07/2003	06	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
007	PHBPU	CON %	05/07/2003	07	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
008	XANST	CON %	05/07/2003	08	P	XANST		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
009	ZEAMD	CON %	06/06/2003	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
010	SETFA	CON %	06/06/2003	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
011	AMBEL	CON %	06/06/2003	03	P	AMBEL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
012	ABUTH	CON %	06/06/2003	04	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
013	POLPY	CON %	06/06/2003	05	P	POLPY		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
014	CHEAL	CON %	06/06/2003	06	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
015	PHBPU	CON %	06/06/2003	07	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
016	XANST	CON %	06/06/2003	08	P	XANST		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
017	ZEAMD	CON %	06/26/2003	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
018	SETFA	CON %	06/26/2003	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
019	AMBEL	CON %	06/26/2003	03	P	AMBEL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
020	ABUTH	CON %	06/26/2003	04	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
021	POLPY	CON %	06/26/2003	05	P	POLPY		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
022	CHEAL	CON %	06/26/2003	06	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
023	PHBPU	CON %	06/26/2003	07	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
024	XANST	CON %	06/26/2003	08	P	XANST		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

* SPECIES COMMON NAME - CULTIVAR (IF APPLICABLE)

01 = DEKALB 6017 RR