

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: SIL
 PH: 6.4
 %OM: 4.8
 PREV.CROP: GLXMA - SOYBEAN
 %RESIDUE: 0
 PLOT WIDTH: 10 X 72 FEET

DESIGN: RCB
 REPS: 3

APPL. NUMBER	01	02	UNIT
TIMINGS	09	12	
TYPE	LIQMIX	LIQMIX	
APPLICATION DATE	05/10/04	06/14/04	AME
AIR TEMPERATURE	80	75	F
% REL.HUMIDITY	70	60	
WIND DIRECTION	SOUTHWEST	SOUTHWEST	
WIND SPEED	13.0	5.0	M/H
CLOUD COVER	PARTCLDY	PARTCLDY	
DEW	---	NO	
SOIL MOISTURE	DRY/MOIST	DRY/MOIST	
SOIL CONDITION	---	---	
METHOD	SPRAY	SPRAY	
EQUIPMENT	SPRBAC	SPRBAC	
PROPELLANT	COMCO2	COMCO2	
PLACEMENT	BRFOSO	BRFOSO	
NOZZLE	FLATFAN	FLATFAN	
NOZZLE NUMBER	6	6	
NOZZLE SPACING	20.000	20.000	IN
SWATH WIDTH	10.0	10.0	FT
SPRAY VOLUME	15.00	20.00	
VOLUME UNIT	GPA	GPA	
PRESSURE	32.00	32.00	PSI
DILUENT	WATER	WATER	
INC. DATE			AME
INC. START			24H
INC. END			24H
INC. DEPTH			IN
INC. EQUIPMENT	---	---	
DN/SG/MMZ			
*** PEST ***			
VELVETLEAF		---/15 3.00/5.00	IN
WATERHEMP, COMMO		---/19 3.00/6.00	IN
LAMBSQUARTERS, C		---/19 3.00/5.00	IN
MORNINGGLORY, TA		---/16 2.00/4.00	IN
SMARTWEED, PENNS		---/19 3.00/6.00	IN
FOXTAIL, GIANT		---/13 4.00/8.00	IN
CORN, DENT RRCORN 05/10/2004		---/17 12.0/14.0	IN

* TIMING CODES

09 = ----- / PREEMERGENCE
 12 = ----- / POST

* STAGE CODE

13 = 3 LEAVES UNFOLDED
 15 = 5TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 16 = 6TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 17 = 7 LEAVES UNFOLDED
 19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

TITLE: Hybrids and Tillage Systems in Roundup Ready Corn C-500E
CREATED: 04/13/2004 **REVISED:** 10/20/2004 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT **WIDE X** 72.00 FT **LONG** **REPS:** 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	ZEAMD	SETFA	AMATA	CHEAL	AMATA	ABUTH
		RATE	UNIT		CON % 06/02/04	CON % 06/02/04	POLPY 06/02/04	CON % 06/02/04	CON % 06/02/04	CON % 06/02/04
1A	CONVENTIONAL T	0.00	PAM	0	0	99	99	99	99	57
	B»DKC 60-09 RR2Y	0.00	NA	0						
	C»BICEP II MAGNU	2.89	LAA	9						
	D»CALLISTO 4SC	0.094	LAA	12						
	E ATRAZINE DF	0.25	LAA	12						
	F»COC	1.00	PMV	12						
	G 28% UAN	2.50	PMV	12						
2A	CONVENTIONAL T	0.00	PAM	0	0	98	99	99	99	53
	B»RX 718 RR2YGCB	0.00	NA	0						
	C»BICEP II MAGNU	2.89	LAA	9						
	D»CALLISTO 4SC	0.094	LAA	12						
	E ATRAZINE DF	0.25	LAA	12						
	F»COC	1.00	PMV	12						
	G 28% UAN	2.50	PMV	12						
3A	CONVENTIONAL T	0.00	PAM	0	0	98	99	99	99	57
	B»RX 752 RR2YGCB	0.00	NA	0						
	C»BICEP II MAGNU	2.89	LAA	9						
	D»CALLISTO 4SC	0.094	LAA	12						
	E ATRAZINE DF	0.25	LAA	12						
	F»COC	1.00	PMV	12						
	G 28% UAN	2.50	PMV	12						
4A	CONVENTIONAL T	0.00	PAM	0	0	99	99	99	99	50
	B»DKC 60-09 RR2Y	0.00	NA	0						
	C HARNESS XTRA	2.10	LAA	9						
	D»WEATHERMAX 4.5	0.75	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						
5A	CONVENTIONAL T	0.00	PAM	0	0	99	99	99	99	55
	B»RX 718 RR2YGCB	0.00	NA	0						
	C HARNESS XTRA	2.10	LAA	9						
	D»WEATHERMAX 4.5	0.75	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						
6A	CONVENTIONAL T	0.00	PAM	0	0	99	99	99	99	63
	B»RX 752 RR2YGCB	0.00	NA	0						
	C HARNESS XTRA	2.10	LAA	9						
	D»WEATHERMAX 4.5	0.75	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						
7A	STRIP TILL	0.00	NA	0	0	98	99	99	98	50
	B»DKC 60-09 RR2Y	0.00	NA	0						
	C»BICEP II MAGNU	2.89	LAA	9						
	D»CALLISTO 4SC	0.094	LAA	12						
	E ATRAZINE DF	0.25	LAA	12						
	F»COC	1.00	PMV	12						
	G 28% UAN	2.50	PMV	12						
8A	STRIP TILL	0.00	NA	0	0	98	99	99	99	65
	B»RX 718 RR2YGCB	0.00	NA	0						
	C»BICEP II MAGNU	2.89	LAA	9						
	D»CALLISTO 4SC	0.094	LAA	12						
	E ATRAZINE DF	0.25	LAA	12						
	F»COC	1.00	PMV	12						
	G 28% UAN	2.50	PMV	12						
9A	STRIP TILL	0.00	NA	0	0	98	99	99	98	57
	B»RX 752 RR2YGCB	0.00	NA	0						
	C»BICEP II MAGNU	2.89	LAA	9						
	D»CALLISTO 4SC	0.094	LAA	12						
	E ATRAZINE DF	0.25	LAA	12						
	F»COC	1.00	PMV	12						
	G 28% UAN	2.50	PMV	12						
10A	STRIP TILL	0.00	NA	0	0	99	99	99	99	68
	B»DKC 60-09 RR2Y	0.00	NA	0						
	C HARNESS XTRA	2.10	LAA	9						
	D»WEATHERMAX 4.5	0.75	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						

TITLE: Hybrids and Tillage Systems in Roundup Ready Corn C-500E
CREATED: 04/13/2004 **REVISED:** 10/20/2004 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT **WIDE X** 72.00 FT **LONG** **REPS:** 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	PHBPU	ZEAMD	SETFA	POLPY	CHEAL	AMATA
		RATE	UNIT		CON % 06/02/04	CON % 06/22/04	CON % 06/22/04	CON % 06/22/04	CON % 06/22/04	CON % 06/22/04
1A	CONVENTIONAL T	0.00	PAM	0	53	0	99	99	99	99
	B»DKC 60-09 RR2Y	0.00	NA	0						
	C»BICEP II MAGNU	2.89	LAA	9						
	D»CALLISTO 4SC	0.094	LAA	12						
	E ATRAZINE DF	0.25	LAA	12						
	F»COC	1.00	PMV	12						
	G 28% UAN	2.50	PMV	12						
2A	CONVENTIONAL T	0.00	PAM	0	47	0	99	99	99	99
	B»RX 718 RR2YGCB	0.00	NA	0						
	C»BICEP II MAGNU	2.89	LAA	9						
	D»CALLISTO 4SC	0.094	LAA	12						
	E ATRAZINE DF	0.25	LAA	12						
	F»COC	1.00	PMV	12						
	G 28% UAN	2.50	PMV	12						
3A	CONVENTIONAL T	0.00	PAM	0	53	0	98	99	99	99
	B»RX 752 RR2YGCB	0.00	NA	0						
	C»BICEP II MAGNU	2.89	LAA	9						
	D»CALLISTO 4SC	0.094	LAA	12						
	E ATRAZINE DF	0.25	LAA	12						
	F»COC	1.00	PMV	12						
	G 28% UAN	2.50	PMV	12						
4A	CONVENTIONAL T	0.00	PAM	0	43	0	99	99	99	99
	B»DKC 60-09 RR2Y	0.00	NA	0						
	C HARNESS XTRA	2.10	LAA	9						
	D»WEATHERMAX 4.5	0.75	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						
5A	CONVENTIONAL T	0.00	PAM	0	43	0	99	99	99	99
	B»RX 718 RR2YGCB	0.00	NA	0						
	C HARNESS XTRA	2.10	LAA	9						
	D»WEATHERMAX 4.5	0.75	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						
6A	CONVENTIONAL T	0.00	PAM	0	53	0	98	99	99	99
	B»RX 752 RR2YGCB	0.00	NA	0						
	C HARNESS XTRA	2.10	LAA	9						
	D»WEATHERMAX 4.5	0.75	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						
7A	STRIP TILL	0.00	NA	0	43	0	99	99	99	99
	B»DKC 60-09 RR2Y	0.00	NA	0						
	C»BICEP II MAGNU	2.89	LAA	9						
	D»CALLISTO 4SC	0.094	LAA	12						
	E ATRAZINE DF	0.25	LAA	12						
	F»COC	1.00	PMV	12						
	G 28% UAN	2.50	PMV	12						
8A	STRIP TILL	0.00	NA	0	60	0	98	99	99	99
	B»RX 718 RR2YGCB	0.00	NA	0						
	C»BICEP II MAGNU	2.89	LAA	9						
	D»CALLISTO 4SC	0.094	LAA	12						
	E ATRAZINE DF	0.25	LAA	12						
	F»COC	1.00	PMV	12						
	G 28% UAN	2.50	PMV	12						
9A	STRIP TILL	0.00	NA	0	47	0	98	99	99	99
	B»RX 752 RR2YGCB	0.00	NA	0						
	C»BICEP II MAGNU	2.89	LAA	9						
	D»CALLISTO 4SC	0.094	LAA	12						
	E ATRAZINE DF	0.25	LAA	12						
	F»COC	1.00	PMV	12						
	G 28% UAN	2.50	PMV	12						
10A	STRIP TILL	0.00	NA	0	60	0	99	99	99	99
	B»DKC 60-09 RR2Y	0.00	NA	0						
	C HARNESS XTRA	2.10	LAA	9						
	D»WEATHERMAX 4.5	0.75	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						

TITLE: Hybrids and Tillage Systems in Roundup Ready Corn C-500E
CREATED: 04/13/2004 **REVISED:** 10/20/2004 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT **WIDE X** 72.00 FT **LONG** **REPS:** 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	ABUTH	PHBPU	ZEAMD	SETFA	POLPY	CHEAL
		RATE	UNIT		CON % 06/22/04	CON % 06/22/04	CON % 07/09/04	CON % 07/09/04	CON % 07/09/04	CON % 07/09/04
1A	CONVENTIONAL T	0.00	PAM	0	99	99	0	99	99	99
	B»DKC 60-09 RR2Y	0.00	NA	0						
	C»BICEP II MAGNU	2.89	LAA	9						
	D»CALLISTO 4SC	0.094	LAA	12						
	E ATRAZINE DF	0.25	LAA	12						
	F»COC	1.00	PMV	12						
	G 28% UAN	2.50	PMV	12						
2A	CONVENTIONAL T	0.00	PAM	0	99	99	0	97	99	99
	B»RX 718 RR2YGCB	0.00	NA	0						
	C»BICEP II MAGNU	2.89	LAA	9						
	D»CALLISTO 4SC	0.094	LAA	12						
	E ATRAZINE DF	0.25	LAA	12						
	F»COC	1.00	PMV	12						
	G 28% UAN	2.50	PMV	12						
3A	CONVENTIONAL T	0.00	PAM	0	99	99	0	97	99	99
	B»RX 752 RR2YGCB	0.00	NA	0						
	C»BICEP II MAGNU	2.89	LAA	9						
	D»CALLISTO 4SC	0.094	LAA	12						
	E ATRAZINE DF	0.25	LAA	12						
	F»COC	1.00	PMV	12						
	G 28% UAN	2.50	PMV	12						
4A	CONVENTIONAL T	0.00	PAM	0	99	92	0	98	99	98
	B»DKC 60-09 RR2Y	0.00	NA	0						
	C HARNESS XTRA	2.10	LAA	9						
	D»WEATHERMAX 4.5	0.75	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						
5A	CONVENTIONAL T	0.00	PAM	0	99	95	0	98	99	98
	B»RX 718 RR2YGCB	0.00	NA	0						
	C HARNESS XTRA	2.10	LAA	9						
	D»WEATHERMAX 4.5	0.75	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						
6A	CONVENTIONAL T	0.00	PAM	0	99	96	0	99	99	98
	B»RX 752 RR2YGCB	0.00	NA	0						
	C HARNESS XTRA	2.10	LAA	9						
	D»WEATHERMAX 4.5	0.75	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						
7A	STRIP TILL	0.00	NA	0	99	99	0	98	99	99
	B»DKC 60-09 RR2Y	0.00	NA	0						
	C»BICEP II MAGNU	2.89	LAA	9						
	D»CALLISTO 4SC	0.094	LAA	12						
	E ATRAZINE DF	0.25	LAA	12						
	F»COC	1.00	PMV	12						
	G 28% UAN	2.50	PMV	12						
8A	STRIP TILL	0.00	NA	0	99	99	0	97	99	99
	B»RX 718 RR2YGCB	0.00	NA	0						
	C»BICEP II MAGNU	2.89	LAA	9						
	D»CALLISTO 4SC	0.094	LAA	12						
	E ATRAZINE DF	0.25	LAA	12						
	F»COC	1.00	PMV	12						
	G 28% UAN	2.50	PMV	12						
9A	STRIP TILL	0.00	NA	0	99	99	0	97	99	99
	B»RX 752 RR2YGCB	0.00	NA	0						
	C»BICEP II MAGNU	2.89	LAA	9						
	D»CALLISTO 4SC	0.094	LAA	12						
	E ATRAZINE DF	0.25	LAA	12						
	F»COC	1.00	PMV	12						
	G 28% UAN	2.50	PMV	12						
10A	STRIP TILL	0.00	NA	0	99	98	0	95	99	98
	B»DKC 60-09 RR2Y	0.00	NA	0						
	C HARNESS XTRA	2.10	LAA	9						
	D»WEATHERMAX 4.5	0.75	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						

TITLE: Hybrids and Tillage Systems in Roundup Ready Corn C-500E
CREATED: 04/13/2004 **REVISED:** 10/20/2004 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT **WIDE X** 72.00 FT **LONG** **REPS:** 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	AMATA	ABUTH	PHBPU	YIELD
		RATE	UNIT		CON % 07/09/04	CON % 07/09/04	CON % 07/09/04	BU/A 09/28/04
1A	CONVENTIONAL T	0.00	PAM	0	99	99	99	199.2
	B»DKC 60-09 RR2Y	0.00	NA	0				
	C»BICEP II MAGNU	2.89	LAA	9				
	D»CALLISTO 4SC	0.094	LAA	12				
	E ATRAZINE DF	0.25	LAA	12				
	F»COC	1.00	PMV	12				
	G 28% UAN	2.50	PMV	12				
2A	CONVENTIONAL T	0.00	PAM	0	99	99	99	204.0
	B»RX 718 RR2YGCB	0.00	NA	0				
	C»BICEP II MAGNU	2.89	LAA	9				
	D»CALLISTO 4SC	0.094	LAA	12				
	E ATRAZINE DF	0.25	LAA	12				
	F»COC	1.00	PMV	12				
	G 28% UAN	2.50	PMV	12				
3A	CONVENTIONAL T	0.00	PAM	0	99	99	98	211.6
	B»RX 752 RR2YGCB	0.00	NA	0				
	C»BICEP II MAGNU	2.89	LAA	9				
	D»CALLISTO 4SC	0.094	LAA	12				
	E ATRAZINE DF	0.25	LAA	12				
	F»COC	1.00	PMV	12				
	G 28% UAN	2.50	PMV	12				
4A	CONVENTIONAL T	0.00	PAM	0	98	96	95	210.2
	B»DKC 60-09 RR2Y	0.00	NA	0				
	C HARNESS XTRA	2.10	LAA	9				
	D»WEATHERMAX 4.5	0.75	LAA	12				
	E»LIQUID AMS	2.50	PMV	12				
5A	CONVENTIONAL T	0.00	PAM	0	96	94	93	210.0
	B»RX 718 RR2YGCB	0.00	NA	0				
	C HARNESS XTRA	2.10	LAA	9				
	D»WEATHERMAX 4.5	0.75	LAA	12				
	E»LIQUID AMS	2.50	PMV	12				
6A	CONVENTIONAL T	0.00	PAM	0	98	94	93	210.9
	B»RX 752 RR2YGCB	0.00	NA	0				
	C HARNESS XTRA	2.10	LAA	9				
	D»WEATHERMAX 4.5	0.75	LAA	12				
	E»LIQUID AMS	2.50	PMV	12				
7A	STRIP TILL	0.00	NA	0	99	99	99	209.0
	B»DKC 60-09 RR2Y	0.00	NA	0				
	C»BICEP II MAGNU	2.89	LAA	9				
	D»CALLISTO 4SC	0.094	LAA	12				
	E ATRAZINE DF	0.25	LAA	12				
	F»COC	1.00	PMV	12				
	G 28% UAN	2.50	PMV	12				
8A	STRIP TILL	0.00	NA	0	99	99	99	203.6
	B»RX 718 RR2YGCB	0.00	NA	0				
	C»BICEP II MAGNU	2.89	LAA	9				
	D»CALLISTO 4SC	0.094	LAA	12				
	E ATRAZINE DF	0.25	LAA	12				
	F»COC	1.00	PMV	12				
	G 28% UAN	2.50	PMV	12				
9A	STRIP TILL	0.00	NA	0	99	99	98	205.4
	B»RX 752 RR2YGCB	0.00	NA	0				
	C»BICEP II MAGNU	2.89	LAA	9				
	D»CALLISTO 4SC	0.094	LAA	12				
	E ATRAZINE DF	0.25	LAA	12				
	F»COC	1.00	PMV	12				
	G 28% UAN	2.50	PMV	12				
10A	STRIP TILL	0.00	NA	0	96	93	89	199.0
	B»DKC 60-09 RR2Y	0.00	NA	0				
	C HARNESS XTRA	2.10	LAA	9				
	D»WEATHERMAX 4.5	0.75	LAA	12				
	E»LIQUID AMS	2.50	PMV	12				

TITLE: Hybrids and Tillage Systems in Roundup Ready Corn C-500E

TRT NUM	TREATMENT COMPONENT	DOSAGE			AMATA	ABUTH	PHBPU	YIELD
		RATE	UNIT	TM	CON % 07/09/04	CON % 07/09/04	CON % 07/09/04	BU/A 09/28/04
11A	»STRIP TILL	0.00	NA	0	97	93	88	185.9
	B»RX 718 RR2YGCB	0.00	NA	0				
	C HARNESX XTRA	2.10	LAA	9				
	D»WEATHERMAX 4.5	0.75	LAA	12				
	E»LIQUID AMS	2.50	PMV	12				
12A	»STRIP TILL	0.00	NA	0	97	90	87	219.2
	B»RX 752 RR2YGCB	0.00	NA	0				
	C HARNESX XTRA	2.10	LAA	9				
	D»WEATHERMAX 4.5	0.75	LAA	12				
	E»LIQUID AMS	2.50	PMV	12				
13A	»CONVENTIONAL T	0.00	PAM	0	99	99	99	202.6
	B»DKC 60-09 RR2Y	0.00	NA	0				
	C»WEED FREE	0.00	NA	0				
14A	»CONVENTIONAL T	0.00	PAM	0	99	99	99	209.3
	B»RX 718 RR2YGCB	0.00	NA	0				
	C»WEED FREE	0.00	NA	0				
15A	»CONVENTIONAL T	0.00	PAM	0	99	99	99	216.2
	B»RX 752 RR2YGCB	0.00	NA	0				
	C»WEED FREE	0.00	NA	0				
16A	»CONVENTIONAL T	0.00	PAM	0	0	0	0	113.3
	B»DKC 60-09 RR2Y	0.00	NA	0				
	C CHECK	0.00	NA	0				
17A	»CONVENTIONAL T	0.00	PAM	0	0	0	0	136.5
	B»RX 718 RR2YGCB	0.00	NA	0				
	C CHECK	0.00	NA	0				
18A	»CONVENTIONAL T	0.00	PAM	0	0	0	0	133.3
	B»RX 752 RR2YGCB	0.00	NA	0				
	C CHECK	0.00	NA	0				
19A	»STRIP TILL	0.00	NA	0	99	99	99	214.6
	B»DKC 60-09 RR2Y	0.00	NA	0				
	C»WEED FREE	0.00	NA	0				
20A	»STRIP TILL	0.00	NA	0	99	99	99	212.1
	B»RX 718 RR2YGCB	0.00	NA	0				
	C»WEED FREE	0.00	NA	0				
21A	»STRIP TILL	0.00	NA	0	99	99	99	215.5
	B»RX 752 RR2YGCB	0.00	NA	0				
	C»WEED FREE	0.00	NA	0				
22A	»STRIP TILL	0.00	NA	0	0	0	0	110.9
	B»DKC 60-09 RR2Y	0.00	NA	0				
	C CHECK	0.00	NA	0				
23A	»STRIP TILL	0.00	NA	0	0	0	0	118.2
	B»RX 718 RR2YGCB	0.00	NA	0				
	C CHECK	0.00	NA	0				
24A	»STRIP TILL	0.00	NA	0	0	0	0	132.9
	B»RX 752 RR2YGCB	0.00	NA	0				
	C CHECK	0.00	NA	0				
		LSD (0.05)			1.90	2.40	4.13	21.44
		STANDARD DEVIATION			1.00	1.20	2.07	10.72

» = SUPPLEMENTAL CHEMICAL

* TIMING CODES

00 = ----- / UNTREATED TIMING
 09 = ----- / PREEMERGENCE 05/10/2004(1)
 12 = ----- / POST 06/14/2004(2)

H#	CUSTOM#1	CUSTOM#2	EV. DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTRT	SS	NOTE
001	ZEAMD	CON %	06/02/2004	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

TITLE: Hybrids and Tillage Systems in Roundup Ready Corn C-500E

H#	CUSTOM#1	CUSTOM#2	EV.DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTRTR	SS	NOTE
002	SETFA	CON %	06/02/2004	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
003	AMATA	POLPY	06/02/2004	03	P	POLPY		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
004	CHEAL	CON %	06/02/2004	04	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
005	AMATA	CON %	06/02/2004	05	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
006	ABUTH	CON %	06/02/2004	06	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
007	PHBPU	CON %	06/02/2004	07	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
008	ZEAMD	CON %	06/22/2004	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
009	SETFA	CON %	06/22/2004	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
010	POLPY	CON %	06/22/2004	03	P	POLPY		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
011	CHEAL	CON %	06/22/2004	04	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
012	AMATA	CON %	06/22/2004	05	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
013	ABUTH	CON %	06/22/2004	06	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
014	PHBPU	CON %	06/22/2004	07	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
015	ZEAMD	CON %	07/09/2004	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
016	SETFA	CON %	07/09/2004	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
017	POLPY	CON %	07/09/2004	03	P	POLPY		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
018	CHEAL	CON %	07/09/2004	04	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
019	AMATA	CON %	07/09/2004	05	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
020	ABUTH	CON %	07/09/2004	06	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
021	PHBPU	CON %	07/09/2004	07	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
022	YIELD	BU/A	09/28/2004	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

* SPECIES COMMON NAME - CULTIVAR (IF APPLICABLE)

01 = RRCORN