

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: SIL
PH: 6.4
%OM: 4.8
PREV.CROP: ZEAMD - CORN, DENT
%RESIDUE: 0
PLOT WIDTH: 10 X 72 FEET

DESIGN: RCB
REPS: 3

APPL. NUMBER	01	02	UNIT
TIMINGS	09	12	
TYPE	LIQMIX	LIQMIX	
APPLICATION DATE	05/10/04	06/14/04	AME
AIR TEMPERATURE	81	75	F
% REL.HUMIDITY	65	60	
WIND DIRECTION	SOUTHWEST	SOUTHWEST	
WIND SPEED	12.0	5.0	M/H
CLOUD COVER	CLEAR	PARTCLDY	
DEW	NO	NO	
SOIL MOISTURE	DRY/MOIST	DRY/MOIST	
SOIL CONDITION	---	---	
METHOD	SPRAY	SPRAY	
EQUIPMENT	SPRBAC	SPRBAC	
PROPELLANT	COMCO2	COMCO2	
PLACEMENT	BRFOSO	BRFOSO	
NOZZLE	FLATFAN	FLATFAN	
NOZZLE NUMBER	6	6	
NOZZLE SPACING	20.000	20.000	IN
SWATH WIDTH	10.0	10.0	FT
SPRAY VOLUME	15.00	20.00	
VOLUME UNIT	GPA	GPA	
PRESSURE	32.00	32.00	PSI
DILUENT	WATER	WATER	
INC. DATE			AME
INC. START			24H
INC. END			24H
INC. DEPTH			IN
INC. EQUIPMENT	---	---	
DN/SG/MMZ			
*** CROP ***			
SOYBEAN		---/16	
GLYPHOSTAE TOLER		8.00/8.00	IN
05/10/2004			
*** PEST ***			
VELVETLEAF		---/15	
		3.00/5.00	IN
MORNINGGLORY, TA		---/14	
		1.00/3.00	IN
SMARTWEED, PENNS		---/18	
		3.00/5.00	IN
FOXTAIL, GIANT		---/13	
		4.00/6.00	IN

* TIMING CODES

09 = ----- / PREEMERGENCE
12 = ----- / POST

* STAGE CODE

13 = 3 LEAVES UNFOLDED
14 = 4TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
15 = 5TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
16 = 6TH LEAF (4TH TRIFOLIATE LEAF) UNFOLDED, 5 NODES
18 = 8TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

TITLE: Varieties and Tillage systems in Roundup Ready Soybean C-500E
CREATED: 04/13/2004 **REVISED:** 11/12/2004 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT **WIDE X** 72.00 FT **LONG** **REPS:** 03

TRT TREATMENT NUM COMPONENT	DOSAGE RATE UNIT	TM	GLXMA CON % 06/02/04	SETFA CON % 06/02/04	POLPY CON % 06/02/04	ABUTH CON % 06/02/04	PHBPU CON % 06/02/04	GLXMA CON % 06/22/04
1A»CONVENTIONAL T	0.00	PAM 0	0	80	90	0	0	7
B»A 2703RR RP	0.00	NA 0						
C»PROWL H20 3.8C	1.24	LAA 9						
D»EXTREME 2.17L	0.81	LAA 12						
E»ACTIVATOR 90	0.125	PMV 12						
F»LIQUID AMS	2.50	PMV 12						
2A»CONVENTIONAL T	0.00	PAM 0	0	86	93	0	0	7
B»A 3003RR RP	0.00	NA 0						
C»PROWL H20 3.8C	1.24	LAA 9						
D»EXTREME 2.17L	0.81	LAA 12						
E»ACTIVATOR 90	0.125	PMV 12						
F»LIQUID AMS	2.50	PMV 12						
3A»CONVENTIONAL T	0.00	PAM 0	0	88	96	0	0	12
B»A 3201RR	0.00	NA 0						
C»PROWL H20 3.8C	1.24	LAA 9						
D»EXTREME 2.17L	0.81	LAA 12						
E»ACTIVATOR 90	0.125	PMV 12						
F»LIQUID AMS	2.50	PMV 12						
4A»CONVENTIONAL T	0.00	PAM 0	0	0	0	0	0	0
B»A 2703RR RP	0.00	NA 0						
C»WEATHERMAX 4.5	0.75	LAA 12						
D»LIQUID AMS	2.50	PMV 12						
5A»CONVENTIONAL T	0.00	PAM 0	0	0	0	0	0	0
B»A 3003RR RP	0.00	NA 0						
C»WEATHERMAX 4.5	0.75	LAA 12						
D»LIQUID AMS	2.50	PMV 12						
6A»CONVENTIONAL T	0.00	PAM 0	0	0	0	0	0	0
B»A 3201RR	0.00	NA 0						
C»WEATHERMAX 4.5	0.75	LAA 12						
D»LIQUID AMS	2.50	PMV 12						
7A»NO-TILL	0.00	NA 0	0	87	91	0	0	8
B»A 2703RR RP	0.00	NA 0						
C»PROWL H20 3.8C	1.24	LAA 9						
D»EXTREME 2.17L	0.81	LAA 12						
E»ACTIVATOR 90	0.125	PMV 12						
F»LIQUID AMS	2.50	PMV 12						
8A»NO-TILL	0.00	NA 0	0	90	93	0	0	8
B»A 3003RR RP	0.00	NA 0						
C»PROWL H20 3.8C	1.24	LAA 9						
D»EXTREME 2.17L	0.81	LAA 12						
E»ACTIVATOR 90	0.125	PMV 12						
F»LIQUID AMS	2.50	PMV 12						
9A»NO-TILL	0.00	NA 0	0	88	88	0	0	18
B»A 3201RR	0.00	NA 0						
C»PROWL H20 3.8C	1.24	LAA 9						
D»EXTREME 2.17L	0.81	LAA 12						
E»ACTIVATOR 90	0.125	PMV 12						
F»LIQUID AMS	2.50	PMV 12						
10A»NO-TILL	0.00	NA 0	0	0	0	0	0	0
B»A 2703RR RP	0.00	NA 0						
C»WEATHERMAX 4.5	0.75	LAA 12						
D»LIQUID AMS	2.50	PMV 12						
11A»NO-TILL	0.00	NA 0	0	0	0	0	0	0
B»A 3003RR RP	0.00	NA 0						
C»WEATHERMAX 4.5	0.75	LAA 12						
D»LIQUID AMS	2.50	PMV 12						

TITLE: Varieties and Tillage systems in Roundup Ready Soybean C-500E

TRT NUM	TREATMENT COMPONENT	DOSAGE RATE	UNIT	TM	GLXMA CON % 06/02/04	SETFA CON % 06/02/04	POLPY CON % 06/02/04	ABUTH CON % 06/02/04	PHBPU CON % 06/02/04	GLXMA CON % 06/22/04
12A»	NO-TILL	0.00	NA	0	0	0	0	0	0	0
	B»A 3201RR	0.00	NA	0						
	C»WEATHERMAX 4.5	0.75	LAA	12						
	D»LIQUID AMS	2.50	PMV	12						
13A»	CONVENTIONAL T	0.00	PAM	0	0	99	99	99	99	0
	B»A 2703RR RP	0.00	NA	0						
	C»WEED FREE	0.00	NA	12						
14A»	CONVENTIONAL T	0.00	PAM	0	0	99	99	99	99	0
	B»A 3003RR RP	0.00	NA	0						
	C»WEED FREE	0.00	NA	12						
15A»	CONVENTIONAL T	0.00	PAM	0	0	99	99	99	99	0
	B»A 3201RR	0.00	NA	0						
	C»WEED FREE	0.00	NA	12						
16A»	CONVENTIONAL T	0.00	PAM	0	0	0	0	0	0	0
	B»A 2703RR RP	0.00	NA	0						
	C CHECK	0.00	NA	0						
17A»	CONVENTIONAL T	0.00	PAM	0	0	0	0	0	0	0
	B»A 3003RR RP	0.00	NA	0						
	C CHECK	0.00	NA	0						
18A»	CONVENTIONAL T	0.00	PAM	0	0	0	0	0	0	0
	B»A 3201RR	0.00	NA	0						
	C CHECK	0.00	NA	0						
19A»	NO-TILL	0.00	NA	0	0	99	99	99	99	0
	B»A 2703RR RP	0.00	NA	0						
	C»WEED FREE	0.00	NA	12						
20A»	NO-TILL	0.00	NA	0	0	99	99	99	99	0
	B»A 3003RR RP	0.00	NA	0						
	C»WEED FREE	0.00	NA	12						
21A»	NO-TILL	0.00	NA	0	0	99	99	99	99	0
	B»A 3201RR	0.00	NA	0						
	C»WEED FREE	0.00	NA	12						
22A»	NO-TILL	0.00	NA	0	0	0	0	0	0	99
	B»A 2703RR RP	0.00	NA	0						
	C CHECK	0.00	NA	0						
23A»	NO-TILL	0.00	NA	0	0	0	0	0	0	99
	B»A 3003RR RP	0.00	NA	0						
	C CHECK	0.00	NA	0						
24A»	NO-TILL	0.00	NA	0	0	0	0	0	0	99
	B»A 3201RR	0.00	NA	0						
	C CHECK	0.00	NA	0						
LSD (0.05)					0.00	7.66	2.66	0.00	0.00	2.38
STANDARD DEVIATION					0.00	3.83	1.33	0.00	0.00	1.19

TITLE: Varieties and Tillage systems in Roundup Ready Soybean C-500E
CREATED: 04/13/2004 **REVISED:** 11/12/2004 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT **WIDE X** 72.00 FT **LONG** **REPS:** 03

TRT TREATMENT NUM COMPONENT	DOSAGE RATE UNIT	TM	SETFA CON % 06/22/04	POLPY CON % 06/22/04	ABUTH CON % 06/22/04	PHBPU CON % 06/22/04	GLXMA CON % 07/09/04	SETFA CON % 07/09/04
1A»CONVENTIONAL T	0.00 PAM	0	99	99	99	99	3	99
B»A 2703RR RP	0.00 NA	0						
C»PROWL H20 3.8C	1.24 LAA	9						
D»EXTREME 2.17L	0.81 LAA	12						
E»ACTIVATOR 90	0.125 PMV	12						
F»LIQUID AMS	2.50 PMV	12						
2A»CONVENTIONAL T	0.00 PAM	0	99	99	99	97	3	99
B»A 3003RR RP	0.00 NA	0						
C»PROWL H20 3.8C	1.24 LAA	9						
D»EXTREME 2.17L	0.81 LAA	12						
E»ACTIVATOR 90	0.125 PMV	12						
F»LIQUID AMS	2.50 PMV	12						
3A»CONVENTIONAL T	0.00 PAM	0	99	99	99	99	3	99
B»A 3201RR	0.00 NA	0						
C»PROWL H20 3.8C	1.24 LAA	9						
D»EXTREME 2.17L	0.81 LAA	12						
E»ACTIVATOR 90	0.125 PMV	12						
F»LIQUID AMS	2.50 PMV	12						
4A»CONVENTIONAL T	0.00 PAM	0	99	99	99	97	0	99
B»A 2703RR RP	0.00 NA	0						
C»WEATHERMAX 4.5	0.75 LAA	12						
D»LIQUID AMS	2.50 PMV	12						
5A»CONVENTIONAL T	0.00 PAM	0	99	99	99	96	0	99
B»A 3003RR RP	0.00 NA	0						
C»WEATHERMAX 4.5	0.75 LAA	12						
D»LIQUID AMS	2.50 PMV	12						
6A»CONVENTIONAL T	0.00 PAM	0	99	99	99	98	0	99
B»A 3201RR	0.00 NA	0						
C»WEATHERMAX 4.5	0.75 LAA	12						
D»LIQUID AMS	2.50 PMV	12						
7A»NO-TILL	0.00 NA	0	99	98	99	98	3	99
B»A 2703RR RP	0.00 NA	0						
C»PROWL H20 3.8C	1.24 LAA	9						
D»EXTREME 2.17L	0.81 LAA	12						
E»ACTIVATOR 90	0.125 PMV	12						
F»LIQUID AMS	2.50 PMV	12						
8A»NO-TILL	0.00 NA	0	99	99	99	99	2	99
B»A 3003RR RP	0.00 NA	0						
C»PROWL H20 3.8C	1.24 LAA	9						
D»EXTREME 2.17L	0.81 LAA	12						
E»ACTIVATOR 90	0.125 PMV	12						
F»LIQUID AMS	2.50 PMV	12						
9A»NO-TILL	0.00 NA	0	99	98	99	99	3	99
B»A 3201RR	0.00 NA	0						
C»PROWL H20 3.8C	1.24 LAA	9						
D»EXTREME 2.17L	0.81 LAA	12						
E»ACTIVATOR 90	0.125 PMV	12						
F»LIQUID AMS	2.50 PMV	12						
10A»NO-TILL	0.00 NA	0	99	97	99	97	0	97
B»A 2703RR RP	0.00 NA	0						
C»WEATHERMAX 4.5	0.75 LAA	12						
D»LIQUID AMS	2.50 PMV	12						
11A»NO-TILL	0.00 NA	0	99	98	99	94	0	99
B»A 3003RR RP	0.00 NA	0						
C»WEATHERMAX 4.5	0.75 LAA	12						
D»LIQUID AMS	2.50 PMV	12						

TITLE: Varieties and Tillage systems in Roundup Ready Soybean C-500E

TRT NUM	TREATMENT COMPONENT	DOSAGE RATE	UNIT	TM	SETFA CON % 06/22/04	POLPY CON % 06/22/04	ABUTH CON % 06/22/04	PHBPU CON % 06/22/04	GLXMA CON % 07/09/04	SETFA CON % 07/09/04
12A»	NO-TILL	0.00	NA	0	99	97	98	93	0	99
	B»A 3201RR	0.00	NA	0						
	C»WEATHERMAX 4.5	0.75	LAA	12						
	D»LIQUID AMS	2.50	PMV	12						
13A»	CONVENTIONAL T	0.00	PAM	0	99	99	99	99	0	99
	B»A 2703RR RP	0.00	NA	0						
	C»WEED FREE	0.00	NA	12						
14A»	CONVENTIONAL T	0.00	PAM	0	99	99	99	99	0	99
	B»A 3003RR RP	0.00	NA	0						
	C»WEED FREE	0.00	NA	12						
15A»	CONVENTIONAL T	0.00	PAM	0	99	99	99	99	0	99
	B»A 3201RR	0.00	NA	0						
	C»WEED FREE	0.00	NA	12						
16A»	CONVENTIONAL T	0.00	PAM	0	0	0	0	0	0	0
	B»A 2703RR RP	0.00	NA	0						
	C CHECK	0.00	NA	0						
17A»	CONVENTIONAL T	0.00	PAM	0	0	0	0	0	0	0
	B»A 3003RR RP	0.00	NA	0						
	C CHECK	0.00	NA	0						
18A»	CONVENTIONAL T	0.00	PAM	0	0	0	0	0	0	0
	B»A 3201RR	0.00	NA	0						
	C CHECK	0.00	NA	0						
19A»	NO-TILL	0.00	NA	0	99	99	99	99	0	99
	B»A 2703RR RP	0.00	NA	0						
	C»WEED FREE	0.00	NA	12						
20A»	NO-TILL	0.00	NA	0	99	99	99	99	0	99
	B»A 3003RR RP	0.00	NA	0						
	C»WEED FREE	0.00	NA	12						
21A»	NO-TILL	0.00	NA	0	99	99	99	99	0	99
	B»A 3201RR	0.00	NA	0						
	C»WEED FREE	0.00	NA	12						
22A»	NO-TILL	0.00	NA	0	99	99	99	99	0	0
	B»A 2703RR RP	0.00	NA	0						
	C CHECK	0.00	NA	0						
23A»	NO-TILL	0.00	NA	0	99	99	99	99		0
	B»A 3003RR RP	0.00	NA	0						
	C CHECK	0.00	NA	0						
24A»	NO-TILL	0.00	NA	0	99	99	99	99		0
	B»A 3201RR	0.00	NA	0						
	C CHECK	0.00	NA	0						
LSD (0.05)					0.00	1.77	0.385	1.58	2.48	1.15
STANDARD DEVIATION					0.00	0.884	0.192	0.789	1.24	0.577

TITLE: Varieties and Tillage systems in Roundup Ready Soybean C-500E
CREATED: 04/13/2004 **REVISED:** 11/12/2004 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT **WIDE X** 72.00 FT **LONG** **REPS:** 03

TRT TREATMENT NUM COMPONENT	DOSAGE RATE UNIT	TM	POLPY CON % 07/09/04	ABUTH CON % 07/09/04	PHBPU CON % 07/09/04	YIELD BU/A 11/08/04
1A»CONVENTIONAL T	0.00 PAM	0	99	99	99	53.5
B»A 2703RR RP	0.00 NA	0				
C»PROWL H20 3.8C	1.24 LAA	9				
D»EXTREME 2.17L	0.81 LAA	12				
E»ACTIVATOR 90	0.125 PMV	12				
F»LIQUID AMS	2.50 PMV	12				
2A»CONVENTIONAL T	0.00 PAM	0	99	99	99	50.9
B»A 3003RR RP	0.00 NA	0				
C»PROWL H20 3.8C	1.24 LAA	9				
D»EXTREME 2.17L	0.81 LAA	12				
E»ACTIVATOR 90	0.125 PMV	12				
F»LIQUID AMS	2.50 PMV	12				
3A»CONVENTIONAL T	0.00 PAM	0	99	99	98	46.8
B»A 3201RR	0.00 NA	0				
C»PROWL H20 3.8C	1.24 LAA	9				
D»EXTREME 2.17L	0.81 LAA	12				
E»ACTIVATOR 90	0.125 PMV	12				
F»LIQUID AMS	2.50 PMV	12				
4A»CONVENTIONAL T	0.00 PAM	0	99	99	94	53.9
B»A 2703RR RP	0.00 NA	0				
C»WEATHERMAX 4.5	0.75 LAA	12				
D»LIQUID AMS	2.50 PMV	12				
5A»CONVENTIONAL T	0.00 PAM	0	99	99	94	50.5
B»A 3003RR RP	0.00 NA	0				
C»WEATHERMAX 4.5	0.75 LAA	12				
D»LIQUID AMS	2.50 PMV	12				
6A»CONVENTIONAL T	0.00 PAM	0	99	99	96	46.6
B»A 3201RR	0.00 NA	0				
C»WEATHERMAX 4.5	0.75 LAA	12				
D»LIQUID AMS	2.50 PMV	12				
7A»NO-TILL	0.00 NA	0	99	99	99	54.1
B»A 2703RR RP	0.00 NA	0				
C»PROWL H20 3.8C	1.24 LAA	9				
D»EXTREME 2.17L	0.81 LAA	12				
E»ACTIVATOR 90	0.125 PMV	12				
F»LIQUID AMS	2.50 PMV	12				
8A»NO-TILL	0.00 NA	0	99	99	99	53.9
B»A 3003RR RP	0.00 NA	0				
C»PROWL H20 3.8C	1.24 LAA	9				
D»EXTREME 2.17L	0.81 LAA	12				
E»ACTIVATOR 90	0.125 PMV	12				
F»LIQUID AMS	2.50 PMV	12				
9A»NO-TILL	0.00 NA	0	99	99	99	52.9
B»A 3201RR	0.00 NA	0				
C»PROWL H20 3.8C	1.24 LAA	9				
D»EXTREME 2.17L	0.81 LAA	12				
E»ACTIVATOR 90	0.125 PMV	12				
F»LIQUID AMS	2.50 PMV	12				
10A»NO-TILL	0.00 NA	0	99	99	99	52.5
B»A 2703RR RP	0.00 NA	0				
C»WEATHERMAX 4.5	0.75 LAA	12				
D»LIQUID AMS	2.50 PMV	12				
11A»NO-TILL	0.00 NA	0	99	99	96	58.1
B»A 3003RR RP	0.00 NA	0				
C»WEATHERMAX 4.5	0.75 LAA	12				
D»LIQUID AMS	2.50 PMV	12				

TITLE: Varieties and Tillage systems in Roundup Ready Soybean C-500E

TRT	TREATMENT	DOSAGE		POLPY	ABUTH	PHBPU	YIELD	
NUM	COMPONENT	RATE	UNIT	TM	CON %	CON %	CON %	BU/A
					07/09/04	07/09/04	07/09/04	11/08/04
12A»	NO-TILL	0.00	NA	0	99	99	95	54.6
	B»A 3201RR	0.00	NA	0				
	C»WEATHERMAX 4.5	0.75	LAA	12				
	D»LIQUID AMS	2.50	PMV	12				
13A»	CONVENTIONAL T	0.00	PAM	0	99	99	99	53.3
	B»A 2703RR RP	0.00	NA	0				
	C»WEED FREE	0.00	NA	12				
14A»	CONVENTIONAL T	0.00	PAM	0	99	99	99	51.6
	B»A 3003RR RP	0.00	NA	0				
	C»WEED FREE	0.00	NA	12				
15A»	CONVENTIONAL T	0.00	PAM	0	99	99	99	47.6
	B»A 3201RR	0.00	NA	0				
	C»WEED FREE	0.00	NA	12				
16A»	CONVENTIONAL T	0.00	PAM	0	0	0	0	36.7
	B»A 2703RR RP	0.00	NA	0				
	C CHECK	0.00	NA	0				
17A»	CONVENTIONAL T	0.00	PAM	0	0	0	0	36.3
	B»A 3003RR RP	0.00	NA	0				
	C CHECK	0.00	NA	0				
18A»	CONVENTIONAL T	0.00	PAM	0	0	0	0	28.8
	B»A 3201RR	0.00	NA	0				
	C CHECK	0.00	NA	0				
19A»	NO-TILL	0.00	NA	0	99	99	99	57.7
	B»A 2703RR RP	0.00	NA	0				
	C»WEED FREE	0.00	NA	12				
20A»	NO-TILL	0.00	NA	0	99	99	99	47.4
	B»A 3003RR RP	0.00	NA	0				
	C»WEED FREE	0.00	NA	12				
21A»	NO-TILL	0.00	NA	0	99	99	99	54.5
	B»A 3201RR	0.00	NA	0				
	C»WEED FREE	0.00	NA	12				
22A»	NO-TILL	0.00	NA	0	0	0	0	24.2
	B»A 2703RR RP	0.00	NA	0				
	C CHECK	0.00	NA	0				
23A»	NO-TILL	0.00	NA	0	0	0	0	22.0
	B»A 3003RR RP	0.00	NA	0				
	C CHECK	0.00	NA	0				
24A»	NO-TILL	0.00	NA	0	0	0	0	29.1
	B»A 3201RR	0.00	NA	0				
	C CHECK	0.00	NA	0				
LSD (0.05)					0.00	0.00	1.09	10.31
STANDARD DEVIATION					0.00	0.00	0.544	5.16

» = SUPPLEMENTAL CHEMICAL

* TIMING CODES

00 = ----- / UNTREATED TIMING

09 = ----- / PREEMERGENCE 05/10/2004(1)

12 = ----- / POST 06/14/2004(2)

H#	CUSTOM#1	CUSTOM#2	EV. DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTR	SS	NOTE
001	GLXMA	CON %	06/02/2004	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
002	SETFA	CON %	06/02/2004	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
003	POLPY	CON %	06/02/2004	03	P	POLPY		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
004	ABUTH	CON %	06/02/2004	04	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
005	PHBPU	CON %	06/02/2004	05	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
006	GLXMA	CON %	06/22/2004	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

TITLE: Varieties and Tillage systems in Roundup Ready Soybean C-500E

H#	CUSTOM#1	CUSTOM#2	EV.DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTR	SS	NOTE
007	SETFA	CON %	06/22/2004	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
008	POLPY	CON %	06/22/2004	03	P	POLPY		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
009	ABUTH	CON %	06/22/2004	04	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
010	PHBPU	CON %	06/22/2004	05	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
011	GLXMA	CON %	07/09/2004	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
012	SETFA	CON %	07/09/2004	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
013	POLPY	CON %	07/09/2004	03	P	POLPY		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
014	ABUTH	CON %	07/09/2004	04	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
015	PHBPU	CON %	07/09/2004	05	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
016	YIELD	BU/A	11/08/2004	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

* SPECIES COMMON NAME - CULTIVAR (IF APPLICABLE)

01 = GLYPHOSTAE TOLERANT