

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: SIL
PH: 6.4
%OM: 4.8
PREV.CROP: ZEAMD - CORN, DENT
%RESIDUE: 0
PLOT WIDTH: 7.5 X 36 FEET

DESIGN: RCB
REPS: 3

APPL. NUMBER	01	02	03	04	UNIT
TIMINGS	09	11	12	13	
TYPE	LIQMIX	LIQMIX	LIQMIX	LIQMIX	
APPLICATION DATE	05/12/04	06/08/04	06/14/04	06/18/04	AME
AIR TEMPERATURE	84	75	81	79	F
% REL.HUMIDITY	50	77	65	65	
WIND DIRECTION	SOUTH	SOUTH	NORTH	WEST	
WIND SPEED	10.0	3.0	5.0	2.0	M/H
CLOUD COVER	PARTCLDY	CLEAR	PARTCLDY	OVERCAST	
DEW	NO	YES	NO	YES	
SOIL MOISTURE	DRY/MOIST	DRY/MOIST	DRY/MOIST	MOIST/MOI	
SOIL CONDITION	---	---	---	---	
METHOD	SPRAY	SPRAY	SPRAY	SPRAY	
EQUIPMENT	SPRBAC	SPRBAC	SPRBAC	SPRBAC	
PROPELLANT	COMCO2	COMCO2	COMCO2	COMCO2	
PLACEMENT	BRFOSO	BRFOSO	BRFOSO	BRFOSO	
NOZZLE	FLATFAN	FLATFAN	FLATFAN	FLATFAN	
NOZZLE NUMBER	5	5	5	5	
NOZZLE SPACING	18.000	18.000	18.000	18.000	IN
SWATH WIDTH	7.5	7.5	7.5	7.5	FT
SPRAY VOLUME	20.00	20.00	20.00	20.00	
VOLUME UNIT	GPA	GPA	GPA	GPA	
PRESSURE	42.00	42.00	42.00	42.00	PSI
DILUENT	WATER	WATER	WATER	WATER	
INC. DATE					AME
INC. START					24H
INC. END					24H
INC. DEPTH					IN
INC. EQUIPMENT	---	---	---	---	
DENSITY /					
*** PEST ***					
RAGWEED, COMMON		---/12 2.00/4.00	---/14 4.00/6.00	---/16 6.00/8.00	IN
SOYBEAN		---/14 5.00/5.00	---/15 7.00/7.00	---/16 11.0/11.0	IN
MORNINGGLORY, TA		---/13 1.00/3.00	---/15 2.00/6.00	---/11 4.00/6.00	IN
FOXTAIL, GIANT		---/12 2.00/4.00	---/13 3.00/5.00	---/14 4.00/6.00	IN

* TIMING CODES

09 = ----- / PREEMERGENCE
11 = ----- / EPOST
12 = ----- / POST
13 = ----- / LPOST

* STAGE CODE

11 = 1ST TRUE LEAF/LEAF PAIR/WHORL UNFOLDED
12 = 2 LEAVES UNFOLDED
13 = 3RD TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
14 = 4TH LEAF (2ND TRIFOLIATE LEAF) UNFOLDED, 3 NODES
15 = 5TH LEAF (3RD TRIFOLIATE LEAF) UNFOLDED, 4 NODES
16 = 6TH LEAF (4TH TRIFOLIATE LEAF) UNFOLDED, 5 NODES

TITLE: Weed Control Systems in Soybean C-500
CREATED: 04/22/2004 **REVISED:** 11/01/2004 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT **WIDE X** 36.00 FT **LONG** **REPS:** 03

TRT	TREATMENT	DOSAGE	GLXMA	SETFA	AMBEL	PHBPU	GLXMA	SETFA
NUM	COMPONENT	RATE	UNIT	TM	CON %	CON %	CON %	CON %
					06/13/04	06/13/04	06/13/04	06/13/04
1A»	PENDIMAX 3.3L	1.24	LAA	9	0	73	69	67
B»	FIRSTRATE 84WG	0.016	LAA	11				0
C	SELECT (2EC)	0.094	LAA	11				95
D	COBRA 2EC	0.094	LAA	11				
E»	COC	1.00	PMV	11				
F»	LIQUID AMS	2.50	PMV	11				
2A»	PENDIMAX 3.3L	1.24	LAA	9	0	85	90	85
B»	GANGSTER (CO-P	0.00	NA	0				0
C»	VALOR SX 51WDG	0.094	LAA	9				96
D»	FIRSTRATE 84WG	0.032	LAA	9				
E	SELECT (2EC)	0.094	LAA	11				
F	COBRA 2EC	0.094	LAA	11				
G»	COC	1.00	PMV	11				
H»	LIQUID AMS	2.50	PMV	11				
3A»	PROWL H20 3.8C	1.19	LAA	9	0	80	73	70
B»	RAPTOR 1AS	0.031	LAA	11				0
C»	FLEXSTAR 1.88M	0.176	LAA	11				91
D»	MISO	1.00	PMV	11				
E»	LIQUID AMS	3.67	PMV	11				
4A»	PROWL H20 3.8C	1.19	LAA	9	0	52	0	13
5A»	INTRRO 4EC	2.00	LAA	9	0	72	0	25
6A	COMMAND 3ME	1.00	LAA	9	0	88	99	94
B»	GANGSTER (CO-P	0.00	NA	0				0
C»	VALOR SX 51WDG	0.094	LAA	9				84
D»	FIRSTRATE 84WG	0.032	LAA	9				
7A»	BOUNDARY 6.5EC	1.63	LAA	9	0	89	72	10
8A	PURSUIT +	0.91	LAA	9	0	92	90	93
B»	AUTHORITY	0.188	LAA	9				0
9A	PURSUIT +	0.91	LAA	9	0	90	83	68
B»	GLYPHOMAX PLUS	0.75	LAA	13				7
C»	LIQUID AMS	5.00	PMV	13				91
10A»	PROWL H20 3.8C	1.19	LAA	9	0	43	13	0
B»	EXTREME 2.17L	0.81	LAA	13				10
C»	ACTIVATOR 90	0.125	PMV	13				82
D»	LIQUID AMS	3.67	PMV	13				
11A»	INTRRO 4EC	1.00	LAA	9	0	63	0	0
B»	WEATHERMAX 4.5	0.75	LAA	13				2
C»	LIQUID AMS	5.00	PMV	13				86
12A»	BLANKET 75WG	0.188	LAA	9	0	33	0	0
B»	BUCCANEER 3 AE	0.75	LAA	13				0
C»	ACTIVATOR 90	0.25	PMV	13				83
D»	LIQUID AMS	2.50	PMV	13				
13A»	BLANKET 75WG	0.375	LAA	9	0	67	37	83
B»	BUCCANEER 3 AE	0.75	LAA	13				3
C»	ACTIVATOR 90	0.25	PMV	13				89
D»	LIQUID AMS	2.50	PMV	13				
14A»	CANOPY XL 56.3	0.141	LAA	0	0	35	98	53
B»	AUTHORITY	0.117	LAA	9				0
C	CLASSIC 25WG	0.024	LAA	9				89
D»	WEATHERMAX 4.5	0.56	LAA	12				
E»	LIQUID AMS	2.50	PMV	12				
15A»	PENDIMAX 3.3L	0.83	LAA	9	0	40	7	7
B»	MANA-MET 75DF	0.50	LAA	9				0
C»	BUCCANEER 3 AE	0.56	LAA	13				86
D»	ACTIVATOR 90	0.25	PMV	13				
E»	LIQUID AMS	2.50	PMV	13				

TITLE: Weed Control Systems in Soybean C-500

TRT NUM	TREATMENT COMPONENT	DOSAGE RATE	UNIT	TM	GLXMA CON % 06/13/04	SETFA CON % 06/13/04	AMBEL CON % 06/13/04	PHBPU CON % 06/13/04	GLXMA CON % 06/25/04	SETFA CON % 06/25/04
16A»	KIH-485 60WG	0.11	LAA	9	0	75	57	22	0	90
	B»WEATHERMAX 4.5	0.56	LAA	13						
	C»LIQUID AMS	2.50	PMV	13						
17A»	BOUNDARY 6.5EC	0.81	LAA	9	0	62	28	22	0	86
	B»TOUCHDN TOTAL	0.75	LAA	13						
	C»LIQUID AMS	2.50	PMV	13						
18A»	BOUNDARY 6.5EC	1.22	LAA	9	0	85	71	0	13	92
	B»FLEXSTAR 1.88M	0.294	LAA	12						
	C FUSION	0.21	LAA	12						
	D»MSO	1.00	PMV	12						
	E 28% UAN	2.00	PMV	12						
19A	CHECK	0.00	NA	0	0	0	0	0	0	0
20A»	GANGSTER (CO-P	0.00	NA	0	0	20	99	53	0	89
	B»VALOR SX 51WDG	0.047	LAA	9						
	C»FIRSTRATE 84WG	0.016	LAA	9						
	D»GF-1279 4LB AE	0.75	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						
21A»	GF-1279 4LB AE	0.75	LAA	12	0				2	84
	B»FIRSTRATE 84WG	0.016	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
22A»	GF-1279 4LB AE	0.75	LAA	12	0				0	90
	B»LIQUID AMS	2.50	PMV	12						
23A»	WEATHERMAX 4.5	0.75	LAA	11	0				3	93
	B»LIQUID AMS	5.00	PMV	11						
	C»WEATHERMAX 4.5	0.75	LAA	13						
	D»LIQUID AMS	5.00	PMV	13						
24A»	TOUCHDN TOTAL	0.75	LAA	11	0				6	93
	B»LIQUID AMS	5.00	PMV	11						
	C»TOUCHDN TOTAL	0.75	LAA	13						
	D»LIQUID AMS	5.00	PMV	13						
LSD (0.05)					0.00	12.54	13.55	14.06	4.27	7.28
STANDARD DEVIATION					0.00	6.21	6.70	7.00	2.13	3.64

TITLE: Weed Control Systems in Soybean C-500
CREATED: 04/22/2004 **REVISED:** 11/01/2004 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT **WIDE X** 36.00 FT **LONG** **REPS:** 03

TRT	TREATMENT	DOSAGE		AMBEL	PHBPU	GLXMA	SETFA	AMBEL	PHBPU
NUM	COMPONENT	RATE	UNIT	TM	CON %	CON %	CON %	CON %	CON %
					06/25/04	06/25/04	07/19/04	07/19/04	07/19/04
1A»	PENDIMAX 3.3L	1.24	LAA	9	91	83	0	92	83
B»	FIRSTRATE 84WG	0.016	LAA	11					
C	SELECT (2EC)	0.094	LAA	11					
D	COBRA 2EC	0.094	LAA	11					
E»	COC	1.00	PMV	11					
F»	LIQUID AMS	2.50	PMV	11					
2A»	PENDIMAX 3.3L	1.24	LAA	9	94	87	0	82	82
B»	GANGSTER (CO-P	0.00	NA	0					
C»	VALOR SX 51WDG	0.094	LAA	9					
D»	FIRSTRATE 84WG	0.032	LAA	9					
E	SELECT (2EC)	0.094	LAA	11					
F	COBRA 2EC	0.094	LAA	11					
G»	COC	1.00	PMV	11					
H»	LIQUID AMS	2.50	PMV	11					
3A»	PROWL H20 3.8C	1.19	LAA	9	90	80	0	85	52
B»	RAPTOR 1AS	0.031	LAA	11					
C»	FLEXSTAR 1.88M	0.176	LAA	11					
D»	MSO	1.00	PMV	11					
E»	LIQUID AMS	3.67	PMV	11					
4A»	PROWL H20 3.8C	1.19	LAA	9	20	43	0	43	27
5A»	INTRRO 4EC	2.00	LAA	9	38	27	0	43	33
6A	COMMAND 3ME	1.00	LAA	9	87	77	0	65	78
B»	GANGSTER (CO-P	0.00	NA	0					
C»	VALOR SX 51WDG	0.094	LAA	9					
D»	FIRSTRATE 84WG	0.032	LAA	9					
7A»	BOUNDARY 6.5EC	1.63	LAA	9	63	20	0	63	47
8A	PURSUIT +	0.91	LAA	9	80	88	0	73	82
B»	AUTHORITY	0.188	LAA	9					
9A	PURSUIT +	0.91	LAA	9	85	80	0	96	90
B»	GLYPHOMAX PLUS	0.75	LAA	13					
C»	LIQUID AMS	5.00	PMV	13					
10A»	PROWL H20 3.8C	1.19	LAA	9	73	60	0	98	62
B»	EXTREME 2.17L	0.81	LAA	13					
C»	ACTIVATOR 90	0.125	PMV	13					
D»	LIQUID AMS	3.67	PMV	13					
11A»	INTRRO 4EC	1.00	LAA	9	81	60	0	99	70
B»	WEATHERMAX 4.5	0.75	LAA	13					
C»	LIQUID AMS	5.00	PMV	13					
12A»	BLANKET 75WG	0.188	LAA	9	82	85	0	99	98
B»	BUCCANEER 3 AE	0.75	LAA	13					
C»	ACTIVATOR 90	0.25	PMV	13					
D»	LIQUID AMS	2.50	PMV	13					
13A»	BLANKET 75WG	0.375	LAA	9	81	92	0	99	98
B»	BUCCANEER 3 AE	0.75	LAA	13					
C»	ACTIVATOR 90	0.25	PMV	13					
D»	LIQUID AMS	2.50	PMV	13					
14A»	CANOPY XL 56.3	0.141	LAA	0	95	95	0	98	95
B»	AUTHORITY	0.117	LAA	9					
C	CLASSIC 25WG	0.024	LAA	9					
D»	WEATHERMAX 4.5	0.56	LAA	12					
E»	LIQUID AMS	2.50	PMV	12					
15A»	PENDIMAX 3.3L	0.83	LAA	9	73	67	0	99	74
B»	MANA-MET 75DF	0.50	LAA	9					
C»	BUCCANEER 3 AE	0.56	LAA	13					
D»	ACTIVATOR 90	0.25	PMV	13					
E»	LIQUID AMS	2.50	PMV	13					

TITLE: Weed Control Systems in Soybean C-500

TRT	TREATMENT	DOSAGE	AMBEL	PHBPU	GLXMA	SETFA	AMBEL	PHBPU
NUM	COMPONENT	RATE	UNIT	TM	CON %	CON %	CON %	CON %
					06/25/04	06/25/04	07/19/04	07/19/04
16A»	KIH-485 60WG	0.11	LAA	9	80	65	0	98
	B»WEATHERMAX 4.5	0.56	LAA	13				99
	C»LIQUID AMS	2.50	PMV	13				82
17A»	BOUNDARY 6.5EC	0.81	LAA	9	76	53	0	98
	B»TOUCHDN TOTAL	0.75	LAA	13				99
	C»LIQUID AMS	2.50	PMV	13				55
18A»	BOUNDARY 6.5EC	1.22	LAA	9	89	67	0	94
	B»FLEXSTAR 1.88M	0.294	LAA	12				94
	C FUSION	0.21	LAA	12				
	D»MSO	1.00	PMV	12				60
	E 28% UAN	2.00	PMV	12				
19A	CHECK	0.00	NA	0	0	0	0	0
20A»	GANGSTER (CO-P	0.00	NA	0	92	91	0	94
	B»VALOR SX 51WDG	0.047	LAA	9				99
	C»FIRSTRATE 84WG	0.016	LAA	9				82
	D»GF-1279 4LB AE	0.75	LAA	12				
	E»LIQUID AMS	2.50	PMV	12				
21A»	GF-1279 4LB AE	0.75	LAA	12	93	84	0	98
	B»FIRSTRATE 84WG	0.016	LAA	12				99
	C»LIQUID AMS	2.50	PMV	12				86
22A»	GF-1279 4LB AE	0.75	LAA	12	92	80	0	96
	B»LIQUID AMS	2.50	PMV	12				91
23A»	WEATHERMAX 4.5	0.75	LAA	11	99	80	0	96
	B»LIQUID AMS	5.00	PMV	11				99
	C»WEATHERMAX 4.5	0.75	LAA	13				
	D»LIQUID AMS	5.00	PMV	13				82
24A»	TOUCHDN TOTAL	0.75	LAA	11	99	80	0	96
	B»LIQUID AMS	5.00	PMV	11				99
	C»TOUCHDN TOTAL	0.75	LAA	13				
	D»LIQUID AMS	5.00	PMV	13				84
LSD (0.05)					9.34	10.50	0.00	5.00
STANDARD DEVIATION					4.67	5.25	0.00	2.51
								7.83
								3.92
								8.89
								4.45

TITLE: Weed Control Systems in Soybean C-500
CREATED: 04/22/2004 **REVISED:** 11/01/2004 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT **WIDE X** 36.00 FT **LONG** **REPS:** 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	YIELD BU/A 10/25/04
		RATE	UNIT		
1A»	PENDIMAX 3.3L	1.24	LAA	9	51.7
B»	FIRSTRATE 84WG	0.016	LAA	11	
C	SELECT (2EC)	0.094	LAA	11	
D	COBRA 2EC	0.094	LAA	11	
E»	COC	1.00	PMV	11	
F»	LIQUID AMS	2.50	PMV	11	
2A»	PENDIMAX 3.3L	1.24	LAA	9	55.0
B»	GANGSTER (CO-P	0.00	NA	0	
C»	VALOR SX 51WDG	0.094	LAA	9	
D»	FIRSTRATE 84WG	0.032	LAA	9	
E	SELECT (2EC)	0.094	LAA	11	
F	COBRA 2EC	0.094	LAA	11	
G»	COC	1.00	PMV	11	
H»	LIQUID AMS	2.50	PMV	11	
3A»	PROWL H20 3.8C	1.19	LAA	9	47.8
B»	RAPTOR 1AS	0.031	LAA	11	
C»	FLEXSTAR 1.88M	0.176	LAA	11	
D»	MISO	1.00	PMV	11	
E»	LIQUID AMS	3.67	PMV	11	
4A»	PROWL H20 3.8C	1.19	LAA	9	11.4
5A»	INTRRO 4EC	2.00	LAA	9	15.1
6A	COMMAND 3ME	1.00	LAA	9	57.3
B»	GANGSTER (CO-P	0.00	NA	0	
C»	VALOR SX 51WDG	0.094	LAA	9	
D»	FIRSTRATE 84WG	0.032	LAA	9	
7A»	BOUNDARY 6.5EC	1.63	LAA	9	36.8
8A	PURSUIT +	0.91	LAA	9	52.8
B»	AUTHORITY	0.188	LAA	9	
9A	PURSUIT +	0.91	LAA	9	58.1
B»	GLYPHOMAX PLUS	0.75	LAA	13	
C»	LIQUID AMS	5.00	PMV	13	
10A»	PROWL H20 3.8C	1.19	LAA	9	58.1
B»	EXTREME 2.17L	0.81	LAA	13	
C»	ACTIVATOR 90	0.125	PMV	13	
D»	LIQUID AMS	3.67	PMV	13	
11A»	INTRRO 4EC	1.00	LAA	9	57.4
B»	WEATHERMAX 4.5	0.75	LAA	13	
C»	LIQUID AMS	5.00	PMV	13	
12A»	BLANKET 75WG	0.188	LAA	9	61.5
B»	BUCCANEER 3 AE	0.75	LAA	13	
C»	ACTIVATOR 90	0.25	PMV	13	
D»	LIQUID AMS	2.50	PMV	13	
13A»	BLANKET 75WG	0.375	LAA	9	59.0
B»	BUCCANEER 3 AE	0.75	LAA	13	
C»	ACTIVATOR 90	0.25	PMV	13	
D»	LIQUID AMS	2.50	PMV	13	
14A»	CANOPY XL 56.3	0.141	LAA	0	65.1
B»	AUTHORITY	0.117	LAA	9	
C	CLASSIC 25WG	0.024	LAA	9	
D»	WEATHERMAX 4.5	0.56	LAA	12	
E»	LIQUID AMS	2.50	PMV	12	
15A»	PENDIMAX 3.3L	0.83	LAA	9	60.2
B»	MANA-MET 75DF	0.50	LAA	9	
C»	BUCCANEER 3 AE	0.56	LAA	13	
D»	ACTIVATOR 90	0.25	PMV	13	
E»	LIQUID AMS	2.50	PMV	13	

TITLE: Weed Control Systems in Soybean C-500

TRT NUM	TREATMENT COMPONENT	DOSAGE		YIELD	
		RATE	UNIT	TM	BU/A 10/25/04
16A»	KIH-485 60WG	0.11	LAA	9	62.9
	B»WEATHERMAX 4.5	0.56	LAA	13	
	C»LIQUID AMS	2.50	PMV	13	
17A»	BOUNDARY 6.5EC	0.81	LAA	9	63.1
	B»TOUCHDN TOTAL	0.75	LAA	13	
	C»LIQUID AMS	2.50	PMV	13	
18A»	BOUNDARY 6.5EC	1.22	LAA	9	44.7
	B»FLEXSTAR 1.88M	0.294	LAA	12	
	C FUSION	0.21	LAA	12	
	D»MSO	1.00	PMV	12	
	E 28% UAN	2.00	PMV	12	
19A	CHECK	0.00	NA	0	12.0
20A»	GANGSTER (CO-P	0.00	NA	0	63.9
	B»VALOR SX 51WDG	0.047	LAA	9	
	C»FIRSTRATE 84WG	0.016	LAA	9	
	D»GF-1279 4LB AE	0.75	LAA	12	
	E»LIQUID AMS	2.50	PMV	12	
21A»	GF-1279 4LB AE	0.75	LAA	12	60.6
	B»FIRSTRATE 84WG	0.016	LAA	12	
	C»LIQUID AMS	2.50	PMV	12	
22A»	GF-1279 4LB AE	0.75	LAA	12	61.6
	B»LIQUID AMS	2.50	PMV	12	
23A»	WEATHERMAX 4.5	0.75	LAA	11	59.4
	B»LIQUID AMS	5.00	PMV	11	
	C»WEATHERMAX 4.5	0.75	LAA	13	
	D»LIQUID AMS	5.00	PMV	13	
24A»	TOUCHDN TOTAL	0.75	LAA	11	62.8
	B»LIQUID AMS	5.00	PMV	11	
	C»TOUCHDN TOTAL	0.75	LAA	13	
	D»LIQUID AMS	5.00	PMV	13	
LSD (0.05)					8.11
STANDARD DEVIATION					4.06

» = SUPPLEMENTAL CHEMICAL

* TIMING CODES

00 = ----- / UNTREATED TIMING
 09 = ----- / PREEMERGENCE 05/12/2004(1)
 11 = ----- / EPOST 06/08/2004(2)
 12 = ----- / POST 06/14/2004(3)
 13 = ----- / LPOST 06/18/2004(4)

H#	CUSTOM#1	CUSTOM#2	EV.DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTRT	SS	NOTE
001	GLXMA	CON %	06/13/2004	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
002	SETFA	CON %	06/13/2004	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
003	AMBEL	CON %	06/13/2004	03	P	AMBEL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
004	PHBPU	CON %	06/13/2004	04	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
005	GLXMA	CON %	06/25/2004	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
006	SETFA	CON %	06/25/2004	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
007	AMBEL	CON %	06/25/2004	03	P	AMBEL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
008	PHBPU	CON %	06/25/2004	04	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
009	GLXMA	CON %	07/19/2004	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
010	SETFA	CON %	07/19/2004	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
011	AMBEL	CON %	07/19/2004	03	P	AMBEL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
012	PHBPU	CON %	07/19/2004	04	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
013	YIELD	BU/A	10/25/2004	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N