

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: SIL  
 PH: 6.7  
 %OM: 1.5  
 PREV.CROP: GLXMA - SOYBEAN  
 %RESIDUE: 0  
 PLOT WIDTH: 7.5 X 30 FEET

DESIGN: RCB  
 REPS: 3

APPL. NUMBER	01	02	03	UNIT
TIMINGS	09	11	12	
TYPE	LIQMIX	LIQMIX	LIQMIX	
APPLICATION DATE	05/09/05	05/25/05	06/16/05	AME
AIR TEMPERATURE	71	68	75	F
% REL.HUMIDITY	82	70	80	
WIND DIRECTION	SOUTH	NORTHEAST	NORTH	
WIND SPEED	10.0	12.0	8.0	M/H
CLOUD COVER	CLOUDY	CLEAR	CLEAR	
DEW	NO	NO	NO	
SOIL MOISTURE	DRY/MOIST	DRY/MOIST	DRY/MOIST	
SOIL CONDITION	---	---	---	
METHOD	SPRAY	SPRAY	SPRAY	
EQUIPMENT	SPRBAC	SPRBAC	SPRBAC	
PROPELLANT	COMCO2	COMCO2	COMCO2	
PLACEMENT	BRFOSO	BRFOSO	BRFOSO	
NOZZLE	FLATFAN	FLATFAN	FLATFAN	
NOZZLE NUMBER	5	5	5	
NOZZLE SPACING	18.000	18.000	18.000	IN
SWATH WIDTH	7.5	7.5	7.5	FT
SPRAY VOLUME	20.00	20.00	20.00	
VOLUME UNIT	GPA	GPA	GPA	
PRESSURE	30.00	30.00	30.00	PSI
DILUENT	WATER	WATER	WATER	
INC. DATE				AME
INC. START				24H
INC. END				24H
INC. DEPTH				IN
INC. EQUIPMENT	---	---	---	
DEN/ STG/ MINMAXSZ				
*** CROP ***				
CORN, DENT		---/12	---/15	
DEKALB 63-81		4.00/4.00	10.0/10.0	IN
05/09/2005				
*** PEST ***				
WATERHEMP, COMMO		---/15	---/19	
		1.00/2.00	3.00/5.00	IN
RAGWEED, COMMON		---/11	---/14	
		2.00/2.00	2.00/4.00	IN
LAMBSQUARTERS, C		---/15	---/19	
		1.00/1.00	1.00/3.00	IN
SMARTWEED, PENNS		---/15	---/19	
		1.00/2.00	3.00/5.00	IN
FOXTAIL, GIANT		---/12	---/14	
		1.00/3.00	4.00/6.00	IN

\* TIMING CODES

09 = ----- / PREEMERGENCE  
 11 = ----- / EPOST  
 12 = ----- / POST

\* STAGE CODE

11 = 1ST TRUE LEAF/LEAF PAIR/WHORL UNFOLDED  
 12 = 2 LEAVES UNFOLDED  
 14 = 4 LEAVES UNFOLDED  
 15 = 5TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED  
 19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

**TITLE:** Weed Control Systems in Glyphosate Resistant Corn. BT-800  
**CREATED:** 11/28/2005 **REVISED:** 11/28/2005 **COMPLETED:** N  
**PROJECT TYPE:** HERBICIDE  
**LOCATION:** Brownstown **RESEARCHED BY:** UNIV. OF ILL  
**DESIGN:** RANDOMIZED COMPLETE BLOCK DESIGN  
**PLOT SIZE:** 7.50 FT WIDE X 30.00 FT LONG **REPS:** 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	ZEAMD	SETFA	AMATA	AMBEL	CHEAL	POLPY
		RATE	UNIT		CON % 05/25/05	CON % 05/25/05	CON % 05/25/05	CON % 05/25/05	CON % 05/25/05	CON % 05/25/05
1A	DEGREE XTRA	1.52	LAA	9	0	83	88	90	85	83
	B»WEATHERMAX 4.5	0.75	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
2A»	STALWART EXTRA	1.83	LAA	9	0	85	85	87	85	93
	B»WEATHERMAX 4.5	0.75	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
3A»	KIH-485 60WG	0.09	LAA	9	0	85	83	87	73	85
	B»WEATHERMAX 4.5	0.75	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
4A»	KIH-485 60WG	0.19	LAA	9	0	96	95	96	87	91
	B»WEATHERMAX 4.5	0.75	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
5A	HARNES (7EC)	1.00	LAA	12	0					
	B»WEATHERMAX 4.5	0.75	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
6A»	KIH-485 60WG	0.19	LAA	12	0					
	B»WEATHERMAX 4.5	0.75	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
7A	ATRAZINE DF	1.50	LAA	9	0	47	85	93	88	92
	B»WEATHERMAX 4.5	0.56	LAA	11						
	C CLARITY	0.25	LAA	11						
	D ATRAZINE DF	1.00	LAA	11						
	E»LIQUID AMS	2.50	PMV	11						
8A	ATRAZINE DF	1.50	LAA	9	0	53	88	87	93	92
	B»WEATHERMAX 4.5	0.56	LAA	11						
	C DISTINCT 70SG	0.131	LAA	11						
	D ATRAZINE DF	1.00	LAA	11						
	E»ACTIVATOR 90	0.25	PMV	11						
	F»LIQUID AMS	2.50	PMV	11						
9A	ATRAZINE DF	1.50	LAA	9	0	57	90	94	95	94
	B»WEATHERMAX 4.5	0.56	LAA	11						
	C PROWL H2O 3.8	1.19	LAA	11						
	D ATRAZINE DF	1.00	LAA	11						
	E»LIQUID AMS	2.50	PMV	11						
10A»	WEATHERMAX 4.5	0.56	LAA	11	0					
	B CLARITY	0.25	LAA	11						
	C ATRAZINE DF	1.00	LAA	11						
	D»LIQUID AMS	2.50	PMV	11						
11A»	WEATHERMAX 4.5	0.56	LAA	11	0					
	B MARKSMAN SC	1.20	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
12A»	WEATHERMAX 4.5	0.56	LAA	11	0					
	B DISTINCT 70SG	0.131	LAA	11						
	C ATRAZINE DF	1.00	LAA	11						
	D»ACTIVATOR 90	0.25	PMV	11						
	E»LIQUID AMS	2.50	PMV	11						
13A»	WEATHERMAX 4.5	0.56	LAA	11	0					
	B DISTINCT 70SG	0.131	LAA	11						
	C PROWL H2O 3.8	1.19	LAA	11						
	D ATRAZINE DF	0.75	LAA	11						
	E»ACTIVATOR 90	0.25	PMV	11						
	F»LIQUID AMS	2.50	PMV	11						
14A»	WEATHERMAX 4.5	0.56	LAA	11	0					
	B PROWL H2O 3.8	1.19	LAA	11						
	C ATRAZINE DF	1.00	LAA	11						
	D»LIQUID AMS	2.50	PMV	11						

## TITLE: Weed Control Systems in Glyphosate Resistant Corn. BT-800

TRT NUM	TREATMENT COMPONENT	DOSAGE			ZEAMD	SETFA	AMATA	AMBEL	CHEAL	POLPY
		RATE	UNIT	TM	CON % 05/25/05	CON % 05/25/05	CON % 05/25/05	CON % 05/25/05	CON % 05/25/05	CON % 05/25/05
15A	GUARDSMAN MAX	1.25	LAA	9	0	92	93	93	96	96
	B»WEATHERMAX 4.5	0.56	LAA	11						
	C DISTINCT 70SG	0.131	LAA	11						
	D ATRAZINE DF	1.00	LAA	11						
	E»ACTIVATOR 90	0.25	PMV	11						
	F»LIQUID AMS	2.50	PMV	11						
16A	KEYSTONE 5.25	1.97	LAA	9	0	96	98	96	95	96
	B»GLYPHOMAX XRT	0.75	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
17A»	WEATHERMAX 4.5	0.75	LAA	12	0					
	B»LIQUID AMS	2.50	PMV	12						
18A»	WEATHERMAX 4.5	0.75	LAA	11	0					
	B»LIQUID AMS	2.50	PMV	11						
	C»WEATHERMAX 4.5	0.75	LAA	12						
	D»LIQUID AMS	2.50	PMV	12						
19A	CHECK	0.00	NA	0	0	0	0	0	0	0
20A»	TOUCHDN TOTAL	0.75	LAA	11	0					
	B»LIQUID AMS	2.50	PMV	11						
	C»TOUCHDN TOTAL	0.75	LAA	12						
	D»LIQUID AMS	2.50	PMV	12						
21A	GUARDSMAN MAX	1.25	LAA	9	0	93	96	98	94	98
	B PROWL H2O 3.8	1.19	LAA	12						
	C»WEATHERMAX 4.5	0.75	LAA	12						
	D»MSO	1.00	PMV	12						
22A	GUARDSMAN MAX	1.25	LAA	9	0	95	95	95	93	95
	B PROWL H2O 3.8	2.38	LAA	12						
	C»WEATHERMAX 4.5	0.75	LAA	12						
	D»MSO	1.00	PMV	12						
23A	GUARDSMAN MAX	1.25	LAA	9	0	93	95	96	92	93
	B»PENDIMAX 3.3L	1.24	LAA	12						
	C»WEATHERMAX 4.5	0.75	LAA	12						
	D»MSO	1.00	PMV	12						
24A	GUARDSMAN MAX	1.25	LAA	9	0	92	93	92	92	91
	B»PENDIMAX 3.3L	2.48	LAA	12						
	C»WEATHERMAX 4.5	0.75	LAA	12						
	D»MSO	1.00	PMV	12						
	LSD (0.05)				0.00	10.56	7.68	8.87	10.48	10.00
	STANDARD DEVIATION				0.00	5.14	3.74	4.31	5.10	4.88

**TITLE:** Weed Control Systems in Glyphosate Resistant Corn. BT-800  
**CREATED:** 11/28/2005 **REVISED:** 11/28/2005 **COMPLETED:** N  
**PROJECT TYPE:** HERBICIDE  
**LOCATION:** Brownstown **RESEARCHED BY:** UNIV. OF ILL  
**DESIGN:** RANDOMIZED COMPLETE BLOCK DESIGN  
**PLOT SIZE:** 7.50 FT WIDE X 30.00 FT LONG **REPS:** 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	ZEAMD	SETFA	AMATA	AMBEL	CHEAL	POLPY
		RATE	UNIT		CON % 07/14/05	CON % 07/14/05	CON % 07/14/05	CON % 07/14/05	CON % 07/14/05	CON % 07/14/05
1A	DEGREE XTRA	1.52	LAA	9	0	99	98	99	99	96
	B>>WEATHERMAX 4.5	0.75	LAA	12						
	C>>LIQUID AMS	2.50	PMV	12						
2A>>	STALWART EXTRA	1.83	LAA	9	0	99	96	97	99	93
	B>>WEATHERMAX 4.5	0.75	LAA	12						
	C>>LIQUID AMS	2.50	PMV	12						
3A>>	KIH-485 60WG	0.09	LAA	9	0	99	99	98	99	96
	B>>WEATHERMAX 4.5	0.75	LAA	12						
	C>>LIQUID AMS	2.50	PMV	12						
4A>>	KIH-485 60WG	0.19	LAA	9	0	99	99	99	99	99
	B>>WEATHERMAX 4.5	0.75	LAA	12						
	C>>LIQUID AMS	2.50	PMV	12						
5A	HARNES (7EC)	1.00	LAA	12	0	99	99	99	99	98
	B>>WEATHERMAX 4.5	0.75	LAA	12						
	C>>LIQUID AMS	2.50	PMV	12						
6A>>	KIH-485 60WG	0.19	LAA	12	0	99	99	99	95	99
	B>>WEATHERMAX 4.5	0.75	LAA	12						
	C>>LIQUID AMS	2.50	PMV	12						
7A	ATRAZINE DF	1.50	LAA	9	0	99	99	99	99	99
	B>>WEATHERMAX 4.5	0.56	LAA	11						
	C CLARITY	0.25	LAA	11						
	D ATRAZINE DF	1.00	LAA	11						
	E>>LIQUID AMS	2.50	PMV	11						
8A	ATRAZINE DF	1.50	LAA	9	0	99	99	85	99	98
	B>>WEATHERMAX 4.5	0.56	LAA	11						
	C DISTINCT 70SG	0.131	LAA	11						
	D ATRAZINE DF	1.00	LAA	11						
	E>>ACTIVATOR 90	0.25	PMV	11						
	F>>LIQUID AMS	2.50	PMV	11						
9A	ATRAZINE DF	1.50	LAA	9	0	99	99	99	99	99
	B>>WEATHERMAX 4.5	0.56	LAA	11						
	C PROWL H2O 3.8	1.19	LAA	11						
	D ATRAZINE DF	1.00	LAA	11						
	E>>LIQUID AMS	2.50	PMV	11						
10A>>	WEATHERMAX 4.5	0.56	LAA	11	0	99	99	91	99	99
	B CLARITY	0.25	LAA	11						
	C ATRAZINE DF	1.00	LAA	11						
	D>>LIQUID AMS	2.50	PMV	11						
11A>>	WEATHERMAX 4.5	0.56	LAA	11	0	99	99	96	99	95
	B MARKSMAN SC	1.20	LAA	11						
	C>>LIQUID AMS	2.50	PMV	11						
12A>>	WEATHERMAX 4.5	0.56	LAA	11	0	99	98	98	98	99
	B DISTINCT 70SG	0.131	LAA	11						
	C ATRAZINE DF	1.00	LAA	11						
	D>>ACTIVATOR 90	0.25	PMV	11						
	E>>LIQUID AMS	2.50	PMV	11						
13A>>	WEATHERMAX 4.5	0.56	LAA	11	0	99	99	96	99	99
	B DISTINCT 70SG	0.131	LAA	11						
	C PROWL H2O 3.8	1.19	LAA	11						
	D ATRAZINE DF	0.75	LAA	11						
	E>>ACTIVATOR 90	0.25	PMV	11						
	F>>LIQUID AMS	2.50	PMV	11						
14A>>	WEATHERMAX 4.5	0.56	LAA	11	0	99	86	99	83	99
	B PROWL H2O 3.8	1.19	LAA	11						
	C ATRAZINE DF	1.00	LAA	11						
	D>>LIQUID AMS	2.50	PMV	11						

## TITLE: Weed Control Systems in Glyphosate Resistant Corn. BT-800

TRT NUM	TREATMENT COMPONENT	DOSAGE			ZEAMD	SETFA	AMATA	AMBEL	CHEAL	POLPY
		RATE	UNIT	TM	CON % 07/14/05	CON % 07/14/05	CON % 07/14/05	CON % 07/14/05	CON % 07/14/05	CON % 07/14/05
15A	GUARDSMAN MAX	1.25	LAA	9	0	99	99	99	99	99
	B»WEATHERMAX 4.5	0.56	LAA	11						
	C DISTINCT 70SG	0.131	LAA	11						
	D ATRAZINE DF	1.00	LAA	11						
	E»ACTIVATOR 90	0.25	PMV	11						
	F»LIQUID AMS	2.50	PMV	11						
16A	KEYSTONE 5.25	1.97	LAA	9	0	99	99	99	99	99
	B»GLYPHOMAX XRT	0.75	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
17A»	WEATHERMAX 4.5	0.75	LAA	12	0	99	95	94	99	99
	B»LIQUID AMS	2.50	PMV	12						
18A»	WEATHERMAX 4.5	0.75	LAA	11	0	99	99	99	99	99
	B»LIQUID AMS	2.50	PMV	11						
	C»WEATHERMAX 4.5	0.75	LAA	12						
	D»LIQUID AMS	2.50	PMV	12						
19A	CHECK	0.00	NA	0	0	0	0	0	0	0
20A»	TOUCHDN TOTAL	0.75	LAA	11	0	99	99	99	99	99
	B»LIQUID AMS	2.50	PMV	11						
	C»TOUCHDN TOTAL	0.75	LAA	12						
	D»LIQUID AMS	2.50	PMV	12						
21A	GUARDSMAN MAX	1.25	LAA	9	0	99	99	99	99	99
	B PROWL H2O 3.8	1.19	LAA	12						
	C»WEATHERMAX 4.5	0.75	LAA	12						
	D»MSO	1.00	PMV	12						
22A	GUARDSMAN MAX	1.25	LAA	9	0	99	99	99	99	99
	B PROWL H2O 3.8	2.38	LAA	12						
	C»WEATHERMAX 4.5	0.75	LAA	12						
	D»MSO	1.00	PMV	12						
23A	GUARDSMAN MAX	1.25	LAA	9	0	99	99	99	98	99
	B»PENDIMAX 3.3L	1.24	LAA	12						
	C»WEATHERMAX 4.5	0.75	LAA	12						
	D»MSO	1.00	PMV	12						
24A	GUARDSMAN MAX	1.25	LAA	9	0	99	98	98	99	99
	B»PENDIMAX 3.3L	2.48	LAA	12						
	C»WEATHERMAX 4.5	0.75	LAA	12						
	D»MSO	1.00	PMV	12						
	LSD (0.05)				0.00	0.00	4.86	4.12	4.10	2.54
	STANDARD DEVIATION				0.00	0.00	2.43	2.06	2.05	1.27

**TITLE:** Weed Control Systems in Glyphosate Resistant Corn. BT-800  
**CREATED:** 11/28/2005 **REVISED:** 11/28/2005 **COMPLETED:** N  
**PROJECT TYPE:** HERBICIDE  
**LOCATION:** Brownstown **RESEARCHED BY:** UNIV. OF ILL  
**DESIGN:** RANDOMIZED COMPLETE BLOCK DESIGN  
**PLOT SIZE:** 7.50 FT WIDE X 30.00 FT LONG **REPS:** 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		YIELD BU/A 09/29/05
		RATE	UNIT	
1A	DEGREE XTRA	1.52	LAA 9	154.4
	B»WEATHERMAX 4.5	0.75	LAA 12	
	C»LIQUID AMS	2.50	PMV 12	
2A»	STALWART EXTRA	1.83	LAA 9	133.1
	B»WEATHERMAX 4.5	0.75	LAA 12	
	C»LIQUID AMS	2.50	PMV 12	
3A»	KIH-485 60WG	0.09	LAA 9	160.5
	B»WEATHERMAX 4.5	0.75	LAA 12	
	C»LIQUID AMS	2.50	PMV 12	
4A»	KIH-485 60WG	0.19	LAA 9	149.3
	B»WEATHERMAX 4.5	0.75	LAA 12	
	C»LIQUID AMS	2.50	PMV 12	
5A	HARNES (7EC)	1.00	LAA 12	147.3
	B»WEATHERMAX 4.5	0.75	LAA 12	
	C»LIQUID AMS	2.50	PMV 12	
6A»	KIH-485 60WG	0.19	LAA 12	161.8
	B»WEATHERMAX 4.5	0.75	LAA 12	
	C»LIQUID AMS	2.50	PMV 12	
7A	ATRAZINE DF	1.50	LAA 9	164.6
	B»WEATHERMAX 4.5	0.56	LAA 11	
	C CLARITY	0.25	LAA 11	
	D ATRAZINE DF	1.00	LAA 11	
	E»LIQUID AMS	2.50	PMV 11	
8A	ATRAZINE DF	1.50	LAA 9	151.9
	B»WEATHERMAX 4.5	0.56	LAA 11	
	C DISTINCT 70SG	0.131	LAA 11	
	D ATRAZINE DF	1.00	LAA 11	
	E»ACTIVATOR 90	0.25	PMV 11	
	F»LIQUID AMS	2.50	PMV 11	
9A	ATRAZINE DF	1.50	LAA 9	171.6
	B»WEATHERMAX 4.5	0.56	LAA 11	
	C PROWL H2O 3.8	1.19	LAA 11	
	D ATRAZINE DF	1.00	LAA 11	
	E»LIQUID AMS	2.50	PMV 11	
10A»	WEATHERMAX 4.5	0.56	LAA 11	155.2
	B CLARITY	0.25	LAA 11	
	C ATRAZINE DF	1.00	LAA 11	
	D»LIQUID AMS	2.50	PMV 11	
11A»	WEATHERMAX 4.5	0.56	LAA 11	151.6
	B MARKSMAN SC	1.20	LAA 11	
	C»LIQUID AMS	2.50	PMV 11	
12A»	WEATHERMAX 4.5	0.56	LAA 11	164.5
	B DISTINCT 70SG	0.131	LAA 11	
	C ATRAZINE DF	1.00	LAA 11	
	D»ACTIVATOR 90	0.25	PMV 11	
	E»LIQUID AMS	2.50	PMV 11	
13A»	WEATHERMAX 4.5	0.56	LAA 11	148.6
	B DISTINCT 70SG	0.131	LAA 11	
	C PROWL H2O 3.8	1.19	LAA 11	
	D ATRAZINE DF	0.75	LAA 11	
	E»ACTIVATOR 90	0.25	PMV 11	
	F»LIQUID AMS	2.50	PMV 11	
14A»	WEATHERMAX 4.5	0.56	LAA 11	146.2
	B PROWL H2O 3.8	1.19	LAA 11	
	C ATRAZINE DF	1.00	LAA 11	
	D»LIQUID AMS	2.50	PMV 11	

TITLE: Weed Control Systems in Glyphosate Resistant Corn. BT-800

TRT NUM	TREATMENT COMPONENT	DOSAGE		YIELD BU/A 09/29/05
		RATE	UNIT	
15A	GUARDSMAN MAX	1.25	LAA 9	164.5
	B>WEATHERMAX 4.5	0.56	LAA 11	
	C DISTINCT 70SG	0.131	LAA 11	
	D ATRAZINE DF	1.00	LAA 11	
	E>ACTIVATOR 90	0.25	PMV 11	
	F>LIQUID AMS	2.50	PMV 11	
16A	KEYSTONE 5.25	1.97	LAA 9	153.5
	B>GLYPHOMAX XRT	0.75	LAA 12	
	C>LIQUID AMS	2.50	PMV 12	
17A>	WEATHERMAX 4.5	0.75	LAA 12	138.8
	B>LIQUID AMS	2.50	PMV 12	
18A>	WEATHERMAX 4.5	0.75	LAA 11	149.9
	B>LIQUID AMS	2.50	PMV 11	
	C>WEATHERMAX 4.5	0.75	LAA 12	
	D>LIQUID AMS	2.50	PMV 12	
19A	CHECK	0.00	NA 0	78.9
20A>	TOUCHDN TOTAL	0.75	LAA 11	152.7
	B>LIQUID AMS	2.50	PMV 11	
	C>TOUCHDN TOTAL	0.75	LAA 12	
	D>LIQUID AMS	2.50	PMV 12	
21A	GUARDSMAN MAX	1.25	LAA 9	151.1
	B PROWL H2O 3.8	1.19	LAA 12	
	C>WEATHERMAX 4.5	0.75	LAA 12	
	D>MSO	1.00	PMV 12	
22A	GUARDSMAN MAX	1.25	LAA 9	155.9
	B PROWL H2O 3.8	2.38	LAA 12	
	C>WEATHERMAX 4.5	0.75	LAA 12	
	D>MSO	1.00	PMV 12	
23A	GUARDSMAN MAX	1.25	LAA 9	141.9
	B>PENDIMAX 3.3L	1.24	LAA 12	
	C>WEATHERMAX 4.5	0.75	LAA 12	
	D>MSO	1.00	PMV 12	
24A	GUARDSMAN MAX	1.25	LAA 9	123.2
	B>PENDIMAX 3.3L	2.48	LAA 12	
	C>WEATHERMAX 4.5	0.75	LAA 12	
	D>MSO	1.00	PMV 12	
		LSD (0.05)		31.55
		STANDARD DEVIATION		15.77

>> = SUPPLEMENTAL CHEMICAL

\* TIMING CODES

- 00 = ----- / UNTREATED TIMING
- 09 = ----- / PREEMERGENCE 05/09/2005(1)
- 11 = ----- / EPOST 05/25/2005(2)
- 12 = ----- / POST 06/16/2005(3)

H#	CUSTOM#1	CUSTOM#2	EV.DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTRT	SS	NOTE
001	ZEAMD	CON %	05/25/2005	01	P	ZEAMD	12	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
002	SETFA	CON %	05/25/2005	02	P	SETFA	12	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
003	AMATA	CON %	05/25/2005	03	P	AMATA	15	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
004	AMBEL	CON %	05/25/2005	04	P	AMBEL	11	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
005	CHEAL	CON %	05/25/2005	05	P	CHEAL	15	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
006	POLPY	CON %	05/25/2005	06	P	POLPY	15	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
007	ZEAMD	CON %	07/14/2005	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
008	SETFA	CON %	07/14/2005	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
009	AMATA	CON %	07/14/2005	03	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
010	AMBEL	CON %	07/14/2005	04	P	AMBEL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
011	CHEAL	CON %	07/14/2005	05	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
012	POLPY	CON %	07/14/2005	06	P	POLPY		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

TITLE: Weed Control Systems in Glyphosate Resistant Corn. BT-800

H#	CUSTOM#1	CUSTOM#2	EV.DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTR1	SS	NOTE
013	YIELD	BU/A	09/29/2005	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

## \* SPECIES COMMON NAME - CULTIVAR (IF APPLICABLE)

01 = DEKALB 63-81

## \* STAGE CODE

11 = 1ST TRUE LEAF/LEAF PAIR/WHORL UNFOLDED

12 = 2 LEAVES UNFOLDED

15 = 5TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED