

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: SIL
PH: 6.7
%OM: 1.5
PREV. CROP: ZEAMD - CORN, DENT
%RESIDUE: 0
PLOT WIDTH: 7.5 X 30 FEET

DESIGN: RCB
REPS: 3

APPL. NUMBER	01	02	UNIT
TIMINGS	06	13	
TYPE	LIQMIX	LIQMIX	
APPLICATION DATE	05/09/05	07/07/05	AME
AIR TEMPERATURE	71	83	F
% REL. HUMIDITY	82	74	
WIND DIRECTION	SOUTH	NORTH	
WIND SPEED	10.0	10.0	M/H
CLOUD COVER	CLOUDY	PARTCLDY	
DEW	NO	NO	
SOIL MOISTURE	DRY/MOIST	DRY/MOIST	
SOIL CONDITION	---	---	
METHOD	SPRAY	SPRAY	
EQUIPMENT	SPRBAC	SPRBAC	
PROPELLANT	COMCO2	COMCO2	
PLACEMENT	BRFOSO	BRFOSO	
NOZZLE	FLATFAN	FLATFAN	
NOZZLE NUMBER	5	5	
NOZZLE SPACING	18.000	18.000	IN
SWATH WIDTH	7.5	7.5	FT
SPRAY VOLUME	20.00	20.00	
VOLUME UNIT	GPA	GPA	
PRESSURE	30.00	30.00	PSI
DILUENT	WATER	WATER	
INC. DATE			AME
INC. START			24H
INC. END			24H
INC. DEPTH			IN
INC. EQUIPMENT	---	---	
DN/SG/MMZ			
*** CROP ***			
SOYBEAN		---/17	
A 4502		8.00/8.00	IN
05/18/2005			
*** PEST ***			
WATERHEMP, COMMO	---/12	---/19	
	1.00/1.00	4.00/10.0	IN
RAGWEED, COMMON	---/12	---/	
	2.00/2.00	4.00/8.00	IN
FOXTAIL, GIANT	---/11	---/16	
	1.00/1.00	4.00/8.00	IN
DANDELION, COMMO	---/19	---/19	
	1.00/3.00	3.00/6.00	IN

* TIMING CODES

06 = ----- / EPP 7DBP
13 = ----- / LPOST

* STAGE CODE

11 = FIRST LEAF UNFOLDED
12 = 2ND TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
16 = 6 LEAVES UNFOLDED
17 = 7TH LEAF (5TH TRIFOLIATE LEAF) UNFOLDED, 6 NODES
19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

TITLE: Notill Weed Control Evaluations in Glyphosate Resistant Soybean.
CREATED: 04/23/2005 **REVISED:** 11/20/2005 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Brownstown **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG **REPS:** 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	SETFA	TAROF	AMATA	AMBEL	GLXMA	SETFA
		RATE	UNIT		CON % 05/20/05	CON % 05/20/05	CON % 05/20/05	CON % 05/20/05	CON % 06/14/05	CON % 06/14/05
1A	GRAMOX INTEON	0.62	LAA	6	99	70	99	99	0	40
B	ACTIVATOR 90	0.125	PMV	6						
C	TOUCHDN TOTAL	0.78	LAA	13						
D	LIQUID AMS	2.50	PMV	13						
2A	GRAMOX INTEON	0.75	LAA	6	99	77	99	99	0	47
B	ACTIVATOR 90	0.125	PMV	6						
C	TOUCHDN TOTAL	0.78	LAA	13						
D	LIQUID AMS	2.50	PMV	13						
3A	GRAMOX INTEON	1.00	LAA	6	99	78	99	99	0	43
B	ACTIVATOR 90	0.125	PMV	6						
C	TOUCHDN TOTAL	0.78	LAA	13						
D	LIQUID AMS	2.50	PMV	13						
4A	GRAMOX INTEON	0.62	LAA	6	99	96	99	99	0	43
B	(G)2,4-D-ESTER	0.47	LAA	6						
C	ACTIVATOR 90	0.125	PMV	6						
D	TOUCHDN TOTAL	0.78	LAA	13						
E	LIQUID AMS	2.50	PMV	13						
5A	GRAMOX INTEON	0.75	LAA	6	99	99	99	99	0	53
B	(G)2,4-D-ESTER	0.47	LAA	6						
C	ACTIVATOR 90	0.125	PMV	6						
D	TOUCHDN TOTAL	0.78	LAA	13						
E	LIQUID AMS	2.50	PMV	13						
6A	GRAMOX INTEON	1.00	LAA	6	99	99	99	99	0	52
B	(G)2,4-D-ESTER	0.47	LAA	6						
C	ACTIVATOR 90	0.125	PMV	6						
D	TOUCHDN TOTAL	0.78	LAA	13						
E	LIQUID AMS	2.50	PMV	13						
7A	GRAMOX INTEON	0.62	LAA	6	99	91	99	99	0	75
B	A14972A 5.32EC	1.33	LAA	6						
C	ACTIVATOR 90	0.125	PMV	6						
D	TOUCHDN TOTAL	0.78	LAA	13						
E	LIQUID AMS	2.50	PMV	13						
8A	GRAMOX INTEON	0.75	LAA	6	99	92	99	99	0	93
B	A14972A 5.32EC	1.33	LAA	6						
C	ACTIVATOR 90	0.125	PMV	6						
D	TOUCHDN TOTAL	0.78	LAA	13						
E	LIQUID AMS	2.50	PMV	13						
9A	GRAMOX INTEON	1.00	LAA	6	99	97	99	99	0	85
B	A14972A 5.32EC	1.33	LAA	6						
C	ACTIVATOR 90	0.125	PMV	6						
D	TOUCHDN TOTAL	0.78	LAA	13						
E	LIQUID AMS	2.50	PMV	13						
10A	GRAMOX INTEON	0.62	LAA	6	99	67	99	99	0	92
B	BOUNDARY 6.5EC	1.62	LAA	6						
C	ACTIVATOR 90	0.125	PMV	6						
D	TOUCHDN TOTAL	0.78	LAA	13						
E	LIQUID AMS	2.50	PMV	13						
11A	GRAMOX INTEON	0.75	LAA	6	99	72	99	99	0	88
B	BOUNDARY 6.5EC	1.62	LAA	6						
C	ACTIVATOR 90	0.125	PMV	6						
D	TOUCHDN TOTAL	0.78	LAA	13						
E	LIQUID AMS	2.50	PMV	13						
12A	GRAMOX INTEON	1.00	LAA	6	99	79	99	99	0	88
B	BOUNDARY 6.5EC	1.62	LAA	6						
C	ACTIVATOR 90	0.125	PMV	6						
D	TOUCHDN TOTAL	0.78	LAA	13						
E	LIQUID AMS	2.50	PMV	13						

TITLE: Notill Weed Control Evaluations in Glyphosate Resistant Soybean.

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	SETFA	TAROF	AMATA	AMBEL	GLXMA	SETFA
		RATE	UNIT		CON % 05/20/05	CON % 05/20/05	CON % 05/20/05	CON % 05/20/05	CON % 06/14/05	CON % 06/14/05
13A	»GRAMOX INTEON	0.75	LAA	6	99	92	99	99	0	60
	B (G)2,4-D-ESTER	0.47	LAA	6						
	C»ACTIVATOR 90	0.125	PMV	6						
	D»SEQUENCE 5.25E	1.64	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						
14A	»WEATHERMAX 4.5	0.75	LAA	6	99	60	99	99	0	33
	B»LIQUID AMS	2.50	PMV	6						
	C»WEATHERMAX 4.5	0.75	LAA	13						
	D»LIQUID AMS	2.50	PMV	13						
15A	»GRAMOX INTEON	1.00	LAA	6	99	47	78	93	0	23
	B»ACTIVATOR 90	0.125	PMV	6						
	C FLEXSTAR 1.88	0.294	LAA	13						
	D FUSION 2.56EC	0.20	LAA	13						
	E»MSO	1.00	PMV	13						
	F 28% UAN	2.50	PMV	13						
16A	»GRAMOX INTEON	1.00	LAA	6	99	77	99	99	0	67
	B»A14972A 5.32EC	1.33	LAA	6						
	C»ACTIVATOR 90	0.125	PMV	6						
17A	AIM EC	0.008	LAA	6	99	87	99	99	0	43
	B»WEATHERMAX 4.5	0.75	LAA	6						
	C»LIQUID AMS	2.50	PMV	6						
	D»WEATHERMAX 4.5	0.75	LAA	13						
	E»LIQUID AMS	2.50	PMV	13						
18A	AIM EC	0.008	LAA	6	99	99	99	99	0	50
	B»WEATHERMAX 4.5	0.56	LAA	6						
	C BARRAGE 4.7EC	0.50	LAA	6						
	D»LIQUID AMS	2.50	PMV	6						
	E»WEATHERMAX 4.5	0.75	LAA	13						
	F»LIQUID AMS	2.50	PMV	13						
19A	AIM EC	0.012	LAA	6	99	96	99	99	0	33
	B»WEATHERMAX 4.5	0.75	LAA	6						
	C»LIQUID AMS	2.50	PMV	6						
	D»WEATHERMAX 4.5	0.75	LAA	13						
	E»LIQUID AMS	2.50	PMV	13						
20A	CHECK	0.00	NA	0	0	0	0	0	0	0
21A	AIM EC	0.012	LAA	6	99	99	99	99	0	47
	B»WEATHERMAX 4.5	0.56	LAA	6						
	C BARRAGE 4.7EC	0.25	LAA	6						
	D»LIQUID AMS	2.50	PMV	6						
	E»WEATHERMAX 4.5	0.75	LAA	13						
	F»LIQUID AMS	2.50	PMV	13						
22A	»WEATHERMAX 4.5	0.75	LAA	6	99	58	91	94	7	92
	B PROWL 3.3EC	1.24	LAA	6						
	C»LIQUID AMS	2.50	PMV	6						
	D»WEATHERMAX 4.5	0.75	LAA	13						
	E»LIQUID AMS	2.50	PMV	13						
23A	»WEATHERMAX 4.5	0.75	LAA	6	99	60	90	90	5	92
	B PROWL H2O 3.8	1.19	LAA	6						
	C»LIQUID AMS	2.50	PMV	6						
	D»WEATHERMAX 4.5	0.75	LAA	13						
	E»LIQUID AMS	2.50	PMV	13						
24A	»WEATHERMAX 4.5	0.75	LAA	6	99	89	99	99	0	83
	B SCEPTER 70DG	0.092	LAA	6						
	C»LIQUID AMS	2.50	PMV	6						
	D»WEATHERMAX 4.5	0.75	LAA	13						
	E»LIQUID AMS	2.50	PMV	13						
		LSD (0.05)			0.00	10.75	3.92	2.00	1.00	13.68
		STANDARD DEVIATION			0.00	5.37	2.00	1.00	0.481	6.84

TITLE: Notill Weed Control Evaluations in Glyphosate Resistant Soybean.
CREATED: 04/23/2005 **REVISED:** 11/20/2005 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Brownstown **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG **REPS:** 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	TAROF	AMATA	AMBEL	GLXMA	SETFA	TAROF
		RATE	UNIT		CON % 06/14/05	CON % 06/14/05	CON % 06/14/05	CON % 07/20/05	CON % 07/20/05	CON % 07/20/05
1A	GRAMOX INTEON	0.62	LAA	6	40	60	63	0	99	82
B	ACTIVATOR 90	0.125	PMV	6						
C	TOUCHDN TOTAL	0.78	LAA	13						
D	LIQUID AMS	2.50	PMV	13						
2A	GRAMOX INTEON	0.75	LAA	6	58	60	67	0	99	82
B	ACTIVATOR 90	0.125	PMV	6						
C	TOUCHDN TOTAL	0.78	LAA	13						
D	LIQUID AMS	2.50	PMV	13						
3A	GRAMOX INTEON	1.00	LAA	6	60	65	68	0	99	87
B	ACTIVATOR 90	0.125	PMV	6						
C	TOUCHDN TOTAL	0.78	LAA	13						
D	LIQUID AMS	2.50	PMV	13						
4A	GRAMOX INTEON	0.62	LAA	6	83	80	84	0	99	99
B	(G)2,4-D-ESTER	0.47	LAA	6						
C	ACTIVATOR 90	0.125	PMV	6						
D	TOUCHDN TOTAL	0.78	LAA	13						
E	LIQUID AMS	2.50	PMV	13						
5A	GRAMOX INTEON	0.75	LAA	6	87	87	91	0	99	99
B	(G)2,4-D-ESTER	0.47	LAA	6						
C	ACTIVATOR 90	0.125	PMV	6						
D	TOUCHDN TOTAL	0.78	LAA	13						
E	LIQUID AMS	2.50	PMV	13						
6A	GRAMOX INTEON	1.00	LAA	6	94	98	98	0	99	99
B	(G)2,4-D-ESTER	0.47	LAA	6						
C	ACTIVATOR 90	0.125	PMV	6						
D	TOUCHDN TOTAL	0.78	LAA	13						
E	LIQUID AMS	2.50	PMV	13						
7A	GRAMOX INTEON	0.62	LAA	6	70	95	98	0	99	78
B	A14972A 5.32EC	1.33	LAA	6						
C	ACTIVATOR 90	0.125	PMV	6						
D	TOUCHDN TOTAL	0.78	LAA	13						
E	LIQUID AMS	2.50	PMV	13						
8A	GRAMOX INTEON	0.75	LAA	6	88	93	99	0	99	80
B	A14972A 5.32EC	1.33	LAA	6						
C	ACTIVATOR 90	0.125	PMV	6						
D	TOUCHDN TOTAL	0.78	LAA	13						
E	LIQUID AMS	2.50	PMV	13						
9A	GRAMOX INTEON	1.00	LAA	6	87	87	96	0	99	88
B	A14972A 5.32EC	1.33	LAA	6						
C	ACTIVATOR 90	0.125	PMV	6						
D	TOUCHDN TOTAL	0.78	LAA	13						
E	LIQUID AMS	2.50	PMV	13						
10A	GRAMOX INTEON	0.62	LAA	6	96	98	99	0	99	77
B	BOUNDARY 6.5EC	1.62	LAA	6						
C	ACTIVATOR 90	0.125	PMV	6						
D	TOUCHDN TOTAL	0.78	LAA	13						
E	LIQUID AMS	2.50	PMV	13						
11A	GRAMOX INTEON	0.75	LAA	6	85	93	98	0	99	87
B	BOUNDARY 6.5EC	1.62	LAA	6						
C	ACTIVATOR 90	0.125	PMV	6						
D	TOUCHDN TOTAL	0.78	LAA	13						
E	LIQUID AMS	2.50	PMV	13						
12A	GRAMOX INTEON	1.00	LAA	6	92	95	98	0	99	89
B	BOUNDARY 6.5EC	1.62	LAA	6						
C	ACTIVATOR 90	0.125	PMV	6						
D	TOUCHDN TOTAL	0.78	LAA	13						
E	LIQUID AMS	2.50	PMV	13						

TITLE: Notill Weed Control Evaluations in Glyphosate Resistant Soybean.

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	TAROF	AMATA	AMBEL	GLXMA	SETFA	TAROF
		RATE	UNIT		CON % 06/14/05	CON % 06/14/05	CON % 06/14/05	CON % 07/20/05	CON % 07/20/05	CON % 07/20/05
13A	GRAMOX INTEON	0.75	LAA	6	92	96	93	22	99	98
	B (G)2,4-D-ESTER	0.47	LAA	6						
	C»ACTIVATOR 90	0.125	PMV	6						
	D»SEQUENCE 5.25E	1.64	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						
14A	WEATHERMAX 4.5	0.75	LAA	6	37	68	68	0	88	83
	B»LIQUID AMS	2.50	PMV	6						
	C»WEATHERMAX 4.5	0.75	LAA	13						
	D»LIQUID AMS	2.50	PMV	13						
15A	GRAMOX INTEON	1.00	LAA	6	23	78	57	0	99	78
	B»ACTIVATOR 90	0.125	PMV	6						
	C FLEXSTAR 1.88	0.294	LAA	13						
	D FUSION 2.56EC	0.20	LAA	13						
	E»MSO	1.00	PMV	13						
	F 28% UAN	2.50	PMV	13						
16A	GRAMOX INTEON	1.00	LAA	6	70	88	95	0	88	82
	B»A14972A 5.32EC	1.33	LAA	6						
	C»ACTIVATOR 90	0.125	PMV	6						
17A	AIM EC	0.008	LAA	6	83	85	87	0	94	97
	B»WEATHERMAX 4.5	0.75	LAA	6						
	C»LIQUID AMS	2.50	PMV	6						
	D»WEATHERMAX 4.5	0.75	LAA	13						
	E»LIQUID AMS	2.50	PMV	13						
18A	AIM EC	0.008	LAA	6	97	96	96	0	98	99
	B»WEATHERMAX 4.5	0.56	LAA	6						
	C BARRAGE 4.7EC	0.50	LAA	6						
	D»LIQUID AMS	2.50	PMV	6						
	E»WEATHERMAX 4.5	0.75	LAA	13						
	F»LIQUID AMS	2.50	PMV	13						
19A	AIM EC	0.012	LAA	6	93	95	96	0	95	99
	B»WEATHERMAX 4.5	0.75	LAA	6						
	C»LIQUID AMS	2.50	PMV	6						
	D»WEATHERMAX 4.5	0.75	LAA	13						
	E»LIQUID AMS	2.50	PMV	13						
20A	CHECK	0.00	NA	0	0	0	0	0	0	0
21A	AIM EC	0.012	LAA	6	88	83	92	0	94	99
	B»WEATHERMAX 4.5	0.56	LAA	6						
	C BARRAGE 4.7EC	0.25	LAA	6						
	D»LIQUID AMS	2.50	PMV	6						
	E»WEATHERMAX 4.5	0.75	LAA	13						
	F»LIQUID AMS	2.50	PMV	13						
22A	WEATHERMAX 4.5	0.75	LAA	6	98	95	98	0	98	78
	B PROWL 3.3EC	1.24	LAA	6						
	C»LIQUID AMS	2.50	PMV	6						
	D»WEATHERMAX 4.5	0.75	LAA	13						
	E»LIQUID AMS	2.50	PMV	13						
23A	WEATHERMAX 4.5	0.75	LAA	6	96	94	95	0	98	89
	B PROWL H2O 3.8	1.19	LAA	6						
	C»LIQUID AMS	2.50	PMV	6						
	D»WEATHERMAX 4.5	0.75	LAA	13						
	E»LIQUID AMS	2.50	PMV	13						
24A	WEATHERMAX 4.5	0.75	LAA	6	87	87	95	0	99	97
	B SCEPTER 70DG	0.092	LAA	6						
	C»LIQUID AMS	2.50	PMV	6						
	D»WEATHERMAX 4.5	0.75	LAA	13						
	E»LIQUID AMS	2.50	PMV	13						
		LSD (0.05)			13.73	10.61	8.68	1.92	3.68	10.68
		STANDARD DEVIATION			6.86	5.31	4.34	1.00	1.84	5.34

TITLE: Notill Weed Control Evaluations in Glyphosate Resistant Soybean.
CREATED: 04/23/2005 **REVISED:** 11/20/2005 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Brownstown **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG **REPS:** 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	AMATA	AMBEL
		RATE	UNIT		CON % 07/20/05	CON % 07/20/05
1A	GRAMOX INTEON	0.62	LAA	6	99	99
B	ACTIVATOR 90	0.125	PMV	6		
C	TOUCHDN TOTAL	0.78	LAA	13		
D	LIQUID AMS	2.50	PMV	13		
2A	GRAMOX INTEON	0.75	LAA	6	99	99
B	ACTIVATOR 90	0.125	PMV	6		
C	TOUCHDN TOTAL	0.78	LAA	13		
D	LIQUID AMS	2.50	PMV	13		
3A	GRAMOX INTEON	1.00	LAA	6	99	99
B	ACTIVATOR 90	0.125	PMV	6		
C	TOUCHDN TOTAL	0.78	LAA	13		
D	LIQUID AMS	2.50	PMV	13		
4A	GRAMOX INTEON	0.62	LAA	6	99	99
B	(G)2,4-D-ESTER	0.47	LAA	6		
C	ACTIVATOR 90	0.125	PMV	6		
D	TOUCHDN TOTAL	0.78	LAA	13		
E	LIQUID AMS	2.50	PMV	13		
5A	GRAMOX INTEON	0.75	LAA	6	99	99
B	(G)2,4-D-ESTER	0.47	LAA	6		
C	ACTIVATOR 90	0.125	PMV	6		
D	TOUCHDN TOTAL	0.78	LAA	13		
E	LIQUID AMS	2.50	PMV	13		
6A	GRAMOX INTEON	1.00	LAA	6	99	99
B	(G)2,4-D-ESTER	0.47	LAA	6		
C	ACTIVATOR 90	0.125	PMV	6		
D	TOUCHDN TOTAL	0.78	LAA	13		
E	LIQUID AMS	2.50	PMV	13		
7A	GRAMOX INTEON	0.62	LAA	6	99	99
B	A14972A 5.32EC	1.33	LAA	6		
C	ACTIVATOR 90	0.125	PMV	6		
D	TOUCHDN TOTAL	0.78	LAA	13		
E	LIQUID AMS	2.50	PMV	13		
8A	GRAMOX INTEON	0.75	LAA	6	99	99
B	A14972A 5.32EC	1.33	LAA	6		
C	ACTIVATOR 90	0.125	PMV	6		
D	TOUCHDN TOTAL	0.78	LAA	13		
E	LIQUID AMS	2.50	PMV	13		
9A	GRAMOX INTEON	1.00	LAA	6	99	99
B	A14972A 5.32EC	1.33	LAA	6		
C	ACTIVATOR 90	0.125	PMV	6		
D	TOUCHDN TOTAL	0.78	LAA	13		
E	LIQUID AMS	2.50	PMV	13		
10A	GRAMOX INTEON	0.62	LAA	6	91	99
B	BOUNDARY 6.5EC	1.62	LAA	6		
C	ACTIVATOR 90	0.125	PMV	6		
D	TOUCHDN TOTAL	0.78	LAA	13		
E	LIQUID AMS	2.50	PMV	13		
11A	GRAMOX INTEON	0.75	LAA	6	75	93
B	BOUNDARY 6.5EC	1.62	LAA	6		
C	ACTIVATOR 90	0.125	PMV	6		
D	TOUCHDN TOTAL	0.78	LAA	13		
E	LIQUID AMS	2.50	PMV	13		
12A	GRAMOX INTEON	1.00	LAA	6	89	94
B	BOUNDARY 6.5EC	1.62	LAA	6		
C	ACTIVATOR 90	0.125	PMV	6		
D	TOUCHDN TOTAL	0.78	LAA	13		
E	LIQUID AMS	2.50	PMV	13		

TITLE: Notill Weed Control Evaluations in Glyphosate Resistant Soybean.

TRT NUM	TREATMENT COMPONENT	DOSAGE			AMATA	AMBEL
		RATE	UNIT	TM	CON % 07/20/05	CON % 07/20/05
13A	»GRAMOX INTEON	0.75	LAA	6	99	99
	B (G)2,4-D-ESTER	0.47	LAA	6		
	C»ACTIVATOR 90	0.125	PMV	6		
	D»SEQUENCE 5.25E	1.64	LAA	12		
	E»LIQUID AMS	2.50	PMV	12		
14A	»WEATHERMAX 4.5	0.75	LAA	6	90	97
	B»LIQUID AMS	2.50	PMV	6		
	C»WEATHERMAX 4.5	0.75	LAA	13		
	D»LIQUID AMS	2.50	PMV	13		
15A	»GRAMOX INTEON	1.00	LAA	6	93	94
	B»ACTIVATOR 90	0.125	PMV	6		
	C FLEXSTAR 1.88	0.294	LAA	13		
	D FUSION 2.56EC	0.20	LAA	13		
	E»MSO	1.00	PMV	13		
	F 28% UAN	2.50	PMV	13		
16A	»GRAMOX INTEON	1.00	LAA	6	91	92
	B»A14972A 5.32EC	1.33	LAA	6		
	C»ACTIVATOR 90	0.125	PMV	6		
17A	AIM EC	0.008	LAA	6	99	99
	B»WEATHERMAX 4.5	0.75	LAA	6		
	C»LIQUID AMS	2.50	PMV	6		
	D»WEATHERMAX 4.5	0.75	LAA	13		
	E»LIQUID AMS	2.50	PMV	13		
18A	AIM EC	0.008	LAA	6	99	99
	B»WEATHERMAX 4.5	0.56	LAA	6		
	C BARRAGE 4.7EC	0.50	LAA	6		
	D»LIQUID AMS	2.50	PMV	6		
	E»WEATHERMAX 4.5	0.75	LAA	13		
	F»LIQUID AMS	2.50	PMV	13		
19A	AIM EC	0.012	LAA	6	99	99
	B»WEATHERMAX 4.5	0.75	LAA	6		
	C»LIQUID AMS	2.50	PMV	6		
	D»WEATHERMAX 4.5	0.75	LAA	13		
	E»LIQUID AMS	2.50	PMV	13		
20A	CHECK	0.00	NA	0	0	0
21A	AIM EC	0.012	LAA	6	99	99
	B»WEATHERMAX 4.5	0.56	LAA	6		
	C BARRAGE 4.7EC	0.25	LAA	6		
	D»LIQUID AMS	2.50	PMV	6		
	E»WEATHERMAX 4.5	0.75	LAA	13		
	F»LIQUID AMS	2.50	PMV	13		
22A	»WEATHERMAX 4.5	0.75	LAA	6	99	99
	B PROWL 3.3EC	1.24	LAA	6		
	C»LIQUID AMS	2.50	PMV	6		
	D»WEATHERMAX 4.5	0.75	LAA	13		
	E»LIQUID AMS	2.50	PMV	13		
23A	»WEATHERMAX 4.5	0.75	LAA	6	99	99
	B PROWL H2O 3.8	1.19	LAA	6		
	C»LIQUID AMS	2.50	PMV	6		
	D»WEATHERMAX 4.5	0.75	LAA	13		
	E»LIQUID AMS	2.50	PMV	13		
24A	»WEATHERMAX 4.5	0.75	LAA	6	99	99
	B SCEPTER 70DG	0.092	LAA	6		
	C»LIQUID AMS	2.50	PMV	6		
	D»WEATHERMAX 4.5	0.75	LAA	13		
	E»LIQUID AMS	2.50	PMV	13		
		LSD (0.05)			5.76	2.10
		STANDARD DEVIATION			2.88	1.00

» = SUPPLEMENTAL CHEMICAL

* TIMING CODES

*** CONTINUE ON NEXT PAGE

00 = ----- / UNTREATED TIMING
 00 = ----- / UNTREATED TIMING
 06 = ----- / EPP 7DBP 05/09/2005 (1)
 12 = ----- / POST
 13 = ----- / LPOST 07/07/2005 (2)

H#	CUSTOM#1	CUSTOM#2	EV.DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTRTR	SS	NOTE
001	SETFA	CON %	05/20/2005	03	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
002	TAROF	CON %	05/20/2005	02	P	TAROF		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
003	AMATA	CON %	05/20/2005	04	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
004	AMBEL	CON %	05/20/2005	05	P	AMBEL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
005	GLXMA	CON %	06/14/2005	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
006	SETFA	CON %	06/14/2005	03	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
007	TAROF	CON %	06/14/2005	02	P	TAROF		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
008	AMATA	CON %	06/14/2005	04	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
009	AMBEL	CON %	06/14/2005	05	P	AMBEL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
010	GLXMA	CON %	07/20/2005	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
011	SETFA	CON %	07/20/2005	03	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
012	TAROF	CON %	07/20/2005	02	P	TAROF		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
013	AMATA	CON %	07/20/2005	04	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
014	AMBEL	CON %	07/20/2005	05	P	AMBEL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

* SPECIES COMMON NAME - CULTIVAR (IF APPLICABLE)

01 = A 4502