

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: SIL
PH: 6.6
%OM: 4.7
PREV. CROP: GLXMA - SOYBEAN
%RESIDUE: 0
PLOT WIDTH: 10 X 30 FEET

DESIGN: RCB
REPS: 3

APPL. NUMBER	01	02	03	04	05	UNIT
TIMINGS	04	09	11	12	13	
TYPE	LIQMIX	LIQMIX	LIQMIX	LIQMIX	LIQMIX	
APPLICATION DATE	03/29/05	05/04/05	05/27/05	05/31/05	06/09/05	AME
AIR TEMPERATURE	72	62	78	78	82	F
% REL. HUMIDITY	32	30	25	25	45	
WIND DIRECTION	SOUTH	---	WEST	NORTHEAST	SOUTHWEST	
WIND SPEED	10.0	0.0	7.0		3.0	M/H
CLOUD COVER	OVERCAST	CLEAR	PARTCLDY	CLEAR	CLEAR	
DEW	NO	NO	NO	NO	NO	
SOIL MOISTURE	DRY/MOIST	DRY/MOIST	DRY/MOIST	DRY/MOIST	DRY/MOIST	
SOIL CONDITION	---	---	---	---	---	
METHOD	SPRAY	SPRAY	SPRAY	SPRAY	SPRAY	
EQUIPMENT	SPRBAC	SPRBAC	SPRBAC	SPRBAC	SPRBAC	
PROPELLANT	COMCO2	COMCO2	COMCO2	COMCO2	COMCO2	
PLACEMENT	BRFOSO	BRFOSO	BRFOSO	BRFOSO	BRFOSO	
NOZZLE	FLATFAN	FLATFAN	FLATFAN	FLATFAN	FLATFAN	
NOZZLE NUMBER	6	6	6	6	6	
NOZZLE SPACING	20.000	20.000	20.000	20.000	20.000	IN
SWATH WIDTH	10.0	10.0	10.0	10.0	10.0	FT
SPRAY VOLUME	20.00	20.00	20.00	20.00	20.00	
VOLUME UNIT	GPA	GPA	GPA	GPA	GPA	
PRESSURE	32.00	32.00	32.00	32.00	32.00	PSI
DILUENT	WATER	WATER	WATER	WATER	WATER	
INC. DATE						AME
INC. START						24H
INC. END						24H
INC. DEPTH						IN
INC. EQUIPMENT	---	---	---	---	---	
DENSITY /						
*** CROP ***						
CORN, DENT			---/13	---/14	---/16	
ASGROW 715 RR			6.00/6.00	9.00/9.00	18.0/18.0	IN
05/04/2005						
*** PEST ***						
WATERHEMP, COMMO			---/18	---/19	---/19	
			1.00/3.00	1.00/4.00	4.00/8.00	IN
LAMBSQUARTERS, C			---/17	---/19	---/19	
			1.00/2.00	1.00/4.00	2.00/6.00	IN
MORNINGGLORY, TA			---/12	---/19	---/19	
			1.00/2.00	1.00/4.00	3.00/6.00	IN
SMARTWEED, PENNS			---/18	---/19	---/19	
			1.00/3.00	1.00/4.00	3.00/6.00	IN
FOXTAIL, GIANT			---/11	---/12	---/14	
			1.00/3.00	2.00/4.00	8.00/12.0	IN

* TIMING CODES

04 = ----- / EPP 30DBP
09 = ----- / PREEMERGENCE
11 = ----- / EPOST
12 = ----- / POST
13 = ----- / LPOST

* STAGE CODE

11 = FIRST LEAF UNFOLDED
12 = 2ND TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
13 = 3 LEAVES UNFOLDED
14 = 4 LEAVES UNFOLDED
16 = 6 LEAVES UNFOLDED
17 = 7TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
18 = 8TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

TITLE: Early Preplant Evaluations in Glyphosate Resistant Corn. AS-200
CREATED: 03/29/2005 **REVISED:** 11/29/2005 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT WIDE X 30.00 FT LONG **REPS:** 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	ZEAMD	SETFA	CHEAL	POLPY	AMATA	PHBPU
		RATE	UNIT		CON % 05/31/05	CON % 05/31/05	CON % 05/31/05	CON % 05/31/05	CON % 05/31/05	CON % 05/31/05
1A	WEATHERMAX 4.5	0.94	LAA	12	0					
B	LIQUID AMS	2.50	PMV	12						
2A	WEATHERMAX 4.5	0.75	LAA	12	0					
B	IMPACT 2.8SC	0.016	LAA	12						
C	ATRAZINE DF	0.50	LAA	12						
D	LIQUID AMS	2.50	PMV	12						
3A	WEATHERMAX 4.5	0.75	LAA	12	0					
B	CALLISTO 4SC	0.047	LAA	12						
C	ATRAZINE DF	0.50	LAA	12						
D	LIQUID AMS	2.50	PMV	12						
4A	WEATHERMAX 4.5	0.38	LAA	12	0					
B	IMPACT 2.8SC	0.032	LAA	12						
C	ATRAZINE DF	0.50	LAA	12						
D	LIQUID AMS	2.50	PMV	12						
5A	WEATHERMAX 4.5	0.38	LAA	12	0					
B	CALLISTO 4SC	0.094	LAA	12						
C	ATRAZINE DF	0.50	LAA	12						
D	LIQUID AMS	2.50	PMV	12						
6A	WEATHERMAX 4.5	0.94	LAA	12	0					
B	HARNES (7EC)	1.31	LAA	12						
C	LIQUID AMS	2.50	PMV	12						
7A	STEADFAST 75DF	0.035	LAA	12	0					
B	CALLISTO 4SC	0.047	LAA	12						
C	ATRAZINE DF	0.75	LAA	12						
D	COC	1.00	PMV	12						
E	LIQUID AMS	2.50	PMV	12						
8A	BASIS	0.016	LAA	9	0	43	33	23	23	0
B	WEATHERMAX 4.5	0.94	LAA	12						
C	LIQUID AMS	2.50	PMV	12						
9A	BASIS	0.031	LAA	9	0	52	47	37	23	0
B	WEATHERMAX 4.5	0.94	LAA	12						
C	LIQUID AMS	2.50	PMV	12						
10A	BASIS	0.047	LAA	9	0	58	40	30	27	0
B	WEATHERMAX 4.5	0.94	LAA	12						
C	LIQUID AMS	2.50	PMV	12						
11A	BASIS	0.016	LAA	9	0	42	93	93	80	47
B	ATRAZINE DF	1.00	LAA	9						
C	WEATHERMAX 4.5	0.94	LAA	12						
D	LIQUID AMS	2.50	PMV	12						
12A	BASIS	0.031	LAA	9	0	53	93	93	80	47
B	ATRAZINE DF	1.00	LAA	9						
C	WEATHERMAX 4.5	0.94	LAA	12						
D	LIQUID AMS	2.50	PMV	12						
13A	BASIS	0.047	LAA	9	0	65	97	95	90	57
B	ATRAZINE DF	1.00	LAA	9						
C	WEATHERMAX 4.5	0.94	LAA	12						
D	LIQUID AMS	2.50	PMV	12						
14A	BASIS	0.016	LAA	4	0	23	53	37	30	20
B	ATRAZINE DF	1.00	LAA	4						
C	WEATHERMAX 4.5	0.94	LAA	12						
D	LIQUID AMS	2.50	PMV	12						
15A	BASIS	0.031	LAA	4	0	40	67	50	33	33
B	ATRAZINE DF	1.00	LAA	4						
C	WEATHERMAX 4.5	0.94	LAA	12						
D	LIQUID AMS	2.50	PMV	12						

TITLE: Early Preplant Evaluations in Glyphosate Resistant Corn. AS-200

TRT NUM	TREATMENT COMPONENT	DOSAGE			ZEAMD	SETFA	CHEAL	POLPY	AMATA	PHBPU
		RATE	UNIT	TM	CON % 05/31/05	CON % 05/31/05	CON % 05/31/05	CON % 05/31/05	CON % 05/31/05	CON % 05/31/05
16A	CHECK	0.00	NA	0	0	0	0	0	0	0
17A	»BASIS	0.047	LAA	4	0	53	81	60	47	40
	B »ATRAZINE DF	1.00	LAA	4						
	C »WEATHERMAX 4.5	0.94	LAA	12						
	D »LIQUID AMS	2.50	PMV	12						
18A	HARNESX XTRA	2.25	LAA	9	0	94	99	99	99	75
	B »WEATHERMAX 4.5	0.75	LAA	12						
	C »LIQUID AMS	2.50	PMV	12						
19A	»BICEP II MAGNU	1.03	LAA	9	0	72	96	96	93	68
	B »STEADFAST 75DF	0.035	LAA	12						
	C »CALLISTO 4SC	0.047	LAA	12						
	D »ATRAZINE DF	0.75	LAA	12						
	E »COC	1.00	PMV	12						
	F »LIQUID AMS	2.50	PMV	12						
20A	»WEATHERMAX 4.5	0.75	LAA	11	0					
	B »LIQUID AMS	2.50	PMV	11						
	C »WEATHERMAX 4.5	0.75	LAA	13						
	D »LIQUID AMS	2.50	PMV	13						
		LSD (0.05)			0.00	10.59	11.36	18.60	13.06	10.00
		STANDARD DEVIATION			0.00	5.10	5.48	9.00	6.30	4.82

TITLE: Early Preplant Evaluations in Glyphosate Resistant Corn. AS-200
CREATED: 03/29/2005 **REVISED:** 11/29/2005 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT WIDE X 30.00 FT LONG **REPS:** 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	ZEAMD	SETFA	CHEAL	POLPY	AMATA	PHBPU
		RATE	UNIT		CON % 06/09/05	CON % 06/09/05	CON % 06/09/05	CON % 06/09/05	CON % 06/09/05	CON % 06/09/05
1A	WEATHERMAX 4.5	0.94	LAA	12	0	98	95	98	97	94
B	LIQUID AMS	2.50	PMV	12						
2A	WEATHERMAX 4.5	0.75	LAA	12	0	99	99	99	99	99
B	IMPACT 2.8SC	0.016	LAA	12						
C	ATRAZINE DF	0.50	LAA	12						
D	LIQUID AMS	2.50	PMV	12						
3A	WEATHERMAX 4.5	0.75	LAA	12	0	99	99	99	99	98
B	CALLISTO 4SC	0.047	LAA	12						
C	ATRAZINE DF	0.50	LAA	12						
D	LIQUID AMS	2.50	PMV	12						
4A	WEATHERMAX 4.5	0.38	LAA	12	0	96	99	99	99	98
B	IMPACT 2.8SC	0.032	LAA	12						
C	ATRAZINE DF	0.50	LAA	12						
D	LIQUID AMS	2.50	PMV	12						
5A	WEATHERMAX 4.5	0.38	LAA	12	0	94	99	99	99	98
B	CALLISTO 4SC	0.094	LAA	12						
C	ATRAZINE DF	0.50	LAA	12						
D	LIQUID AMS	2.50	PMV	12						
6A	WEATHERMAX 4.5	0.94	LAA	12	0	99	99	98	99	91
B	HARNES (7EC)	1.31	LAA	12						
C	LIQUID AMS	2.50	PMV	12						
7A	STEADFAST 75DF	0.035	LAA	12	0	96	99	99	98	99
B	CALLISTO 4SC	0.047	LAA	12						
C	ATRAZINE DF	0.75	LAA	12						
D	COC	1.00	PMV	12						
E	LIQUID AMS	2.50	PMV	12						
8A	BASIS	0.016	LAA	9	0	97	98	99	98	91
B	WEATHERMAX 4.5	0.94	LAA	12						
C	LIQUID AMS	2.50	PMV	12						
9A	BASIS	0.031	LAA	9	0	99	99	99	99	94
B	WEATHERMAX 4.5	0.94	LAA	12						
C	LIQUID AMS	2.50	PMV	12						
10A	BASIS	0.047	LAA	9	0	99	99	99	99	95
B	WEATHERMAX 4.5	0.94	LAA	12						
C	LIQUID AMS	2.50	PMV	12						
11A	BASIS	0.016	LAA	9	0	98	97	99	98	93
B	ATRAZINE DF	1.00	LAA	9						
C	WEATHERMAX 4.5	0.94	LAA	12						
D	LIQUID AMS	2.50	PMV	12						
12A	BASIS	0.031	LAA	9	0	99	96	99	97	94
B	ATRAZINE DF	1.00	LAA	9						
C	WEATHERMAX 4.5	0.94	LAA	12						
D	LIQUID AMS	2.50	PMV	12						
13A	BASIS	0.047	LAA	9	0	98	99	99	99	93
B	ATRAZINE DF	1.00	LAA	9						
C	WEATHERMAX 4.5	0.94	LAA	12						
D	LIQUID AMS	2.50	PMV	12						
14A	BASIS	0.016	LAA	4	0	97	99	99	99	94
B	ATRAZINE DF	1.00	LAA	4						
C	WEATHERMAX 4.5	0.94	LAA	12						
D	LIQUID AMS	2.50	PMV	12						
15A	BASIS	0.031	LAA	4	0	99	99	99	99	96
B	ATRAZINE DF	1.00	LAA	4						
C	WEATHERMAX 4.5	0.94	LAA	12						
D	LIQUID AMS	2.50	PMV	12						

TITLE: Early Preplant Evaluations in Glyphosate Resistant Corn. AS-200

TRT NUM	TREATMENT COMPONENT	DOSAGE			ZEAMD	SETFA	CHEAL	POLPY	AMATA	PHBPU	
		RATE	UNIT	TM	CON % 06/09/05	CON % 06/09/05	CON % 06/09/05	CON % 06/09/05	CON % 06/09/05	CON % 06/09/05	
16A	CHECK	0.00	NA	0	0	0	0	0	0	0	
17A	»BASIS	0.047	LAA	4	0	98	98	99	98	93	
	B »ATRAZINE DF	1.00	LAA	4							
	C »WEATHERMAX 4.5	0.94	LAA	12							
	D »LIQUID AMS	2.50	PMV	12							
18A	HARNESX XTRA	2.25	LAA	9	0	99	99	99	99	97	
	B »WEATHERMAX 4.5	0.75	LAA	12							
	C »LIQUID AMS	2.50	PMV	12							
19A	»BICEP II MAGNU	1.03	LAA	9	0	96	99	99	99	99	
	B »STEADFAST 75DF	0.035	LAA	12							
	C »CALLISTO 4SC	0.047	LAA	12							
	D »ATRAZINE DF	0.75	LAA	12							
	E »COC	1.00	PMV	12							
	F »LIQUID AMS	2.50	PMV	12							
20A	»WEATHERMAX 4.5	0.75	LAA	11	0	87	87	94	93	87	
	B »LIQUID AMS	2.50	PMV	11							
	C »WEATHERMAX 4.5	0.75	LAA	13							
	D »LIQUID AMS	2.50	PMV	13							
					LSD (0.05)	0.00	2.00	3.46	1.45	1.66	3.88
					STANDARD DEVIATION	0.00	1.00	1.71	0.719	0.819	1.92

TITLE: Early Preplant Evaluations in Glyphosate Resistant Corn. AS-200
CREATED: 03/29/2005 **REVISED:** 11/29/2005 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT WIDE X 30.00 FT LONG **REPS:** 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	ZEAMD	SETFA	CHEAL	POLPY	AMATA	PHBPU
		RATE	UNIT		CON % 07/01/05	CON % 07/01/05	CON % 07/01/05	CON % 07/01/05	CON % 07/01/05	CON % 07/01/05
1A	WEATHERMAX 4.5	0.94	LAA	12	0	86	89	93	84	80
B	LIQUID AMS	2.50	PMV	12						
2A	WEATHERMAX 4.5	0.75	LAA	12	0	92	99	99	98	94
B	IMPACT 2.8SC	0.016	LAA	12						
C	ATRAZINE DF	0.50	LAA	12						
D	LIQUID AMS	2.50	PMV	12						
3A	WEATHERMAX 4.5	0.75	LAA	12	0	90	99	99	99	94
B	CALLISTO 4SC	0.047	LAA	12						
C	ATRAZINE DF	0.50	LAA	12						
D	LIQUID AMS	2.50	PMV	12						
4A	WEATHERMAX 4.5	0.38	LAA	12	0	91	99	99	98	97
B	IMPACT 2.8SC	0.032	LAA	12						
C	ATRAZINE DF	0.50	LAA	12						
D	LIQUID AMS	2.50	PMV	12						
5A	WEATHERMAX 4.5	0.38	LAA	12	0	87	99	99	99	97
B	CALLISTO 4SC	0.094	LAA	12						
C	ATRAZINE DF	0.50	LAA	12						
D	LIQUID AMS	2.50	PMV	12						
6A	WEATHERMAX 4.5	0.94	LAA	12	0	98	96	98	98	81
B	HARNES (7EC)	1.31	LAA	12						
C	LIQUID AMS	2.50	PMV	12						
7A	STEADFAST 75DF	0.035	LAA	12	0	73	95	94	97	89
B	CALLISTO 4SC	0.047	LAA	12						
C	ATRAZINE DF	0.75	LAA	12						
D	COC	1.00	PMV	12						
E	LIQUID AMS	2.50	PMV	12						
8A	BASIS	0.016	LAA	9	0	88	99	99	99	85
B	WEATHERMAX 4.5	0.94	LAA	12						
C	LIQUID AMS	2.50	PMV	12						
9A	BASIS	0.031	LAA	9	0	91	99	99	99	88
B	WEATHERMAX 4.5	0.94	LAA	12						
C	LIQUID AMS	2.50	PMV	12						
10A	BASIS	0.047	LAA	9	0	89	99	99	99	87
B	WEATHERMAX 4.5	0.94	LAA	12						
C	LIQUID AMS	2.50	PMV	12						
11A	BASIS	0.016	LAA	9	0	88	99	99	99	88
B	ATRAZINE DF	1.00	LAA	9						
C	WEATHERMAX 4.5	0.94	LAA	12						
D	LIQUID AMS	2.50	PMV	12						
12A	BASIS	0.031	LAA	9	0	88	99	99	94	88
B	ATRAZINE DF	1.00	LAA	9						
C	WEATHERMAX 4.5	0.94	LAA	12						
D	LIQUID AMS	2.50	PMV	12						
13A	BASIS	0.047	LAA	9	0	88	99	99	94	88
B	ATRAZINE DF	1.00	LAA	9						
C	WEATHERMAX 4.5	0.94	LAA	12						
D	LIQUID AMS	2.50	PMV	12						
14A	BASIS	0.016	LAA	4	0	89	99	99	99	89
B	ATRAZINE DF	1.00	LAA	4						
C	WEATHERMAX 4.5	0.94	LAA	12						
D	LIQUID AMS	2.50	PMV	12						
15A	BASIS	0.031	LAA	4	0	87	99	99	96	88
B	ATRAZINE DF	1.00	LAA	4						
C	WEATHERMAX 4.5	0.94	LAA	12						
D	LIQUID AMS	2.50	PMV	12						

TITLE: Early Preplant Evaluations in Glyphosate Resistant Corn. AS-200

TRT	TREATMENT	DOSAGE			ZEAMD	SETFA	CHEAL	POLPY	AMATA	PHBPU
NUM	COMPONENT	RATE	UNIT	TM	CON % 07/01/05	CON % 07/01/05	CON % 07/01/05	CON % 07/01/05	CON % 07/01/05	CON % 07/01/05
16A	CHECK	0.00	NA	0	0	0	0	0	0	0
17A	»BASIS	0.047	LAA	4	0	89	98	99	96	91
	B ATRAZINE DF	1.00	LAA	4						
	C »WEATHERMAX 4.5	0.94	LAA	12						
	D »LIQUID AMS	2.50	PMV	12						
18A	HARNES XTRA	2.25	LAA	9	0	97	96	99	96	86
	B »WEATHERMAX 4.5	0.75	LAA	12						
	C »LIQUID AMS	2.50	PMV	12						
19A	»BICEP II MAGNU	1.03	LAA	9	0	78	95	93	96	90
	B »STEADFAST 75DF	0.035	LAA	12						
	C »CALLISTO 4SC	0.047	LAA	12						
	D ATRAZINE DF	0.75	LAA	12						
	E »COC	1.00	PMV	12						
	F »LIQUID AMS	2.50	PMV	12						
20A	»WEATHERMAX 4.5	0.75	LAA	11	0	84	99	99	99	92
	B »LIQUID AMS	2.50	PMV	11						
	C »WEATHERMAX 4.5	0.75	LAA	13						
	D »LIQUID AMS	2.50	PMV	13						
		LSD (0.05)			0.00	6.10	3.37	4.95	4.00	5.65
		STANDARD DEVIATION			0.00	3.00	1.67	2.45	2.00	2.79

» = SUPPLEMENTAL CHEMICAL

* TIMING CODES

- 00 = ----- / UNTREATED TIMING
- 04 = ----- / EPP 30DBP 03/29/2005 (1)
- 09 = ----- / PREEMERGENCE 05/04/2005 (2)
- 11 = ----- / EPOST 05/27/2005 (3)
- 12 = ----- / POST 05/31/2005 (4)
- 13 = ----- / LPOST 06/09/2005 (5)

H#	CUSTOM#1	CUSTOM#2	EV. DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTR	SS	NOTE
001	ZEAMD	CON %	05/31/2005	01	P	ZEAMD	14	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
002	SETFA	CON %	05/31/2005	02	P	SETFA	12	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
003	CHEAL	CON %	05/31/2005	03	P	CHEAL	19	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
004	POLPY	CON %	05/31/2005	04	P	POLPY	19	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
005	AMATA	CON %	05/31/2005	05	P	AMATA	19	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
006	PHBPU	CON %	05/31/2005	06	P	PHBPU	19	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
007	ZEAMD	CON %	06/09/2005	01	P	ZEAMD	16	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
008	SETFA	CON %	06/09/2005	02	P	SETFA	14	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
009	CHEAL	CON %	06/09/2005	03	P	CHEAL	19	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
010	POLPY	CON %	06/09/2005	04	P	POLPY	19	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
011	AMATA	CON %	06/09/2005	05	P	AMATA	19	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
012	PHBPU	CON %	06/09/2005	06	P	PHBPU	19	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
013	ZEAMD	CON %	07/01/2005	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
014	SETFA	CON %	07/01/2005	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
015	CHEAL	CON %	07/01/2005	03	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
016	POLPY	CON %	07/01/2005	04	P	POLPY		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
017	AMATA	CON %	07/01/2005	05	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
018	PHBPU	CON %	07/01/2005	06	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

* SPECIES COMMON NAME - CULTIVAR (IF APPLICABLE)

01 = ASGROW 715 RR

* STAGE CODE

- 12 = 2 LEAVES UNFOLDED
- 14 = 4 LEAVES UNFOLDED
- 16 = 6 LEAVES UNFOLDED
- 19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED