

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: SIL
 PH: 6.4
 %OM: 4.6
 PREV.CROP: GLXMA - SOYBEAN
 %RESIDUE: 0
 PLOT WIDTH: 7.5 X 30 FEET

DESIGN: RCB
 REPS: 3

APPL. NUMBER	01	02	03	UNIT
TIMINGS	06	10	12	
TYPE	LIQMIX	LIQMIX	LIQMIX	
APPLICATION DATE	04/20/05	05/20/05	06/06/05	AME
AIR TEMPERATURE	77	65	84	F
% REL.HUMIDITY	45	62	45	
WIND DIRECTION	SOUTHWEST	NORTH	WEST	
WIND SPEED	6.0	5.0	3.0	M/H
CLOUD COVER	PARTCLDY	CLOUDY	CLEAR	
DEW	NO	NO	NO	
SOIL MOISTURE	DRY/MOIST	MOIST/MOI	DRY/MOIST	
SOIL CONDITION	---	---	---	
METHOD	SPRAY	SPRAY	SPRAY	
EQUIPMENT	SPRBAC	SPRBAC	SPRBAC	
PROPELLANT	COMCO2	COMCO2	COMCO2	
PLACEMENT	BRFOSO	BRFOSO	BRFOSO	
NOZZLE	FLATFAN	FLATFAN	FLATFAN	
NOZZLE NUMBER	5	5	5	
NOZZLE SPACING	18.000	18.000	18.000	IN
SWATH WIDTH	7.5	7.5	7.5	FT
SPRAY VOLUME	20.00	20.00	20.00	
VOLUME UNIT	GPA	GPA	GPA	
PRESSURE	30.00	30.00	30.00	PSI
DILUENT	WATER	WATER	WATER	
INC. DATE				AME
INC. START				24H
INC. END				24H
INC. DEPTH				IN
INC. EQUIPMENT	---	---	---	
DEN/ STG/ MINMAXSZ				
*** CROP ***				
CORN, DENT	---/00	---/12	---/14	
ASGROW 715 RR	/	4.00/4.00	12.0/14.0	IN
04/29/2005				
*** PEST ***				
LAMBSQUARTERS, C	---/18	---/19	---/19	
	1.00/3.00	2.00/6.00	2.00/10.0	IN
HENBIT	---/19	---/19	---/19	
	3.00/6.00	4.00/4.00	4.00/8.00	IN
FOXTAIL, GIANT	---/00	---/12	---/13	
	/	1.00/3.00	2.00/8.00	IN
CHICKWEED, COMMO	---/19	---/19	---/19	
	3.00/6.00	3.00/6.00	4.00/6.00	IN
DANDELION, COMMO	---/19	---/19	---/19	
	2.00/4.00	4.00/4.00	3.00/6.00	IN

* TIMING CODES

06 = ----- / EPP 7DBP
 10 = ----- / VEPOST
 12 = ----- / POST

* STAGE CODE

00 = DRY SEED (CARYOPSIS)
 12 = 2 LEAVES UNFOLDED
 13 = 3 LEAVES UNFOLDED
 14 = 4 LEAVES UNFOLDED
 18 = 8TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

TITLE: Notill Weed Control Evaluations in Glyphosate Resistant Corn. N-200
CREATED: 04/13/2005 **REVISED:** 12/05/2005 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG **REPS:** 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		STEME CON % 04/29/05	LAMAM CON % 04/29/05	TAROF CON % 04/29/05	CHEAL CON % 04/29/05	ZEAMD CON % 05/31/05	STEME CON % 05/31/05
		RATE	UNIT						
1A	GRAMOX INTEON	0.62	LAA 6	88	78	77	84	0	99
B	ACTIVATOR 90	0.125	PMV 6						
C	LEXAR 3.7L	2.76	LAA 10						
D	ACTIVATOR 90	0.25	PMV 10						
2A	GRAMOX INTEON	0.75	LAA 6	91	78	79	78	0	99
B	ACTIVATOR 90	0.125	PMV 6						
C	LEXAR 3.7L	2.76	LAA 10						
D	ACTIVATOR 90	0.25	PMV 10						
3A	GRAMOX INTEON	1.00	LAA 6	93	87	87	85	0	99
B	ACTIVATOR 90	0.125	PMV 6						
C	LEXAR 3.7L	2.76	LAA 10						
D	ACTIVATOR 90	0.25	PMV 10						
4A	GRAMOX INTEON	0.62	LAA 6	92	89	88	89	0	99
B	(G)2,4-D-ESTER	0.47	LAA 6						
C	ACTIVATOR 90	0.125	PMV 6						
D	LEXAR 3.7L	2.76	LAA 10						
E	ACTIVATOR 90	0.25	PMV 10						
5A	GRAMOX INTEON	0.75	LAA 6	91	90	88	92	0	99
B	(G)2,4-D-ESTER	0.47	LAA 6						
C	ACTIVATOR 90	0.125	PMV 6						
D	LEXAR 3.7L	2.76	LAA 10						
E	ACTIVATOR 90	0.25	PMV 10						
6A	GRAMOX INTEON	1.00	LAA 6	92	91	92	90	0	99
B	(G)2,4-D-ESTER	0.47	LAA 6						
C	ACTIVATOR 90	0.125	PMV 6						
D	LEXAR 3.7L	2.76	LAA 10						
E	ACTIVATOR 90	0.25	PMV 10						
7A	GRAMOX INTEON	0.62	LAA 6	93	91	89	96	0	99
B	LEXAR 3.7L	2.76	LAA 6						
C	ACTIVATOR 90	0.125	PMV 6						
8A	GRAMOX INTEON	0.75	LAA 6	97	96	94	97	0	99
B	LEXAR 3.7L	2.76	LAA 6						
C	ACTIVATOR 90	0.125	PMV 6						
9A	GRAMOX INTEON	1.00	LAA 6	98	98	98	98	0	99
B	LEXAR 3.7L	2.76	LAA 6						
C	ACTIVATOR 90	0.125	PMV 6						
10A	WEATHERMAX 4.5	0.77	LAA 6	17	3	7	23	0	93
B	DEGREE XTRA 4S	3.03	LAA 6						
C	LIQUID AMS	2.50	PMV 6						
11A	EXPERT 4.9SC	4.29	LAA 6	77	53	53	65	0	99
B	LIQUID AMS	2.50	PMV 6						
12A	FIELD MASTER	4.25	LAA 6	63	47	43	60	0	98
B	LIQUID AMS	2.50	PMV 6						
13A	RDUP ORIG MAX	0.75	LAA 6	20	10	7	13	0	73
B	LIQUID AMS	2.50	PMV 6						
C	RDUP ORIG MAX	0.75	LAA 12						
D	LIQUID AMS	2.50	PMV 12						
14A	ATRAZINE DF	1.00	LAA 6	28	7	13	20	0	85
B	WEATHERMAX 4.5	0.75	LAA 6						
C	LIQUID AMS	2.50	PMV 6						
D	WEATHERMAX 4.5	0.75	LAA 12						
E	LIQUID AMS	2.50	PMV 12						
15A	VALOR 51WDG	0.063	LAA 6	89	86	84	88	0	89
B	WEATHERMAX 4.5	0.75	LAA 6						
C	LIQUID AMS	2.50	PMV 6						
D	WEATHERMAX 4.5	0.75	LAA 12						
E	LIQUID AMS	2.50	PMV 12						

TITLE: Notill Weed Control Evaluations in Glyphosate Resistant Corn. N-200

TRT NUM	TREATMENT COMPONENT	DOSAGE		STEME CON % 04/29/05	LAMAM CON % 04/29/05	TAROF CON % 04/29/05	CHEAL CON % 04/29/05	ZEAMD CON % 05/31/05	STEME CON % 05/31/05
		RATE	UNIT TM						
16A	»VALOR 51WDG	0.063	LAA 6	79	74	69	78	0	98
	B ATRAZINE DF	1.00	LAA 6						
	C»WEATHERMAX 4.5	0.75	LAA 6						
	D»LIQUID AMS	2.50	PMV 6						
	E»WEATHERMAX 4.5	0.75	LAA 12						
	F»LIQUID AMS	2.50	PMV 12						
17A	»VALOR 51WDG	0.063	LAA 6	93	91	89	94	0	99
	B ATRAZINE DF	1.00	LAA 6						
	C (G)2,4-D-ESTER	0.50	LAA 6						
	D»COC	1.00	PMV 6						
	E»WEATHERMAX 4.5	0.75	LAA 12						
	F»LIQUID AMS	2.50	PMV 12						
18A	»KIH-485 60WG	0.19	LAA 6	25	17	23	47	0	97
	B»WEATHERMAX 4.5	0.75	LAA 6						
	C (G)2,4-D-ESTER	0.50	LAA 6						
	D»LIQUID AMS	2.50	PMV 6						
	E»WEATHERMAX 4.5	0.75	LAA 12						
	F»LIQUID AMS	2.50	PMV 12						
19A	CHECK	0.00	NA 0	0	0	0	0	0	0
20A	»WEATHERMAX 4.5	0.75	LAA 10	0	0	0	0	0	99
	B»KIH-485 60WG	0.19	LAA 10						
	C ATRAZINE DF	1.00	LAA 10						
	D»LIQUID AMS	2.50	PMV 10						
21A	»BASIS	0.047	LAA 6	48	23	33	37	0	93
	B ATRAZINE DF	1.00	LAA 6						
	C»COC	1.00	PMV 6						
	D»WEATHERMAX 4.5	0.75	LAA 12						
	E»LIQUID AMS	2.50	PMV 12						
		LSD (0.05)		6.68	8.77	9.13	8.95	0.00	4.91
		STANDARD DEVIATION		3.30	4.34	4.52	4.43	0.00	2.43

TITLE: Notill Weed Control Evaluations in Glyphosate Resistant Corn. N-200
CREATED: 04/13/2005 **REVISED:** 12/05/2005 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG **REPS:** 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	LAMAM	TAROF	CHEAL	SETFA	ZEAMD	STEME
		RATE	UNIT		CON % 05/31/05	CON % 05/31/05	CON % 05/31/05	CON % 05/31/05	CON % 06/17/05	CON % 06/17/05
1A	GRAMOX INTEON	0.62	LAA	6	99	97	97	84	0	99
B	ACTIVATOR 90	0.125	PMV	6						
C	LEXAR 3.7L	2.76	LAA	10						
D	ACTIVATOR 90	0.25	PMV	10						
2A	GRAMOX INTEON	0.75	LAA	6	99	99	98	80	0	99
B	ACTIVATOR 90	0.125	PMV	6						
C	LEXAR 3.7L	2.76	LAA	10						
D	ACTIVATOR 90	0.25	PMV	10						
3A	GRAMOX INTEON	1.00	LAA	6	99	99	99	86	0	99
B	ACTIVATOR 90	0.125	PMV	6						
C	LEXAR 3.7L	2.76	LAA	10						
D	ACTIVATOR 90	0.25	PMV	10						
4A	GRAMOX INTEON	0.62	LAA	6	99	98	99	86	0	99
B	(G)2,4-D-ESTER	0.47	LAA	6						
C	ACTIVATOR 90	0.125	PMV	6						
D	LEXAR 3.7L	2.76	LAA	10						
E	ACTIVATOR 90	0.25	PMV	10						
5A	GRAMOX INTEON	0.75	LAA	6	99	99	99	93	0	99
B	(G)2,4-D-ESTER	0.47	LAA	6						
C	ACTIVATOR 90	0.125	PMV	6						
D	LEXAR 3.7L	2.76	LAA	10						
E	ACTIVATOR 90	0.25	PMV	10						
6A	GRAMOX INTEON	1.00	LAA	6	99	99	99	87	0	99
B	(G)2,4-D-ESTER	0.47	LAA	6						
C	ACTIVATOR 90	0.125	PMV	6						
D	LEXAR 3.7L	2.76	LAA	10						
E	ACTIVATOR 90	0.25	PMV	10						
7A	GRAMOX INTEON	0.62	LAA	6	99	93	99	93	0	99
B	LEXAR 3.7L	2.76	LAA	6						
C	ACTIVATOR 90	0.125	PMV	6						
8A	GRAMOX INTEON	0.75	LAA	6	99	99	99	96	0	99
B	LEXAR 3.7L	2.76	LAA	6						
C	ACTIVATOR 90	0.125	PMV	6						
9A	GRAMOX INTEON	1.00	LAA	6	99	99	99	93	0	99
B	LEXAR 3.7L	2.76	LAA	6						
C	ACTIVATOR 90	0.125	PMV	6						
10A	WEATHERMAX 4.5	0.77	LAA	6	90	78	81	97	0	99
B	DEGREE XTRA 4S	3.03	LAA	6						
C	LIQUID AMS	2.50	PMV	6						
11A	EXPERT 4.9SC	4.29	LAA	6	99	96	99	97	0	99
B	LIQUID AMS	2.50	PMV	6						
12A	FIELD MASTER	4.25	LAA	6	99	95	99	98	0	99
B	LIQUID AMS	2.50	PMV	6						
13A	RDUP ORIG MAX	0.75	LAA	6	63	63	43	53	35	99
B	LIQUID AMS	2.50	PMV	6						
C	RDUP ORIG MAX	0.75	LAA	12						
D	LIQUID AMS	2.50	PMV	12						
14A	ATRAZINE DF	1.00	LAA	6	82	75	83	67	10	99
B	WEATHERMAX 4.5	0.75	LAA	6						
C	LIQUID AMS	2.50	PMV	6						
D	WEATHERMAX 4.5	0.75	LAA	12						
E	LIQUID AMS	2.50	PMV	12						
15A	VALOR 51WDG	0.063	LAA	6	82	88	92	80	0	99
B	WEATHERMAX 4.5	0.75	LAA	6						
C	LIQUID AMS	2.50	PMV	6						
D	WEATHERMAX 4.5	0.75	LAA	12						
E	LIQUID AMS	2.50	PMV	12						

TITLE: Notill Weed Control Evaluations in Glyphosate Resistant Corn. N-200

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	LAMAM	TAROF	CHEAL	SETFA	ZEAMD	STEME
		RATE	UNIT		CON % 05/31/05	CON % 05/31/05	CON % 05/31/05	CON % 05/31/05	CON % 06/17/05	CON % 06/17/05
16A	»VALOR 51WDG	0.063	LAA	6	97	99	99	76	0	99
	B ATRAZINE DF	1.00	LAA	6						
	C»WEATHERMAX 4.5	0.75	LAA	6						
	D»LIQUID AMS	2.50	PMV	6						
	E»WEATHERMAX 4.5	0.75	LAA	12						
	F»LIQUID AMS	2.50	PMV	12						
17A	»VALOR 51WDG	0.063	LAA	6	99	93	99	82	0	99
	B ATRAZINE DF	1.00	LAA	6						
	C (G)2,4-D-ESTER	0.50	LAA	6						
	D»COC	1.00	PMV	6						
	E»WEATHERMAX 4.5	0.75	LAA	12						
	F»LIQUID AMS	2.50	PMV	12						
18A	»KIH-485 60WG	0.19	LAA	6	97	98	97	98	0	99
	B»WEATHERMAX 4.5	0.75	LAA	6						
	C (G)2,4-D-ESTER	0.50	LAA	6						
	D»LIQUID AMS	2.50	PMV	6						
	E»WEATHERMAX 4.5	0.75	LAA	12						
	F»LIQUID AMS	2.50	PMV	12						
19A	CHECK	0.00	NA	0	0	0	0	0	0	0
20A	»WEATHERMAX 4.5	0.75	LAA	10	97	98	99	99	32	99
	B»KIH-485 60WG	0.19	LAA	10						
	C ATRAZINE DF	1.00	LAA	10						
	D»LIQUID AMS	2.50	PMV	10						
21A	»BASIS	0.047	LAA	6	90	92	97	83	0	99
	B ATRAZINE DF	1.00	LAA	6						
	C»COC	1.00	PMV	6						
	D»WEATHERMAX 4.5	0.75	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						
		LSD (0.05)			5.58	7.92	6.74	8.83	9.00	0.00
		STANDARD DEVIATION			2.76	3.92	3.34	4.37	4.45	0.00

TITLE: Notill Weed Control Evaluations in Glyphosate Resistant Corn. N-200
CREATED: 04/13/2005 **REVISED:** 12/05/2005 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG **REPS:** 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	LAMAM	TAROF	CHEAL	SETFA	ZEAMD	STEME
		RATE	UNIT		CON % 06/17/05	CON % 06/17/05	CON % 06/17/05	CON % 06/17/05	CON % 07/06/05	CON % 07/06/05
1A	GRAMOX INTEON	0.62	LAA	6	99	89	99	67	0	99
B	ACTIVATOR 90	0.125	PMV	6						
C	LEXAR 3.7L	2.76	LAA	10						
D	ACTIVATOR 90	0.25	PMV	10						
2A	GRAMOX INTEON	0.75	LAA	6	99	93	99	60	0	99
B	ACTIVATOR 90	0.125	PMV	6						
C	LEXAR 3.7L	2.76	LAA	10						
D	ACTIVATOR 90	0.25	PMV	10						
3A	GRAMOX INTEON	1.00	LAA	6	99	99	99	63	0	99
B	ACTIVATOR 90	0.125	PMV	6						
C	LEXAR 3.7L	2.76	LAA	10						
D	ACTIVATOR 90	0.25	PMV	10						
4A	GRAMOX INTEON	0.62	LAA	6	99	99	99	58	0	99
B	(G)2,4-D-ESTER	0.47	LAA	6						
C	ACTIVATOR 90	0.125	PMV	6						
D	LEXAR 3.7L	2.76	LAA	10						
E	ACTIVATOR 90	0.25	PMV	10						
5A	GRAMOX INTEON	0.75	LAA	6	99	99	99	78	0	99
B	(G)2,4-D-ESTER	0.47	LAA	6						
C	ACTIVATOR 90	0.125	PMV	6						
D	LEXAR 3.7L	2.76	LAA	10						
E	ACTIVATOR 90	0.25	PMV	10						
6A	GRAMOX INTEON	1.00	LAA	6	99	99	98	68	0	99
B	(G)2,4-D-ESTER	0.47	LAA	6						
C	ACTIVATOR 90	0.125	PMV	6						
D	LEXAR 3.7L	2.76	LAA	10						
E	ACTIVATOR 90	0.25	PMV	10						
7A	GRAMOX INTEON	0.62	LAA	6	99	86	94	77	0	99
B	LEXAR 3.7L	2.76	LAA	6						
C	ACTIVATOR 90	0.125	PMV	6						
8A	GRAMOX INTEON	0.75	LAA	6	99	99	99	78	0	99
B	LEXAR 3.7L	2.76	LAA	6						
C	ACTIVATOR 90	0.125	PMV	6						
9A	GRAMOX INTEON	1.00	LAA	6	99	99	99	78	0	99
B	LEXAR 3.7L	2.76	LAA	6						
C	ACTIVATOR 90	0.125	PMV	6						
10A	WEATHERMAX 4.5	0.77	LAA	6	99	87	80	91	0	99
B	DEGREE XTRA 4S	3.03	LAA	6						
C	LIQUID AMS	2.50	PMV	6						
11A	EXPERT 4.9SC	4.29	LAA	6	99	91	97	84	0	99
B	LIQUID AMS	2.50	PMV	6						
12A	FIELD MASTER	4.25	LAA	6	99	89	99	93	0	99
B	LIQUID AMS	2.50	PMV	6						
13A	RDUP ORIG MAX	0.75	LAA	6	99	96	94	99	17	99
B	LIQUID AMS	2.50	PMV	6						
C	RDUP ORIG MAX	0.75	LAA	12						
D	LIQUID AMS	2.50	PMV	12						
14A	ATRAZINE DF	1.00	LAA	6	99	98	98	99	3	99
B	WEATHERMAX 4.5	0.75	LAA	6						
C	LIQUID AMS	2.50	PMV	6						
D	WEATHERMAX 4.5	0.75	LAA	12						
E	LIQUID AMS	2.50	PMV	12						
15A	VALOR 51WDG	0.063	LAA	6	99	99	98	99	0	99
B	WEATHERMAX 4.5	0.75	LAA	6						
C	LIQUID AMS	2.50	PMV	6						
D	WEATHERMAX 4.5	0.75	LAA	12						
E	LIQUID AMS	2.50	PMV	12						

TITLE: Notill Weed Control Evaluations in Glyphosate Resistant Corn. N-200

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	LAMAM	TAROF	CHEAL	SETFA	ZEAMD	STEME
		RATE	UNIT		CON % 06/17/05	CON % 06/17/05	CON % 06/17/05	CON % 06/17/05	CON % 07/06/05	CON % 07/06/05
16A	»VALOR 51WDG	0.063	LAA	6	99	99	99	99	0	99
	B ATRAZINE DF	1.00	LAA	6						
	C»WEATHERMAX 4.5	0.75	LAA	6						
	D»LIQUID AMS	2.50	PMV	6						
	E»WEATHERMAX 4.5	0.75	LAA	12						
	F»LIQUID AMS	2.50	PMV	12						
17A	»VALOR 51WDG	0.063	LAA	6	99	99	99	99	0	99
	B ATRAZINE DF	1.00	LAA	6						
	C (G)2,4-D-ESTER	0.50	LAA	6						
	D»COC	1.00	PMV	6						
	E»WEATHERMAX 4.5	0.75	LAA	12						
	F»LIQUID AMS	2.50	PMV	12						
18A	»KIH-485 60WG	0.19	LAA	6	99	99	99	99	0	99
	B»WEATHERMAX 4.5	0.75	LAA	6						
	C (G)2,4-D-ESTER	0.50	LAA	6						
	D»LIQUID AMS	2.50	PMV	6						
	E»WEATHERMAX 4.5	0.75	LAA	12						
	F»LIQUID AMS	2.50	PMV	12						
19A	CHECK	0.00	NA	0	0	0	0	0	0	0
20A	»WEATHERMAX 4.5	0.75	LAA	10	99	99	98	91	7	99
	B»KIH-485 60WG	0.19	LAA	10						
	C ATRAZINE DF	1.00	LAA	10						
	D»LIQUID AMS	2.50	PMV	10						
21A	»BASIS	0.047	LAA	6	99	99	98	96	0	99
	B ATRAZINE DF	1.00	LAA	6						
	C»COC	1.00	PMV	6						
	D»WEATHERMAX 4.5	0.75	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						
		LSD (0.05)			0.00	4.57	4.24	9.40	4.50	0.00
		STANDARD DEVIATION			0.00	2.26	2.10	4.65	2.22	0.00

TITLE: Notill Weed Control Evaluations in Glyphosate Resistant Corn. N-200
CREATED: 04/13/2005 **REVISED:** 12/05/2005 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG **REPS:** 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	LAMAM	TAROF	CHEAL	SETFA	YIELD
		RATE	UNIT		CON % 07/06/05	CON % 07/06/05	CON % 07/06/05	CON % 07/06/05	BU/A 10/06/05
1A	GRAMOX INTEON	0.62	LAA	6	99	83	86	53	88.7
B	ACTIVATOR 90	0.125	PMV	6					
C	LEXAR 3.7L	2.76	LAA	10					
D	ACTIVATOR 90	0.25	PMV	10					
2A	GRAMOX INTEON	0.75	LAA	6	99	88	91	58	116.4
B	ACTIVATOR 90	0.125	PMV	6					
C	LEXAR 3.7L	2.76	LAA	10					
D	ACTIVATOR 90	0.25	PMV	10					
3A	GRAMOX INTEON	1.00	LAA	6	99	91	93	65	122.1
B	ACTIVATOR 90	0.125	PMV	6					
C	LEXAR 3.7L	2.76	LAA	10					
D	ACTIVATOR 90	0.25	PMV	10					
4A	GRAMOX INTEON	0.62	LAA	6	99	99	98	63	116.8
B	(G)2,4-D-ESTER	0.47	LAA	6					
C	ACTIVATOR 90	0.125	PMV	6					
D	LEXAR 3.7L	2.76	LAA	10					
E	ACTIVATOR 90	0.25	PMV	10					
5A	GRAMOX INTEON	0.75	LAA	6	99	99	99	73	129.1
B	(G)2,4-D-ESTER	0.47	LAA	6					
C	ACTIVATOR 90	0.125	PMV	6					
D	LEXAR 3.7L	2.76	LAA	10					
E	ACTIVATOR 90	0.25	PMV	10					
6A	GRAMOX INTEON	1.00	LAA	6	99	99	99	68	116.6
B	(G)2,4-D-ESTER	0.47	LAA	6					
C	ACTIVATOR 90	0.125	PMV	6					
D	LEXAR 3.7L	2.76	LAA	10					
E	ACTIVATOR 90	0.25	PMV	10					
7A	GRAMOX INTEON	0.62	LAA	6	99	99	99	65	141.2
B	LEXAR 3.7L	2.76	LAA	6					
C	ACTIVATOR 90	0.125	PMV	6					
8A	GRAMOX INTEON	0.75	LAA	6	99	94	97	77	136.6
B	LEXAR 3.7L	2.76	LAA	6					
C	ACTIVATOR 90	0.125	PMV	6					
9A	GRAMOX INTEON	1.00	LAA	6	99	94	97	74	122.9
B	LEXAR 3.7L	2.76	LAA	6					
C	ACTIVATOR 90	0.125	PMV	6					
10A	WEATHERMAX 4.5	0.77	LAA	6	99	83	72	84	106.7
B	DEGREE XTRA 4S	3.03	LAA	6					
C	LIQUID AMS	2.50	PMV	6					
11A	EXPERT 4.9SC	4.29	LAA	6	99	90	93	76	118.1
B	LIQUID AMS	2.50	PMV	6					
12A	FIELD MASTER	4.25	LAA	6	99	93	98	90	119.0
B	LIQUID AMS	2.50	PMV	6					
13A	RDUP ORIG MAX	0.75	LAA	6	99	95	98	97	108.9
B	LIQUID AMS	2.50	PMV	6					
C	RDUP ORIG MAX	0.75	LAA	12					
D	LIQUID AMS	2.50	PMV	12					
14A	ATRAZINE DF	1.00	LAA	6	99	99	98	97	143.8
B	WEATHERMAX 4.5	0.75	LAA	6					
C	LIQUID AMS	2.50	PMV	6					
D	WEATHERMAX 4.5	0.75	LAA	12					
E	LIQUID AMS	2.50	PMV	12					
15A	VALOR 51WDG	0.063	LAA	6	99	99	99	96	135.7
B	WEATHERMAX 4.5	0.75	LAA	6					
C	LIQUID AMS	2.50	PMV	6					
D	WEATHERMAX 4.5	0.75	LAA	12					
E	LIQUID AMS	2.50	PMV	12					

TITLE: Notill Weed Control Evaluations in Glyphosate Resistant Corn. N-200

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	LAMAM	TAROF	CHEAL	SETFA	YIELD
		RATE	UNIT		CON % 07/06/05	CON % 07/06/05	CON % 07/06/05	CON % 07/06/05	BU/A 10/06/05
16A	»VALOR 51WDG	0.063	LAA	6	99	99	98	95	121.3
	B ATRAZINE DF	1.00	LAA	6					
	C»WEATHERMAX 4.5	0.75	LAA	6					
	D»LIQUID AMS	2.50	PMV	6					
	E»WEATHERMAX 4.5	0.75	LAA	12					
	F»LIQUID AMS	2.50	PMV	12					
17A	»VALOR 51WDG	0.063	LAA	6	99	99	99	97	147.8
	B ATRAZINE DF	1.00	LAA	6					
	C (G)2,4-D-ESTER	0.50	LAA	6					
	D»COC	1.00	PMV	6					
	E»WEATHERMAX 4.5	0.75	LAA	12					
	F»LIQUID AMS	2.50	PMV	12					
18A	»KIH-485 60WG	0.19	LAA	6	99	99	99	97	120.3
	B»WEATHERMAX 4.5	0.75	LAA	6					
	C (G)2,4-D-ESTER	0.50	LAA	6					
	D»LIQUID AMS	2.50	PMV	6					
	E»WEATHERMAX 4.5	0.75	LAA	12					
	F»LIQUID AMS	2.50	PMV	12					
19A	CHECK	0.00	NA	0	0	0	0	0	9.1
20A	»WEATHERMAX 4.5	0.75	LAA	10	99	92	99	82	93.6
	B»KIH-485 60WG	0.19	LAA	10					
	C ATRAZINE DF	1.00	LAA	10					
	D»LIQUID AMS	2.50	PMV	10					
21A	»BASIS	0.047	LAA	6	99	96	99	94	154.7
	B ATRAZINE DF	1.00	LAA	6					
	C»COC	1.00	PMV	6					
	D»WEATHERMAX 4.5	0.75	LAA	12					
	E»LIQUID AMS	2.50	PMV	12					
		LSD (0.05)			0.00	2.59	3.21	7.16	33.76
		STANDARD DEVIATION			0.00	1.28	1.59	3.54	16.70

» = SUPPLEMENTAL CHEMICAL

* TIMING CODES

- 00 = ----- / UNTREATED TIMING
- 06 = ----- / EPP 7DBP 04/20/2005 (1)
- 10 = ----- / VEPOST 05/20/2005 (2)
- 12 = ----- / POST 06/06/2005 (3)

H#	CUSTOM#1	CUSTOM#2	EV.DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTRT	SS	NOTE
001	STEME	CON %	04/29/2005	02	P	STEME		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
002	LAMAM	CON %	04/29/2005	03	P	LAMAM		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
003	TAROF	CON %	04/29/2005	04	P	TAROF		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
004	CHEAL	CON %	04/29/2005	05	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
005	ZEAMD	CON %	05/31/2005	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
006	STEME	CON %	05/31/2005	02	P	STEME		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
007	LAMAM	CON %	05/31/2005	03	P	LAMAM		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
008	TAROF	CON %	05/31/2005	04	P	TAROF		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
009	CHEAL	CON %	05/31/2005	05	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
010	SETFA	CON %	05/31/2005	06	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
011	ZEAMD	CON %	06/17/2005	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
012	STEME	CON %	06/17/2005	02	P	STEME		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
013	LAMAM	CON %	06/17/2005	03	P	LAMAM		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
014	TAROF	CON %	06/17/2005	04	P	TAROF		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
015	CHEAL	CON %	06/17/2005	05	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
016	SETFA	CON %	06/17/2005	06	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
017	ZEAMD	CON %	07/06/2005	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
018	STEME	CON %	07/06/2005	02	P	STEME		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
019	LAMAM	CON %	07/06/2005	03	P	LAMAM		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
020	TAROF	CON %	07/06/2005	04	P	TAROF		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
021	CHEAL	CON %	07/06/2005	05	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
022	SETFA	CON %	07/06/2005	06	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
023	YIELD	BU/A	10/06/2005	01	P	ZEAMD		RAW	ALL	YLD	%	---	1.00 PL	NO	0001	0	N

* SPECIES COMMON NAME - CULTIVAR (IF APPLICABLE)

01 = ASGROW 715 RR