

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: SIL
 PH: 6.7
 %OM: 1.5
 PREV.CROP: GLXMA - SOYBEAN
 %RESIDUE: 0
 PLOT WIDTH: 10 X 32 FEET
 PLOT AREA: 320 FEET

DESIGN: RCB
 REPS: 3

APPL. NUMBER	01	02	03	UNIT
TIMINGS	09	11	12	
TYPE	LIQMIX	LIQMIX	LIQMIX	
APPLICATION DATE	05/08/07	05/29/07	06/08/07	AME
AIR TEMPERATURE	81	91	77	F
% REL.HUMIDITY	56	33	40	
WIND DIRECTION	NORTHEAST	WEST	WEST	
WIND SPEED	4.0	2.5	7.0	M/H
CLOUD COVER	CLOUDY	CLOUDY	CLOUDY	
DEW	NA/UNKNOW	NA/UNKNOW	NA/UNKNOW	
SOIL MOISTURE	DRY/MOIST	MOIST/MOI	DRY/MOIST	
SOIL CONDITION	---	---	---	
METHOD	SPRAY	SPRAY	SPRAY	
EQUIPMENT	SPRBAC	SPRBAC	SPRBAC	
PROPELLANT	COMCO2	COMCO2	COMCO2	
PLACEMENT	BRFOSO	BRFOSO	BRFOSO	
NOZZLE	FLATFAN	FLATFAN	FLATFAN	
NOZZLE NUMBER	6	6	6	
NOZZLE SPACING	20.000	20.000	20.000	IN
SCREEN SIZE				
SCREEN SZ DESC	NA	NA	NA	
SWATH WIDTH	10.0	10.0	10.0	FT
SPRAY VOLUME	20.00	20.00	20.00	
SCREEN SIZE	GPA	GPA	GPA	
PRESSURE	32.00	32.00	32.00	PSI
DILUENT	WATER	WATER	WATER	
INC. DATE				AME
INC. START				24H
INC. END				24H
INC. DEPTH				IN
INC. EQUIPMENT	---	---	---	
DEN/ STG/ MINMAXSZ				
*** CROP ***				
CORN, DENT	---/00	---/14	---/16	
PIONEER 33M57	/	13.0/13.0	16.0/24.0	IN
*** PEST ***				
RAGWEED, COMMON	---/00	---/13	---/15	
	/	3.00/3.00	14.0/14.0	IN
LAMBSQUARTERS, C	---/00	---/13	---/19	
	/	3.00/3.00	14.0/14.0	IN
MORNINGGLORY, TA	---/00	---/14	---/10	
	/	3.00/3.00	1.00/1.00	IN
FOXTAIL, GIANT	---/00	---/13	---/15	
	0.00/0.00	5.00/5.00	15.0/15.0	IN
SHATTERCANE, SOR	---/00	---/14	---/16	
	/	6.00/6.00	15.0/15.0	IN

* TIMING CODES

09 = ----- / PREEMERGENCE
 11 = ----- / EPOST
 12 = ----- / POST

* STAGE CODE

00 = DRY SEED (CARYOPSIS)
 00 = DRY SEED (CARYOPSIS)
 00 = DRY SEED; DORMANCY
 00 = DRY SEED (CARYOPSIS)
 10 = 1ST LEAF EMERGED; COTYLEDONS UNFOLDED
 13 = 3RD TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 13 = 3 LEAVES UNFOLDED
 14 = 4 LEAVES UNFOLDED
 14 = 4 LEAVES UNFOLDED
 14 = 4TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

* STAGE CODE

15 = 5 LEAVES UNFOLDED
15 = 5TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
16 = 6 LEAVES UNFOLDED
16 = 6 LEAVES UNFOLDED
19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

TITLE: Weed Control Systems in Corn. 800
CREATED: 04/29/2007 **REVISED:** 11/05/2007 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Brownstown **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT WIDE X 32.00 FT LONG
PLOT AREA: 320.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			ZEAMD	SETFA	CHEAL	AMBEL	PHBPU	ZEAMD
		RATE	UNIT	TM	PRE 05/29/07	PRE 05/29/07	PRE 05/29/07	PRE 05/29/07	PRE 05/29/07	10 DAT 06/18/07
1A	LUMAX	2.47	LAA	9	0	94	99	99	98	0
2A»	LEXAR 3.7L	2.78	LAA	9	0	96	99	99	98	0
3A	KEystone 5.25	2.90	LAA	9	0	92	99	99	99	0
4A	KEystone 5.25	2.90	LAA	9	0	95	99	99	98	0
B	HORNET 68.5WG	0.107	LAA	9						
5A»	RADIUS 4SC	0.63	LAA	9	0	92	99	99	98	0
B	ATRAZINE DF	1.00	LAA	9						
6A»	KIH-485 85WG	0.15	LAA	9	0	88	99	99	98	0
B	CALLISTO 4SC	0.14	LAA	9						
C	ATRAZINE DF	1.00	LAA	9						
7A	LUMAX	1.24	LAA	9	0	91	99	99	95	0
B	LUMAX	1.24	LAA	11						
C»	ACTIVATOR 90	0.25	PMV	11						
8A»	LEXAR 3.7L	1.39	LAA	9	0	94	99	98	96	0
B»	LEXAR 3.7L	1.39	LAA	11						
C»	ACTIVATOR 90	0.25	PMV	11						
9A	SURPASS 6.4EC	2.00	LAA	9	0	95	99	99	89	0
B	HORNET 68.5WG	0.128	LAA	11						
C	CALLISTO 4SC	0.023	LAA	11						
D	ATRAZINE DF	0.25	LAA	11						
E»	COC	1.00	PMV	11						
F»	LIQUID AMS	2.50	PMV	11						
10A	SURPASS 6.4EC	2.00	LAA	9	0	94	98	98	94	0
B	HORNET 68.5WG	0.128	LAA	11						
C»	IMPACT 2.8SC	0.0054	LAA	11						
D	ATRAZINE DF	0.25	LAA	11						
E»	MSO	1.00	PMV	11						
F»	LIQUID AMS	2.50	PMV	11						
11A	DUAL II MAGNUM	1.59	LAA	9	0	96	86	93	78	0
B	CALLISTO 4SC	0.094	LAA	11						
C	ATRAZINE DF	0.50	LAA	11						
D»	COC	1.00	PMV	11						
E»	LIQUID AMS	2.50	PMV	11						
12A	OUTLOOK 6EC	0.84	LAA	9	0	86	90	89	87	0
B»	IMPACT 2.8SC	0.011	LAA	11						
C	ATRAZINE DF	0.50	LAA	11						
D»	MSO	1.00	PMV	11						
E»	LIQUID AMS	2.50	PMV	11						
13A	OUTLOOK 6EC	0.84	LAA	9	0	93	86	86	90	0
B»	IMPACT 2.8SC	0.016	LAA	11						
C	ATRAZINE DF	0.50	LAA	11						
D»	MSO	1.00	PMV	11						
E»	LIQUID AMS	2.50	PMV	11						
14A	DEFINE SC 4	0.72	LAA	9	0	88	84	87	88	0
B»	LAUDIS 3.5SC	0.082	LAA	11						
C	ATRAZINE DF	0.50	LAA	11						
D»	MSO	1.00	PMV	11						
E	28% UAN	2.50	PMV	11						
15A	GUARDSMAN MAX	1.67	LAA	9	0	95	99	99	97	0
B»	IMPACT 2.8SC	0.016	LAA	11						
C	ATRAZINE DF	0.50	LAA	11						
D»	MSO	1.00	PMV	11						
E»	LIQUID AMS	2.50	PMV	11						

TITLE: Weed Control Systems in Corn. 800

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	ZEAMD	SETFA	CHEAL	AMBEL	PHBPU	ZEAMD
		RATE	UNIT		PRE 05/29/07	PRE 05/29/07	PRE 05/29/07	PRE 05/29/07	PRE 05/29/07	10 DAT 06/18/07
16A	BICEP II MAG	2.80	LAA	9	0	95	99	99	98	0
	B CALLISTO 4SC	0.094	LAA	11						
	C ATRAZINE DF	0.50	LAA	11						
	D»COC	1.00	PMV	11						
	E»LIQUID AMS	2.50	PMV	11						
17A	CHECK	0.00	NA	0	0	0	0	0	0	0
18A	BALANCE PRO 4	0.07	LAA	9	0	90	89	96	91	0
	B»LAUDIS 3.5SC	0.082	LAA	12						
	C ATRAZINE DF	1.00	LAA	12						
	D»COC	1.00	PMV	12						
	E 28% UAN	2.50	PMV	12						
19A	BALANCE PRO 4	0.07	LAA	9	0	87	89	96	87	0
	B OPTION 35WG	0.033	LAA	12						
	C»MSO	1.00	PMV	12						
	D 28% UAN	2.50	PMV	12						
20A	BALANCE PRO 4	0.07	LAA	9	0	89	92	96	89	0
	B»LAUDIS 3.5SC	0.082	LAA	12						
	C»MSO	1.00	PMV	12						
	D 28% UAN	2.50	PMV	12						
21A	BALANCE PRO 4	0.07	LAA	9	0	88	99	99	96	0
	B ATRAZINE DF	1.00	LAA	9						
	C»LAUDIS 3.5SC	0.082	LAA	12						
	D»MSO	1.00	PMV	12						
	E»LIQUID AMS	2.50	PMV	12						
22A	BALANCE PRO 4	0.047	LAA	9	0	85	90	96	90	0
	B LIBERTY 1.67SL	0.42	LAA	12						
	C ATRAZINE DF	0.50	LAA	12						
	D»LIQUID AMS	2.50	PMV	12						
23A	BALANCE PRO 4	0.047	LAA	9	0	92	99	99	98	0
	B ATRAZINE DF	0.50	LAA	9						
	C»RDUP ORIG MAX	0.77	LAA	12						
	D»LIQUID AMS	2.50	PMV	12						
24A»	RDUP ORIG MAX	0.77	LAA	12	0	0	0	0	0	0
	B ATRAZINE DF	0.50	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
		LSD (0.05)			0.00	7.74	6.72	5.00	10.14	0.00
		STANDARD DEVIATION			0.00	3.87	3.36	2.49	5.07	0.00

TITLE: Weed Control Systems in Corn. 800
CREATED: 04/29/2007 **REVISED:** 11/05/2007 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Brownstown **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT WIDE X 32.00 FT LONG
PLOT AREA: 320.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			SETFA	CHEAL	AMBEL	PHBPU	ZEAMD	SETFA
		RATE	UNIT	TM	10 DAT 06/18/07	10 DAT 06/18/07	10 DAT 06/18/07	10 DAT 06/18/07	30 DAT 07/06/07	30 DAT 07/06/07
1A	LUMAX	2.47	LAA	9	93	98	99	91	0	94
2A	»LEXAR 3.7L	2.78	LAA	9	94	99	99	95	0	96
3A	KEYSTONE 5.25	2.90	LAA	9	96	99	99	95	0	94
4A	KEYSTONE 5.25	2.90	LAA	9	96	99	99	90	0	96
	B HORNET 68.5WG	0.107	LAA	9						
5A	»RADIUS 4SC	0.63	LAA	9	94	99	99	95	0	95
	B ATRAZINE DF	1.00	LAA	9						
6A	»KIH-485 85WG	0.15	LAA	9	95	99	99	93	0	96
	B CALLISTO 4SC	0.14	LAA	9						
	C ATRAZINE DF	1.00	LAA	9						
7A	LUMAX	1.24	LAA	9	96	99	99	95	0	96
	B LUMAX	1.24	LAA	11						
	C»ACTIVATOR 90	0.25	PMV	11						
8A	»LEXAR 3.7L	1.39	LAA	9	97	99	99	95	0	94
	B»LEXAR 3.7L	1.39	LAA	11						
	C»ACTIVATOR 90	0.25	PMV	11						
9A	SURPASS 6.4EC	2.00	LAA	9	97	99	99	90	0	97
	B HORNET 68.5WG	0.128	LAA	11						
	C CALLISTO 4SC	0.023	LAA	11						
	D ATRAZINE DF	0.25	LAA	11						
	E»COC	1.00	PMV	11						
	F»LIQUID AMS	2.50	PMV	11						
10A	SURPASS 6.4EC	2.00	LAA	9	98	99	99	91	0	97
	B HORNET 68.5WG	0.128	LAA	11						
	C»IMPACT 2.8SC	0.0054	LAA	11						
	D ATRAZINE DF	0.25	LAA	11						
	E»MSO	1.00	PMV	11						
	F»LIQUID AMS	2.50	PMV	11						
11A	DUAL II MAGNUM	1.59	LAA	9	97	99	99	96	0	98
	B CALLISTO 4SC	0.094	LAA	11						
	C ATRAZINE DF	0.50	LAA	11						
	D»COC	1.00	PMV	11						
	E»LIQUID AMS	2.50	PMV	11						
12A	OUTLOOK 6EC	0.84	LAA	9	93	99	99	93	0	95
	B»IMPACT 2.8SC	0.011	LAA	11						
	C ATRAZINE DF	0.50	LAA	11						
	D»MSO	1.00	PMV	11						
	E»LIQUID AMS	2.50	PMV	11						
13A	OUTLOOK 6EC	0.84	LAA	9	97	99	99	96	0	96
	B»IMPACT 2.8SC	0.016	LAA	11						
	C ATRAZINE DF	0.50	LAA	11						
	D»MSO	1.00	PMV	11						
	E»LIQUID AMS	2.50	PMV	11						
14A	DEFINE SC 4	0.72	LAA	9	95	99	99	96	0	96
	B»LAUDIS 3.5SC	0.082	LAA	11						
	C ATRAZINE DF	0.50	LAA	11						
	D»MSO	1.00	PMV	11						
	E 28% UAN	2.50	PMV	11						
15A	GUARDSMAN MAX	1.67	LAA	9	98	99	99	98	0	97
	B»IMPACT 2.8SC	0.016	LAA	11						
	C ATRAZINE DF	0.50	LAA	11						
	D»MSO	1.00	PMV	11						
	E»LIQUID AMS	2.50	PMV	11						

TITLE: Weed Control Systems in Corn. 800

TRT NUM	TREATMENT COMPONENT	DOSAGE			SETFA	CHEAL	AMBEL	PHBPU	ZEAMD	SETFA	
		RATE	UNIT	TM	10 DAT 06/18/07	10 DAT 06/18/07	10 DAT 06/18/07	10 DAT 06/18/07	30 DAT 07/06/07	30 DAT 07/06/07	
16A	BICEP II MAG	2.80	LAA	9	97	99	99	98	0	97	
	B CALLISTO 4SC	0.094	LAA	11							
	C ATRAZINE DF	0.50	LAA	11							
	D»COC	1.00	PMV	11							
	E»LIQUID AMS	2.50	PMV	11							
17A	CHECK	0.00	NA	0	0	0	0	0	0	0	
18A	BALANCE PRO 4	0.07	LAA	9	89	98	98	95	0	90	
	B»LAUDIS 3.5SC	0.082	LAA	12							
	C ATRAZINE DF	1.00	LAA	12							
	D»COC	1.00	PMV	12							
	E 28% UAN	2.50	PMV	12							
19A	BALANCE PRO 4	0.07	LAA	9	70	70	76	72	0	80	
	B OPTION 35WG	0.033	LAA	12							
	C»MSO	1.00	PMV	12							
	D 28% UAN	2.50	PMV	12							
20A	BALANCE PRO 4	0.07	LAA	9	85	94	94	91	0	91	
	B»LAUDIS 3.5SC	0.082	LAA	12							
	C»MSO	1.00	PMV	12							
	D 28% UAN	2.50	PMV	12							
21A	BALANCE PRO 4	0.07	LAA	9	97	99	99	97	0	91	
	B ATRAZINE DF	1.00	LAA	9							
	C»LAUDIS 3.5SC	0.082	LAA	12							
	D»MSO	1.00	PMV	12							
	E»LIQUID AMS	2.50	PMV	12							
22A	BALANCE PRO 4	0.047	LAA	9	96	92	94	96	0	91	
	B LIBERTY 1.67SL	0.42	LAA	12							
	C ATRAZINE DF	0.50	LAA	12							
	D»LIQUID AMS	2.50	PMV	12							
23A	BALANCE PRO 4	0.047	LAA	9	97	99	99	96	0	97	
	B ATRAZINE DF	0.50	LAA	9							
	C»RDUP ORIG MAX	0.77	LAA	12							
	D»LIQUID AMS	2.50	PMV	12							
24A»	RDUP ORIG MAX	0.77	LAA	12	96	83	82	85	0	99	
	B ATRAZINE DF	0.50	LAA	12							
	C»LIQUID AMS	2.50	PMV	12							
					LSD (0.05)	6.18	5.32	8.00	8.43	0.00	6.53
					STANDARD DEVIATION	3.09	2.66	4.00	4.22	0.00	3.27

TITLE: Weed Control Systems in Corn. 800
CREATED: 04/29/2007 **REVISED:** 11/05/2007 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Brownstown **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT WIDE X 32.00 FT LONG
PLOT AREA: 320.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			CHEAL	AMBEL	PHBPU	YIELD
		RATE	UNIT	TM	30 DAT 07/06/07	30 DAT 07/06/07	30 DAT 07/06/07	BU/A 09/20/07
1A	LUMAX	2.47	LAA	9	98	99	92	179.1
2A	»LEXAR 3.7L	2.78	LAA	9	99	99	95	188.5
3A	KEYSTONE 5.25	2.90	LAA	9	99	99	94	193.6
4A	KEYSTONE 5.25	2.90	LAA	9	99	99	90	176.7
	B HORNET 68.5WG	0.107	LAA	9				
5A	»RADIUS 4SC	0.63	LAA	9	99	99	93	177.2
	B ATRAZINE DF	1.00	LAA	9				
6A	»KIH-485 85WG	0.15	LAA	9	99	99	95	187.6
	B CALLISTO 4SC	0.14	LAA	9				
	C ATRAZINE DF	1.00	LAA	9				
7A	LUMAX	1.24	LAA	9	99	99	93	167.4
	B LUMAX	1.24	LAA	11				
	C»ACTIVATOR 90	0.25	PMV	11				
8A	»LEXAR 3.7L	1.39	LAA	9	99	99	96	185.3
	B»LEXAR 3.7L	1.39	LAA	11				
	C»ACTIVATOR 90	0.25	PMV	11				
9A	SURPASS 6.4EC	2.00	LAA	9	99	99	92	163.5
	B HORNET 68.5WG	0.128	LAA	11				
	C CALLISTO 4SC	0.023	LAA	11				
	D ATRAZINE DF	0.25	LAA	11				
	E»COC	1.00	PMV	11				
	F»LIQUID AMS	2.50	PMV	11				
10A	SURPASS 6.4EC	2.00	LAA	9	99	99	94	178.0
	B HORNET 68.5WG	0.128	LAA	11				
	C»IMPACT 2.8SC	0.0054	LAA	11				
	D ATRAZINE DF	0.25	LAA	11				
	E»MSO	1.00	PMV	11				
	F»LIQUID AMS	2.50	PMV	11				
11A	DUAL II MAGNUM	1.59	LAA	9	99	99	95	178.6
	B CALLISTO 4SC	0.094	LAA	11				
	C ATRAZINE DF	0.50	LAA	11				
	D»COC	1.00	PMV	11				
	E»LIQUID AMS	2.50	PMV	11				
12A	OUTLOOK 6EC	0.84	LAA	9	99	99	95	186.7
	B»IMPACT 2.8SC	0.011	LAA	11				
	C ATRAZINE DF	0.50	LAA	11				
	D»MSO	1.00	PMV	11				
	E»LIQUID AMS	2.50	PMV	11				
13A	OUTLOOK 6EC	0.84	LAA	9	99	99	94	179.5
	B»IMPACT 2.8SC	0.016	LAA	11				
	C ATRAZINE DF	0.50	LAA	11				
	D»MSO	1.00	PMV	11				
	E»LIQUID AMS	2.50	PMV	11				
14A	DEFINE SC 4	0.72	LAA	9	99	99	95	176.5
	B»LAUDIS 3.5SC	0.082	LAA	11				
	C ATRAZINE DF	0.50	LAA	11				
	D»MSO	1.00	PMV	11				
	E 28% UAN	2.50	PMV	11				
15A	GUARDSMAN MAX	1.67	LAA	9	99	99	95	180.7
	B»IMPACT 2.8SC	0.016	LAA	11				
	C ATRAZINE DF	0.50	LAA	11				
	D»MSO	1.00	PMV	11				
	E»LIQUID AMS	2.50	PMV	11				

TITLE: Weed Control Systems in Corn. 800

TRT NUM	TREATMENT COMPONENT	DOSAGE RATE	UNIT	TM	CHEAL 30 DAT 07/06/07	AMBEL 30 DAT 07/06/07	PHBPU 30 DAT 07/06/07	YIELD BU/A 09/20/07
16A	BICEP II MAG	2.80	LAA	9	99	99	95	148.0
	B CALLISTO 4SC	0.094	LAA	11				
	C ATRAZINE DF	0.50	LAA	11				
	D»COC	1.00	PMV	11				
	E»LIQUID AMS	2.50	PMV	11				
17A	CHECK	0.00	NA	0	0	0	0	79.1
18A	BALANCE PRO 4	0.07	LAA	9	99	99	97	201.1
	B»LAUDIS 3.5SC	0.082	LAA	12				
	C ATRAZINE DF	1.00	LAA	12				
	D»COC	1.00	PMV	12				
	E 28% UAN	2.50	PMV	12				
19A	BALANCE PRO 4	0.07	LAA	9	92	96	90	154.7
	B OPTION 35WG	0.033	LAA	12				
	C»MSO	1.00	PMV	12				
	D 28% UAN	2.50	PMV	12				
20A	BALANCE PRO 4	0.07	LAA	9	99	99	93	162.8
	B»LAUDIS 3.5SC	0.082	LAA	12				
	C»MSO	1.00	PMV	12				
	D 28% UAN	2.50	PMV	12				
21A	BALANCE PRO 4	0.07	LAA	9	99	99	92	170.4
	B ATRAZINE DF	1.00	LAA	9				
	C»LAUDIS 3.5SC	0.082	LAA	12				
	D»MSO	1.00	PMV	12				
	E»LIQUID AMS	2.50	PMV	12				
22A	BALANCE PRO 4	0.047	LAA	9	94	99	94	171.8
	B LIBERTY 1.67SL	0.42	LAA	12				
	C ATRAZINE DF	0.50	LAA	12				
	D»LIQUID AMS	2.50	PMV	12				
23A	BALANCE PRO 4	0.047	LAA	9	99	99	93	183.2
	B ATRAZINE DF	0.50	LAA	9				
	C»RDUP ORIG MAX	0.77	LAA	12				
	D»LIQUID AMS	2.50	PMV	12				
24A»	RDUP ORIG MAX	0.77	LAA	12	96	96	92	163.7
	B ATRAZINE DF	0.50	LAA	12				
	C»LIQUID AMS	2.50	PMV	12				
		LSD (0.05)			1.94	1.76	3.71	33.66
		STANDARD DEVIATION			1.00	0.882	1.85	16.83

» = SUPPLEMENTAL CHEMICAL

* TIMING CODES

00 = ----- / UNTREATED TIMING
 09 = ----- / PREEMERGENCE 05/08/2007(1)
 11 = ----- / EPOST 05/29/2007(2)
 12 = ----- / POST 06/08/2007(3)

H#	CUSTOM#1	CUSTOM#2	EV.DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTRT	SS	NOTE
001	ZEAMD	PRE	05/29/2007	01	P	ZEAMD	14	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
002	SETFA	PRE	05/29/2007	09	P	SETFA	13	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
003	CHEAL	PRE	05/29/2007	08	P	CHEAL	13	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
004	AMBEL	PRE	05/29/2007	15	P	AMBEL	13	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
005	PHBPU	PRE	05/29/2007	16	P	PHBPU	14	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
011	ZEAMD	10 DAT	06/18/2007	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
012	SETFA	10 DAT	06/18/2007	09	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
013	CHEAL	10 DAT	06/18/2007	08	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
014	AMBEL	10 DAT	06/18/2007	15	P	AMBEL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
015	PHBPU	10 DAT	06/18/2007	16	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
016	ZEAMD	30 DAT	07/06/2007	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
017	SETFA	30 DAT	07/06/2007	09	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
018	CHEAL	30 DAT	07/06/2007	08	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
019	AMBEL	30 DAT	07/06/2007	15	P	AMBEL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

TITLE: Weed Control Systems in Corn. 800

H#	CUSTOM#1	CUSTOM#2	EV.DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTR	SS	NOTE
020	PHBPU	30 DAT	07/06/2007	16	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
006	YIELD	BU/A	09/20/2007	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

* SPECIES COMMON NAME - VARIETY/SPECIE INFO (IF APPLICABLE)

01 = PIONEER 33M57

* STAGE CODE

13 = 3 LEAVES UNFOLDED

13 = 3RD TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

14 = 4 LEAVES UNFOLDED

14 = 4TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED