

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: SIX
 PH: 6.0
 %OM: 6.0
 PREV.CROP: GLXMA - SOYBEAN
 %RESIDUE: 0
 PLOT WIDTH: 10 X 29 FEET
 PLOT AREA: 290 FEET

DESIGN: RCB
 REPS: 3

APPL. NUMBER	01	02	03	UNIT
TIMINGS	09	11	12	
TYPE	LIQMIX	LIQMIX	LIQMIX	
APPLICATION DATE	05/03/07	05/29/07	06/06/07	AME
AIR TEMPERATURE	68	85	64	F
% REL.HUMIDITY	33	42	55	
WIND DIRECTION	NORTHEAST	SOUTH	SOUTHEAST	
WIND SPEED	17.0	9.0	8.0	M/H
CLOUD COVER	CLEAR	CLEAR	CLEAR	
DEW	---	NO	NO	
SOIL MOISTURE	DRY/MOIST	DRY/MOIST	MOIST/MOI	
SOIL CONDITION	---	---	---	
METHOD	SPRAY	SPRAY	SPRAY	
EQUIPMENT	SPRBAC	SPRBAC	SPRBAC	
PROPELLANT	COMCO2	COMCO2	COMCO2	
PLACEMENT	BRFOSO	BRFOSO	BRFOSO	
NOZZLE	FLATFAN	FLATFAN	FLATFAN	
NOZZLE NUMBER	6	6	6	
NOZZLE SPACING	20.000	20.000	20.000	IN
SCREEN SIZE				
SCREEN SZ DESC	NA	NA	NA	
SWATH WIDTH	10.0	10.0	10.0	FT
SPRAY VOLUME	20.00	20.00	20.00	
SCREEN SIZE	GPA	GPA	GPA	
PRESSURE	32.00	32.00	32.00	PSI
DILUENT	WATER	WATER	WATER	
INC. DATE				AME
INC. START				24H
INC. END				24H
INC. DEPTH				IN
INC. EQUIPMENT	---	---	---	
DEN/ STG/ MINMAXSZ				
*** CROP ***				
CORN, DENT		---/14	---/16	
PIONEER 34A20		5.00/7.00	15.0/17.0	IN
05/03/2007				
*** PEST ***				
VELVETLEAF		---/12	---/13	
		1.00/2.00	0.50/3.00	IN
RAGWEED, GIANT		---/14	---/18	
		2.00/4.00	3.00/10.0	IN
LAMBSQUARTERS, C		---/16	---/17	
		1.00/2.00	1.00/3.00	IN
SMARTWEED, PENNS		---/13	---/16	
		2.00/3.00	2.00/4.00	IN
FOXTAIL, GIANT		---/14	---/15	
		1.00/5.00	3.00/7.00	IN

* TIMING CODES

09 = ----- / PREEMERGENCE
 11 = ----- / EPOST
 12 = ----- / POST

* STAGE CODE

12 = 2ND TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 13 = 3RD TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 14 = 4 LEAVES UNFOLDED
 14 = 4 LEAVES UNFOLDED
 14 = 4TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 15 = 5 LEAVES UNFOLDED
 16 = 6TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 16 = 6 LEAVES UNFOLDED
 17 = 7TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

* STAGE CODE

18 = 8TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

TITLE: KIH-485 Combinations for Weed Control in Glyphosate-Resistant Corn. SW-1500W
CREATED: 04/26/2007 **REVISED:** 12/05/2007 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: DeKalb **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT WIDE X 29.00 FT LONG
PLOT AREA: 290.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			ZEAMD	SETFA	AMBTR	ABUTH	CHEAL	POLPY
		RATE	UNIT	TM	CON % 05/29/07	CON % 05/29/07	CON % 05/29/07	CON % 05/29/07	CON % 05/29/07	CON % 05/29/07
1A»	KIH-485 85WG	0.074	LAA	9	0	33	10	23	27	33
	B CALLISTO 4SC	0.094	LAA	12						
	C ATRAZINE DF	0.25	LAA	12						
	D»COC	1.00	PMV	12						
	E 28% UAN	2.50	PMV	12						
2A»	KIH-485 85WG	0.094	LAA	9	0	37	20	33	30	37
	B CALLISTO 4SC	0.094	LAA	12						
	C ATRAZINE DF	0.25	LAA	12						
	D»COC	1.00	PMV	12						
	E 28% UAN	2.50	PMV	12						
3A»	KIH-485 85WG	0.134	LAA	9	0	43	30	37	20	37
	B CALLISTO 4SC	0.094	LAA	12						
	C ATRAZINE DF	0.25	LAA	12						
	D»COC	1.00	PMV	12						
	E 28% UAN	2.50	PMV	12						
4A»	KIH-485 85WG	0.16	LAA	9	0	30	20	25	20	17
	B CALLISTO 4SC	0.094	LAA	12						
	C ATRAZINE DF	0.25	LAA	12						
	D»COC	1.00	PMV	12						
	E 28% UAN	2.50	PMV	12						
5A»	KIH-485 85WG	0.19	LAA	9	0	40	13	33	23	37
	B CALLISTO 4SC	0.094	LAA	12						
	C ATRAZINE DF	0.25	LAA	12						
	D»COC	1.00	PMV	12						
	E 28% UAN	2.50	PMV	12						
6A»	KIH-485 85WG	0.22	LAA	9	0	30	10	17	23	20
	B CALLISTO 4SC	0.094	LAA	12						
	C ATRAZINE DF	0.25	LAA	12						
	D»COC	1.00	PMV	12						
	E 28% UAN	2.50	PMV	12						
7A»	KIH-485 85WG	0.074	LAA	9	0	23	30	30	23	30
	B»WEATHERMAX 4.5	0.75	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
8A»	KIH-485 85WG	0.094	LAA	9	0	27	18	27	30	27
	B»WEATHERMAX 4.5	0.75	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
9A»	KIH-485 85WG	0.134	LAA	9	0	35	17	30	30	23
	B»WEATHERMAX 4.5	0.75	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
10A»	KIH-485 85WG	0.16	LAA	9	0	27	30	30	27	23
	B»WEATHERMAX 4.5	0.75	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
11A»	KIH-485 85WG	0.19	LAA	9	0	23	17	17	23	23
	B»WEATHERMAX 4.5	0.75	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
12A»	KIH-485 85WG	0.22	LAA	9	0	22	11	17	18	20
	B»WEATHERMAX 4.5	0.75	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
13A	DUAL II MAGNUM	1.67	LAA	9	0	33	37	35	47	40
	B CALLISTO 4SC	0.094	LAA	11						
	C ATRAZINE DF	0.25	LAA	11						
	D»COC	1.00	PMV	11						
	E 28% UAN	2.50	PMV	11						

TITLE: KIH-485 Combinations for Weed Control in Glyphosate-Resistant Corn. SW-1500W

TRT NUM	TREATMENT COMPONENT	DOSAGE			ZEAMD	SETFA	AMBTR	ABUTH	CHEAL	POLPY
		RATE	UNIT	TM	CON % 05/29/07	CON % 05/29/07	CON % 05/29/07	CON % 05/29/07	CON % 05/29/07	CON % 05/29/07
14A	DUAL II MAGNUM	1.67	LAA	9	0	30	17	27	37	37
	B»WEATHERMAX 4.5	0.75	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
15A	CHECK	0.00	NA	0	0	0	0	0	0	0
16A»	KIH-485 85WG	0.19	LAA	9	0	28	30	40	27	33
	B ATRAZINE DF	0.62	LAA	9						
17A»	LEXAR 3.7L	2.77	LAA	9	0	37	57	70	75	63
18A	HARNESS XTRA	1.75	LAA	9	0	42	37	33	43	37
	B»WEATHERMAX 4.5	0.75	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
		LSD (0.05)			0.00	18.08	12.00	14.33	18.80	16.63
		STANDARD DEVIATION			0.00	8.94	5.92	7.09	9.30	8.23

TITLE: KIH-485 Combinations for Weed Control in Glyphosate-Resistant Corn. SW-1500W
CREATED: 04/26/2007 **REVISED:** 12/05/2007 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: DeKalb **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT WIDE X 29.00 FT LONG
PLOT AREA: 290.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			ZEAMD	SETFA	AMBTR	ABUTH	CHEAL	POLPY
		RATE	UNIT	TM	10 DAT 06/07/07	10 DAT 06/07/07	10 DAT 06/07/07	10 DAT 06/07/07	10 DAT 06/07/07	10 DAT 06/07/07
1A»	KIH-485 85WG	0.074	LAA	9	0	68	97	99	99	98
B	CALLISTO 4SC	0.094	LAA	12						
C	ATRAZINE DF	0.25	LAA	12						
D»	COC	1.00	PMV	12						
E	28% UAN	2.50	PMV	12						
2A»	KIH-485 85WG	0.094	LAA	9	0	63	98	98	99	97
B	CALLISTO 4SC	0.094	LAA	12						
C	ATRAZINE DF	0.25	LAA	12						
D»	COC	1.00	PMV	12						
E	28% UAN	2.50	PMV	12						
3A»	KIH-485 85WG	0.134	LAA	9	0	77	99	99	99	98
B	CALLISTO 4SC	0.094	LAA	12						
C	ATRAZINE DF	0.25	LAA	12						
D»	COC	1.00	PMV	12						
E	28% UAN	2.50	PMV	12						
4A»	KIH-485 85WG	0.16	LAA	9	0	68	98	99	99	96
B	CALLISTO 4SC	0.094	LAA	12						
C	ATRAZINE DF	0.25	LAA	12						
D»	COC	1.00	PMV	12						
E	28% UAN	2.50	PMV	12						
5A»	KIH-485 85WG	0.19	LAA	9	0	75	95	99	99	99
B	CALLISTO 4SC	0.094	LAA	12						
C	ATRAZINE DF	0.25	LAA	12						
D»	COC	1.00	PMV	12						
E	28% UAN	2.50	PMV	12						
6A»	KIH-485 85WG	0.22	LAA	9	0	71	95	99	99	98
B	CALLISTO 4SC	0.094	LAA	12						
C	ATRAZINE DF	0.25	LAA	12						
D»	COC	1.00	PMV	12						
E	28% UAN	2.50	PMV	12						
7A»	KIH-485 85WG	0.074	LAA	9	0	98	95	76	98	99
B»	WEATHERMAX 4.5	0.75	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
8A»	KIH-485 85WG	0.094	LAA	9	0	99	73	65	99	98
B»	WEATHERMAX 4.5	0.75	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
9A»	KIH-485 85WG	0.134	LAA	9	0	98	86	78	94	94
B»	WEATHERMAX 4.5	0.75	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
10A»	KIH-485 85WG	0.16	LAA	9	0	97	92	85	94	97
B»	WEATHERMAX 4.5	0.75	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
11A»	KIH-485 85WG	0.19	LAA	9	0	98	76	85	98	98
B»	WEATHERMAX 4.5	0.75	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
12A»	KIH-485 85WG	0.22	LAA	9	0	99	75	85	98	99
B»	WEATHERMAX 4.5	0.75	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
13A	DUAL II MAGNUM	1.67	LAA	9	0	93	95	98	99	99
B	CALLISTO 4SC	0.094	LAA	11						
C	ATRAZINE DF	0.25	LAA	11						
D»	COC	1.00	PMV	11						
E	28% UAN	2.50	PMV	11						

TITLE: KIH-485 Combinations for Weed Control in Glyphosate-Resistant Corn. SW-1500W

TRT NUM	TREATMENT COMPONENT	DOSAGE		ZEAMD	SETFA	AMBTR	ABUTH	CHEAL	POLPY
		RATE	UNIT TM	10 DAT 06/07/07	10 DAT 06/07/07	10 DAT 06/07/07	10 DAT 06/07/07	10 DAT 06/07/07	10 DAT 06/07/07
14A	DUAL II MAGNUM	1.67	LAA 9	0	99	72	48	97	99
	B»WEATHERMAX 4.5	0.75	LAA 11						
	C»LIQUID AMS	2.50	PMV 11						
15A	CHECK	0.00	NA 0	0	0	0	0	0	0
16A»	KIH-485 85WG	0.19	LAA 9	0	C	C	C	C	C
	B ATRAZINE DF	0.62	LAA 9						
17A»	LEXAR 3.7L	2.77	LAA 9	0	C	C	C	C	C
18A	HARNESS XTRA	1.75	LAA 9	0	99	87	62	99	98
	B»WEATHERMAX 4.5	0.75	LAA 11						
	C»LIQUID AMS	2.50	PMV 11						
			LSD (0.05)	0.00	10.32	16.33	7.73	3.26	2.59
			STANDARD DEVIATION	0.00	5.11	8.08	3.82	1.61	1.28

TITLE: KIH-485 Combinations for Weed Control in Glyphosate-Resistant Corn. SW-1500W
CREATED: 04/26/2007 **REVISED:** 12/05/2007 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: DeKalb **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT WIDE X 29.00 FT LONG
PLOT AREA: 290.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			ZEAMD	SETFA	AMBTR	ABUTH	CHEAL	POLPY
		RATE	UNIT	TM	30 DAT 07/02/07	30 DAT 07/02/07	30 DAT 07/02/07	30 DAT 07/02/07	30 DAT 07/02/07	30 DAT 07/02/07
1A»	KIH-485 85WG	0.074	LAA	9	0	65	92	98	98	94
B	CALLISTO 4SC	0.094	LAA	12						
C	ATRAZINE DF	0.25	LAA	12						
D»	COC	1.00	PMV	12						
E	28% UAN	2.50	PMV	12						
2A»	KIH-485 85WG	0.094	LAA	9	0	63	96	99	98	96
B	CALLISTO 4SC	0.094	LAA	12						
C	ATRAZINE DF	0.25	LAA	12						
D»	COC	1.00	PMV	12						
E	28% UAN	2.50	PMV	12						
3A»	KIH-485 85WG	0.134	LAA	9	0	77	99	99	99	98
B	CALLISTO 4SC	0.094	LAA	12						
C	ATRAZINE DF	0.25	LAA	12						
D»	COC	1.00	PMV	12						
E	28% UAN	2.50	PMV	12						
4A»	KIH-485 85WG	0.16	LAA	9	0	65	95	99	99	94
B	CALLISTO 4SC	0.094	LAA	12						
C	ATRAZINE DF	0.25	LAA	12						
D»	COC	1.00	PMV	12						
E	28% UAN	2.50	PMV	12						
5A»	KIH-485 85WG	0.19	LAA	9	0	78	95	99	99	98
B	CALLISTO 4SC	0.094	LAA	12						
C	ATRAZINE DF	0.25	LAA	12						
D»	COC	1.00	PMV	12						
E	28% UAN	2.50	PMV	12						
6A»	KIH-485 85WG	0.22	LAA	9	0	75	90	99	98	98
B	CALLISTO 4SC	0.094	LAA	12						
C	ATRAZINE DF	0.25	LAA	12						
D»	COC	1.00	PMV	12						
E	28% UAN	2.50	PMV	12						
7A»	KIH-485 85WG	0.074	LAA	9	0	96	92	75	89	97
B»	WEATHERMAX 4.5	0.75	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
8A»	KIH-485 85WG	0.094	LAA	9	0	97	58	65	95	96
B»	WEATHERMAX 4.5	0.75	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
9A»	KIH-485 85WG	0.134	LAA	9	0	98	72	78	90	91
B»	WEATHERMAX 4.5	0.75	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
10A»	KIH-485 85WG	0.16	LAA	9	0	97	87	83	90	94
B»	WEATHERMAX 4.5	0.75	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
11A»	KIH-485 85WG	0.19	LAA	9	0	98	70	87	99	97
B»	WEATHERMAX 4.5	0.75	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
12A»	KIH-485 85WG	0.22	LAA	9	0	99	72	87	96	97
B»	WEATHERMAX 4.5	0.75	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
13A	DUAL II MAGNUM	1.67	LAA	9	0	93	96	99	99	99
B	CALLISTO 4SC	0.094	LAA	11						
C	ATRAZINE DF	0.25	LAA	11						
D»	COC	1.00	PMV	11						
E	28% UAN	2.50	PMV	11						

TITLE: KIH-485 Combinations for Weed Control in Glyphosate-Resistant Corn. SW-1500W

TRT NUM	TREATMENT COMPONENT	DOSAGE		ZEAMD	SETFA	AMBTR	ABUTH	CHEAL	POLPY	
		RATE	UNIT	30 DAT 07/02/07	30 DAT 07/02/07	30 DAT 07/02/07	30 DAT 07/02/07	30 DAT 07/02/07	30 DAT 07/02/07	
14A	DUAL II MAGNUM	1.67	LAA	9	0	98	55	40	86	98
	B»WEATHERMAX 4.5	0.75	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
15A	CHECK	0.00	NA	0	0	0	0	0	0	0
16A»	KIH-485 85WG	0.19	LAA	9	0	33	27	37	30	3
	B ATRAZINE DF	0.62	LAA	9						
17A»	LEXAR 3.7L	2.77	LAA	9	0	27	71	95	73	62
18A	HARNESS XTRA	1.75	LAA	9	0	99	88	50	99	99
	B»WEATHERMAX 4.5	0.75	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
			LSD (0.05)		0.00	18.00	26.00	13.28	15.67	14.00
			STANDARD DEVIATION		0.00	8.91	12.86	6.57	7.75	6.91

TITLE: KIH-485 Combinations for Weed Control in Glyphosate-Resistant Corn. SW-1500W
CREATED: 04/26/2007 **REVISED:** 12/05/2007 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: DeKalb **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT WIDE X 29.00 FT LONG
PLOT AREA: 290.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			YIELD BU/A 10/25/07
		RATE	UNIT	TM	
1A	KIH-485 85WG	0.074	LAA	9	198.1
	B CALLISTO 4SC	0.094	LAA	12	
	C ATRAZINE DF	0.25	LAA	12	
	D»COC	1.00	PMV	12	
	E 28% UAN	2.50	PMV	12	
2A	KIH-485 85WG	0.094	LAA	9	193.9
	B CALLISTO 4SC	0.094	LAA	12	
	C ATRAZINE DF	0.25	LAA	12	
	D»COC	1.00	PMV	12	
	E 28% UAN	2.50	PMV	12	
3A	KIH-485 85WG	0.134	LAA	9	203.6
	B CALLISTO 4SC	0.094	LAA	12	
	C ATRAZINE DF	0.25	LAA	12	
	D»COC	1.00	PMV	12	
	E 28% UAN	2.50	PMV	12	
4A	KIH-485 85WG	0.16	LAA	9	196.4
	B CALLISTO 4SC	0.094	LAA	12	
	C ATRAZINE DF	0.25	LAA	12	
	D»COC	1.00	PMV	12	
	E 28% UAN	2.50	PMV	12	
5A	KIH-485 85WG	0.19	LAA	9	203.5
	B CALLISTO 4SC	0.094	LAA	12	
	C ATRAZINE DF	0.25	LAA	12	
	D»COC	1.00	PMV	12	
	E 28% UAN	2.50	PMV	12	
6A	KIH-485 85WG	0.22	LAA	9	200.6
	B CALLISTO 4SC	0.094	LAA	12	
	C ATRAZINE DF	0.25	LAA	12	
	D»COC	1.00	PMV	12	
	E 28% UAN	2.50	PMV	12	
7A	KIH-485 85WG	0.074	LAA	9	198.5
	B»WEATHERMAX 4.5	0.75	LAA	11	
	C»LIQUID AMS	2.50	PMV	11	
8A	KIH-485 85WG	0.094	LAA	9	196.5
	B»WEATHERMAX 4.5	0.75	LAA	11	
	C»LIQUID AMS	2.50	PMV	11	
9A	KIH-485 85WG	0.134	LAA	9	188.8
	B»WEATHERMAX 4.5	0.75	LAA	11	
	C»LIQUID AMS	2.50	PMV	11	
10A	KIH-485 85WG	0.16	LAA	9	199.4
	B»WEATHERMAX 4.5	0.75	LAA	11	
	C»LIQUID AMS	2.50	PMV	11	
11A	KIH-485 85WG	0.19	LAA	9	204.9
	B»WEATHERMAX 4.5	0.75	LAA	11	
	C»LIQUID AMS	2.50	PMV	11	
12A	KIH-485 85WG	0.22	LAA	9	199.1
	B»WEATHERMAX 4.5	0.75	LAA	11	
	C»LIQUID AMS	2.50	PMV	11	
13A	DUAL II MAGNUM	1.67	LAA	9	200.4
	B CALLISTO 4SC	0.094	LAA	11	
	C ATRAZINE DF	0.25	LAA	11	
	D»COC	1.00	PMV	11	
	E 28% UAN	2.50	PMV	11	

TITLE: KIH-485 Combinations for Weed Control in Glyphosate-Resistant Corn. SW-1500W

TRT NUM	TREATMENT COMPONENT	DOSAGE RATE	UNIT	TM	YIELD
					BU/A 10/25/07
14A	DUAL II MAGNUM	1.67	LAA	9	200.4
	B»WEATHERMAX 4.5	0.75	LAA	11	
	C»LIQUID AMS	2.50	PMV	11	
15A	CHECK	0.00	NA	0	177.0
16A»	KIH-485 85WG	0.19	LAA	9	189.3
	B ATRAZINE DF	0.62	LAA	9	
17A»	LEXAR 3.7L	2.77	LAA	9	186.1
18A	HARNESS XTRA	1.75	LAA	9	208.8
	B»WEATHERMAX 4.5	0.75	LAA	11	
	C»LIQUID AMS	2.50	PMV	11	
					LSD (0.05)
					STANDARD DEVIATION
					16.42
					8.12

» = SUPPLEMENTAL CHEMICAL ---,M,C,D = MISSING DATA

- * TIMING CODES
00 = ----- / UNTREATED TIMING
09 = ----- / PREEMERGENCE 05/03/2007(1)
11 = ----- / EPOST 05/29/2007(2)
12 = ----- / POST 06/06/2007(3)

H#	CUSTOM#1	CUSTOM#2	EV.DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTRTR	SS	NOTE
001	ZEAMD	CON %	05/29/2007	01	P	ZEAMD	14	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
002	SETFA	CON %	05/29/2007	02	P	SETFA	14	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
003	AMBTR	CON %	05/29/2007	03	P	AMBTR	14	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
004	ABUTH	CON %	05/29/2007	04	P	ABUTH	12	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
005	CHEAL	CON %	05/29/2007	05	P	CHEAL	16	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
006	POLPY	CON %	05/29/2007	06	P	POLPY	13	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
007	ZEAMD	10 DAT	06/07/2007	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
008	SETFA	10 DAT	06/07/2007	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
009	AMBTR	10 DAT	06/07/2007	03	P	AMBTR		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
010	ABUTH	10 DAT	06/07/2007	04	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
011	CHEAL	10 DAT	06/07/2007	05	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
012	POLPY	10 DAT	06/07/2007	06	P	POLPY		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
013	ZEAMD	30 DAT	07/02/2007	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
014	SETFA	30 DAT	07/02/2007	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
015	AMBTR	30 DAT	07/02/2007	03	P	AMBTR		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
016	ABUTH	30 DAT	07/02/2007	04	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
017	CHEAL	30 DAT	07/02/2007	05	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
018	POLPY	30 DAT	07/02/2007	06	P	POLPY		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
019	YIELD	BU/A	10/25/2007	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

* SPECIES COMMON NAME - VARIETY/SPECIE INFO (IF APPLICABLE)
01 = PIONEER 34A20

- * STAGE CODE
12 = 2ND TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
13 = 3RD TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
14 = 4 LEAVES UNFOLDED
14 = 4 LEAVES UNFOLDED
14 = 4TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
16 = 6TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED