

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: SIL
PH: 6.2
%OM: 4.7
PREV.CROP: GLXMA - SOYBEAN
%RESIDUE: 0
PLOT WIDTH: 7.5 X 30 FEET
PLOT AREA: 225 FEET

DESIGN: RCB
REPS: 3

APPL. NUMBER	01	02	UNIT
TIMINGS	04	12	
TYPE	LIQMIX	LIQMIX	
APPLICATION DATE	04/10/07	06/06/07	AME
AIR TEMPERATURE	53	80	F
% REL.HUMIDITY	25	68	
WIND DIRECTION	SOUTHEAST	SOUTHEAST	
WIND SPEED	10.0	7.0	M/H
CLOUD COVER	CLEAR	CLEAR	
DEW	NO	NO	
SOIL MOISTURE	DRY/MOIST	DRY/MOIST	
SOIL CONDITION	---	---	
METHOD	SPRAY	SPRAY	
EQUIPMENT	SPRBAC	SPRBAC	
PROPELLANT	COMCO2	COMCO2	
PLACEMENT	BRFOSO	BRFOSO	
NOZZLE	FLATFAN	FLATFAN	
NOZZLE NUMBER	5	5	
NOZZLE SPACING	18.000	18.000	IN
SCREEN SIZE			
SCREEN SZ DESC	NA	NA	
SWATH WIDTH	7.5	7.5	FT
SPRAY VOLUME	20.00	20.00	
SCREEN SIZE	GPA	GPA	
PRESSURE	30.00	30.00	PSI
DILUENT	WATER	WATER	
INC. DATE			AME
INC. START			24H
INC. END			24H
INC. DEPTH			IN
INC. EQUIPMENT	---	---	
DN/SG/MMZ			
*** CROP ***			
CORN, DENT		---/13	
DEKALB 61-69		8.00/8.00	IN
05/07/2007			
*** PEST ***			
VELVETLEAF	---/00	---/16	
	/	2.00/4.00	IN
MORNINGGLORY, IV	---/10	---/19	
	1.00/1.00	3.00/5.00	IN
HENBIT	---/19	---/19	
	1.00/3.00	3.00/5.00	IN
CHICKWEED, COMMO	---/19	---/19	
	1.00/2.00	2.00/4.00	IN
DANDELION, COMMO	---/19	---/19	
	1.00/3.00	2.00/4.00	IN

* TIMING CODES

04 = ----- / EPP 30DBP
12 = ----- / POST

* STAGE CODE

00 = DRY SEED; DORMANCY
10 = 1ST LEAF EMERGED; COTYLEDONS UNFOLDED
13 = 3 LEAVES UNFOLDED
16 = 6TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

TITLE: Rimsulfuron plus isoxaflutole for weed control in glyphosate-resistant no-till corn.
C-600W

CREATED: 04/03/2007 **REVISED:** 10/23/2007

COMPLETED: N

PROJECT TYPE: HERBICIDE

LOCATION: Urbana

RESEARCHED BY: UNIV. OF ILL

DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN

PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG

PLOT AREA: 225.00 SFT

REPS: 03

TRT	TREATMENT	DOSAGE		TM	STEME	LAMAM	TAROF	STEME	LAMAM	TAROF
		RATE	UNIT		CON %	CON %	CON %	CON %	CON %	CON %
NUM	COMPONENT				04/24/07	04/24/07	04/24/07	05/06/07	05/06/07	05/06/07
1A	»RESOLVE 25DF	0.012	LAA	4	90	90	79	99	95	84
	B BALANCE PRO 4	0.023	LAA	4						
	C (G)2,4-D-ESTER	0.50	LAA	4						
	D»COC	1.00	PMV	4						
2A	»RESOLVE 25DF	0.016	LAA	4	93	92	88	99	99	93
	B BALANCE PRO 4	0.031	LAA	4						
	C (G)2,4-D-ESTER	0.50	LAA	4						
	D»COC	1.00	PMV	4						
3A	»RESOLVE 25DF	0.023	LAA	4	96	95	91	99	99	94
	B BALANCE PRO 4	0.047	LAA	4						
	C (G)2,4-D-ESTER	0.50	LAA	4						
	D»COC	1.00	PMV	4						
4A	»RESOLVE 25DF	0.012	LAA	4	94	93	82	99	99	86
	B BALANCE PRO 4	0.023	LAA	4						
	C ATRAZINE DF	1.00	LAA	4						
	D (G)2,4-D-ESTER	0.50	LAA	4						
	E»COC	1.00	PMV	4						
5A	»RESOLVE 25DF	0.016	LAA	4	97	97	90	99	99	92
	B BALANCE PRO 4	0.031	LAA	4						
	C ATRAZINE DF	1.00	LAA	4						
	D (G)2,4-D-ESTER	0.50	LAA	4						
	E»COC	1.00	PMV	4						
6A	»RESOLVE 25DF	0.023	LAA	4	98	97	94	99	99	96
	B BALANCE PRO 4	0.047	LAA	4						
	C ATRAZINE DF	1.00	LAA	4						
	D (G)2,4-D-ESTER	0.50	LAA	4						
	E»COC	1.00	PMV	4						
7A	»WEATHERMAX 4.5	0.38	LAA	4	91	91	88	99	99	84
	B»RESOLVE 25DF	0.012	LAA	4						
	C BALANCE PRO 4	0.023	LAA	4						
	D (G)2,4-D-ESTER	0.50	LAA	4						
8A	»WEATHERMAX 4.5	0.38	LAA	4	93	93	90	99	99	87
	B»RESOLVE 25DF	0.016	LAA	4						
	C BALANCE PRO 4	0.031	LAA	4						
	D (G)2,4-D-ESTER	0.50	LAA	4						
9A	»WEATHERMAX 4.5	0.38	LAA	4	94	93	91	99	99	94
	B»RESOLVE 25DF	0.023	LAA	4						
	C BALANCE PRO 4	0.047	LAA	4						
	D (G)2,4-D-ESTER	0.50	LAA	4						
10A	»GRAMOX INTEON	0.25	LAA	4	96	95	92	99	99	89
	B»RESOLVE 25DF	0.012	LAA	4						
	C BALANCE PRO 4	0.023	LAA	4						
	D (G)2,4-D-ESTER	0.50	LAA	4						
	E»ACTIVATOR 90	0.25	PMV	4						
11A	»GRAMOX INTEON	0.25	LAA	4	98	98	92	99	99	88
	B»RESOLVE 25DF	0.016	LAA	4						
	C BALANCE PRO 4	0.031	LAA	4						
	D (G)2,4-D-ESTER	0.50	LAA	4						
	E»ACTIVATOR 90	0.25	PMV	4						
12A	»GRAMOX INTEON	0.25	LAA	4	98	99	96	99	99	95
	B»RESOLVE 25DF	0.023	LAA	4						
	C BALANCE PRO 4	0.047	LAA	4						
	D (G)2,4-D-ESTER	0.50	LAA	4						
	E»ACTIVATOR 90	0.25	PMV	4						

TITLE: Rimsulfuron plus isoxaflutole for weed control in glyphosate-resistant no-till corn.
C-600W

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	STEME	LAMAM	TAROF	STEME	LAMAM	TAROF
		RATE	UNIT		CON % 04/24/07	CON % 04/24/07	CON % 04/24/07	CON % 05/06/07	CON % 05/06/07	CON % 05/06/07
13A	»RESOLVE 25DF	0.023	LAA	4	92	88	76	99	94	86
	B (G)2,4-D-ESTER	0.50	LAA	4						
	C»COC	1.00	PMV	4						
14A	»RESOLVE 25DF	0.023	LAA	4	94	92	89	99	99	92
	B ATRAZINE DF	1.00	LAA	4						
	C (G)2,4-D-ESTER	0.50	LAA	4						
	D»COC	1.00	PMV	4						
15A	»WEATHERMAX 4.5	0.38	LAA	4	90	91	88	99	93	77
	B»RESOLVE 25DF	0.023	LAA	4						
	C (G)2,4-D-ESTER	0.50	LAA	4						
16A	BALANCE PRO 4	0.047	LAA	4	90	88	86	99	97	87
	B (G)2,4-D-ESTER	0.50	LAA	4						
	C»COC	1.00	PMV	4						
17A	BALANCE PRO 4	0.047	LAA	4	94	95	92	99	99	94
	B ATRAZINE DF	1.00	LAA	4						
	C (G)2,4-D-ESTER	0.50	LAA	4						
	D»COC	1.00	PMV	4						
18A	CHECK	0.00	NA	0	0	0	0	0	0	0
19A	»WEATHERMAX 4.5	0.38	LAA	4	78	81	78	99	82	75
	B (G)2,4-D-ESTER	0.50	LAA	4						
20A	»GRAMOX INTEON	0.25	LAA	4	91	83	77	97	81	58
	B (G)2,4-D-ESTER	0.50	LAA	4						
	C»ACTIVATOR 90	0.25	PMV	4						
21A	»WEATHERMAX 4.5	0.38	LAA	4	99	99	97	99	99	99
	B LUMAX	2.96	LAA	4						
	C (G)2,4-D-ESTER	0.50	LAA	4						
		LSD (0.05)			3.21	3.66	5.64	1.25	3.57	6.00
		STANDARD DEVIATION			1.59	1.81	2.79	0.617	1.77	3.00

TITLE: Rimsulfuron plus isoxaflutole for weed control in glyphosate-resistant no-till corn.
C-600W

CREATED: 04/03/2007 **REVISED:** 10/23/2007

COMPLETED: N

PROJECT TYPE: HERBICIDE

LOCATION: Urbana

RESEARCHED BY: UNIV. OF ILL

DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN

PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG

PLOT AREA: 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	ABUTH	STEME	LAMAM	TAROF	ABUTH	IPOHE
		RATE	UNIT		CON % 05/06/07	CON % 06/22/07	CON % 06/22/07	CON % 06/22/07	CON % 06/22/07	CON % 06/22/07
1A	»RESOLVE 25DF	0.012	LAA	4	70	99	99	86	92	84
	B BALANCE PRO 4	0.023	LAA	4						
	C (G)2,4-D-ESTER	0.50	LAA	4						
	D»COC	1.00	PMV	4						
2A	»RESOLVE 25DF	0.016	LAA	4	78	99	99	88	89	87
	B BALANCE PRO 4	0.031	LAA	4						
	C (G)2,4-D-ESTER	0.50	LAA	4						
	D»COC	1.00	PMV	4						
3A	»RESOLVE 25DF	0.023	LAA	4	79	99	99	92	94	89
	B BALANCE PRO 4	0.047	LAA	4						
	C (G)2,4-D-ESTER	0.50	LAA	4						
	D»COC	1.00	PMV	4						
4A	»RESOLVE 25DF	0.012	LAA	4	80	99	99	93	98	90
	B BALANCE PRO 4	0.023	LAA	4						
	C ATRAZINE DF	1.00	LAA	4						
	D (G)2,4-D-ESTER	0.50	LAA	4						
	E»COC	1.00	PMV	4						
5A	»RESOLVE 25DF	0.016	LAA	4	88	99	99	91	94	89
	B BALANCE PRO 4	0.031	LAA	4						
	C ATRAZINE DF	1.00	LAA	4						
	D (G)2,4-D-ESTER	0.50	LAA	4						
	E»COC	1.00	PMV	4						
6A	»RESOLVE 25DF	0.023	LAA	4	90	99	99	94	96	95
	B BALANCE PRO 4	0.047	LAA	4						
	C ATRAZINE DF	1.00	LAA	4						
	D (G)2,4-D-ESTER	0.50	LAA	4						
	E»COC	1.00	PMV	4						
7A	»WEATHERMAX 4.5	0.38	LAA	4	78	99	99	93	94	91
	B»RESOLVE 25DF	0.012	LAA	4						
	C BALANCE PRO 4	0.023	LAA	4						
	D (G)2,4-D-ESTER	0.50	LAA	4						
8A	»WEATHERMAX 4.5	0.38	LAA	4	80	99	99	94	97	95
	B»RESOLVE 25DF	0.016	LAA	4						
	C BALANCE PRO 4	0.031	LAA	4						
	D (G)2,4-D-ESTER	0.50	LAA	4						
9A	»WEATHERMAX 4.5	0.38	LAA	4	86	99	99	95	97	95
	B»RESOLVE 25DF	0.023	LAA	4						
	C BALANCE PRO 4	0.047	LAA	4						
	D (G)2,4-D-ESTER	0.50	LAA	4						
10A	»GRAMOX INTEON	0.25	LAA	4	82	99	99	79	92	78
	B»RESOLVE 25DF	0.012	LAA	4						
	C BALANCE PRO 4	0.023	LAA	4						
	D (G)2,4-D-ESTER	0.50	LAA	4						
	E»ACTIVATOR 90	0.25	PMV	4						
11A	»GRAMOX INTEON	0.25	LAA	4	84	99	99	89	97	89
	B»RESOLVE 25DF	0.016	LAA	4						
	C BALANCE PRO 4	0.031	LAA	4						
	D (G)2,4-D-ESTER	0.50	LAA	4						
	E»ACTIVATOR 90	0.25	PMV	4						
12A	»GRAMOX INTEON	0.25	LAA	4	83	99	99	96	99	96
	B»RESOLVE 25DF	0.023	LAA	4						
	C BALANCE PRO 4	0.047	LAA	4						
	D (G)2,4-D-ESTER	0.50	LAA	4						
	E»ACTIVATOR 90	0.25	PMV	4						

TITLE: Rimsulfuron plus isoxaflutole for weed control in glyphosate-resistant no-till corn.
C-600W

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	ABUTH	STEME	LAMAM	TAROF	ABUTH	IPOHE
		RATE	UNIT		CON % 05/06/07	CON % 06/22/07	CON % 06/22/07	CON % 06/22/07	CON % 06/22/07	CON % 06/22/07
13A»	RESOLVE 25DF	0.023	LAA	4	68	99	98	91	92	88
	B (G)2,4-D-ESTER	0.50	LAA	4						
	C»COC	1.00	PMV	4						
14A»	RESOLVE 25DF	0.023	LAA	4	83	99	99	95	98	97
	B ATRAZINE DF	1.00	LAA	4						
	C (G)2,4-D-ESTER	0.50	LAA	4						
	D»COC	1.00	PMV	4						
15A»	WEATHERMAX 4.5	0.38	LAA	4	57	99	99	85	89	78
	B»RESOLVE 25DF	0.023	LAA	4						
	C (G)2,4-D-ESTER	0.50	LAA	4						
16A	BALANCE PRO 4	0.047	LAA	4	65	99	99	94	97	93
	B (G)2,4-D-ESTER	0.50	LAA	4						
	C»COC	1.00	PMV	4						
17A	BALANCE PRO 4	0.047	LAA	4	89	99	99	95	98	97
	B ATRAZINE DF	1.00	LAA	4						
	C (G)2,4-D-ESTER	0.50	LAA	4						
	D»COC	1.00	PMV	4						
18A	CHECK	0.00	NA	0	0	0	0	0	0	0
19A»	WEATHERMAX 4.5	0.38	LAA	4	0	99	98	94	86	82
	B (G)2,4-D-ESTER	0.50	LAA	4						
20A»	GRAMOX INTEON	0.25	LAA	4	30	99	99	84	70	60
	B (G)2,4-D-ESTER	0.50	LAA	4						
	C»ACTIVATOR 90	0.25	PMV	4						
21A»	WEATHERMAX 4.5	0.38	LAA	4	96	99	99	98	98	97
	B LUMAX	2.96	LAA	4						
	C (G)2,4-D-ESTER	0.50	LAA	4						
		LSD (0.05)			8.38	0.00	0.939	5.49	5.24	6.67
		STANDARD DEVIATION			4.15	0.00	0.465	2.72	2.59	3.30

TITLE: Rimsulfuron plus isoxaflutole for weed control in glyphosate-resistant no-till corn.
C-600W

CREATED: 04/03/2007 **REVISED:** 10/23/2007

COMPLETED: N

PROJECT TYPE: HERBICIDE

LOCATION: Urbana

RESEARCHED BY: UNIV. OF ILL

DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN

PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG

PLOT AREA: 225.00 SFT

REPS: 03

TRT	TREATMENT	DOSAGE		STEME CON %	LAMAM CON %	TAROF CON %	ABUTH CON %	IPOHE CON %
		RATE	UNIT					
NUM	COMPONENT		TM	07/04/07	07/04/07	07/04/07	07/04/07	07/04/07
1A	RESOLVE 25DF	0.012	LAA 4	99	99	72	68	57
	B BALANCE PRO 4	0.023	LAA 4					
	C (G)2,4-D-ESTER	0.50	LAA 4					
	D»COC	1.00	PMV 4					
2A	RESOLVE 25DF	0.016	LAA 4	99	99	78	78	63
	B BALANCE PRO 4	0.031	LAA 4					
	C (G)2,4-D-ESTER	0.50	LAA 4					
	D»COC	1.00	PMV 4					
3A	RESOLVE 25DF	0.023	LAA 4	99	99	89	93	77
	B BALANCE PRO 4	0.047	LAA 4					
	C (G)2,4-D-ESTER	0.50	LAA 4					
	D»COC	1.00	PMV 4					
4A	RESOLVE 25DF	0.012	LAA 4	99	99	81	80	65
	B BALANCE PRO 4	0.023	LAA 4					
	C ATRAZINE DF	1.00	LAA 4					
	D (G)2,4-D-ESTER	0.50	LAA 4					
	E»COC	1.00	PMV 4					
5A	RESOLVE 25DF	0.016	LAA 4	99	99	85	91	76
	B BALANCE PRO 4	0.031	LAA 4					
	C ATRAZINE DF	1.00	LAA 4					
	D (G)2,4-D-ESTER	0.50	LAA 4					
	E»COC	1.00	PMV 4					
6A	RESOLVE 25DF	0.023	LAA 4	99	99	91	97	87
	B BALANCE PRO 4	0.047	LAA 4					
	C ATRAZINE DF	1.00	LAA 4					
	D (G)2,4-D-ESTER	0.50	LAA 4					
	E»COC	1.00	PMV 4					
7A	WEATHERMAX 4.5	0.38	LAA 4	99	99	75	70	63
	B»RESOLVE 25DF	0.012	LAA 4					
	C BALANCE PRO 4	0.023	LAA 4					
	D (G)2,4-D-ESTER	0.50	LAA 4					
8A	WEATHERMAX 4.5	0.38	LAA 4	99	99	83	84	75
	B»RESOLVE 25DF	0.016	LAA 4					
	C BALANCE PRO 4	0.031	LAA 4					
	D (G)2,4-D-ESTER	0.50	LAA 4					
9A	WEATHERMAX 4.5	0.38	LAA 4	99	99	90	89	79
	B»RESOLVE 25DF	0.023	LAA 4					
	C BALANCE PRO 4	0.047	LAA 4					
	D (G)2,4-D-ESTER	0.50	LAA 4					
10A	GRAMOX INTEON	0.25	LAA 4	99	99	70	70	62
	B»RESOLVE 25DF	0.012	LAA 4					
	C BALANCE PRO 4	0.023	LAA 4					
	D (G)2,4-D-ESTER	0.50	LAA 4					
	E»ACTIVATOR 90	0.25	PMV 4					
11A	GRAMOX INTEON	0.25	LAA 4	99	99	78	85	75
	B»RESOLVE 25DF	0.016	LAA 4					
	C BALANCE PRO 4	0.031	LAA 4					
	D (G)2,4-D-ESTER	0.50	LAA 4					
	E»ACTIVATOR 90	0.25	PMV 4					
12A	GRAMOX INTEON	0.25	LAA 4	99	99	85	95	87
	B»RESOLVE 25DF	0.023	LAA 4					
	C BALANCE PRO 4	0.047	LAA 4					
	D (G)2,4-D-ESTER	0.50	LAA 4					
	E»ACTIVATOR 90	0.25	PMV 4					

TITLE: Rimsulfuron plus isoxaflutole for weed control in glyphosate-resistant no-till corn.
C-600W

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	STEME	LAMAM	TAROF	ABUTH	IPOHE	
		RATE	UNIT		CON % 07/04/07	CON % 07/04/07	CON % 07/04/07	CON % 07/04/07	CON % 07/04/07	
13A	RESOLVE 25DF	0.023	LAA	4	99	99	83	52	55	
	B (G)2,4-D-ESTER	0.50	LAA	4						
	C»COC	1.00	PMV	4						
14A	RESOLVE 25DF	0.023	LAA	4	99	99	87	63	73	
	B ATRAZINE DF	1.00	LAA	4						
	C (G)2,4-D-ESTER	0.50	LAA	4						
	D»COC	1.00	PMV	4						
15A	WEATHERMAX 4.5	0.38	LAA	4	99	99	88	72	67	
	B»RESOLVE 25DF	0.023	LAA	4						
	C (G)2,4-D-ESTER	0.50	LAA	4						
16A	BALANCE PRO 4	0.047	LAA	4	99	99	92	84	73	
	B (G)2,4-D-ESTER	0.50	LAA	4						
	C»COC	1.00	PMV	4						
17A	BALANCE PRO 4	0.047	LAA	4	99	99	96	97	86	
	B ATRAZINE DF	1.00	LAA	4						
	C (G)2,4-D-ESTER	0.50	LAA	4						
	D»COC	1.00	PMV	4						
18A	CHECK	0.00	NA	0	0	0	0	0	0	
19A	WEATHERMAX 4.5	0.38	LAA	4	99	99	91	63	48	
	B (G)2,4-D-ESTER	0.50	LAA	4						
20A	GRAMOX INTEON	0.25	LAA	4	96	93	75	57	47	
	B (G)2,4-D-ESTER	0.50	LAA	4						
	C»ACTIVATOR 90	0.25	PMV	4						
21A	WEATHERMAX 4.5	0.38	LAA	4	99	99	96	99	94	
	B LUMAX	2.96	LAA	4						
	C (G)2,4-D-ESTER	0.50	LAA	4						
					LSLSD (0.05)	1.87	4.00	7.57	8.83	9.81
					STANDARD DEVIATION	0.926	2.00	3.75	4.37	4.85

» = SUPPLEMENTAL CHEMICAL

* TIMING CODES

00 = ----- / UNTREATED TIMING
04 = ----- / EPP 30DBP 04/10/2007(1)

H#	CUSTOM#1	CUSTOM#2	EV.DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTRTR	SS	NOTE
001	STEME	CON %	04/24/2007	02	P	STEME		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
002	LAMAM	CON %	04/24/2007	03	P	LAMAM		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
003	TAROF	CON %	04/24/2007	04	P	TAROF		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
004	STEME	CON %	05/06/2007	02	P	STEME		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
005	LAMAM	CON %	05/06/2007	03	P	LAMAM		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
006	TAROF	CON %	05/06/2007	04	P	TAROF		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
007	ABUTH	CON %	05/06/2007	05	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
008	STEME	CON %	06/22/2007	02	P	STEME		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
009	LAMAM	CON %	06/22/2007	03	P	LAMAM		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
010	TAROF	CON %	06/22/2007	04	P	TAROF		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
011	ABUTH	CON %	06/22/2007	05	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
012	IPOHE	CON %	06/22/2007	06	P	IPOHE		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
013	STEME	CON %	07/04/2007	02	P	STEME		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
014	LAMAM	CON %	07/04/2007	03	P	LAMAM		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
015	TAROF	CON %	07/04/2007	04	P	TAROF		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
016	ABUTH	CON %	07/04/2007	05	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
017	IPOHE	CON %	07/04/2007	06	P	IPOHE		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N