

## SOIL INFORMATION

## TRIAL INFORMATION

TEXTURE: SIL  
PH: 6.4  
%OM: 4.6  
PREV.CROP: GLXMA - SOYBEAN  
%RESIDUE: 0  
PLOT WIDTH: 7.5 X 30 FEET  
PLOT AREA: 225 FEET

DESIGN: RCB  
REPS: 3

APPL. NUMBER	01	02	UNIT
TIMINGS	06	12	
TYPE	LIQMIX	LIQMIX	
APPLICATION DATE	04/30/07	06/05/07	AME
AIR TEMPERATURE	78	60	F
% REL.HUMIDITY	30	55	
WIND DIRECTION	WEST	NORTHEAST	
WIND SPEED	7.0	5.0	M/H
CLOUD COVER	CLEAR	CLEAR	
DEW	NO	YES	
SOIL MOISTURE	DRY/MOIST	MOIST/MOI	
SOIL CONDITION	---	---	
METHOD	SPRAY	SPRAY	
EQUIPMENT	SPRBAC	SPRBAC	
PROPELLANT	COMCO2	COMCO2	
PLACEMENT	BRFOSO	BRFOSO	
NOZZLE	FLATFAN	FLATFAN	
NOZZLE NUMBER	5	5	
NOZZLE SPACING	18.000	18.000	IN
SCREEN SIZE			
SCREEN SZ DESC	NA	NA	
SWATH WIDTH	7.5	7.5	FT
SPRAY VOLUME	20.00	20.00	
SCREEN SIZE	GPA	GPA	
PRESSURE	30.00	30.00	PSI
DILUENT	WATER	WATER	
INC. DATE			AME
INC. START			24H
INC. END			24H
INC. DEPTH			IN
INC. EQUIPMENT	---	---	
DN/SG/MMZ			
*** CROP ***			
CORN, DENT		---/16	
DEKALB 61-69		15.0/15.0	IN
05/07/2007			
*** PEST ***			
LAMBSQUARTERS, C	---/18	---/19	
	1.00/2.00	3.00/5.00	IN
HORSEWEED / MARE	---/19	---/19	
	1.00/4.00	2.00/6.00	IN
MORNINGGLORY, TA	---/10	---/19	
	0.50/0.50	2.00/6.00	IN
FOXTAIL, GIANT	---/11	---/15	
	1.00/1.00	4.00/8.00	IN
CHICKWEED, COMMO	---/19	---/19	
	1.00/3.00	3.00/6.00	IN
DANDELION, COMMO	---/19	---/19	
	2.00/4.00	3.00/6.00	IN

## \* TIMING CODES

06 = ----- / EPP 7DBP  
12 = ----- / POST

## \* STAGE CODE

10 = 1ST LEAF EMERGED; COTYLEDONS UNFOLDED  
11 = FIRST LEAF UNFOLDED  
15 = 5 LEAVES UNFOLDED  
16 = 6 LEAVES UNFOLDED  
18 = 8TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED  
19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

**TITLE:** ET and other options for weed control in glyphosate-resistant no-till corn. N-200  
**CREATED:** 04/25/2007 **REVISED:** 08/08/2007 **COMPLETED:** N  
**PROJECT TYPE:** HERBICIDE  
**LOCATION:** Urbana **RESEARCHED BY:** UNIV. OF ILL  
**DESIGN:** RANDOMIZED COMPLETE BLOCK DESIGN  
**PLOT SIZE:** 7.50 FT WIDE X 30.00 FT LONG  
**PLOT AREA:** 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		STEME CON % 05/06/07	TAROF CON % 05/06/07	ERICA CON % 05/06/07	CHEAL CON % 05/06/07	SETFA CON % 05/06/07	STEME CON % 05/11/07
		RATE	UNIT						
1A	GLYFOS EXTRA 3	0.75	LAA 6	89	65	70	79	88	99
	B BICEP II MAG	2.90	LAA 6						
	C>ACTIVATOR 90	0.25	PMV 6						
	D>LIQUID AMS	5.00	PMV 6						
2A	ET-751 0.21L	0.0016	LAA 6	91	79	85	88	95	99
	B>GLYFOS EXTRA 3	0.75	LAA 6						
	C BICEP II MAG	2.90	LAA 6						
	D>ACTIVATOR 90	0.25	PMV 6						
	E>LIQUID AMS	5.00	PMV 6						
3A	ET-751 0.21L	0.0016	LAA 6	94	88	92	93	95	99
	B (G)2,4-D-ESTER	0.125	LAA 6						
	C>GLYFOS EXTRA 3	0.75	LAA 6						
	D BICEP II MAG	2.90	LAA 6						
	E>ACTIVATOR 90	0.25	PMV 6						
	F>LIQUID AMS	5.00	PMV 6						
4A	ET-751 0.21L	0.0016	LAA 6	97	96	95	97	97	99
	B>GLYFOS EXTRA 3	0.75	LAA 6						
	C LUMAX	2.96	LAA 6						
	D>ACTIVATOR 90	0.25	PMV 6						
	E>LIQUID AMS	5.00	PMV 6						
5A	IR 8116 1.67SL	0.0134	LAA 6	99	96	99	99	98	99
	B>GLYFOS EXTRA 3	0.75	LAA 6						
	C>LEXAR 3.7L	3.24	LAA 6						
	D>COC	1.00	PMV 6						
	E>LIQUID AMS	5.00	PMV 6						
6A	VALOR 51WG	0.064	LAA 6	96	94	95	97	93	99
	B>GLYFOS EXTRA 3	0.75	LAA 6						
	C ATRAZINE DF	1.00	LAA 6						
	D>COC	1.00	PMV 6						
	E>LIQUID AMS	5.00	PMV 6						
7A	RAGE D-TECH 4L	0.25	LAA 6	93	89	89	94	91	99
	B>GLYFOS EXTRA 3	0.75	LAA 6						
	C>LIQUID AMS	2.50	PMV 6						
	D>GLYFOS EXTRA 3	0.75	LAA 12						
	E>LIQUID AMS	2.50	PMV 12						
8A	RAGE D-TECH 4L	0.375	LAA 6	93	91	91	95	94	99
	B>GLYFOS EXTRA 3	0.75	LAA 6						
	C>LIQUID AMS	2.50	PMV 6						
	D>GLYFOS EXTRA 3	0.75	LAA 12						
	E>LIQUID AMS	2.50	PMV 12						
9A	RESOLVE 25DF	0.023	LAA 6	97	95	99	99	96	99
	B BALANCE PRO 4	0.047	LAA 6						
	C ATRAZINE DF	1.00	LAA 6						
	D (G)2,4-D-ESTER	0.50	LAA 6						
	E>COC	1.00	PMV 6						
10A	CHECK	0.00	NA 0	0	0	0	0	0	0
11A	GRAMOX INTEON	0.25	LAA 6	97	89	96	92	92	99
	B>RESOLVE 25DF	0.023	LAA 6						
	C BALANCE PRO 4	0.047	LAA 6						
	D (G)2,4-D-ESTER	0.50	LAA 6						
	E>ACTIVATOR 90	0.25	PMV 6						
12A	FIELD MASTER	4.57	LAA 6	87	80	91	90	90	99
	B>LIQUID AMS	5.00	PMV 6						
		LSD (0.05)		2.53	4.86	5.22	6.54	4.46	0.00
		STANDARD DEVIATION		1.22	2.34	2.52	3.15	2.15	0.00

**TITLE:** ET and other options for weed control in glyphosate-resistant no-till corn. N-200  
**CREATED:** 04/25/2007 **REVISED:** 08/08/2007 **COMPLETED:** N  
**PROJECT TYPE:** HERBICIDE  
**LOCATION:** Urbana **RESEARCHED BY:** UNIV. OF ILL  
**DESIGN:** RANDOMIZED COMPLETE BLOCK DESIGN  
**PLOT SIZE:** 7.50 FT WIDE X 30.00 FT LONG  
**PLOT AREA:** 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	TAROF	ERICA	CHEAL	SETFA	PHBPU	STEME
		RATE	UNIT		CON % 05/11/07	CON % 05/11/07	CON % 05/11/07	CON % 05/11/07	CON % 05/11/07	CON % 05/31/07
1A	GLYFOS EXTRA 3	0.75	LAA	6	89	99	99	98	91	99
	B BICEP II MAG	2.90	LAA	6						
	C>ACTIVATOR 90	0.25	PMV	6						
	D>LIQUID AMS	5.00	PMV	6						
2A	ET-751 0.21L	0.0016	LAA	6	94	99	99	97	95	99
	B>GLYFOS EXTRA 3	0.75	LAA	6						
	C BICEP II MAG	2.90	LAA	6						
	D>ACTIVATOR 90	0.25	PMV	6						
	E>LIQUID AMS	5.00	PMV	6						
3A	ET-751 0.21L	0.0016	LAA	6	94	99	99	99	96	99
	B (G)2,4-D-ESTER	0.125	LAA	6						
	C>GLYFOS EXTRA 3	0.75	LAA	6						
	D BICEP II MAG	2.90	LAA	6						
	E>ACTIVATOR 90	0.25	PMV	6						
	F>LIQUID AMS	5.00	PMV	6						
4A	ET-751 0.21L	0.0016	LAA	6	96	99	99	98	99	99
	B>GLYFOS EXTRA 3	0.75	LAA	6						
	C LUMAX	2.96	LAA	6						
	D>ACTIVATOR 90	0.25	PMV	6						
	E>LIQUID AMS	5.00	PMV	6						
5A	IR 8116 1.67SL	0.0134	LAA	6	99	99	99	99	98	99
	B>GLYFOS EXTRA 3	0.75	LAA	6						
	C>LEXAR 3.7L	3.24	LAA	6						
	D>COC	1.00	PMV	6						
	E>LIQUID AMS	5.00	PMV	6						
6A	VALOR 51WG	0.064	LAA	6	97	99	99	96	94	99
	B>GLYFOS EXTRA 3	0.75	LAA	6						
	C ATRAZINE DF	1.00	LAA	6						
	D>COC	1.00	PMV	6						
	E>LIQUID AMS	5.00	PMV	6						
7A	RAGE D-TECH 4L	0.25	LAA	6	94	99	99	89	90	99
	B>GLYFOS EXTRA 3	0.75	LAA	6						
	C>LIQUID AMS	2.50	PMV	6						
	D>GLYFOS EXTRA 3	0.75	LAA	12						
	E>LIQUID AMS	2.50	PMV	12						
8A	RAGE D-TECH 4L	0.375	LAA	6	96	99	99	93	93	99
	B>GLYFOS EXTRA 3	0.75	LAA	6						
	C>LIQUID AMS	2.50	PMV	6						
	D>GLYFOS EXTRA 3	0.75	LAA	12						
	E>LIQUID AMS	2.50	PMV	12						
9A	RESOLVE 25DF	0.023	LAA	6	98	99	99	98	97	99
	B BALANCE PRO 4	0.047	LAA	6						
	C ATRAZINE DF	1.00	LAA	6						
	D (G)2,4-D-ESTER	0.50	LAA	6						
	E>COC	1.00	PMV	6						
10A	CHECK	0.00	NA	0	0	0	0	0	0	0
11A	GRAMOX INTEON	0.25	LAA	6	96	99	99	99	98	99
	B>RESOLVE 25DF	0.023	LAA	6						
	C BALANCE PRO 4	0.047	LAA	6						
	D (G)2,4-D-ESTER	0.50	LAA	6						
	E>ACTIVATOR 90	0.25	PMV	6						
12A	FIELD MASTER	4.57	LAA	6	91	99	99	99	97	99
	B>LIQUID AMS	5.00	PMV	6						
			LSD (0.05)		2.93	0.282	0.00	2.06	2.84	0.00
			STANDARD DEVIATION		1.41	0.136	0.00	1.00	1.37	0.00

**TITLE:** ET and other options for weed control in glyphosate-resistant no-till corn. N-200  
**CREATED:** 04/25/2007 **REVISED:** 08/08/2007 **COMPLETED:** N  
**PROJECT TYPE:** HERBICIDE  
**LOCATION:** Urbana **RESEARCHED BY:** UNIV. OF ILL  
**DESIGN:** RANDOMIZED COMPLETE BLOCK DESIGN  
**PLOT SIZE:** 7.50 FT WIDE X 30.00 FT LONG  
**PLOT AREA:** 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	TAROF	ERICA	CHEAL	SETFA	PHBPU	ZEAMD
		RATE	UNIT		CON % 05/31/07	CON % 05/31/07	CON % 05/31/07	CON % 05/31/07	CON % 05/31/07	CON % 06/21/07
1A	»GLYFOS EXTRA 3	0.75	LAA	6	80	99	99	86	47	0
	B »BICEP II MAG	2.90	LAA	6						
	C »ACTIVATOR 90	0.25	PMV	6						
	D »LIQUID AMS	5.00	PMV	6						
2A	»ET-751 0.21L	0.0016	LAA	6	79	99	99	81	40	0
	B »GLYFOS EXTRA 3	0.75	LAA	6						
	C »BICEP II MAG	2.90	LAA	6						
	D »ACTIVATOR 90	0.25	PMV	6						
	E »LIQUID AMS	5.00	PMV	6						
3A	»ET-751 0.21L	0.0016	LAA	6	83	99	99	84	42	0
	B (G)2,4-D-ESTER	0.125	LAA	6						
	C »GLYFOS EXTRA 3	0.75	LAA	6						
	D »BICEP II MAG	2.90	LAA	6						
	E »ACTIVATOR 90	0.25	PMV	6						
	F »LIQUID AMS	5.00	PMV	6						
4A	»ET-751 0.21L	0.0016	LAA	6	93	99	99	87	63	0
	B »GLYFOS EXTRA 3	0.75	LAA	6						
	C LUMAX	2.96	LAA	6						
	D »ACTIVATOR 90	0.25	PMV	6						
	E »LIQUID AMS	5.00	PMV	6						
5A	»IR 8116 1.67SL	0.0134	LAA	6	96	99	99	94	73	0
	B »GLYFOS EXTRA 3	0.75	LAA	6						
	C »LEXAR 3.7L	3.24	LAA	6						
	D »COC	1.00	PMV	6						
	E »LIQUID AMS	5.00	PMV	6						
6A	»VALOR 51WG	0.064	LAA	6	92	99	99	75	55	0
	B »GLYFOS EXTRA 3	0.75	LAA	6						
	C ATRAZINE DF	1.00	LAA	6						
	D »COC	1.00	PMV	6						
	E »LIQUID AMS	5.00	PMV	6						
7A	»RAGE D-TECH 4L	0.25	LAA	6	82	99	91	62	38	0
	B »GLYFOS EXTRA 3	0.75	LAA	6						
	C »LIQUID AMS	2.50	PMV	6						
	D »GLYFOS EXTRA 3	0.75	LAA	12						
	E »LIQUID AMS	2.50	PMV	12						
8A	»RAGE D-TECH 4L	0.375	LAA	6	84	99	89	57	40	0
	B »GLYFOS EXTRA 3	0.75	LAA	6						
	C »LIQUID AMS	2.50	PMV	6						
	D »GLYFOS EXTRA 3	0.75	LAA	12						
	E »LIQUID AMS	2.50	PMV	12						
9A	»RESOLVE 25DF	0.023	LAA	6	88	99	99	74	53	0
	B BALANCE PRO 4	0.047	LAA	6						
	C ATRAZINE DF	1.00	LAA	6						
	D (G)2,4-D-ESTER	0.50	LAA	6						
	E »COC	1.00	PMV	6						
10A	CHECK	0.00	NA	0	0	0	0	0	0	0
11A	»GRAMOX INTEON	0.25	LAA	6	80	99	99	72	42	0
	B »RESOLVE 25DF	0.023	LAA	6						
	C BALANCE PRO 4	0.047	LAA	6						
	D (G)2,4-D-ESTER	0.50	LAA	6						
	E »ACTIVATOR 90	0.25	PMV	6						
12A	»FIELD MASTER	4.57	LAA	6	88	99	99	97	65	0
	B »LIQUID AMS	5.00	PMV	6						
		LSD (0.05)			5.63	0.00	5.55	8.10	10.26	0.00
		STANDARD DEVIATION			2.71	0.00	2.68	3.91	4.94	0.00

**TITLE:** ET and other options for weed control in glyphosate-resistant no-till corn. N-200  
**CREATED:** 04/25/2007 **REVISED:** 08/08/2007 **COMPLETED:** N  
**PROJECT TYPE:** HERBICIDE  
**LOCATION:** Urbana **RESEARCHED BY:** UNIV. OF ILL  
**DESIGN:** RANDOMIZED COMPLETE BLOCK DESIGN  
**PLOT SIZE:** 7.50 FT WIDE X 30.00 FT LONG  
**PLOT AREA:** 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		STEME CON % 06/21/07	TAROF CON % 06/21/07	ERICA CON % 06/21/07	CHEAL CON % 06/21/07	SETFA CON % 06/21/07	PHBPU CON % 06/21/07
		RATE	UNIT						
1A»	GLYFOS EXTRA 3	0.75	LAA 6	99	75	99	99	77	52
	B BICEP II MAG	2.90	LAA 6						
	C»ACTIVATOR 90	0.25	PMV 6						
	D»LIQUID AMS	5.00	PMV 6						
2A»	ET-751 0.21L	0.0016	LAA 6	99	62	99	97	65	62
	B»GLYFOS EXTRA 3	0.75	LAA 6						
	C BICEP II MAG	2.90	LAA 6						
	D»ACTIVATOR 90	0.25	PMV 6						
	E»LIQUID AMS	5.00	PMV 6						
3A»	ET-751 0.21L	0.0016	LAA 6	99	78	99	99	76	67
	B (G)2,4-D-ESTER	0.125	LAA 6						
	C»GLYFOS EXTRA 3	0.75	LAA 6						
	D BICEP II MAG	2.90	LAA 6						
	E»ACTIVATOR 90	0.25	PMV 6						
	F»LIQUID AMS	5.00	PMV 6						
4A»	ET-751 0.21L	0.0016	LAA 6	99	90	99	99	79	82
	B»GLYFOS EXTRA 3	0.75	LAA 6						
	C LUMAX	2.96	LAA 6						
	D»ACTIVATOR 90	0.25	PMV 6						
	E»LIQUID AMS	5.00	PMV 6						
5A»	IR 8116 1.67SL	0.0134	LAA 6	99	88	99	99	83	84
	B»GLYFOS EXTRA 3	0.75	LAA 6						
	C»LEXAR 3.7L	3.24	LAA 6						
	D»COC	1.00	PMV 6						
	E»LIQUID AMS	5.00	PMV 6						
6A	VALOR 51WG	0.064	LAA 6	99	84	99	99	48	60
	B»GLYFOS EXTRA 3	0.75	LAA 6						
	C ATRAZINE DF	1.00	LAA 6						
	D»COC	1.00	PMV 6						
	E»LIQUID AMS	5.00	PMV 6						
7A»	RAGE D-TECH 4L	0.25	LAA 6	99	97	99	99	99	95
	B»GLYFOS EXTRA 3	0.75	LAA 6						
	C»LIQUID AMS	2.50	PMV 6						
	D»GLYFOS EXTRA 3	0.75	LAA 12						
	E»LIQUID AMS	2.50	PMV 12						
8A»	RAGE D-TECH 4L	0.375	LAA 6	99	96	99	99	99	96
	B»GLYFOS EXTRA 3	0.75	LAA 6						
	C»LIQUID AMS	2.50	PMV 6						
	D»GLYFOS EXTRA 3	0.75	LAA 12						
	E»LIQUID AMS	2.50	PMV 12						
9A»	RESOLVE 25DF	0.023	LAA 6	99	91	99	99	83	82
	B BALANCE PRO 4	0.047	LAA 6						
	C ATRAZINE DF	1.00	LAA 6						
	D (G)2,4-D-ESTER	0.50	LAA 6						
	E»COC	1.00	PMV 6						
10A	CHECK	0.00	NA 0	0	0	0	0	0	0
11A»	GRAMOX INTEON	0.25	LAA 6	99	85	99	99	68	70
	B»RESOLVE 25DF	0.023	LAA 6						
	C BALANCE PRO 4	0.047	LAA 6						
	D (G)2,4-D-ESTER	0.50	LAA 6						
	E»ACTIVATOR 90	0.25	PMV 6						
12A	FIELD MASTER	4.57	LAA 6	99	86	99	99	92	82
	B»LIQUID AMS	5.00	PMV 6						
		LSD (0.05)		0.00	7.91	0.00	1.69	12.85	9.00
		STANDARD DEVIATION		0.00	3.81	0.00	0.817	6.20	4.34

» = SUPPLEMENTAL CHEMICAL

## \* TIMING CODES

00 = ----- / UNTREATED TIMING  
 06 = ----- / EPP 7DBP 04/30/2007(1)  
 12 = ----- / POST 06/05/2007(2)

H#	CUSTOM#1	CUSTOM#2	EV.DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTRT	SS	NOTE
001	STEME	CON %	05/06/2007	02	P	STEME		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
002	TAROF	CON %	05/06/2007	03	P	TAROF		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
003	ERICA	CON %	05/06/2007	04	P	ERICA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
004	CHEAL	CON %	05/06/2007	05	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
005	SETFA	CON %	05/06/2007	06	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
006	STEME	CON %	05/11/2007	02	P	STEME		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
007	TAROF	CON %	05/11/2007	03	P	TAROF		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
008	ERICA	CON %	05/11/2007	04	P	ERICA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
009	CHEAL	CON %	05/11/2007	05	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
010	SETFA	CON %	05/11/2007	06	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
011	PHBPU	CON %	05/11/2007	07	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
012	STEME	CON %	05/31/2007	02	P	STEME		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
013	TAROF	CON %	05/31/2007	03	P	TAROF		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
014	ERICA	CON %	05/31/2007	04	P	ERICA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
015	CHEAL	CON %	05/31/2007	05	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
016	SETFA	CON %	05/31/2007	06	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
017	PHBPU	CON %	05/31/2007	07	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
018	ZEAMD	CON %	06/21/2007	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
019	STEME	CON %	06/21/2007	02	P	STEME		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
020	TAROF	CON %	06/21/2007	03	P	TAROF		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
021	ERICA	CON %	06/21/2007	04	P	ERICA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
022	CHEAL	CON %	06/21/2007	05	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
023	SETFA	CON %	06/21/2007	06	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
024	PHBPU	CON %	06/21/2007	07	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

## \* SPECIES COMMON NAME - VARIETY/SPECIE INFO (IF APPLICABLE)

01 = DEKALB 61-69