

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: SIL
PH: 6.6
%OM: 4.7
PREV.CROP: GLXMA - SOYBEAN
%RESIDUE: 0
PLOT WIDTH: 7.5 X 30 FEET
PLOT AREA: 225 FEET

DESIGN: RCB
REPS: 4

APPL. NUMBER	01	02	03	04	UNIT
TIMINGS	09	11	12	13	
TYPE	LIQMIX	LIQMIX	LIQMIX	LIQMIX	
APPLICATION DATE	04/20/07	05/11/07	05/21/07	05/31/07	AME
AIR TEMPERATURE	59	82	85	81	F
% REL.HUMIDITY	30	43	28	44	
WIND DIRECTION	SOUTHEAST	---	SOUTH	SOUTH	
WIND SPEED	5.0	0.0	8.0	8.0	M/H
CLOUD COVER	CLEAR	CLOUDY	CLEAR	CLOUDY	
DEW	NO	NO	NO	NO	
SOIL MOISTURE	DRY/MOIST	DRY/MOIST	DRY/MOIST	DRY/MOIST	
SOIL CONDITION	---	---	---	---	
METHOD	SPRAY	SPRAY	SPRAY	SPRAY	
EQUIPMENT	SPRBAC	SPRBAC	SPRBAC	SPRBAC	
PROPELLANT	COMCO2	COMCO2	COMCO2	COMCO2	
PLACEMENT	BRFOSO	BRFOSO	BRFOSO	BRFOSO	
NOZZLE	FLATFAN	FLATFAN	FLATFAN	FLATFAN	
NOZZLE NUMBER	5	5	5	5	
NOZZLE SPACING	18.000	18.000	18.000	18.000	IN
SCREEN SIZE					
SCREEN SZ DESC	NA	NA	NA	NA	
SWATH WIDTH	7.5	7.5	7.5	7.5	FT
SPRAY VOLUME	20.00	20.00	20.00	20.00	
SCREEN SIZE	GPA	GPA	GPA	GPA	
PRESSURE	32.00	32.00	32.00	32.00	PSI
DILUENT	WATER	WATER	WATER	WATER	
INC. DATE					AME
INC. START					24H
INC. END					24H
INC. DEPTH					IN
INC. EQUIPMENT	---	---	---	---	
DENSITY /					
*** CROP ***					
CORN, DENT		---/13	---/15	---/17	
ASGROW 715 RR		6.00/8.00	12.0/12.0	22.0/22.0	IN
04/19/2007					
*** PEST ***					
VELVETLEAF		---/13	---/15	---/17	
		1.00/3.00	2.00/6.00	4.00/8.00	IN
WATERHEMP, COMMO		---/14	---/19	---/19	
		0.50/1.50	2.00/6.00	4.00/8.00	IN
LAMBSQUARTERS, C		---/19	---/19	---/19	
		0.50/2.00	2.00/6.00	4.00/8.00	IN
MORNINGGLORY, TA		---/11	---/17	---/19	
		1.00/2.00	2.00/4.00	3.00/6.00	IN
SMARTWEED, PENNS		---/14	---/19	---/19	
		1.00/2.00	3.00/6.00	4.00/8.00	IN
FOXTAIL, GIANT		---/12	---/14	---/16	
		1.00/3.00	4.00/8.00	8.00/12.0	IN

* TIMING CODES

09 = ----- / PREEMERGENCE
11 = ----- / EPOST
12 = ----- / POST
13 = ----- / LPOST

* STAGE CODE

11 = 1ST TRUE LEAF/LEAF PAIR/WHORL UNFOLDED
12 = 2 LEAVES UNFOLDED
13 = 3 LEAVES UNFOLDED
13 = 3RD TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
14 = 4TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

* STAGE CODE

14 = 4 LEAVES UNFOLDED
15 = 5 LEAVES UNFOLDED
15 = 5TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
16 = 6 LEAVES UNFOLDED
17 = 7TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
17 = 7 LEAVES UNFOLDED
19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

TITLE: Roundup-Ready Corn 2 Systems for Weed Control. AS-200
CREATED: 04/12/2007 **REVISED:** 10/24/2007 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 04

TRT NUM	TREATMENT COMPONENT	DOSAGE			ZEAMD	SETFA	CHEAL	AMATA	POLPY	ABUTH
		RATE	UNIT	TM	CON % 05/13/07	CON % 05/13/07	CON % 05/31/07	CON % 05/13/07	CON % 05/13/07	CON % 05/13/07
1A	HARNES XTRA	2.10	LAA	9	0	84	98	98	97	38
	B»RDUP ORIG MAX	0.75	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
2A	DEGREE XTRA	2.02	LAA	9	0	74	95	91	94	41
	B»RDUP ORIG MAX	0.75	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
3A	GUARDSMAN MAX	1.56	LAA	9	0	66	95	95	89	35
	B»RDUP ORIG MAX	0.75	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
4A	DEGREE XTRA	1.88	LAA	9	0	66	80	83	76	30
	B»RDUP ORIG MAX	0.75	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
5A	HARNES (7EC)	1.30	LAA	9	0	81	83	86	80	0
	B»RDUP ORIG MAX	0.75	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
6A	DEGREE 3.8CS	1.43	LAA	9	0	73	65	78	75	0
	B»RDUP ORIG MAX	0.75	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
7A	OUTLOOK 6EC	0.56	LAA	9	0	75	68	76	69	0
	B»RDUP ORIG MAX	0.75	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
8A	OUTLOOK 6EC	0.75	LAA	9	0	84	83	88	85	0
	B»RDUP ORIG MAX	0.75	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
9A»	LEXAR 3.7L	1.86	LAA	9	0	81	99	99	97	99
	B»TOUCHDN TOTAL	0.78	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
10A	BICEP II MAG	2.00	LAA	9	0	75	99	96	94	40
	B»TOUCHDN TOTAL	0.78	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
11A	ATRAZINE DF	1.50	LAA	9	0	45	93	89	87	36
	B»RDUP ORIG MAX	0.75	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
12A	BALANCE PRO 4	0.063	LAA	9	0	46	95	98	96	99
	B»RDUP ORIG MAX	0.75	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
13A»	RESOLVE 25DF	0.016	LAA	9	0	30	84	83	74	35
	B ATRAZINE DF	1.00	LAA	9						
	C STEADFAST 75WG	0.035	LAA	12						
	D CALLISTO 4SC	0.063	LAA	12						
	E»COC	1.00	PMV	12						
14A	CHECK	0.00	NA	0	0	0	0	0	0	0
15A»	LEXAR 3.7L	2.78	LAA	9	0	76	99	99	99	99
16A»	RDUP ORIG MAX	0.75	LAA	12	0	C	C	C	C	C
	B»LIQUID AMS	2.50	PMV	12						
17A»	RDUP ORIG MAX	0.75	LAA	11	0	C	C	C	C	C
	B»LIQUID AMS	2.50	PMV	11						
	C»RDUP ORIG MAX	0.75	LAA	13						
	D»LIQUID AMS	2.50	PMV	13						

TITLE: Roundup-Ready Corn 2 Systems for Weed Control. AS-200

TRT NUM	TREATMENT COMPONENT	DOSAGE			ZEAMD	SETFA	CHEAL	AMATA	POLPY	ABUTH
		RATE	UNIT	TM	CON % 05/13/07	CON % 05/13/07	CON % 05/31/07	CON % 05/13/07	CON % 05/13/07	CON % 05/13/07
18A	ATRAZINE DF	1.50	LAA	9	0	40	93	91	86	38
	B»HALEX GT 4.38L	2.19	LAA	11						
	C»ACTIVATOR 90	0.25	PMV	11						
	D»LIQUID AMS	2.50	PMV	11						
		LSD (0.05)			0.00	7.89	5.17	5.91	9.51	8.87
		STANDARD DEVIATION			0.00	3.95	2.58	3.00	4.75	4.44

TITLE: Roundup-Ready Corn 2 Systems for Weed Control. AS-200
CREATED: 04/12/2007 **REVISED:** 10/24/2007 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 04

TRT NUM	TREATMENT COMPONENT	DOSAGE			PHBPU CON % 05/13/07	ZEAMD 10 DAT 05/31/07	SETFA 10 DAT 05/31/07	CHEAL 10 DAT 05/31/07	AMATA 10 DAT 05/31/07	POLPY 10 DAT 05/31/07
		RATE	UNIT	TM						
1A	HARNES XTRA	2.10	LAA	9	30	0	98	97	98	97
	B»RDUP ORIG MAX	0.75	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
2A	DEGREE XTRA	2.02	LAA	9	30	0	97	97	99	98
	B»RDUP ORIG MAX	0.75	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
3A	GUARDSMAN MAX	1.56	LAA	9	30	0	94	97	98	96
	B»RDUP ORIG MAX	0.75	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
4A	DEGREE XTRA	1.88	LAA	9	23	0	97	98	99	96
	B»RDUP ORIG MAX	0.75	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
5A	HARNES (7EC)	1.30	LAA	9	0	0	97	96	99	98
	B»RDUP ORIG MAX	0.75	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
6A	DEGREE 3.8CS	1.43	LAA	9	0	0	97	94	99	97
	B»RDUP ORIG MAX	0.75	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
7A	OUTLOOK 6EC	0.56	LAA	9	0	0	97	95	98	96
	B»RDUP ORIG MAX	0.75	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
8A	OUTLOOK 6EC	0.75	LAA	9	0	0	98	95	99	97
	B»RDUP ORIG MAX	0.75	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
9A»	LEXAR 3.7L	1.86	LAA	9	82	0	95	99	99	99
	B»TOUCHDN TOTAL	0.78	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
10A	BICEP II MAG	2.00	LAA	9	38	0	97	98	99	97
	B»TOUCHDN TOTAL	0.78	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
11A	ATRAZINE DF	1.50	LAA	9	28	0	96	95	97	99
	B»RDUP ORIG MAX	0.75	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
12A	BALANCE PRO 4	0.063	LAA	9	55	0	95	98	99	97
	B»RDUP ORIG MAX	0.75	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
13A»	RESOLVE 25DF	0.016	LAA	9	28	0	82	88	84	89
	B ATRAZINE DF	1.00	LAA	9						
	C STEADFAST 75WG	0.035	LAA	12						
	D CALLISTO 4SC	0.063	LAA	12						
	E»COC	1.00	PMV	12						
14A	CHECK	0.00	NA	0	0	0	0	0	0	0
15A»	LEXAR 3.7L	2.78	LAA	9	86	0	33	94	74	92
16A»	RDUP ORIG MAX	0.75	LAA	12	C	0	97	96	96	98
	B»LIQUID AMS	2.50	PMV	12						
17A»	RDUP ORIG MAX	0.75	LAA	11	C	0	97	98	99	99
	B»LIQUID AMS	2.50	PMV	11						
	C»RDUP ORIG MAX	0.75	LAA	13						
	D»LIQUID AMS	2.50	PMV	13						

TITLE: Roundup-Ready Corn 2 Systems for Weed Control. AS-200

TRT NUM	TREATMENT COMPONENT	DOSAGE		PHBPU	ZEAMD	SETFA	CHEAL	AMATA	POLPY
		RATE	UNIT TM	CON % 05/13/07	10 DAT 05/31/07	10 DAT 05/31/07	10 DAT 05/31/07	10 DAT 05/31/07	10 DAT 05/31/07
18A	ATRAZINE DF	1.50	LAA 9	25	0	94	99	96	99
	B»HALEX GT 4.38L	2.19	LAA 11						
	C»ACTIVATOR 90	0.25	PMV 11						
	D»LIQUID AMS	2.50	PMV 11						
			LSD (0.05)	7.46	0.00	2.64	3.00	2.79	2.49
			STANDARD DEVIATION	3.73	0.00	1.32	1.51	1.39	1.25

TITLE: Roundup-Ready Corn 2 Systems for Weed Control. AS-200
CREATED: 04/12/2007 **REVISED:** 10/24/2007 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 04

TRT NUM	TREATMENT COMPONENT	DOSAGE			ABUTH	PHBPU	ZEAMD	SETFA	CHEAL	AMATA
		RATE	UNIT	TM	10 DAT 05/31/07	10 DAT 05/31/07	30 DAT 06/22/07	30 DAT 06/22/07	30 DAT 06/22/07	30 DAT 06/22/07
1A	HARNES XTRA	2.10	LAA	9	98	92	0	97	98	99
	B»RDUP ORIG MAX	0.75	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
2A	DEGREE XTRA	2.02	LAA	9	99	90	0	97	97	98
	B»RDUP ORIG MAX	0.75	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
3A	GUARDSMAN MAX	1.56	LAA	9	99	89	0	97	98	98
	B»RDUP ORIG MAX	0.75	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
4A	DEGREE XTRA	1.88	LAA	9	99	91	0	97	97	98
	B»RDUP ORIG MAX	0.75	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
5A	HARNES (7EC)	1.30	LAA	9	99	93	0	97	97	99
	B»RDUP ORIG MAX	0.75	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
6A	DEGREE 3.8CS	1.43	LAA	9	99	92	0	97	97	98
	B»RDUP ORIG MAX	0.75	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
7A	OUTLOOK 6EC	0.56	LAA	9	99	91	0	96	96	98
	B»RDUP ORIG MAX	0.75	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
8A	OUTLOOK 6EC	0.75	LAA	9	99	93	0	97	97	98
	B»RDUP ORIG MAX	0.75	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
9A»	LEXAR 3.7L	1.86	LAA	9	99	94	0	97	99	99
	B»TOUCHDN TOTAL	0.78	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
10A	BICEP II MAG	2.00	LAA	9	99	93	0	97	98	98
	B»TOUCHDN TOTAL	0.78	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
11A	ATRAZINE DF	1.50	LAA	9	99	93	0	96	97	96
	B»RDUP ORIG MAX	0.75	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
12A	BALANCE PRO 4	0.063	LAA	9	99	93	0	95	96	98
	B»RDUP ORIG MAX	0.75	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
13A»	RESOLVE 25DF	0.016	LAA	9	91	80	0	86	86	85
	B ATRAZINE DF	1.00	LAA	9						
	C STEADFAST 75WG	0.035	LAA	12						
	D CALLISTO 4SC	0.063	LAA	12						
	E»COC	1.00	PMV	12						
14A	CHECK	0.00	NA	0	0	0	0	0	0	0
15A»	LEXAR 3.7L	2.78	LAA	9	89	34	0	76	85	84
16A»	RDUP ORIG MAX	0.75	LAA	12	99	92	0	96	94	94
	B»LIQUID AMS	2.50	PMV	12						
17A»	RDUP ORIG MAX	0.75	LAA	11	99	94	0	97	97	99
	B»LIQUID AMS	2.50	PMV	11						
	C»RDUP ORIG MAX	0.75	LAA	13						
	D»LIQUID AMS	2.50	PMV	13						

TITLE: Roundup-Ready Corn 2 Systems for Weed Control. AS-200

TRT NUM	TREATMENT COMPONENT	DOSAGE		ABUTH	PHBPU	ZEAMD	SETFA	CHEAL	AMATA
		RATE	UNIT TM	10 DAT 05/31/07	10 DAT 05/31/07	30 DAT 06/22/07	30 DAT 06/22/07	30 DAT 06/22/07	30 DAT 06/22/07
18A	ATRAZINE DF	1.50	LAA 9	99	95	0	96	99	95
	B>>HALEX GT 4.38L	2.19	LAA 11						
	C>>ACTIVATOR 90	0.25	PMV 11						
	D>>LIQUID AMS	2.50	PMV 11						
		LSD (0.05)		2.00	3.23	0.00	4.86	2.23	1.88
		STANDARD DEVIATION		1.00	1.61	0.00	2.43	1.11	0.94

TITLE: Roundup-Ready Corn 2 Systems for Weed Control. AS-200
CREATED: 04/12/2007 **REVISED:** 10/24/2007 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 04

TRT NUM	TREATMENT COMPONENT	DOSAGE			POLPY	ABUTH	PHBPU	YIELD
		RATE	UNIT	TM	30 DAT 06/22/07	30 DAT 06/22/07	30 DAT 06/22/07	BU/A 09/27/07
1A	HARNES XTRA	2.10	LAA	9	99	99	93	230.9
	B»RDUP ORIG MAX	0.75	LAA	12				
	C»LIQUID AMS	2.50	PMV	12				
2A	DEGREE XTRA	2.02	LAA	9	99	98	94	226.6
	B»RDUP ORIG MAX	0.75	LAA	12				
	C»LIQUID AMS	2.50	PMV	12				
3A	GUARDSMAN MAX	1.56	LAA	9	99	99	94	224.4
	B»RDUP ORIG MAX	0.75	LAA	12				
	C»LIQUID AMS	2.50	PMV	12				
4A	DEGREE XTRA	1.88	LAA	9	99	99	94	214.9
	B»RDUP ORIG MAX	0.75	LAA	12				
	C»LIQUID AMS	2.50	PMV	12				
5A	HARNES (7EC)	1.30	LAA	9	99	99	94	235.0
	B»RDUP ORIG MAX	0.75	LAA	12				
	C»LIQUID AMS	2.50	PMV	12				
6A	DEGREE 3.8CS	1.43	LAA	9	99	99	93	222.3
	B»RDUP ORIG MAX	0.75	LAA	12				
	C»LIQUID AMS	2.50	PMV	12				
7A	OUTLOOK 6EC	0.56	LAA	9	99	99	94	224.4
	B»RDUP ORIG MAX	0.75	LAA	12				
	C»LIQUID AMS	2.50	PMV	12				
8A	OUTLOOK 6EC	0.75	LAA	9	98	99	94	235.0
	B»RDUP ORIG MAX	0.75	LAA	12				
	C»LIQUID AMS	2.50	PMV	12				
9A»	LEXAR 3.7L	1.86	LAA	9	99	99	94	229.1
	B»TOUCHDN TOTAL	0.78	LAA	12				
	C»LIQUID AMS	2.50	PMV	12				
10A	BICEP II MAG	2.00	LAA	9	99	99	94	226.7
	B»TOUCHDN TOTAL	0.78	LAA	12				
	C»LIQUID AMS	2.50	PMV	12				
11A	ATRAZINE DF	1.50	LAA	9	99	99	93	217.0
	B»RDUP ORIG MAX	0.75	LAA	12				
	C»LIQUID AMS	2.50	PMV	12				
12A	BALANCE PRO 4	0.063	LAA	9	99	99	92	222.0
	B»RDUP ORIG MAX	0.75	LAA	12				
	C»LIQUID AMS	2.50	PMV	12				
13A»	RESOLVE 25DF	0.016	LAA	9	95	95	88	183.5
	B ATRAZINE DF	1.00	LAA	9				
	C STEADFAST 75WG	0.035	LAA	12				
	D CALLISTO 4SC	0.063	LAA	12				
	E»COC	1.00	PMV	12				
14A	CHECK	0.00	NA	0	0	0	0	65.1
15A»	LEXAR 3.7L	2.78	LAA	9	90	87	81	170.4
16A»	RDUP ORIG MAX	0.75	LAA	12	99	98	93	212.2
	B»LIQUID AMS	2.50	PMV	12				
17A»	RDUP ORIG MAX	0.75	LAA	11	99	99	95	233.3
	B»LIQUID AMS	2.50	PMV	11				
	C»RDUP ORIG MAX	0.75	LAA	13				
	D»LIQUID AMS	2.50	PMV	13				

TITLE: Roundup-Ready Corn 2 Systems for Weed Control. AS-200

TRT TREATMENT	DOSAGE	POLPY	ABUTH	PHBPU	YIELD		
NUM COMPONENT	RATE	UNIT	TM	30 DAT	30 DAT	30 DAT	BU/A
			06/22/07	06/22/07	06/22/07	09/27/07	
18A ATRAZINE DF	1.50	LAA	9	99	98	93	228.6
B»HALEX GT 4.38L	2.19	LAA	11				
C»ACTIVATOR 90	0.25	PMV	11				
D»LIQUID AMS	2.50	PMV	11				
	LSL (0.05)			3.34	2.62	1.84	13.16
	STANDARD DEVIATION			1.67	1.31	0.92	6.58

>> = SUPPLEMENTAL CHEMICAL

---,M,C,D = MISSING DATA

* TIMING CODES

- 00 = ----- / UNTREATED TIMING
- 09 = ----- / PREEMERGENCE 04/20/2007(1)
- 11 = ----- / EPOST 05/11/2007(2)
- 12 = ----- / POST 05/21/2007(3)
- 13 = ----- / LPOST 05/31/2007(4)

H#	CUSTOM#1	CUSTOM#2	EV.DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTR1	SS	NOTE
001	ZEAMD	CON %	05/13/2007	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
002	SETFA	CON %	05/13/2007	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
003	CHEAL	CON %	05/31/2007	03	P	CHEAL	19	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
004	AMATA	CON %	05/13/2007	04	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
005	POLPY	CON %	05/13/2007	05	P	POLPY		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
006	ABUTH	CON %	05/13/2007	06	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
007	PHBPU	CON %	05/13/2007	07	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
008	ZEAMD	10 DAT	05/31/2007	01	P	ZEAMD	17	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
009	SETFA	10 DAT	05/31/2007	02	P	SETFA	16	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
010	CHEAL	10 DAT	05/31/2007	03	P	CHEAL	19	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
011	AMATA	10 DAT	05/31/2007	04	P	AMATA	19	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
012	POLPY	10 DAT	05/31/2007	05	P	POLPY	19	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
013	ABUTH	10 DAT	05/31/2007	06	P	ABUTH	17	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
014	PHBPU	10 DAT	05/31/2007	07	P	PHBPU	19	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
015	ZEAMD	30 DAT	06/22/2007	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
016	SETFA	30 DAT	06/22/2007	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
017	CHEAL	30 DAT	06/22/2007	03	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
018	AMATA	30 DAT	06/22/2007	04	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
019	POLPY	30 DAT	06/22/2007	05	P	POLPY		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
020	ABUTH	30 DAT	06/22/2007	06	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
021	PHBPU	30 DAT	06/22/2007	07	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
022	YIELD	BU/A	09/27/2007	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

* SPECIES COMMON NAME - VARIETY/SPECIE INFO (IF APPLICABLE)

01 = ASGROW 715 RR

* STAGE CODE

- 16 = 6 LEAVES UNFOLDED
- 17 = 7 LEAVES UNFOLDED
- 17 = 7TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
- 19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED