

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: SIL
PH:
%OM: 0.0
PREV.CROP: GLXMA - SOYBEAN
%RESIDUE: 0
PLOT WIDTH: 10 X 30 FEET
PLOT AREA: 300 FEET

DESIGN: RCB
REPS: 3

APPL. NUMBER	01	02	03	04	UNIT
TIMINGS	09	11	12	13	
TYPE	LIQMIX	LIQMIX	LIQMIX	LIQMIX	
APPLICATION DATE	06/09/08	07/08/08	07/16/08	07/23/08	AME
AIR TEMPERATURE	84	91	92	76	F
% REL.HUMIDITY	87	50	37	56	
WIND DIRECTION	SOUTHWEST	SOUTHWEST	WEST	SOUTH	
WIND SPEED	1.0	9.5	2.0	3.0	M/H
CLOUD COVER	CLEAR	PARTCLDY	CLEAR	CLEAR	
DEW	NO	NO	NO	NO	
SOIL MOISTURE	MOIST/MOI	DRY/MOIST	DRY/MOIST	DRY/MOIST	
SOIL CONDITION	---	---	---	---	
METHOD	SPRAY	SPRAY	SPRAY	SPRAY	
EQUIPMENT	SPRBAC	SPRBAC	SPRBAC	SPRBAC	
PROPELLANT	COMCO2	COMCO2	COMCO2	COMCO2	
PLACEMENT	BRFOSO	BRFOSO	BRFOSO	BRFOSO	
NOZZLE	FLATFAN	FLATFAN	FLATFAN	FLATFAN	
NOZZLE NUMBER	6	6	6	6	
NOZZLE SPACING	20.000	20.000	20.000	20.000	IN
SCREEN SIZE					
SCREEN SZ DESC	NA	NA	NA	NA	
SWATH WIDTH	10.0	10.0	10.0	10.0	FT
SPRAY VOLUME	20.00	20.00	20.00	20.00	
SCREEN SIZE	GPA	GPA	GPA	GPA	
PRESSURE	32.00	32.00	32.00	32.00	PSI
DILUENT	WATER	WATER	WATER	WATER	
INC. DATE					AME
INC. START					24H
INC. END					24H
INC. DEPTH					IN
INC. EQUIPMENT	---	---	---	---	
DENSITY /					
*** CROP ***					
CORN, DENT		---/36	---/37	---/38	
DEKALB 61-19		26.0/26.0	36.0/36.0	60.0/60.0	IN
06/06/2008					
*** PEST ***					
WATERHEMP, COMMO	---/00	---/18	---/19	---/19	
/	/	5.00/5.00	15.0/15.0	15.0/15.0	IN
RAGWEED, COMMON	---/00	---/18	---/19	---/19	
/	/	6.00/6.00	11.0/11.0	11.0/11.0	IN
LAMBSQUARTERS, C	---/00	---/18	---/19	---/19	
/	/	3.00/3.00	10.0/10.0	10.0/10.0	IN
CRABGRASS, LARGE	---/00	---/16	---/26	---/26	
/	/	1.00/1.00	6.00/6.00	6.00/6.00	IN
MORNINGGLORY	---/00	---/12	---/19	---/19	
/	/	3.00/3.00	5.00/5.00	8.00/8.00	IN
FOXTAIL, GIANT	---/00	---/14	---/17	---/22	
/	/	7.00/7.00	7.00/7.00	10.0/10.0	IN

* TIMING CODES

09 = ----- / PREEMERGENCE
11 = ----- / EPOST
12 = ----- / POST
13 = ----- / LPOST

* STAGE CODE

00 = DRY SEED (CARYOPSIS)
00 = DRY SEED; DORMANCY
12 = 2ND TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
14 = 4 LEAVES UNFOLDED
16 = 6 LEAVES UNFOLDED

* STAGE CODE

17 = 7 LEAVES UNFOLDED
18 = 8TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
22 = 2 TILLERS DETECTABLE
26 = 6 TILLERS DETECTABLE
36 = 6 NODES DETECTABLE
37 = 7 NODES DETECTABLE
38 = 8 NODES DETECTABLE

TITLE: Weed Control Systems in Corn. E3
CREATED: 05/03/2008 **REVISED:** 12/03/2008 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Brownstown **RESEARCHED BY:**
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT WIDE X 30.00 FT LONG
PLOT AREA: 300.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			ZEAMD	ZEAMD	ZEAMD	SETFA	DIGSA	CHEAL
		RATE	UNIT	TM	PRE 07/08/08	10 DAT 07/31/08	30 DAT 08/14/08	PRE 07/08/08	PRE 07/08/08	PRE 07/08/08
1A»	LEXAR 3.7L	2.54	LAA	9	0	0	0	99	99	99
2A	KEYSTONE 5.25	2.90	LAA	9	0	0	0	82	83	99
	B HORNET 68.5WG	0.107	LAA	9						
3A»	KIH-485 85WG	0.19	LAA	9	0	0	0	99	99	99
	B CALLISTO 4SC	0.14	LAA	9						
	C ATRAZINE DF	1.00	LAA	9						
4A	BICEP II MAG	2.80	LAA	9	0	0	0	97	99	99
	B CALLISTO 4SC	0.094	LAA	11						
	C ATRAZINE DF	0.50	LAA	11						
	D»COC	1.00	PMV	11						
	E»LIQUID AMS	2.50	PMV	11						
5A	SURPASS 6.4EC	2.00	LAA	9	0	0	0	93	95	98
	B HORNET 68.5WG	0.128	LAA	11						
	C»IMPACT 2.8SC	0.0054	LAA	11						
	D ATRAZINE DF	0.25	LAA	11						
	E»MSO	1.00	PMV	11						
	F»LIQUID AMS	2.50	PMV	11						
6A»	BAL FLEXX 2L	0.078	LAA	9	0	0	0	83	87	98
	B»LAUDIS 3.5SC	0.082	LAA	11						
	C ATRAZINE DF	1.00	LAA	11						
	D»COC	1.00	PMV	11						
	E 28% UAN	2.50	PMV	11						
7A»	TOUCHDN TOTAL	0.78	LAA	11	0	0	0	C	C	C
	B CALLISTO 4SC	0.094	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
8A»	TOUCHDN TOTAL	0.78	LAA	11	0	0	0	C	C	C
	B»IMPACT 2.8SC	0.016	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
9A»	TOUCHDN TOTAL	0.78	LAA	11	0	0	0	C	C	C
	B»LAUDIS 3.5SC	0.082	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
10A»	TOUCHDN TOTAL	0.78	LAA	11	0	0	0	C	C	C
	B»STATUS 56DG	0.088	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
11A»	TOUCHDN TOTAL	0.78	LAA	11	0	0	0	C	C	C
	B NORTHSTAR	0.074	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
12A»	TOUCHDN TOTAL	0.78	LAA	11	0	0	0	C	C	C
	B»LIQUID AMS	2.50	PMV	11						
13A»	HALEX GT 4.38L	1.97	LAA	11	0	0	0	C	C	C
	B ATRAZINE DF	1.00	LAA	11						
	C»ACTIVATOR 90	0.25	PMV	11						
	D»LIQUID AMS	2.50	PMV	11						
14A»	LAUDIS 3.5SC	0.082	LAA	11	0	0	0	C	C	C
	B DEFINE SC 4	0.19	LAA	11						
	C ATRAZINE DF	1.00	LAA	11						
	D»COC	1.00	PMV	11						
	E»LIQUID AMS	2.50	PMV	11						
15A	HARNESS XTRA	1.75	LAA	9	0	0	0	93	98	99
	B»RNDUP POWERMAX	0.77	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						

TITLE: Weed Control Systems in Corn. E3

TRT NUM	TREATMENT COMPONENT	DOSAGE		ZEAMD	ZEAMD	ZEAMD	SETFA	DIGSA	CHEAL
		RATE	UNIT TM	PRE 07/08/08	10 DAT 07/31/08	30 DAT 08/14/08	PRE 07/08/08	PRE 07/08/08	PRE 07/08/08
16A»	LEXAR 3.7L	1.85	LAA 9	0	0	0	98	99	99
	B»TOUCHDN TOTAL	0.78	LAA 12						
	C»LIQUID AMS	2.50	PMV 12						
17A»	SURESTART 4.16	0.93	LAA 9	0	0	0	85	93	99
	B»DURANGO 4AE	0.75	LAA 12						
	C»LIQUID AMS	2.50	PMV 12						
18A	GUARDSMAN MAX	1.25	LAA 9	0	0	0	90	96	99
	B»RNDUP POWERMAX	0.77	LAA 12						
	C»STATUS 56DG	0.088	LAA 12						
	D»ACTIVATOR 90	0.25	PMV 12						
	E»LIQUID AMS	2.50	PMV 12						
19A»	RNDUP POWERMAX	0.77	LAA 11	0	0	0	C	C	C
	B»LIQUID AMS	2.50	PMV 11						
	C»RNDUP POWERMAX	0.77	LAA 13						
	D»LIQUID AMS	2.50	PMV 13						
20A	CHECK	0.00	NA 0	0	0	0	C	C	C
			LSD (0.05)	0.00	0.00	0.00	5.00	6.25	1.17
			STANDARD DEVIATION	0.00	0.00	0.00	2.49	3.09	0.58

TITLE: Weed Control Systems in Corn. E3
CREATED: 05/03/2008 **REVISED:** 12/03/2008 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Brownstown **RESEARCHED BY:**
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT WIDE X 30.00 FT LONG
PLOT AREA: 300.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			AMATA	AMBEL	IPOSS	SETFA	DIGSA	CHEAL
		RATE	UNIT	TM	PRE 07/08/08	PRE 07/08/08	PRE 07/08/08	10 DAT 07/31/08	10 DAT 07/31/08	10 DAT 07/31/08
1A»	LEXAR 3.7L	2.54	LAA	9	99	99	95	C	C	C
2A	KEYSTONE 5.25	2.90	LAA	9	94	74	77	C	C	C
	B HORNET 68.5WG	0.107	LAA	9						
3A»	KIH-485 85WG	0.19	LAA	9	99	99	98	C	C	C
	B CALLISTO 4SC	0.14	LAA	9						
	C ATRAZINE DF	1.00	LAA	9						
4A	BICEP II MAG	2.80	LAA	9	99	96	92	95	99	99
	B CALLISTO 4SC	0.094	LAA	11						
	C ATRAZINE DF	0.50	LAA	11						
	D»COC	1.00	PMV	11						
	E»LIQUID AMS	2.50	PMV	11						
5A	SURPASS 6.4EC	2.00	LAA	9	99	90	93	96	98	99
	B HORNET 68.5WG	0.128	LAA	11						
	C»IMPACT 2.8SC	0.0054	LAA	11						
	D ATRAZINE DF	0.25	LAA	11						
	E»MSO	1.00	PMV	11						
	F»LIQUID AMS	2.50	PMV	11						
6A»	BAL FLEXX 2L	0.078	LAA	9	95	98	94	79	99	99
	B»LAUDIS 3.5SC	0.082	LAA	11						
	C ATRAZINE DF	1.00	LAA	11						
	D»COC	1.00	PMV	11						
	E 28% UAN	2.50	PMV	11						
7A»	TOUCHDN TOTAL	0.78	LAA	11	C	C	C	91	91	99
	B CALLISTO 4SC	0.094	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
8A»	TOUCHDN TOTAL	0.78	LAA	11	C	C	C	80	78	98
	B»IMPACT 2.8SC	0.016	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
9A»	TOUCHDN TOTAL	0.78	LAA	11	C	C	C	86	86	99
	B»LAUDIS 3.5SC	0.082	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
10A»	TOUCHDN TOTAL	0.78	LAA	11	C	C	C	82	82	99
	B»STATUS 56DG	0.088	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
11A»	TOUCHDN TOTAL	0.78	LAA	11	C	C	C	90	90	99
	B NORTHSTAR	0.074	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
12A»	TOUCHDN TOTAL	0.78	LAA	11	C	C	C	89	95	99
	B»LIQUID AMS	2.50	PMV	11						
13A»	HALEX GT 4.38L	1.97	LAA	11	C	C	C	87	86	99
	B ATRAZINE DF	1.00	LAA	11						
	C»ACTIVATOR 90	0.25	PMV	11						
	D»LIQUID AMS	2.50	PMV	11						
14A»	LAUDIS 3.5SC	0.082	LAA	11	C	C	C	37	73	99
	B DEFINE SC 4	0.19	LAA	11						
	C ATRAZINE DF	1.00	LAA	11						
	D»COC	1.00	PMV	11						
	E»LIQUID AMS	2.50	PMV	11						
15A	HARNESS XTRA	1.75	LAA	9	99	95	95	99	98	99
	B»RNDUP POWERMAX	0.77	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						

TITLE: Weed Control Systems in Corn. E3
CREATED: 05/03/2008 **REVISED:** 12/03/2008 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Brownstown **RESEARCHED BY:**
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT WIDE X 30.00 FT LONG
PLOT AREA: 300.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			AMATA	AMBEL	IPOSS	SETFA	AMATA	AMBEL
		RATE	UNIT	TM	10 DAT 07/31/08	10 DAT 07/31/08	10 DAT 07/31/08	30 DAT 08/14/08	30 DAT 08/14/08	30 DAT 08/14/08
1A»	LEXAR 3.7L	2.54	LAA	9	C	C	C	94	99	99
2A	KEYSTONE 5.25	2.90	LAA	9	C	C	C	42	69	99
	B HORNET 68.5WG	0.107	LAA	9						
3A»	KIH-485 85WG	0.19	LAA	9	C	C	C	98	99	99
	B CALLISTO 4SC	0.14	LAA	9						
	C ATRAZINE DF	1.00	LAA	9						
4A	BICEP II MAG	2.80	LAA	9	99	99	99	94	99	99
	B CALLISTO 4SC	0.094	LAA	11						
	C ATRAZINE DF	0.50	LAA	11						
	D»COC	1.00	PMV	11						
	E»LIQUID AMS	2.50	PMV	11						
5A	SURPASS 6.4EC	2.00	LAA	9	99	97	97	93	99	99
	B HORNET 68.5WG	0.128	LAA	11						
	C»IMPACT 2.8SC	0.0054	LAA	11						
	D ATRAZINE DF	0.25	LAA	11						
	E»MSO	1.00	PMV	11						
	F»LIQUID AMS	2.50	PMV	11						
6A»	BAL FLEXX 2L	0.078	LAA	9	99	99	99	92	99	99
	B»LAUDIS 3.5SC	0.082	LAA	11						
	C ATRAZINE DF	1.00	LAA	11						
	D»COC	1.00	PMV	11						
	E 28% UAN	2.50	PMV	11						
7A»	TOUCHDN TOTAL	0.78	LAA	11	99	90	95	95	94	99
	B CALLISTO 4SC	0.094	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
8A»	TOUCHDN TOTAL	0.78	LAA	11	99	89	83	90	87	91
	B»IMPACT 2.8SC	0.016	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
9A»	TOUCHDN TOTAL	0.78	LAA	11	99	93	83	90	92	94
	B»LAUDIS 3.5SC	0.082	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
10A»	TOUCHDN TOTAL	0.78	LAA	11	99	91	82	92	91	98
	B»STATUS 56DG	0.088	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
11A»	TOUCHDN TOTAL	0.78	LAA	11	98	88	86	89	91	99
	B NORTHSTAR	0.074	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
12A»	TOUCHDN TOTAL	0.78	LAA	11	99	92	86	89	87	97
	B»LIQUID AMS	2.50	PMV	11						
13A»	HALEX GT 4.38L	1.97	LAA	11	99	99	99	92	97	99
	B ATRAZINE DF	1.00	LAA	11						
	C»ACTIVATOR 90	0.25	PMV	11						
	D»LIQUID AMS	2.50	PMV	11						
14A»	LAUDIS 3.5SC	0.082	LAA	11	99	99	99	52	99	99
	B DEFINE SC 4	0.19	LAA	11						
	C ATRAZINE DF	1.00	LAA	11						
	D»COC	1.00	PMV	11						
	E»LIQUID AMS	2.50	PMV	11						
15A	HARNESS XTRA	1.75	LAA	9	99	98	94	99	99	99
	B»RNDUP POWERMAX	0.77	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						

TITLE: Weed Control Systems in Corn. E3

TRT NUM	TREATMENT COMPONENT	DOSAGE		AMATA	AMBEL	IPOSS	SETFA	AMATA	AMBEL		
		RATE	UNIT	10 DAT 07/31/08	10 DAT 07/31/08	10 DAT 07/31/08	30 DAT 08/14/08	30 DAT 08/14/08	30 DAT 08/14/08		
16A	»LEXAR 3.7L	1.85	LAA	9	99	99	92	98	99	99	
	B»TOUCHDN TOTAL	0.78	LAA	12							
	C»LIQUID AMS	2.50	PMV	12							
17A	»SURESTART 4.16	0.93	LAA	9	99	99	84	98	99	99	
	B»DURANGO 4AE	0.75	LAA	12							
	C»LIQUID AMS	2.50	PMV	12							
18A	GUARDSMAN MAX	1.25	LAA	9	99	99	93	99	99	99	
	B»RNDUP POWERMAX	0.77	LAA	12							
	C»STATUS 56DG	0.088	LAA	12							
	D»ACTIVATOR 90	0.25	PMV	12							
	E»LIQUID AMS	2.50	PMV	12							
19A	»RNDUP POWERMAX	0.77	LAA	11	99	97	96	99	98	99	
	B»LIQUID AMS	2.50	PMV	11							
	C»RNDUP POWERMAX	0.77	LAA	13							
	D»LIQUID AMS	2.50	PMV	13							
20A	CHECK	0.00	NA	0	C	C	C	0	0	0	
					LSD (0.05)	0.426	5.39	10.42	11.18	20.52	4.84
					STANDARD DEVIATION	0.211	2.67	5.16	5.53	10.15	2.39

TITLE: Weed Control Systems in Corn. E3
CREATED: 05/03/2008 **REVISED:** 12/03/2008 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Brownstown **RESEARCHED BY:**
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT WIDE X 30.00 FT LONG
PLOT AREA: 300.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			IPOSS	YIELD
		RATE	UNIT	TM	30 DAT 08/14/08	BU/A 11/19/08
1A»	LEXAR 3.7L	2.54	LAA	9	85	140.2
2A	KEYSTONE 5.25	2.90	LAA	9	82	120.7
	B HORNET 68.5WG	0.107	LAA	9		
3A»	KIH-485 85WG	0.19	LAA	9	93	131.8
	B CALLISTO 4SC	0.14	LAA	9		
	C ATRAZINE DF	1.00	LAA	9		
4A	BICEP II MAG	2.80	LAA	9	94	141.1
	B CALLISTO 4SC	0.094	LAA	11		
	C ATRAZINE DF	0.50	LAA	11		
	D»COC	1.00	PMV	11		
	E»LIQUID AMS	2.50	PMV	11		
5A	SURPASS 6.4EC	2.00	LAA	9	95	130.3
	B HORNET 68.5WG	0.128	LAA	11		
	C»IMPACT 2.8SC	0.0054	LAA	11		
	D ATRAZINE DF	0.25	LAA	11		
	E»MSO	1.00	PMV	11		
	F»LIQUID AMS	2.50	PMV	11		
6A»	BAL FLEXX 2L	0.078	LAA	9	98	139.2
	B»LAUDIS 3.5SC	0.082	LAA	11		
	C ATRAZINE DF	1.00	LAA	11		
	D»COC	1.00	PMV	11		
	E 28% UAN	2.50	PMV	11		
7A»	TOUCHDN TOTAL	0.78	LAA	11	94	144.3
	B CALLISTO 4SC	0.094	LAA	11		
	C»LIQUID AMS	2.50	PMV	11		
8A»	TOUCHDN TOTAL	0.78	LAA	11	82	139.8
	B»IMPACT 2.8SC	0.016	LAA	11		
	C»LIQUID AMS	2.50	PMV	11		
9A»	TOUCHDN TOTAL	0.78	LAA	11	89	139.6
	B»LAUDIS 3.5SC	0.082	LAA	11		
	C»LIQUID AMS	2.50	PMV	11		
10A»	TOUCHDN TOTAL	0.78	LAA	11	89	125.8
	B»STATUS 56DG	0.088	LAA	11		
	C»LIQUID AMS	2.50	PMV	11		
11A»	TOUCHDN TOTAL	0.78	LAA	11	91	126.6
	B NORTHSTAR	0.074	LAA	11		
	C»LIQUID AMS	2.50	PMV	11		
12A»	TOUCHDN TOTAL	0.78	LAA	11	89	126.4
	B»LIQUID AMS	2.50	PMV	11		
13A»	HALEX GT 4.38L	1.97	LAA	11	95	130.3
	B ATRAZINE DF	1.00	LAA	11		
	C»ACTIVATOR 90	0.25	PMV	11		
	D»LIQUID AMS	2.50	PMV	11		
14A»	LAUDIS 3.5SC	0.082	LAA	11	97	126.7
	B DEFINE SC 4	0.19	LAA	11		
	C ATRAZINE DF	1.00	LAA	11		
	D»COC	1.00	PMV	11		
	E»LIQUID AMS	2.50	PMV	11		
15A	HARNESS XTRA	1.75	LAA	9	87	127.9
	B»RNDUP POWERMAX	0.77	LAA	12		
	C»LIQUID AMS	2.50	PMV	12		

TITLE: Weed Control Systems in Corn. E3

TRT NUM	TREATMENT COMPONENT	DOSAGE			IPOSS	YIELD
		RATE	UNIT	TM	30 DAT 08/14/08	BU/A 11/19/08
16A	»LEXAR 3.7L	1.85	LAA	9	91	133.7
	B»TOUCHDN TOTAL	0.78	LAA	12		
	C»LIQUID AMS	2.50	PMV	12		
17A	»SURESTART 4.16	0.93	LAA	9	78	131.5
	B»DURANGO 4AE	0.75	LAA	12		
	C»LIQUID AMS	2.50	PMV	12		
18A	GUARDSMAN MAX	1.25	LAA	9	89	133.8
	B»RNDUP POWERMAX	0.77	LAA	12		
	C»STATUS 56DG	0.088	LAA	12		
	D»ACTIVATOR 90	0.25	PMV	12		
	E»LIQUID AMS	2.50	PMV	12		
19A	»RNDUP POWERMAX	0.77	LAA	11	93	140.9
	B»LIQUID AMS	2.50	PMV	11		
	C»RNDUP POWERMAX	0.77	LAA	13		
	D»LIQUID AMS	2.50	PMV	13		
20A	CHECK	0.00	NA	0	0	91.6
					LSD (0.05)	7.58
					STANDARD DEVIATION	3.75
						19.41
						9.60

» = SUPPLEMENTAL CHEMICAL

---,M,C,D = MISSING DATA

* TIMING CODES

- 00 = ----- / UNTREATED TIMING
- 09 = ----- / PREEMERGENCE 06/09/2008(1)
- 11 = ----- / EPOST 07/08/2008(2)
- 12 = ----- / POST 07/16/2008(3)
- 13 = ----- / LPOST 07/23/2008(4)

H#	CUSTOM#1	CUSTOM#2	EV.DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTR	SS	NOTE
001	ZEAMD	PRE	07/08/2008	01	P	ZEAMD	36	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
008	ZEAMD	10 DAT	07/31/2008	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
015	ZEAMD	30 DAT	08/14/2008	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
002	SETFA	PRE	07/08/2008	02	P	SETFA	14	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
003	DIGSA	PRE	07/08/2008	03	P	DIGSA	16	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
004	CHEAL	PRE	07/08/2008	04	P	CHEAL	18	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
005	AMATA	PRE	07/08/2008	05	P	AMATA	18	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
006	AMBEL	PRE	07/08/2008	06	P	AMBEL	18	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
007	IPOSS	PRE	07/08/2008	07	P	IPOSS	12	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
009	SETFA	10 DAT	07/31/2008	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
010	DIGSA	10 DAT	07/31/2008	03	P	DIGSA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
011	CHEAL	10 DAT	07/31/2008	04	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
012	AMATA	10 DAT	07/31/2008	05	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
013	AMBEL	10 DAT	07/31/2008	06	P	AMBEL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
014	IPOSS	10 DAT	07/31/2008	07	P	IPOSS		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
016	SETFA	30 DAT	08/14/2008	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
017	AMATA	30 DAT	08/14/2008	05	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
018	AMBEL	30 DAT	08/14/2008	06	P	AMBEL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
019	IPOSS	30 DAT	08/14/2008	07	P	IPOSS		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
020	YIELD	BU/A	11/19/2008	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

* SPECIES COMMON NAME - VARIETY/SPECIE INFO (IF APPLICABLE)

01 = DEKALB 61-19

* STAGE CODE

- 12 = 2ND TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
- 14 = 4 LEAVES UNFOLDED
- 16 = 6 LEAVES UNFOLDED
- 18 = 8TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
- 36 = 6 NODES DETECTABLE