

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: SIX
 PH: 6.0
 %OM: 6.0
 PREV.CROP: GLXMA - SOYBEAN
 %RESIDUE: 0
 PLOT WIDTH: 10 X 29 FEET
 PLOT AREA: 290 FEET

DESIGN: RCB
 REPS: 3

APPL. NUMBER	01	02	03	04	05	UNIT
TIMINGS	09	10	11	12	13	
TYPE	LIQMIX	LIQMIX	LIQMIX	LIQMIX	LIQMIX	
APPLICATION DATE	05/22/09	06/04/09	06/20/09	06/26/09	07/06/09	AME
AIR TEMPERATURE	78	68	77	89	77	F
% REL.HUMIDITY	42	34	81	44	64	
WIND DIRECTION	EAST	NORTHEAST	WEST	NORTH	WEST	
WIND SPEED	8.0	6.0	10.0	3.0	6.0	M/H
CLOUD COVER	CLEAR	PARTCLDY	CLEAR	PARTCLDY	PARTCLDY	
DEW	---	NO	NO	NO	NO	
SOIL MOISTURE	DRY/MOIST	DRY/MOIST	MOIST/MOI	DRY/MOIST	DRY/MOIST	
SOIL CONDITION	---	---	---	---	---	
METHOD	SPRAY	SPRAY	SPRAY	SPRAY	SPRAY	
EQUIPMENT	SPRBAC	SPRBAC	SPRBAC	SPRBAC	SPRBAC	
PROPELLANT	COMCO2	COMCO2	COMCO2	COMCO2	COMCO2	
PLACEMENT	BRFOSO	BRFOSO	BRFOSO	BRFOSO	BRFOSO	
NOZZLE	FLATFAN	FLATFAN	FLATFAN	FLATFAN	FLATFAN	
NOZZLE NUMBER	6	6	6	6	6	
NOZZLE SPACING	20.000	20.000	20.000	20.000	20.000	IN
SCREEN SIZE						
SCREEN SZ DESC	NA	NA	NA	NA	NA	
SWATH WIDTH	10.0	10.0	10.0	10.0	10.0	FT
SPRAY VOLUME	20.00	20.00	20.00	20.00	20.00	
SPRAY VOLUME UNIT	GPA	GPA	GPA	GPA	GPA	
PRESSURE	32.00	32.00	32.00	32.00	32.00	PSI
DILUENT	WATER	WATER	WATER	WATER	WATER	
INC. DATE						AME
INC. START						24H
INC. END						24H
INC. DEPTH						IN
INC. EQUIPMENT	---	---	---	---	---	
DENSITY /						
*** CROP ***						
CORN, DENT		---/11	---/14	---/16	---/18	
P 34F97 RR/LL		1.50/2.50	5.00/7.00	12.0/14.0	21.0/23.0	IN
05/21/2009						
*** PEST ***						
VELVETLEAF		---/10	---/12	---/15	---/13	
		0.25/0.25	1.00/2.00	2.00/5.00	1.00/3.00	IN
RAGWEED, GIANT		---/10	---/16	---/18	---/16	
		0.50/2.00	2.00/5.00	4.00/10.0	2.00/5.00	IN
LAMBSQUARTERS, C		---/10	---/16	---/19		
		0.25/0.25	1.00/1.50	2.00/3.00		IN
FOXTAIL, GIANT		---/11	---/14	---/16	---/14	
		0.25/0.25	2.00/4.00	3.00/6.00	2.00/4.00	IN

* TIMING CODES

09 = ----- / PREEMERGENCE
 10 = ----- / VEPOST
 11 = ----- / EPOST
 12 = ----- / POST
 13 = ----- / LPOST

* STAGE CODE

10 = 1ST LEAF EMERGED; COTYLEDONS UNFOLDED
 11 = FIRST LEAF UNFOLDED
 11 = FIRST LEAF UNFOLDED
 12 = 2ND TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 13 = 3RD TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 14 = 4 LEAVES UNFOLDED
 14 = 4 LEAVES UNFOLDED
 15 = 5TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 16 = 6TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 16 = 6 LEAVES UNFOLDED

* STAGE CODE

16 = 6 LEAVES UNFOLDED
18 = 8TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
18 = 8 LEAVES UNFOLDED
19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

TITLE: Weed Control systems in RR/LL Corn. SW-1500W
CREATED: 04/27/2009 **REVISED:** 01/14/2010 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Dekalb **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT WIDE X 29.00 FT LONG
PLOT AREA: 290.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			ZEAMD	SETFA	AMBTR	ABUTH	CHEAL	ZEAMD
		RATE	UNIT	TM	CON % 06/23/09	CON % 06/23/09	CON % 06/23/09	CON % 06/23/09	CON % 06/23/09	10 DAT 07/06/09
1A	LUMAX	2.96	LAA	9	0	98	77	98	99	0
2A	LEXAR 3.7SE	3.24	LAA	9	0	94	90	99	99	0
3A	HARNESS XTRA	4.20	LAA	9	0	99	50	60	99	0
4A»	INTEGRITY 5.57	1.09	LAA	9	0	96	75	99	99	0
5A»	CORVUS 2.6SC	0.114	LAA	9	0	86	68	99	99	0
	B ATRAZINE DF	1.00	LAA	9						
6A»	INTEGRITY 5.57	0.74	LAA	9	0	97	80	99	98	0
	B»RNDUP POWERMAX	0.77	LAA	12						
	C»ACTIVATOR 90	0.25	PMV	12						
	D»LIQUID AMS	2.50	PMV	12						
7A	HARNESS XTRA	2.10	LAA	9	0	98	23	23	99	0
	B»RNDUP POWERMAX	0.77	LAA	12						
	C»ACTIVATOR 90	0.25	PMV	12						
	D»LIQUID AMS	2.50	PMV	12						
8A»	SHARPEN 2.85L	0.067	LAA	9	0	47	57	93	93	0
	B»RNDUP POWERMAX	0.77	LAA	12						
	C»ACTIVATOR 90	0.25	PMV	12						
	D»LIQUID AMS	2.50	PMV	12						
9A»	SURESTART 4.16	1.04	LAA	9	0	98	43	40	99	0
	B»DURANGO 4AE	0.75	LAA	12						
	C»ACTIVATOR 90	0.25	PMV	12						
	D»LIQUID AMS	2.50	PMV	12						
10A»	INTEGRITY 5.57	0.74	LAA	9	0	97	60	95	98	0
	B»RNDUP POWERMAX	0.77	LAA	12						
	C»STATUS 56DG	0.088	LAA	12						
	D»ACTIVATOR 90	0.25	PMV	12						
	E»LIQUID AMS	2.50	PMV	12						
11A	LUMAX	1.97	LAA	9	0	95	67	97	99	0
	B»TOUCHDN TOTAL	0.78	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
12A	LEXAR 3.7SE	2.08	LAA	9	0	97	70	99	99	0
	B»TOUCHDN TOTAL	0.78	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
13A»	CORVUS 2.6SC	0.061	LAA	9	0	91	53	98	98	0
	B»TOUCHDN TOTAL	0.78	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
14A»	BAL FLEXX 2L	0.047	LAA	9	0	88	47	98	99	0
	B»TOUCHDN TOTAL	0.78	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
15A	BICEP II MAG	1.44	LAA	9	0	98	23	0	99	0
	B»IMPACT 2.8SC	0.016	LAA	12						
	C ATRAZINE DF	0.50	LAA	12						
	D»MSO	1.00	PMV	12						
	E 28% UAN	2.50	PMV	12						
16A	BICEP II MAG	1.44	LAA	9	0	97	13	10	96	0
	B»LAUDIS 3.5SC	0.082	LAA	12						
	C ATRAZINE DF	0.50	LAA	12						
	D»COC	1.00	PMV	12						
	E 28% UAN	2.50	PMV	12						

TITLE: Weed Control systems in RR/LL Corn. SW-1500W

TRT NUM	TREATMENT COMPONENT	DOSAGE			ZEAMD	SETFA	AMBTR	ABUTH	CHEAL	ZEAMD
		RATE	UNIT	TM	CON % 06/23/09	CON % 06/23/09	CON % 06/23/09	CON % 06/23/09	CON % 06/23/09	10 DAT 07/06/09
17A	HARNESS (7EC)	0.875	LAA	9	0	99	17	17	99	0
	B»RNDUP POWERMAX	0.77	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
18A	HARNESS (7EC)	0.875	LAA	9	0	98	0	20	88	0
	B»IMPACT 2.8SC	0.011	LAA	12						
	C»RNDUP POWERMAX	0.77	LAA	12						
	D ATRAZINE DF	0.50	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						
19A	HARNESS (7EC)	0.875	LAA	9	0	96	13	7	97	0
	B»IMPACT 2.8SC	0.022	LAA	12						
	C»RNDUP POWERMAX	0.38	LAA	12						
	D ATRAZINE DF	0.50	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						
20A»	HALEX GT 4.38L	1.97	LAA	10	C	C	C	C	C	0
	B ATRAZINE DF	1.00	LAA	10						
	C»ACTIVATOR 90	0.25	PMV	10						
	D»LIQUID AMS	2.50	PMV	10						
21A	CHECK	0.00	NA	0	0	0	0	0	0	0
22A»	CORVUS 2.6SC	0.091	LAA	10	C	C	C	C	C	5
	B ATRAZINE DF	1.00	LAA	10						
	C»ACTIVATOR 90	0.25	PMV	10						
	D»LIQUID AMS	2.50	PMV	10						
23A	BICEP II MAG	1.93	LAA	9	0	98	23	30	99	15
	B»HALEX GT 4.38L	1.97	LAA	11						
	C ATRAZINE DF	0.50	LAA	11						
	D»ACTIVATOR 90	0.25	PMV	11						
	E»LIQUID AMS	2.50	PMV	11						
24A»	TOUCHDN TOTAL	0.78	LAA	11	C	C	C	C	C	0
	B»LIQUID AMS	2.50	PMV	11						
	C»TOUCHDN TOTAL	0.78	LAA	13						
	D»LIQUID AMS	2.50	PMV	13						
	LSD (0.05)				0.00	8.11	19.83	13.30	4.55	0.00
	STANDARD DEVIATION				0.00	4.06	9.92	6.65	2.28	0.00

TITLE: Weed Control systems in RR/LL Corn. SW-1500W
CREATED: 04/27/2009 **REVISED:** 01/14/2010 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Dekalb **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT WIDE X 29.00 FT LONG
PLOT AREA: 290.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			SETFA	AMBTR	ABUTH	CHEAL	ZEAMD	SETFA
		RATE	UNIT	TM	10 DAT 07/06/09	10 DAT 07/06/09	10 DAT 07/06/09	10 DAT 07/06/09	30 DAT 07/23/09	30 DAT 07/23/09
1A	LUMAX	2.96	LAA	9	94	75	95	99	0	92
2A	LEXAR 3.7SE	3.24	LAA	9	90	96	96	99	0	83
3A	HARNESS XTRA	4.20	LAA	9	99	33	47	99	0	97
4A»	INTEGRITY 5.57	1.09	LAA	9	91	68	94	99	0	90
5A»	CORVUS 2.6SC	0.114	LAA	9	86	75	93	99	0	79
	B ATRAZINE DF	1.00	LAA	9						
6A»	INTEGRITY 5.57	0.74	LAA	9	99	98	94	99	0	98
	B»RNDUP POWERMAX	0.77	LAA	12						
	C»ACTIVATOR 90	0.25	PMV	12						
	D»LIQUID AMS	2.50	PMV	12						
7A	HARNESS XTRA	2.10	LAA	9	99	92	93	99	0	98
	B»RNDUP POWERMAX	0.77	LAA	12						
	C»ACTIVATOR 90	0.25	PMV	12						
	D»LIQUID AMS	2.50	PMV	12						
8A»	SHARPEN 2.85L	0.067	LAA	9	98	93	95	98	0	95
	B»RNDUP POWERMAX	0.77	LAA	12						
	C»ACTIVATOR 90	0.25	PMV	12						
	D»LIQUID AMS	2.50	PMV	12						
9A»	SURESTART 4.16	1.04	LAA	9	98	93	95	99	0	97
	B»DURANGO 4AE	0.75	LAA	12						
	C»ACTIVATOR 90	0.25	PMV	12						
	D»LIQUID AMS	2.50	PMV	12						
10A»	INTEGRITY 5.57	0.74	LAA	9	99	98	92	99	0	97
	B»RNDUP POWERMAX	0.77	LAA	12						
	C»STATUS 56DG	0.088	LAA	12						
	D»ACTIVATOR 90	0.25	PMV	12						
	E»LIQUID AMS	2.50	PMV	12						
11A	LUMAX	1.97	LAA	9	99	96	95	99	0	98
	B»TOUCHDN TOTAL	0.78	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
12A	LEXAR 3.7SE	2.08	LAA	9	99	97	94	99	0	99
	B»TOUCHDN TOTAL	0.78	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
13A»	CORVUS 2.6SC	0.061	LAA	9	99	94	94	99	0	97
	B»TOUCHDN TOTAL	0.78	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
14A»	BAL FLEXX 2L	0.047	LAA	9	98	92	93	99	0	91
	B»TOUCHDN TOTAL	0.78	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
15A	BICEP II MAG	1.44	LAA	9	99	91	92	99	0	98
	B»IMPACT 2.8SC	0.016	LAA	12						
	C ATRAZINE DF	0.50	LAA	12						
	D»MSO	1.00	PMV	12						
	E 28% UAN	2.50	PMV	12						
16A	BICEP II MAG	1.44	LAA	9	98	94	96	99	0	96
	B»LAUDIS 3.5SC	0.082	LAA	12						
	C ATRAZINE DF	0.50	LAA	12						
	D»COC	1.00	PMV	12						
	E 28% UAN	2.50	PMV	12						

TITLE: Weed Control systems in RR/LL Corn. SW-1500W

TRT NUM	TREATMENT COMPONENT	DOSAGE		SETFA	AMBTR	ABUTH	CHEAL	ZEAMD	SETFA
		RATE	UNIT TM	10 DAT 07/06/09	10 DAT 07/06/09	10 DAT 07/06/09	10 DAT 07/06/09	30 DAT 07/23/09	30 DAT 07/23/09
17A	HARNESS (7EC)	0.875	LAA 9	99	86	95	99	0	94
	B»RNDUP POWERMAX	0.77	LAA 12						
	C»LIQUID AMS	2.50	PMV 12						
18A	HARNESS (7EC)	0.875	LAA 9	99	88	96	98	0	97
	B»IMPACT 2.8SC	0.011	LAA 12						
	C»RNDUP POWERMAX	0.77	LAA 12						
	D ATRAZINE DF	0.50	LAA 12						
	E»LIQUID AMS	2.50	PMV 12						
19A	HARNESS (7EC)	0.875	LAA 9	98	88	91	98	0	95
	B»IMPACT 2.8SC	0.022	LAA 12						
	C»RNDUP POWERMAX	0.38	LAA 12						
	D ATRAZINE DF	0.50	LAA 12						
	E»LIQUID AMS	2.50	PMV 12						
20A»	HALEX GT 4.38L	1.97	LAA 10	96	91	98	99	0	92
	B ATRAZINE DF	1.00	LAA 10						
	C»ACTIVATOR 90	0.25	PMV 10						
	D»LIQUID AMS	2.50	PMV 10						
21A	CHECK	0.00	NA 0	0	0	0	0	0	0
22A»	CORVUS 2.6SC	0.091	LAA 10	99	97	99	99	0	96
	B ATRAZINE DF	1.00	LAA 10						
	C»ACTIVATOR 90	0.25	PMV 10						
	D»LIQUID AMS	2.50	PMV 10						
23A	BICEP II MAG	1.93	LAA 9	99	94	93	99	0	99
	B»HALEX GT 4.38L	1.97	LAA 11						
	C ATRAZINE DF	0.50	LAA 11						
	D»ACTIVATOR 90	0.25	PMV 11						
	E»LIQUID AMS	2.50	PMV 11						
24A»	TOUCHDN TOTAL	0.78	LAA 11	99	85	94	99	0	96
	B»LIQUID AMS	2.50	PMV 11						
	C»TOUCHDN TOTAL	0.78	LAA 13						
	D»LIQUID AMS	2.50	PMV 13						
		LSD (0.05)		6.51	10.57	6.09	1.08	0.00	8.66
		STANDARD DEVIATION		3.26	5.29	3.00	0.538	0.00	4.33

TITLE: Weed Control systems in RR/LL Corn. SW-1500W
CREATED: 04/27/2009 **REVISED:** 01/14/2010 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Dekalb **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT WIDE X 29.00 FT LONG
PLOT AREA: 290.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			AMBTR	ABUTH	CHEAL	YIELD
		RATE	UNIT	TM	30 DAT 07/23/09	30 DAT 07/23/09	30 DAT 07/23/09	BU/A 11/20/09
1A	LUMAX	2.96	LAA	9	72	94	99	177.1
2A	LEXAR 3.7SE	3.24	LAA	9	95	93	99	175.5
3A	HARNESS XTRA	4.20	LAA	9	30	53	99	154.3
4A»	INTEGRITY 5.57	1.09	LAA	9	43	82	99	154.4
5A»	CORVUS 2.6SC	0.114	LAA	9	63	86	99	181.9
	B ATRAZINE DF	1.00	LAA	9				
6A»	INTEGRITY 5.57	0.74	LAA	9	99	86	99	160.1
	B»RNDUP POWERMAX	0.77	LAA	12				
	C»ACTIVATOR 90	0.25	PMV	12				
	D»LIQUID AMS	2.50	PMV	12				
7A	HARNESS XTRA	2.10	LAA	9	82	83	99	162.8
	B»RNDUP POWERMAX	0.77	LAA	12				
	C»ACTIVATOR 90	0.25	PMV	12				
	D»LIQUID AMS	2.50	PMV	12				
8A»	SHARPEN 2.85L	0.067	LAA	9	91	85	98	158.1
	B»RNDUP POWERMAX	0.77	LAA	12				
	C»ACTIVATOR 90	0.25	PMV	12				
	D»LIQUID AMS	2.50	PMV	12				
9A»	SURESTART 4.16	1.04	LAA	9	82	87	99	162.5
	B»DURANGO 4AE	0.75	LAA	12				
	C»ACTIVATOR 90	0.25	PMV	12				
	D»LIQUID AMS	2.50	PMV	12				
10A»	INTEGRITY 5.57	0.74	LAA	9	96	83	99	160.7
	B»RNDUP POWERMAX	0.77	LAA	12				
	C»STATUS 56DG	0.088	LAA	12				
	D»ACTIVATOR 90	0.25	PMV	12				
	E»LIQUID AMS	2.50	PMV	12				
11A	LUMAX	1.97	LAA	9	85	90	99	166.8
	B»TOUCHDN TOTAL	0.78	LAA	12				
	C»LIQUID AMS	2.50	PMV	12				
12A	LEXAR 3.7SE	2.08	LAA	9	93	93	99	169.6
	B»TOUCHDN TOTAL	0.78	LAA	12				
	C»LIQUID AMS	2.50	PMV	12				
13A»	CORVUS 2.6SC	0.061	LAA	9	94	89	99	165.9
	B»TOUCHDN TOTAL	0.78	LAA	12				
	C»LIQUID AMS	2.50	PMV	12				
14A»	BAL FLEXX 2L	0.047	LAA	9	83	86	99	164.5
	B»TOUCHDN TOTAL	0.78	LAA	12				
	C»LIQUID AMS	2.50	PMV	12				
15A	BICEP II MAG	1.44	LAA	9	91	88	99	166.5
	B»IMPACT 2.8SC	0.016	LAA	12				
	C ATRAZINE DF	0.50	LAA	12				
	D»MSO	1.00	PMV	12				
	E 28% UAN	2.50	PMV	12				
16A	BICEP II MAG	1.44	LAA	9	97	92	99	170.1
	B»LAUDIS 3.5SC	0.082	LAA	12				
	C ATRAZINE DF	0.50	LAA	12				
	D»COC	1.00	PMV	12				
	E 28% UAN	2.50	PMV	12				

TITLE: Weed Control systems in RR/LL Corn. SW-1500W

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	AMBTR	ABUTH	CHEAL	YIELD
		RATE	UNIT		30 DAT 07/23/09	30 DAT 07/23/09	30 DAT 07/23/09	BU/A 11/20/09
17A	HARNES (7EC)	0.875	LAA	9	73	83	99	128.0
	B»RNDUP POWERMAX	0.77	LAA	12				
	C»LIQUID AMS	2.50	PMV	12				
18A	HARNES (7EC)	0.875	LAA	9	84	91	98	141.9
	B»IMPACT 2.8SC	0.011	LAA	12				
	C»RNDUP POWERMAX	0.77	LAA	12				
	D ATRAZINE DF	0.50	LAA	12				
	E»LIQUID AMS	2.50	PMV	12				
19A	HARNES (7EC)	0.875	LAA	9	98	90	99	164.3
	B»IMPACT 2.8SC	0.022	LAA	12				
	C»RNDUP POWERMAX	0.38	LAA	12				
	D ATRAZINE DF	0.50	LAA	12				
	E»LIQUID AMS	2.50	PMV	12				
20A»	HALEX GT 4.38L	1.97	LAA	10	73	88	98	168.7
	B ATRAZINE DF	1.00	LAA	10				
	C»ACTIVATOR 90	0.25	PMV	10				
	D»LIQUID AMS	2.50	PMV	10				
21A	CHECK	0.00	NA	0	0	0	0	43.6
22A»	CORVUS 2.6SC	0.091	LAA	10	87	91	99	163.0
	B ATRAZINE DF	1.00	LAA	10				
	C»ACTIVATOR 90	0.25	PMV	10				
	D»LIQUID AMS	2.50	PMV	10				
23A	BICEP II MAG	1.93	LAA	9	89	85	99	167.6
	B»HALEX GT 4.38L	1.97	LAA	11				
	C ATRAZINE DF	0.50	LAA	11				
	D»ACTIVATOR 90	0.25	PMV	11				
	E»LIQUID AMS	2.50	PMV	11				
24A»	TOUCHDN TOTAL	0.78	LAA	11	91	91	98	158.7
	B»LIQUID AMS	2.50	PMV	11				
	C»TOUCHDN TOTAL	0.78	LAA	13				
	D»LIQUID AMS	2.50	PMV	13				
		LSD (0.05)			15.17	8.45	1.00	25.75
		STANDARD DEVIATION			7.58	4.23	0.513	12.88

>> = SUPPLEMENTAL CHEMICAL

---,M,C,D = MISSING DATA

* TIMING CODES

- 00 = ----- / UNTREATED TIMING
- 09 = ----- / PREEMERGENCE 05/22/2009(1)
- 10 = ----- / VEPOST 06/04/2009(2)
- 11 = ----- / EPOST 06/20/2009(3)
- 12 = ----- / POST 06/26/2009(4)
- 13 = ----- / LPOST 07/06/2009(5)

H#	CUSTOM#1	CUSTOM#2	EV.DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTRT	SS	NOTE
001	ZEAMD	CON %	06/23/2009	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
002	SETFA	CON %	06/23/2009	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
003	AMBTR	CON %	06/23/2009	03	P	AMBTR		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
004	ABUTH	CON %	06/23/2009	04	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
005	CHEAL	CON %	06/23/2009	05	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
006	ZEAMD	10 DAT	07/06/2009	01	P	ZEAMD	18	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
007	SETFA	10 DAT	07/06/2009	02	P	SETFA	14	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
008	AMBTR	10 DAT	07/06/2009	03	P	AMBTR	16	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
009	ABUTH	10 DAT	07/06/2009	04	P	ABUTH	13	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
010	CHEAL	10 DAT	07/06/2009	05	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
011	ZEAMD	30 DAT	07/23/2009	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
012	SETFA	30 DAT	07/23/2009	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
013	AMBTR	30 DAT	07/23/2009	03	P	AMBTR		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
014	ABUTH	30 DAT	07/23/2009	04	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
015	CHEAL	30 DAT	07/23/2009	05	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
016	YIELD	BU/A	11/20/2009	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

* SPECIES COMMON NAME - VARIETY/SPECIE INFO (IF APPLICABLE)

01 = P 34F97 RR/LL

* STAGE CODE

13 = 3RD TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
14 = 4 LEAVES UNFOLDED
16 = 6TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
18 = 8 LEAVES UNFOLDED