

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: SIX
 PH: 6.0
 %OM: 6.0
 PREV.CROP: ZEAMD - CORN, DENT
 %RESIDUE: 0
 PLOT WIDTH: 10 X 29 FEET
 PLOT AREA: 290 FEET

DESIGN: RCB
 REPS: 3

APPL. NUMBER	01	02	03	UNIT
TIMINGS	09	12	14	
TYPE	LIQMIX	LIQMIX	LIQMIX	
APPLICATION DATE	05/28/09	06/30/09	07/23/09	AME
AIR TEMPERATURE	57	63	73	F
% REL.HUMIDITY	85	67	84	
WIND DIRECTION	WEST	NORTHWEST	NORTH	
WIND SPEED	8.0	8.0	4.0	M/H
CLOUD COVER	OVERCAST	OVERCAST	PARTCLDY	
DEW	---	NO	NO	
SOIL MOISTURE	WET/MOIST	DRY/MOIST	MOIST/MOI	
SOIL CONDITION	---	---	---	
METHOD	SPRAY	SPRAY	SPRAY	
EQUIPMENT	SPRBAC	SPRBAC	SPRBAC	
PROPELLANT	COMCO2	COMCO2	COMCO2	
PLACEMENT	BRFOSO	BRFOSO	BRFOSO	
NOZZLE	FLATFAN	FLATFAN	FLATFAN	
NOZZLE NUMBER	6	6	6	
NOZZLE SPACING	20.000	20.000	20.000	IN
SCREEN SIZE				
SCREEN SZ DESC	NA	NA	NA	
SWATH WIDTH	10.0	10.0	10.0	FT
SPRAY VOLUME	20.00	20.00	20.00	
SPRAY VOLUME UNIT	GPA	GPA	GPA	
PRESSURE	32.00	32.00	32.00	PSI
DILUENT	WATER	WATER	WATER	
INC. DATE				AME
INC. START				24H
INC. END				24H
INC. DEPTH				IN
INC. EQUIPMENT	---	---	---	
DEN/ STG/ MINMAXSZ				
*** CROP ***				
SOYBEAN		---/15	---/65	
PIONEER 92M40		6.00/7.00	14.0/18.0	IN
05/26/2009				
*** PEST ***				
VELVETLEAF		---/14	---/12	
		1.00/4.00	1.00/3.00	IN
RAGWEED, GIANT		---/18	---/14	
		4.00/10.0	2.00/4.00	IN
LAMBSQUARTERS, C		---/19	---/19	
		1.00/3.00	2.00/4.00	IN
FOXTAIL, GIANT		---/16	---/13	
		3.00/7.00	2.00/3.00	IN

* TIMING CODES

09 = ----- / PREEMERGENCE
 12 = ----- / POST
 14 = ----- / VLPOST

* STAGE CODE

12 = 2ND TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 13 = 3 LEAVES UNFOLDED
 14 = 4TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 15 = 5TH LEAF (3RD TRIFOLIATE LEAF) UNFOLDED, 4 NODES
 16 = 6 LEAVES UNFOLDED
 18 = 8TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 65 = 50% OF FLOWERS OPEN (DETERMINATE); MAIN FLOWERING PERIOD (INDETERM.)

TITLE: Soybean Herbicide Systems for Weed Control in RR-Soybean. SW-1500W
CREATED: 05/05/2009 **REVISED:** 11/19/2009 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: DeKalb **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT WIDE X 29.00 FT LONG
PLOT AREA: 290.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	GLXMA	SETFA	AMBTR	ABUTH	CHEAL	GLXMA
		RATE	UNIT		CON % 06/26/09	CON % 06/26/09	CON % 06/26/09	CON % 06/26/09	CON % 06/26/09	10 DAT 07/13/09
1A»	PREFIX 5.32SL	1.31	LAA	9	0	97	40	47	93	0
B»	TOUCHDN TOTAL	0.78	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
2A»	BOUNDARY 6.5EC	1.63	LAA	9	0	96	13	92	93	0
B»	TOUCHDN TOTAL	0.78	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
3A»	BOUNDARY 6.5EC	1.63	LAA	9	0	98	0	75	96	13
B»	FLEXSTAR GT 3.	1.24	LAA	12						
C»	COC	1.00	PMV	12						
D»	LIQUID AMS	2.50	PMV	12						
4A»	TOUCHDN TOTAL	0.78	LAA	12	C	C	C	C	C	0
B»	LIQUID AMS	2.50	PMV	12						
5A»	TOUCHDN TOTAL	0.78	LAA	12	C	C	C	C	C	0
B»	LIQUID AMS	2.50	PMV	12						
C»	TOUCHDN TOTAL	0.78	LAA	14						
D»	LIQUID AMS	2.50	PMV	14						
6A»	ENVIVE 41.3SG	0.077	LAA	0	0	86	37	95	99	0
B	CLASSIC 25WG	0.017	LAA	9						
C»	HARMONY 50SG	0.005	LAA	9						
D	VALOR 51WG	0.055	LAA	9						
E»	RNDUP POWERMAX	0.77	LAA	12						
F»	LIQUID AMS	2.50	PMV	12						
7A»	ENVIVE 41.3SG	0.077	LAA	0	0	85	53	93	99	6
B	CLASSIC 25WG	0.017	LAA	9						
C»	HARMONY 50SG	0.005	LAA	9						
D	VALOR 51WG	0.055	LAA	9						
E»	RNDUP POWERMAX	0.77	LAA	12						
F»	SYNCHRONY XP 2	0.0067	LAA	12						
G»	LIQUID AMS	2.50	PMV	12						
8A»	ENLITE 47.86WG	0.083	LAA	0	0	63	23	98	99	5
B	CLASSIC 25WG	0.005	LAA	9						
C»	HARMONY 50SG	0.015	LAA	9						
D	VALOR 51WG	0.063	LAA	9						
E»	RNDUP POWERMAX	0.77	LAA	12						
F»	SYNCHRONY XP 2	0.0067	LAA	12						
G»	LIQUID AMS	2.50	PMV	12						
9A»	SONIC 70DF	0.131	LAA	9	0	87	50	82	98	0
B»	DURANGO 4AE	0.75	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
10A»	SONIC 70DF	0.197	LAA	9	0	95	53	96	98	0
B»	DURANGO 4AE	0.75	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
11A	PROWL H2O 3.8	1.19	LAA	9	0	98	23	43	99	0
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
12A	PURSUIT +	0.91	LAA	9	0	99	47	99	99	0
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
13A	GANGSTER V	0.048	LAA	9	0	80	50	86	95	0
B	GANGSTER FR	0.016	LAA	9						
C»	RNDUP POWERMAX	0.77	LAA	12						
D»	LIQUID AMS	2.50	PMV	12						

TITLE: Soybean Herbicide Systems for Weed Control in RR-Soybean. SW-1500W

TRT NUM	TREATMENT COMPONENT	DOSAGE			GLXMA	SETFA	AMBTR	ABUTH	CHEAL	GLXMA
		RATE	UNIT	TM	CON % 06/26/09	CON % 06/26/09	CON % 06/26/09	CON % 06/26/09	CON % 06/26/09	10 DAT 07/13/09
14A»	AUTHOR. FIRST	0.131	LAA	9	0	66	30	86	88	0
	B»RNDUP POWERMAX	0.77	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
15A»	AUTHORITY MTZ	0.34	LAA	9	0	93	10	77	98	0
	B»RNDUP POWERMAX	0.77	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
16A»	VALOR XLT 40WG	0.10	LAA	0	0	79	47	98	96	0
	B VALOR 51WG	0.074	LAA	9						
	C CLASSIC 25WG	0.026	LAA	9						
	D»RNDUP POWERMAX	0.77	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						
17A»	OPTILL 68WG	0.085	LAA	9	0	85	40	98	99	0
	B»RNDUP POWERMAX	0.77	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
18A	CANOPY 75WG	0.188	LAA	9	0	87	40	75	99	0
	B»RNDUP POWERMAX	0.77	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
19A	CHECK	0.00	NA	0	0	0	0	0	0	0
20A»	DURANGO 4AE	0.75	LAA	12	C	C	C	C	C	0
	B FIRSTRATE 84WG	0.016	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
	D»DURANGO 4AE	0.75	LAA	14						
	E»LIQUID AMS	2.50	PMV	14						
21A»	V-10233 76WG	0.178	LAA	9	0	95	43	95	99	0
	B»RNDUP POWERMAX	0.77	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
		LSD (0.05)			0.00	18.67	19.66	20.35	4.53	0.758
		STANDARD DEVIATION			0.00	9.24	9.73	10.07	2.24	0.375

TITLE: Soybean Herbicide Systems for Weed Control in RR-Soybean. SW-1500W
CREATED: 05/05/2009 **REVISED:** 11/19/2009 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: DeKalb **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT WIDE X 29.00 FT LONG
PLOT AREA: 290.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	SETFA	AMBTR	ABUTH	CHEAL	GLXMA	SETFA
		RATE	UNIT		10 DAT 07/13/09	10 DAT 07/13/09	10 DAT 07/13/09	10 DAT 07/13/09	30 DAT 08/03/09	30 DAT 08/03/09
1A»	PREFIX 5.32SL	1.31	LAA	9	99	88	97	99	0	99
B»	TOUCHDN TOTAL	0.78	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
2A»	BOUNDARY 6.5EC	1.63	LAA	9	99	83	97	98	0	98
B»	TOUCHDN TOTAL	0.78	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
3A»	BOUNDARY 6.5EC	1.63	LAA	9	99	87	98	99	0	98
B»	FLEXSTAR GT 3.	1.24	LAA	12						
C»	COC	1.00	PMV	12						
D»	LIQUID AMS	2.50	PMV	12						
4A»	TOUCHDN TOTAL	0.78	LAA	12	99	80	98	98	0	97
B»	LIQUID AMS	2.50	PMV	12						
5A»	TOUCHDN TOTAL	0.78	LAA	12	99	93	99	99	0	99
B»	LIQUID AMS	2.50	PMV	12						
C»	TOUCHDN TOTAL	0.78	LAA	14						
D»	LIQUID AMS	2.50	PMV	14						
6A»	ENVIVE 41.3SG	0.077	LAA	0	98	87	97	99	0	94
B	CLASSIC 25WG	0.017	LAA	9						
C»	HARMONY 50SG	0.005	LAA	9						
D	VALOR 51WG	0.055	LAA	9						
E»	RNDUP POWERMAX	0.77	LAA	12						
F»	LIQUID AMS	2.50	PMV	12						
7A»	ENVIVE 41.3SG	0.077	LAA	0	99	84	98	99	0	95
B	CLASSIC 25WG	0.017	LAA	9						
C»	HARMONY 50SG	0.005	LAA	9						
D	VALOR 51WG	0.055	LAA	9						
E»	RNDUP POWERMAX	0.77	LAA	12						
F»	SYNCHRONY XP 2	0.0067	LAA	12						
G»	LIQUID AMS	2.50	PMV	12						
8A»	ENLITE 47.86WG	0.083	LAA	0	98	88	99	99	0	90
B	CLASSIC 25WG	0.005	LAA	9						
C»	HARMONY 50SG	0.015	LAA	9						
D	VALOR 51WG	0.063	LAA	9						
E»	RNDUP POWERMAX	0.77	LAA	12						
F»	SYNCHRONY XP 2	0.0067	LAA	12						
G»	LIQUID AMS	2.50	PMV	12						
9A»	SONIC 70DF	0.131	LAA	9	99	90	98	99	0	98
B»	DURANGO 4AE	0.75	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
10A»	SONIC 70DF	0.197	LAA	9	99	89	98	99	0	96
B»	DURANGO 4AE	0.75	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
11A	PROWL H2O 3.8	1.19	LAA	9	98	82	96	98	0	99
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
12A	PURSUIT +	0.91	LAA	9	99	88	99	99	0	99
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
13A	GANGSTER V	0.048	LAA	9	98	87	95	99	0	91
B	GANGSTER FR	0.016	LAA	9						
C»	RNDUP POWERMAX	0.77	LAA	12						
D»	LIQUID AMS	2.50	PMV	12						

TITLE: Soybean Herbicide Systems for Weed Control in RR-Soybean. SW-1500W

TRT NUM	TREATMENT COMPONENT	DOSAGE		SETFA	AMBTR	ABUTH	CHEAL	GLXMA	SETFA
		RATE	UNIT TM	10 DAT 07/13/09	10 DAT 07/13/09	10 DAT 07/13/09	10 DAT 07/13/09	30 DAT 08/03/09	30 DAT 08/03/09
14A»	AUTHOR. FIRST	0.131	LAA 9	98	87	98	99	0	86
	B»RNDUP POWERMAX	0.77	LAA 12						
	C»LIQUID AMS	2.50	PMV 12						
15A»	AUTHORITY MTZ	0.34	LAA 9	99	83	98	99	0	99
	B»RNDUP POWERMAX	0.77	LAA 12						
	C»LIQUID AMS	2.50	PMV 12						
16A»	VALOR XLT 40WG	0.10	LAA 0	99	89	97	98	0	93
	B VALOR 51WG	0.074	LAA 9						
	C CLASSIC 25WG	0.026	LAA 9						
	D»RNDUP POWERMAX	0.77	LAA 12						
	E»LIQUID AMS	2.50	PMV 12						
17A»	OPTILL 68WG	0.085	LAA 9	98	80	97	99	0	93
	B»RNDUP POWERMAX	0.77	LAA 12						
	C»LIQUID AMS	2.50	PMV 12						
18A	CANOPY 75WG	0.188	LAA 9	99	85	98	99	0	97
	B»RNDUP POWERMAX	0.77	LAA 12						
	C»LIQUID AMS	2.50	PMV 12						
19A	CHECK	0.00	NA 0	0	0	0	0	0	0
20A»	DURANGO 4AE	0.75	LAA 12	99	97	99	99	0	99
	B FIRSTRATE 84WG	0.016	LAA 12						
	C»LIQUID AMS	2.50	PMV 12						
	D»DURANGO 4AE	0.75	LAA 14						
	E»LIQUID AMS	2.50	PMV 14						
21A»	V-10233 76WG	0.178	LAA 9	98	83	97	99	0	97
	B»RNDUP POWERMAX	0.77	LAA 12						
	C»LIQUID AMS	2.50	PMV 12						
		LSD (0.05)		1.12	8.21	2.60	0.892	0.00	6.76
		STANDARD DEVIATION		0.556	4.06	1.29	0.441	0.00	3.35

TITLE: Soybean Herbicide Systems for Weed Control in RR-Soybean. SW-1500W
CREATED: 05/05/2009 **REVISED:** 11/19/2009 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: DeKalb **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT WIDE X 29.00 FT LONG
PLOT AREA: 290.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	AMBTR	ABUTH	CHEAL	YIELD
		RATE	UNIT		30 DAT 08/03/09	30 DAT 08/03/09	30 DAT 08/03/09	BU/A 11/06/09
1A»	PREFIX 5.32SL	1.31	LAA	9	70	89	98	50.0
B»	TOUCHDN TOTAL	0.78	LAA	12				
C»	LIQUID AMS	2.50	PMV	12				
2A»	BOUNDARY 6.5EC	1.63	LAA	9	75	93	97	47.5
B»	TOUCHDN TOTAL	0.78	LAA	12				
C»	LIQUID AMS	2.50	PMV	12				
3A»	BOUNDARY 6.5EC	1.63	LAA	9	60	94	99	45.5
B»	FLEXSTAR GT 3.	1.24	LAA	12				
C»	COC	1.00	PMV	12				
D»	LIQUID AMS	2.50	PMV	12				
4A»	TOUCHDN TOTAL	0.78	LAA	12	67	91	80	35.8
B»	LIQUID AMS	2.50	PMV	12				
5A»	TOUCHDN TOTAL	0.78	LAA	12	94	98	96	49.7
B»	LIQUID AMS	2.50	PMV	12				
C»	TOUCHDN TOTAL	0.78	LAA	14				
D»	LIQUID AMS	2.50	PMV	14				
6A»	ENVIVE 41.3SG	0.077	LAA	0	58	94	99	46.4
B	CLASSIC 25WG	0.017	LAA	9				
C»	HARMONY 50SG	0.005	LAA	9				
D	VALOR 51WG	0.055	LAA	9				
E»	RNDUP POWERMAX	0.77	LAA	12				
F»	LIQUID AMS	2.50	PMV	12				
7A»	ENVIVE 41.3SG	0.077	LAA	0	57	95	99	45.6
B	CLASSIC 25WG	0.017	LAA	9				
C»	HARMONY 50SG	0.005	LAA	9				
D	VALOR 51WG	0.055	LAA	9				
E»	RNDUP POWERMAX	0.77	LAA	12				
F»	SYNCHRONY XP 2	0.0067	LAA	12				
G»	LIQUID AMS	2.50	PMV	12				
8A»	ENLITE 47.86WG	0.083	LAA	0	60	94	96	42.3
B	CLASSIC 25WG	0.005	LAA	9				
C»	HARMONY 50SG	0.015	LAA	9				
D	VALOR 51WG	0.063	LAA	9				
E»	RNDUP POWERMAX	0.77	LAA	12				
F»	SYNCHRONY XP 2	0.0067	LAA	12				
G»	LIQUID AMS	2.50	PMV	12				
9A»	SONIC 70DF	0.131	LAA	9	75	98	99	48.1
B»	DURANGO 4AE	0.75	LAA	12				
C»	LIQUID AMS	2.50	PMV	12				
10A»	SONIC 70DF	0.197	LAA	9	68	97	99	52.4
B»	DURANGO 4AE	0.75	LAA	12				
C»	LIQUID AMS	2.50	PMV	12				
11A	PROWL H2O 3.8	1.19	LAA	9	67	92	99	45.9
B»	RNDUP POWERMAX	0.77	LAA	12				
C»	LIQUID AMS	2.50	PMV	12				
12A	PURSUIT +	0.91	LAA	9	60	99	98	52.4
B»	RNDUP POWERMAX	0.77	LAA	12				
C»	LIQUID AMS	2.50	PMV	12				
13A	GANGSTER V	0.048	LAA	9	57	89	97	46.3
B	GANGSTER FR	0.016	LAA	9				
C»	RNDUP POWERMAX	0.77	LAA	12				
D»	LIQUID AMS	2.50	PMV	12				

TITLE: Soybean Herbicide Systems for Weed Control in RR-Soybean. SW-1500W

TRT NUM	TREATMENT COMPONENT	DOSAGE RATE	UNIT	TM	AMBTR 30 DAT 08/03/09	ABUTH 30 DAT 08/03/09	CHEAL 30 DAT 08/03/09	YIELD BU/A 11/06/09
14A	AUTHOR. FIRST	0.131	LAA	9	57	92	98	47.3
	B»RNDUP POWERMAX	0.77	LAA	12				
	C»LIQUID AMS	2.50	PMV	12				
15A	AUTHORITY MTZ	0.34	LAA	9	60	94	99	42.7
	B»RNDUP POWERMAX	0.77	LAA	12				
	C»LIQUID AMS	2.50	PMV	12				
16A	VALOR XLT 40WG	0.10	LAA	0	63	92	98	45.6
	B VALOR 51WG	0.074	LAA	9				
	C CLASSIC 25WG	0.026	LAA	9				
	D»RNDUP POWERMAX	0.77	LAA	12				
	E»LIQUID AMS	2.50	PMV	12				
17A	OPTILL 68WG	0.085	LAA	9	63	98	99	41.9
	B»RNDUP POWERMAX	0.77	LAA	12				
	C»LIQUID AMS	2.50	PMV	12				
18A	CANOPY 75WG	0.188	LAA	9	57	96	98	45.8
	B»RNDUP POWERMAX	0.77	LAA	12				
	C»LIQUID AMS	2.50	PMV	12				
19A	CHECK	0.00	NA	0	0	0	0	26.1
20A	DURANGO 4AE	0.75	LAA	12	97	99	97	46.0
	B FIRSTRATE 84WG	0.016	LAA	12				
	C»LIQUID AMS	2.50	PMV	12				
	D»DURANGO 4AE	0.75	LAA	14				
	E»LIQUID AMS	2.50	PMV	14				
21A	V-10233 76WG	0.178	LAA	9	63	90	99	45.1
	B»RNDUP POWERMAX	0.77	LAA	12				
	C»LIQUID AMS	2.50	PMV	12				
	LSD (0.05)				21.81	7.51	5.38	10.46
	STANDARD DEVIATION				10.79	3.72	2.66	5.18

» = SUPPLEMENTAL CHEMICAL

---,M,C,D = MISSING DATA

* TIMING CODES

- 00 = ----- / UNTREATED TIMING
- 09 = ----- / PREEMERGENCE 05/28/2009(1)
- 12 = ----- / POST 06/30/2009(2)
- 14 = ----- / VLPOST 07/23/2009(3)

H#	CUSTOM#1	CUSTOM#2	EV.DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTRT	SS	NOTE
001	GLXMA	CON %	06/26/2009	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
002	SETFA	CON %	06/26/2009	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
003	AMBTR	CON %	06/26/2009	03	P	AMBTR		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
004	ABUTH	CON %	06/26/2009	05	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
005	CHEAL	CON %	06/26/2009	06	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
006	GLXMA	10 DAT	07/13/2009	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
007	SETFA	10 DAT	07/13/2009	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
008	AMBTR	10 DAT	07/13/2009	03	P	AMBTR		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
009	ABUTH	10 DAT	07/13/2009	05	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
010	CHEAL	10 DAT	07/13/2009	06	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
011	GLXMA	30 DAT	08/03/2009	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
012	SETFA	30 DAT	08/03/2009	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
013	AMBTR	30 DAT	08/03/2009	03	P	AMBTR		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
014	ABUTH	30 DAT	08/03/2009	05	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
015	CHEAL	30 DAT	08/03/2009	06	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
016	YIELD	BU/A	11/06/2009	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

* SPECIES COMMON NAME - VARIETY/SPECIE INFO (IF APPLICABLE)

01 = PIONEER 92M40