

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: SIL
PH:
%OM: 0.0
PREV.CROP: NA - NONE
%RESIDUE: 0
PLOT WIDTH: 10 X 30 FEET
PLOT AREA: 300 FEET

DESIGN: RCB
REPS: 3

APPL. NUMBER	01	02	03	UNIT
TIMINGS	05	09	13	
TYPE	LIQMIX	LIQMIX	LIQMIX	
APPLICATION DATE	04/13/10	06/02/10	06/29/10	AME
AIR TEMPERATURE	80	79	87	F
% REL.HUMIDITY	24	69	32	
WIND DIRECTION	EAST	NORTHWEST	NORTHEAST	
WIND SPEED	5.5	3.5	3.4	M/H
CLOUD COVER	CLEAR	OVERCAST	PARTCLDY	
DEW	NO	NA/UNKNOW	NO	
SOIL MOISTURE	DRY/MOIST	WET/MOIST	MOIST/MOI	
SOIL CONDITION	COMPACT	COMPACT	COMPACT	
METHOD	SPRAY	SPRAY	SPRAY	
EQUIPMENT	SPRBAC	SPRBAC	SPRBAC	
PROPELLANT	COMCO2	COMCO2	COMCO2	
PLACEMENT	BRFOSO	BRFOSO	BRFOSO	
NOZZLE	FLATFAN	FLATFAN	FLATFAN	
NOZZLE NUMBER	6	6	6	
NOZZLE SPACING	20.000	20.000	20.000	IN
SCREEN SIZE				
SCREEN SZ DESC	NA	NA	NA	
SWATH WIDTH	10.0	10.0	10.0	FT
SPRAY VOLUME	20.00	20.00	20.00	
SPRAY VOLUME UNIT	GPA	GPA	GPA	
PRESSURE	32.00	32.00	32.00	PSI
DILUENT	WATER	WATER	WATER	
INC. DATE				AME
INC. START				24H
INC. END				24H
INC. DEPTH				IN
INC. EQUIPMENT	---	---	---	
	DEN/ STG/ MINMAXSZ			
*** CROP ***				
CORN, DENT			---/36	
PIONEER 1395HR			20.0/20.0	IN
06/01/2010				
*** PEST ***				
WATERHEMP, TALL			---/19	
			13.0/13.0	IN
RAGWEED, COMMON			---/14	
			12.0/12.0	IN
MORNINGGLORY			---/15	
			8.00/8.00	IN
PANICUM, FALL			---/16	
			26.0/26.0	IN
FOXTAIL, GIANT			---/16	
			26.0/26.0	IN

* TIMING CODES

05 = ----- / EPP 15DBP
09 = ----- / PREEMERGENCE
13 = ----- / LPOST

* STAGE CODE

14 = 4TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
15 = 5TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
16 = 6 LEAVES UNFOLDED
19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
36 = 6 NODES DETECTABLE

TITLE: Weed Control Systems in RR/LL Corn. E3
CREATED: 04/10/2010 **REVISED:** 11/18/2010 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Brownstown **RESEARCHED BY:**
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT WIDE X 30.00 FT LONG
PLOT AREA: 300.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	ZEAMD	ZEAMD	ZEAMD	SETFA	PANDI	AMBEL
		RATE	UNIT		PRE 06/29/10	10 DAT 07/09/10	30 DAT 07/29/10	PRE 06/29/10	PRE 06/29/10	PRE 06/29/10
1A»	FIERCE 76WG	0.14	LAA	5	0	0	0	67	67	77
	B»TOUCHDN TOTAL	0.78	LAA	13						
	C»LIQUID AMS	2.50	PMV	13						
2A	LUMAX	1.97	LAA	9	0	0	0	87	67	99
	B»TOUCHDN TOTAL	0.78	LAA	13						
	C»LIQUID AMS	2.50	PMV	13						
3A»	LEXAR 3.7L	2.08	LAA	9	0	0	0	90	58	99
	B»TOUCHDN TOTAL	0.78	LAA	13						
	C»LIQUID AMS	2.50	PMV	13						
4A»	CORVUS 2.6SC	0.067	LAA	9	0	0	0	95	96	99
	B ATRAZINE DF	1.00	LAA	9						
	C»TOUCHDN TOTAL	0.78	LAA	13						
	D»LIQUID AMS	2.50	PMV	13						
5A»	BAL FLEXX 2L	0.047	LAA	9	0	0	0	88	82	99
	B ATRAZINE DF	1.00	LAA	9						
	C»TOUCHDN TOTAL	0.78	LAA	13						
	D»LIQUID AMS	2.50	PMV	13						
6A»	VERDICT 5.57L	0.57	LAA	9	3	0	0	92	75	99
	B»TOUCHDN TOTAL	0.78	LAA	13						
	C»LIQUID AMS	2.50	PMV	13						
7A»	SURESTART 4.16	0.91	LAA	9	0	0	0	55	53	99
	B»DURANGO 4AE	0.75	LAA	13						
	C»LIQUID AMS	2.50	PMV	13						
8A	BICEP II MAG	1.79	LAA	9	0	0	0	83	57	99
	B»HALEX GT 4.38L	1.97	LAA	13						
	C»ACTIVATOR 90	0.25	PMV	13						
	D»LIQUID AMS	2.50	PMV	13						
9A	BICEP II MAG	1.79	LAA	9	0	0	0	77	60	98
	B»TOUCHDN TOTAL	0.78	LAA	13						
	C»LIQUID AMS	2.50	PMV	13						
10A»	CORVUS 2.6SC	0.061	LAA	9	0	0	0	90	92	99
	B»IGNITE 2.33SL	0.40	LAA	13						
	C»LAUDIS 3.5SC	0.055	LAA	13						
	D ATRAZINE DF	0.50	LAA	13						
11A	CHECK	0.00	NA	0	0	0	0	0	0	0
12A	DUAL II MAGNUM	0.96	LAA	9	0	0	0	45	23	89
	B»HALEX GT 4.38L	1.97	LAA	13						
	C ATRAZINE DF	0.50	LAA	13						
	D»ACTIVATOR 90	0.25	PMV	13						
	E»LIQUID AMS	2.50	PMV	13						
13A»	CORVUS 2.6SC	0.061	LAA	9	0	0	0	92	93	99
	B»RNDUP POWERMAX	0.39	LAA	13						
	C»LAUDIS 3.5SC	0.082	LAA	13						
	D ATRAZINE DF	0.50	LAA	13						
	E»MSO	1.00	PMV	13						
14A»	GUARDS MAX 5L	1.56	LAA	9	0	0	0	85	58	99
	B»RNDUP POWERMAX	0.77	LAA	13						
	C»STATUS 56DG	0.088	LAA	13						
	D»LIQUID AMS	2.50	PMV	13						
15A»	LEXAR 3.7L	1.39	LAA	9	3	2	0	88	68	99
	B»HALEX GT 4.38L	1.97	LAA	13						
	C»ACTIVATOR 90	0.25	PMV	13						
	D»LIQUID AMS	2.50	PMV	13						

TITLE: Weed Control Systems in RR/LL Corn. E3

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	ZEAMD PRE 06/29/10	ZEAMD 10 DAT 07/09/10	ZEAMD 30 DAT 07/29/10	SETFA PRE 06/29/10	PANDI PRE 06/29/10	AMBEL PRE 06/29/10
		RATE	UNIT							
16A	HARNESX XTRA	2.10	LAA	9	3	0	0	78	59	98
	B»RNDUP POWERMAX	0.77	LAA	13						
	C NORTHSTAR	0.074	LAA	13						
	D»LIQUID AMS	2.50	PMV	13						
17A	HARNESX (7EC)	1.09	LAA	9	0	0	0	60	42	91
	B»CAPRENO 3.45 S	0.081	LAA	13						
	C»TOUCHDN TOTAL	0.78	LAA	13						
	D»LIQUID AMS	2.50	PMV	13						
18A	LUMAX	1.48	LAA	9	0	0	0	90	69	99
	B»TOUCHDN TOTAL	0.78	LAA	13						
	C»LIQUID AMS	2.50	PMV	13						
19A	LUMAX	1.48	LAA	9	0	0	0	92	55	99
	B»HALEX GT 4.38L	1.97	LAA	13						
	C»ACTIVATOR 90	0.25	PMV	13						
	D»LIQUID AMS	2.50	PMV	13						
20A»	BAL FLEXX 2L	0.047	LAA	9	0	0	0	95	72	99
	B»CAPRENO 3.45 S	0.081	LAA	13						
	C»RNDUP POWERMAX	0.39	LAA	13						
	D»COC	1.00	PMV	13						
		LSD (0.05)			2.54	1.07	0.00	25.00	15.45	9.31
		STANDARD DEVIATION			1.26	0.527	0.00	12.38	7.65	4.60

TITLE: Weed Control Systems in RR/LL Corn. E3
CREATED: 04/10/2010 **REVISED:** 11/18/2010 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Brownstown **RESEARCHED BY:**
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT WIDE X 30.00 FT LONG
PLOT AREA: 300.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		IPOSS PRE 06/29/10	AMATU PRE 06/29/10	SETFA 10 DAT 07/29/10	PANDI 10 DAT 07/09/10	AMBEL 10 DAT 07/09/10	AMATU 10 DAT 07/09/10
		RATE	UNIT TM						
1A»	FIERCE 76WG	0.14	LAA 5	82	98	98	92	96	99
	B»TOUCHDN TOTAL	0.78	LAA 13						
	C»LIQUID AMS	2.50	PMV 13						
2A	LUMAX	1.97	LAA 9	97	99	99	93	99	99
	B»TOUCHDN TOTAL	0.78	LAA 13						
	C»LIQUID AMS	2.50	PMV 13						
3A»	LEXAR 3.7L	2.08	LAA 9	97	99	99	91	99	99
	B»TOUCHDN TOTAL	0.78	LAA 13						
	C»LIQUID AMS	2.50	PMV 13						
4A»	CORVUS 2.6SC	0.067	LAA 9	92	99	99	99	99	99
	B ATRAZINE DF	1.00	LAA 9						
	C»TOUCHDN TOTAL	0.78	LAA 13						
	D»LIQUID AMS	2.50	PMV 13						
5A»	BAL FLEXX 2L	0.047	LAA 9	93	93	99	97	99	99
	B ATRAZINE DF	1.00	LAA 9						
	C»TOUCHDN TOTAL	0.78	LAA 13						
	D»LIQUID AMS	2.50	PMV 13						
6A»	VERDICT 5.57L	0.57	LAA 9	98	99	99	94	99	99
	B»TOUCHDN TOTAL	0.78	LAA 13						
	C»LIQUID AMS	2.50	PMV 13						
7A»	SURESTART 4.16	0.91	LAA 9	90	96	99	93	99	99
	B»DURANGO 4AE	0.75	LAA 13						
	C»LIQUID AMS	2.50	PMV 13						
8A	BICEP II MAG	1.79	LAA 9	93	99	99	88	99	99
	B»HALEX GT 4.38L	1.97	LAA 13						
	C»ACTIVATOR 90	0.25	PMV 13						
	D»LIQUID AMS	2.50	PMV 13						
9A	BICEP II MAG	1.79	LAA 9	93	99	99	89	99	99
	B»TOUCHDN TOTAL	0.78	LAA 13						
	C»LIQUID AMS	2.50	PMV 13						
10A»	CORVUS 2.6SC	0.061	LAA 9	72	98	98	98	99	99
	B»IGNITE 2.33SL	0.40	LAA 13						
	C»LAUDIS 3.5SC	0.055	LAA 13						
	D ATRAZINE DF	0.50	LAA 13						
11A	CHECK	0.00	NA 0	0	0	0	0	0	0
12A	DUAL II MAGNUM	0.96	LAA 9	47	98	99	89	99	99
	B»HALEX GT 4.38L	1.97	LAA 13						
	C ATRAZINE DF	0.50	LAA 13						
	D»ACTIVATOR 90	0.25	PMV 13						
	E»LIQUID AMS	2.50	PMV 13						
13A»	CORVUS 2.6SC	0.061	LAA 9	90	99	98	98	99	99
	B»RNDUP POWERMAX	0.39	LAA 13						
	C»LAUDIS 3.5SC	0.082	LAA 13						
	D ATRAZINE DF	0.50	LAA 13						
	E»MSO	1.00	PMV 13						
14A»	GUARDS MAX 5L	1.56	LAA 9	91	99	98	91	99	99
	B»RNDUP POWERMAX	0.77	LAA 13						
	C»STATUS 56DG	0.088	LAA 13						
	D»LIQUID AMS	2.50	PMV 13						
15A»	LEXAR 3.7L	1.39	LAA 9	93	94	99	92	99	99
	B»HALEX GT 4.38L	1.97	LAA 13						
	C»ACTIVATOR 90	0.25	PMV 13						
	D»LIQUID AMS	2.50	PMV 13						

TITLE: Weed Control Systems in RR/LL Corn. E3
CREATED: 04/10/2010 **REVISED:** 11/18/2010 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Brownstown **RESEARCHED BY:**
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT WIDE X 30.00 FT LONG
PLOT AREA: 300.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	IPOSS	SETFA	PANDI	AMBEL	AMATU	IPOSS
		RATE	UNIT		10 DAT 07/09/10	30 DAT 07/29/10	30 DAT 07/29/10	30 DAT 07/29/10	30 DAT 07/29/10	30 DAT 07/29/10
1A»	FIERCE 76WG	0.14	LAA	5	88	98	98	99	99	91
B»	TOUCHDN TOTAL	0.78	LAA	13						
C»	LIQUID AMS	2.50	PMV	13						
2A	LUMAX	1.97	LAA	9	95	98	98	99	99	94
B»	TOUCHDN TOTAL	0.78	LAA	13						
C»	LIQUID AMS	2.50	PMV	13						
3A»	LEXAR 3.7L	2.08	LAA	9	94	97	97	99	99	95
B»	TOUCHDN TOTAL	0.78	LAA	13						
C»	LIQUID AMS	2.50	PMV	13						
4A»	CORVUS 2.6SC	0.067	LAA	9	88	98	99	99	99	94
B	ATRAZINE DF	1.00	LAA	9						
C»	TOUCHDN TOTAL	0.78	LAA	13						
D»	LIQUID AMS	2.50	PMV	13						
5A»	BAL FLEXX 2L	0.047	LAA	9	91	98	98	99	99	94
B	ATRAZINE DF	1.00	LAA	9						
C»	TOUCHDN TOTAL	0.78	LAA	13						
D»	LIQUID AMS	2.50	PMV	13						
6A»	VERDICT 5.57L	0.57	LAA	9	99	97	97	99	99	97
B»	TOUCHDN TOTAL	0.78	LAA	13						
C»	LIQUID AMS	2.50	PMV	13						
7A»	SURESTART 4.16	0.91	LAA	9	95	97	97	99	99	96
B»	DURANGO 4AE	0.75	LAA	13						
C»	LIQUID AMS	2.50	PMV	13						
8A	BICEP II MAG	1.79	LAA	9	91	99	99	99	99	96
B»	HALEX GT 4.38L	1.97	LAA	13						
C»	ACTIVATOR 90	0.25	PMV	13						
D»	LIQUID AMS	2.50	PMV	13						
9A	BICEP II MAG	1.79	LAA	9	88	98	98	99	99	93
B»	TOUCHDN TOTAL	0.78	LAA	13						
C»	LIQUID AMS	2.50	PMV	13						
10A»	CORVUS 2.6SC	0.061	LAA	9	95	96	96	99	99	95
B»	IGNITE 2.33SL	0.40	LAA	13						
C»	LAUDIS 3.5SC	0.055	LAA	13						
D	ATRAZINE DF	0.50	LAA	13						
11A	CHECK	0.00	NA	0	0	0	0	0	0	0
12A	DUAL II MAGNUM	0.96	LAA	9	93	99	98	99	99	97
B»	HALEX GT 4.38L	1.97	LAA	13						
C	ATRAZINE DF	0.50	LAA	13						
D»	ACTIVATOR 90	0.25	PMV	13						
E»	LIQUID AMS	2.50	PMV	13						
13A»	CORVUS 2.6SC	0.061	LAA	9	96	98	98	99	99	98
B»	RNDUP POWERMAX	0.39	LAA	13						
C»	LAUDIS 3.5SC	0.082	LAA	13						
D	ATRAZINE DF	0.50	LAA	13						
E»	MISO	1.00	PMV	13						
14A»	GUARDS MAX 5L	1.56	LAA	9	92	98	98	99	99	98
B»	RNDUP POWERMAX	0.77	LAA	13						
C»	STATUS 56DG	0.088	LAA	13						
D»	LIQUID AMS	2.50	PMV	13						
15A»	LEXAR 3.7L	1.39	LAA	9	99	99	99	99	99	98
B»	HALEX GT 4.38L	1.97	LAA	13						
C»	ACTIVATOR 90	0.25	PMV	13						
D»	LIQUID AMS	2.50	PMV	13						

TITLE: Weed Control Systems in RR/LL Corn. E3
CREATED: 04/10/2010 **REVISED:** 11/18/2010 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Brownstown **RESEARCHED BY:**
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT WIDE X 30.00 FT LONG
PLOT AREA: 300.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			YIELD BU/A 10/04/10
		RATE	UNIT	TM	
1A»	FIERCE 76WG	0.14	LAA	5	171.8
B»	TOUCHDN TOTAL	0.78	LAA	13	
C»	LIQUID AMS	2.50	PMV	13	
2A	LUMAX	1.97	LAA	9	176.5
B»	TOUCHDN TOTAL	0.78	LAA	13	
C»	LIQUID AMS	2.50	PMV	13	
3A»	LEXAR 3.7L	2.08	LAA	9	166.9
B»	TOUCHDN TOTAL	0.78	LAA	13	
C»	LIQUID AMS	2.50	PMV	13	
4A»	CORVUS 2.6SC	0.067	LAA	9	162.4
B	ATRAZINE DF	1.00	LAA	9	
C»	TOUCHDN TOTAL	0.78	LAA	13	
D»	LIQUID AMS	2.50	PMV	13	
5A»	BAL FLEXX 2L	0.047	LAA	9	179.2
B	ATRAZINE DF	1.00	LAA	9	
C»	TOUCHDN TOTAL	0.78	LAA	13	
D»	LIQUID AMS	2.50	PMV	13	
6A»	VERDICT 5.57L	0.57	LAA	9	164.4
B»	TOUCHDN TOTAL	0.78	LAA	13	
C»	LIQUID AMS	2.50	PMV	13	
7A»	SURESTART 4.16	0.91	LAA	9	163.4
B»	DURANGO 4AE	0.75	LAA	13	
C»	LIQUID AMS	2.50	PMV	13	
8A	BICEP II MAG	1.79	LAA	9	164.2
B»	HALEX GT 4.38L	1.97	LAA	13	
C»	ACTIVATOR 90	0.25	PMV	13	
D»	LIQUID AMS	2.50	PMV	13	
9A	BICEP II MAG	1.79	LAA	9	176.0
B»	TOUCHDN TOTAL	0.78	LAA	13	
C»	LIQUID AMS	2.50	PMV	13	
10A»	CORVUS 2.6SC	0.061	LAA	9	171.8
B»	IGNITE 2.33SL	0.40	LAA	13	
C»	LAUDIS 3.5SC	0.055	LAA	13	
D	ATRAZINE DF	0.50	LAA	13	
11A	CHECK	0.00	NA	0	70.9
12A	DUAL II MAGNUM	0.96	LAA	9	162.5
B»	HALEX GT 4.38L	1.97	LAA	13	
C	ATRAZINE DF	0.50	LAA	13	
D»	ACTIVATOR 90	0.25	PMV	13	
E»	LIQUID AMS	2.50	PMV	13	
13A»	CORVUS 2.6SC	0.061	LAA	9	170.0
B»	RNDUP POWERMAX	0.39	LAA	13	
C»	LAUDIS 3.5SC	0.082	LAA	13	
D	ATRAZINE DF	0.50	LAA	13	
E»	MISO	1.00	PMV	13	
14A»	GUARDS MAX 5L	1.56	LAA	9	167.8
B»	RNDUP POWERMAX	0.77	LAA	13	
C»	STATUS 56DG	0.088	LAA	13	
D»	LIQUID AMS	2.50	PMV	13	
15A»	LEXAR 3.7L	1.39	LAA	9	156.9
B»	HALEX GT 4.38L	1.97	LAA	13	
C»	ACTIVATOR 90	0.25	PMV	13	
D»	LIQUID AMS	2.50	PMV	13	

TITLE: Weed Control Systems in RR/LL Corn. E3

TRT NUM	TREATMENT COMPONENT	DOSAGE		YIELD BU/A 10/04/10
		RATE	UNIT TM	
16A	HARNES XTRA	2.10	LAA 9	161.9
	B»RNDUP POWERMAX	0.77	LAA 13	
	C NORTHSTAR	0.074	LAA 13	
	D»LIQUID AMS	2.50	PMV 13	
17A	HARNES (7EC)	1.09	LAA 9	172.4
	B»CAPRENO 3.45 S	0.081	LAA 13	
	C»TOUCHDN TOTAL	0.78	LAA 13	
	D»LIQUID AMS	2.50	PMV 13	
18A	LUMAX	1.48	LAA 9	163.8
	B»TOUCHDN TOTAL	0.78	LAA 13	
	C»LIQUID AMS	2.50	PMV 13	
19A	LUMAX	1.48	LAA 9	171.3
	B»HALEX GT 4.38L	1.97	LAA 13	
	C»ACTIVATOR 90	0.25	PMV 13	
	D»LIQUID AMS	2.50	PMV 13	
20A»	BAL FLEXX 2L	0.047	LAA 9	159.0
	B»CAPRENO 3.45 S	0.081	LAA 13	
	C»RNDUP POWERMAX	0.39	LAA 13	
	D»COC	1.00	PMV 13	
		LSL (0.05)		20.74
		STANDARD DEVIATION		10.26

» = SUPPLEMENTAL CHEMICAL

* TIMING CODES

- 00 = ----- / UNTREATED TIMING
- 05 = ----- / EPP 15DBP 04/13/2010(1)
- 09 = ----- / PREEMERGENCE 06/02/2010(2)
- 13 = ----- / LPOST 06/29/2010(3)

H#	CUSTOM#1	CUSTOM#2	EV.DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTRT	SS	NOTE
001	ZEAMD	PRE	06/29/2010	01	P	ZEAMD	36	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
007	ZEAMD	10 DAT	07/09/2010	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
013	ZEAMD	30 DAT	07/29/2010	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
002	SETFA	PRE	06/29/2010	02	P	SETFA	16	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
003	PANDI	PRE	06/29/2010	03	P	PANDI	16	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
004	AMBEL	PRE	06/29/2010	04	P	AMBEL	14	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
006	IPOSS	PRE	06/29/2010	06	P	IPOSS	15	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
005	AMATU	PRE	06/29/2010	05	P	AMATU	19	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
008	SETFA	10 DAT	07/29/2010	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
009	PANDI	10 DAT	07/09/2010	03	P	PANDI		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
010	AMBEL	10 DAT	07/09/2010	04	P	AMBEL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
011	AMATU	10 DAT	07/09/2010	05	P	AMATU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
012	IPOSS	10 DAT	07/09/2010	06	P	IPOSS		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
014	SETFA	30 DAT	07/29/2010	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
015	PANDI	30 DAT	07/29/2010	03	P	PANDI		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
016	AMBEL	30 DAT	07/29/2010	04	P	AMBEL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
017	AMATU	30 DAT	07/29/2010	05	P	AMATU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
018	IPOSS	30 DAT	07/29/2010	06	P	IPOSS		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
020	YIELD	BU/A	10/04/2010	01	P	ZEAMD		RAW	---	YLD	---	---	0.00 ---	NO	0001	0	Y

* SEE INDIVIDUAL EVALUATION COMMENTS UNDER SPECIFIC TRIAL NOTES

* SPECIES COMMON NAME - VARIETY/SPECIE INFO (IF APPLICABLE)

01 = PIONEER 1395HR

* STAGE CODE

- 14 = 4TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
- 15 = 5TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
- 16 = 6 LEAVES UNFOLDED
- 19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
- 36 = 6 NODES DETECTABLE