

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: SIX
PH: 6.0
%OM: 6.0
PREV.CROP: ZEAMD - CORN, DENT
%RESIDUE: 0
PLOT WIDTH: 10 X 29 FEET
PLOT AREA: 290 FEET

DESIGN: RCB
REPS: 3

APPL. NUMBER	01	02	03	UNIT
TIMINGS	09	12	14	
TYPE	LIQMIX	LIQMIX	LIQMIX	
APPLICATION DATE	05/20/10	06/17/10	06/29/10	AME
AIR TEMPERATURE	68	80	74	F
% REL.HUMIDITY	54	62	50	
WIND DIRECTION	EAST	SOUTHEAST	NORTH	
WIND SPEED	9.0	5.0	4.0	M/H
CLOUD COVER	HAZY SUN	PARTCLDY	CLOUDY	
DEW	---	NO	NO	
SOIL MOISTURE	DRY/MOIST	DRY/MOIST	MOIST/MOI	
SOIL CONDITION	---	---	---	
METHOD	SPRAY	SPRAY	SPRAY	
EQUIPMENT	SPRBAC	SPRBAC	SPRBAC	
PROPELLANT	COMCO2	COMCO2	COMCO2	
PLACEMENT	BRFOSO	BRFOSO	BRFOSO	
NOZZLE	FLATFAN	FLATFAN	FLATFAN	
NOZZLE NUMBER	6	6	6	
NOZZLE SPACING	20.000	20.000	20.000	IN
SCREEN SIZE				
SCREEN SZ DESC	NA	NA	NA	
SWATH WIDTH	10.0	10.0	10.0	FT
SPRAY VOLUME	20.00	20.00	20.00	
SPRAY VOLUME UNIT	GPA	GPA	GPA	
PRESSURE	32.00	32.00	32.00	PSI
DILUENT	WATER	WATER	WATER	
INC. DATE				AME
INC. START				24H
INC. END				24H
INC. DEPTH				IN
INC. EQUIPMENT	---	---	---	
	DEN/ STG/ MINMAXSZ			
*** CROP ***				
SOYBEAN		---/15	---/61	
ASGROW 2830		8.00/12.0	13.0/16.0	IN
05/19/2010				
*** PEST ***				
VELVETLEAF		---/14	---/14	
		1.50/4.00	2.00/3.00	IN
RAGWEED, GIANT		---/19	---/12	
		4.00/11.0	2.00/4.00	IN
LAMBSQUARTERS, C		---/18	---/14	
		1.00/3.00	1.00/1.00	IN
FOXTAIL, GIANT		---/16	---/13	
		2.00/8.00	2.00/3.00	IN

* TIMING CODES

09 = ----- / PREEMERGENCE
12 = ----- / POST
14 = ----- / VLPOST

* STAGE CODE

12 = 2ND TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
13 = 3 LEAVES UNFOLDED
14 = 4TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
15 = 5TH LEAF (3RD TRIFOLIATE LEAF) UNFOLDED, 4 NODES
16 = 6 LEAVES UNFOLDED
18 = 8TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
61 = 10% OF FLOWERS OPEN (DETERMINATE); BEGINNING OF FLOWERING (INDETERM.)

TITLE: Weed Control Systems in Roundup-Ready Soybean. SW-1500
CREATED: 05/07/2010 **REVISED:** 10/21/2010 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Dekalb **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT WIDE X 29.00 FT LONG
PLOT AREA: 290.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	GLXMA	SETFA	AMBTR	ABUTH	CHEAL	GLXMA
		RATE	UNIT		PRE 06/17/10	PRE 06/17/10	PRE 06/17/10	PRE 06/17/10	PRE 06/17/10	7 DAT 06/25/10
1A»	SONIC 70DF	0.131	LAA	9	0	81	70	77	99	0
B»	DURANGO 4AE	0.75	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
2A»	SONIC 70DF	0.197	LAA	9	0	78	55	70	98	0
B»	DURANGO 4AE	0.75	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
3A»	AUTHOR. FIRST	0.14	LAA	9	0	72	58	70	99	0
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
4A»	AUTHORITY XL 7	0.14	LAA	9	0	73	40	60	98	0
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
5A»	AUTHORITY MTZ	0.31	LAA	9	0	70	47	40	96	0
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
6A»	AUTHOR. ASSIST	0.156	LAA	9	0	83	60	75	99	0
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
7A»	OPTILL 68WG	0.085	LAA	9	0	85	70	80	98	0
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
8A»	FIERCE 76WG	0.14	LAA	9	0	80	58	75	99	0
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
9A»	PREFIX 5.32SL	1.33	LAA	9	0	93	60	63	97	0
B»	TOUCHDN TOTAL	0.78	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
10A»	ENVIVE 41.3SG	0.09	LAA	0	0	73	63	63	97	0
B	CLASSIC 25WG	0.02	LAA	9						
C»	HARMONY 50SG	0.006	LAA	9						
D	VALOR 51WG	0.064	LAA	9						
E»	ABUNDIT EXTRA	0.75	LAA	12						
F»	LIQUID AMS	2.50	PMV	12						
11A	GANGSTER V	0.048	LAA	9	0	77	58	73	98	3
B	GANGSTER FR	0.016	LAA	9						
C»	RNDUP POWERMAX	0.77	LAA	12						
D»	LIQUID AMS	2.50	PMV	12						
12A	PURSUIT +	0.91	LAA	9	0	91	60	85	99	0
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
13A»	DURANGO 4AE	0.75	LAA	12	C	C	C	C	C	0
B	FIRSTRATE 84WG	0.016	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
D»	DURANGO 4AE	0.75	LAA	14						
E»	LIQUID AMS	2.50	PMV	14						
14A	CHECK	0.00	NA	0	0	0	0	0	0	0
15A»	FLEXSTAR GT 3.	0.98	LAA	12	C	C	C	C	C	12
B»	LIQUID AMS	2.50	PMV	12						
16A»	RNDUP POWERMAX	0.77	LAA	12	C	C	C	C	C	16
B»	RESOURCE	0.02	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						

TITLE: Weed Control Systems in Roundup-Ready Soybean. SW-1500

TRT	TREATMENT	DOSAGE		GLXMA	SETFA	AMBTR	ABUTH	CHEAL	GLXMA
NUM	COMPONENT	RATE	UNIT TM	PRE 06/17/10	PRE 06/17/10	PRE 06/17/10	PRE 06/17/10	PRE 06/17/10	7 DAT 06/25/10
17A»	RNDUP POWERMAX	0.77	LAA 12	C	C	C	C	C	15
	B»CADET 0.91EC	0.0036	LAA 12						
	C»LIQUID AMS	2.50	PMV 12						
18A»	FLEXSTAR GT 3.	1.24	LAA 12	C	C	C	C	C	16
	B»LIQUID AMS	2.50	PMV 12						
		LSD (0.05)		0.00	6.11	14.26	13.80	1.52	1.27
		STANDARD DEVIATION		0.00	3.00	7.06	6.83	0.752	0.631

TITLE: Weed Control Systems in Roundup-Ready Soybean. SW-1500
CREATED: 05/07/2010 **REVISED:** 10/21/2010 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Dekalb **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT WIDE X 29.00 FT LONG
PLOT AREA: 290.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	SETFA	AMBTR	ABUTH	CHEAL	GLXMA	SETFA
		RATE	UNIT		7 DAT 06/25/10	7 DAT 06/25/10	7 DAT 06/25/10	7 DAT 06/25/10	14 DAT 06/29/10	14 DAT 06/29/10
1A»	SONIC 70DF	0.131	LAA	9	99	87	97	99	0	98
B»	DURANGO 4AE	0.75	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
2A»	SONIC 70DF	0.197	LAA	9	97	88	97	99	0	98
B»	DURANGO 4AE	0.75	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
3A»	AUTHOR. FIRST	0.14	LAA	9	98	85	91	99	0	98
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
4A»	AUTHORITY XL 7	0.14	LAA	9	98	90	92	98	0	98
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
5A»	AUTHORITY MTZ	0.31	LAA	9	98	84	95	99	0	98
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
6A»	AUTHOR. ASSIST	0.156	LAA	9	98	92	96	99	0	97
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
7A»	OPTILL 68WG	0.085	LAA	9	97	90	96	99	0	99
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
8A»	FIERCE 76WG	0.14	LAA	9	98	90	96	99	0	99
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
9A»	PREFIX 5.32SL	1.33	LAA	9	99	90	95	99	0	99
B»	TOUCHDN TOTAL	0.78	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
10A»	ENVIVE 41.3SG	0.09	LAA	0	98	89	96	99	0	98
B	CLASSIC 25WG	0.02	LAA	9						
C»	HARMONY 50SG	0.006	LAA	9						
D	VALOR 51WG	0.064	LAA	9						
E»	ABUNDIT EXTRA	0.75	LAA	12						
F»	LIQUID AMS	2.50	PMV	12						
11A	GANGSTER V	0.048	LAA	9	98	88	95	99	0	98
B	GANGSTER FR	0.016	LAA	9						
C»	RNDUP POWERMAX	0.77	LAA	12						
D»	LIQUID AMS	2.50	PMV	12						
12A	PURSUIT +	0.91	LAA	9	98	85	97	99	0	99
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
13A»	DURANGO 4AE	0.75	LAA	12	99	96	99	99	0	98
B	FIRSTRATE 84WG	0.016	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
D»	DURANGO 4AE	0.75	LAA	14						
E»	LIQUID AMS	2.50	PMV	14						
14A	CHECK	0.00	NA	0	0	0	0	0	0	0
15A»	FLEXSTAR GT 3.	0.98	LAA	12	99	93	94	98	0	96
B»	LIQUID AMS	2.50	PMV	12						
16A»	RNDUP POWERMAX	0.77	LAA	12	98	84	97	98	0	97
B»	RESOURCE	0.02	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						

TITLE: Weed Control Systems in Roundup-Ready Soybean. SW-1500

TRT NUM	TREATMENT COMPONENT	DOSAGE		SETFA	AMBTR	ABUTH	CHEAL	GLXMA	SETFA
		RATE	UNIT TM	7 DAT 06/25/10	7 DAT 06/25/10	7 DAT 06/25/10	7 DAT 06/25/10	14 DAT 06/29/10	14 DAT 06/29/10
17A»	RNDUP POWERMAX	0.77	LAA 12	99	81	99	99	0	98
	B»CADET 0.91EC	0.0036	LAA 12						
	C»LIQUID AMS	2.50	PMV 12						
18A»	FLEXSTAR GT 3.	1.24	LAA 12	99	94	96	99	0	99
	B»LIQUID AMS	2.50	PMV 12						
			LSD (0.05)	1.34	4.92	2.79	0.704	0.00	2.50
			STANDARD DEVIATION	0.661	2.44	1.38	0.348	0.00	1.24

TITLE: Weed Control Systems in Roundup-Ready Soybean. SW-1500
CREATED: 05/07/2010 **REVISED:** 10/21/2010 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Dekalb **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT WIDE X 29.00 FT LONG
PLOT AREA: 290.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	AMBTR	ABUTH	CHEAL	GLXMA	SETFA	AMBTR
		RATE	UNIT		14 DAT 06/29/10	14 DAT 06/29/10	14 DAT 06/29/10	28 DAT 07/13/10	28 DAT 07/13/10	28 DAT 07/13/10
1A	SONIC 70DF	0.131	LAA	9	87	98	99	0	96	86
B	DURANGO 4AE	0.75	LAA	12						
C	LIQUID AMS	2.50	PMV	12						
2A	SONIC 70DF	0.197	LAA	9	89	98	99	0	98	84
B	DURANGO 4AE	0.75	LAA	12						
C	LIQUID AMS	2.50	PMV	12						
3A	AUTHOR. FIRST	0.14	LAA	9	86	92	99	0	98	83
B	RNDUP POWERMAX	0.77	LAA	12						
C	LIQUID AMS	2.50	PMV	12						
4A	AUTHORITY XL 7	0.14	LAA	9	91	96	99	0	95	82
B	RNDUP POWERMAX	0.77	LAA	12						
C	LIQUID AMS	2.50	PMV	12						
5A	AUTHORITY MTZ	0.31	LAA	9	85	95	99	0	98	83
B	RNDUP POWERMAX	0.77	LAA	12						
C	LIQUID AMS	2.50	PMV	12						
6A	AUTHOR. ASSIST	0.156	LAA	9	91	98	99	0	98	90
B	RNDUP POWERMAX	0.77	LAA	12						
C	LIQUID AMS	2.50	PMV	12						
7A	OPTILL 68WG	0.085	LAA	9	88	98	99	0	97	88
B	RNDUP POWERMAX	0.77	LAA	12						
C	LIQUID AMS	2.50	PMV	12						
8A	FIERCE 76WG	0.14	LAA	9	90	98	99	0	99	90
B	RNDUP POWERMAX	0.77	LAA	12						
C	LIQUID AMS	2.50	PMV	12						
9A	PREFIX 5.32SL	1.33	LAA	9	91	95	99	0	99	92
B	TOUCHDN TOTAL	0.78	LAA	12						
C	LIQUID AMS	2.50	PMV	12						
10A	ENVIVE 41.3SG	0.09	LAA	0	88	98	99	0	98	87
B	CLASSIC 25WG	0.02	LAA	9						
C	HARMONY 50SG	0.006	LAA	9						
D	VALOR 51WG	0.064	LAA	9						
E	ABUNDIT EXTRA	0.75	LAA	12						
F	LIQUID AMS	2.50	PMV	12						
11A	GANGSTER V	0.048	LAA	9	87	96	99	0	98	88
B	GANGSTER FR	0.016	LAA	9						
C	RNDUP POWERMAX	0.77	LAA	12						
D	LIQUID AMS	2.50	PMV	12						
12A	PURSUIT +	0.91	LAA	9	88	98	99	0	99	85
B	RNDUP POWERMAX	0.77	LAA	12						
C	LIQUID AMS	2.50	PMV	12						
13A	DURANGO 4AE	0.75	LAA	12	97	98	99	0	98	98
B	FIRSTRATE 84WG	0.016	LAA	12						
C	LIQUID AMS	2.50	PMV	12						
D	DURANGO 4AE	0.75	LAA	14						
E	LIQUID AMS	2.50	PMV	14						
14A	CHECK	0.00	NA	0	0	0	0	0	0	0
15A	FLEXSTAR GT 3.	0.98	LAA	12	84	91	98	0	98	80
B	LIQUID AMS	2.50	PMV	12						
16A	RNDUP POWERMAX	0.77	LAA	12	81	92	97	0	91	70
B	RESOURCE	0.02	LAA	12						
C	LIQUID AMS	2.50	PMV	12						

TITLE: Weed Control Systems in Roundup-Ready Soybean. SW-1500

TRT NUM	TREATMENT COMPONENT	DOSAGE		AMBTR	ABUTH	CHEAL	GLXMA	SETFA	AMBTR
		RATE	UNIT TM	14 DAT 06/29/10	14 DAT 06/29/10	14 DAT 06/29/10	28 DAT 07/13/10	28 DAT 07/13/10	28 DAT 07/13/10
17A»	RNDUP POWERMAX	0.77	LAA 12	80	98	98	0	95	72
	B»CADET 0.91EC	0.0036	LAA 12						
	C»LIQUID AMS	2.50	PMV 12						
18A»	FLEXSTAR GT 3.	1.24	LAA 12	86	93	99	0	99	81
	B»LIQUID AMS	2.50	PMV 12						
			LSD (0.05)	4.87	3.90	1.06	0.00	3.00	6.29
			STANDARD DEVIATION	2.41	1.93	0.523	0.00	1.49	3.11

TITLE: Weed Control Systems in Roundup-Ready Soybean. SW-1500
CREATED: 05/07/2010 **REVISED:** 10/21/2010 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Dekalb **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT WIDE X 29.00 FT LONG
PLOT AREA: 290.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	ABUTH	CHEAL	GLXMA	SETFA	AMBTR	ABUTH
		RATE	UNIT		28 DAT 07/13/10	28 DAT 07/13/10	42 DAT 07/27/10	42 DAT 07/27/10	42 DAT 07/27/10	42 DAT 07/27/10
1A»	SONIC 70DF	0.131	LAA	9	97	98	0	93	78	97
B»	DURANGO 4AE	0.75	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
2A»	SONIC 70DF	0.197	LAA	9	98	99	0	95	80	99
B»	DURANGO 4AE	0.75	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
3A»	AUTHOR. FIRST	0.14	LAA	9	97	99	0	95	78	98
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
4A»	AUTHORITY XL 7	0.14	LAA	9	94	99	0	92	73	91
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
5A»	AUTHORITY MTZ	0.31	LAA	9	95	99	0	97	78	93
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
6A»	AUTHOR. ASSIST	0.156	LAA	9	99	99	0	97	83	98
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
7A»	OPTILL 68WG	0.085	LAA	9	98	99	0	97	87	98
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
8A»	FIERCE 76WG	0.14	LAA	9	96	99	0	98	92	95
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
9A»	PREFIX 5.32SL	1.33	LAA	9	94	99	0	99	90	93
B»	TOUCHDN TOTAL	0.78	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
10A»	ENVIVE 41.3SG	0.09	LAA	0	98	99	0	97	86	98
B	CLASSIC 25WG	0.02	LAA	9						
C»	HARMONY 50SG	0.006	LAA	9						
D	VALOR 51WG	0.064	LAA	9						
E»	ABUNDIT EXTRA	0.75	LAA	12						
F»	LIQUID AMS	2.50	PMV	12						
11A	GANGSTER V	0.048	LAA	9	98	98	0	97	86	97
B	GANGSTER FR	0.016	LAA	9						
C»	RNDUP POWERMAX	0.77	LAA	12						
D»	LIQUID AMS	2.50	PMV	12						
12A	PURSUIT +	0.91	LAA	9	98	99	0	95	83	98
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
13A»	DURANGO 4AE	0.75	LAA	12	98	99	0	98	99	98
B	FIRSTRATE 84WG	0.016	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
D»	DURANGO 4AE	0.75	LAA	14						
E»	LIQUID AMS	2.50	PMV	14						
14A	CHECK	0.00	NA	0	0	0	0	0	0	0
15A»	FLEXSTAR GT 3.	0.98	LAA	12	86	96	0	98	72	81
B»	LIQUID AMS	2.50	PMV	12						
16A»	RNDUP POWERMAX	0.77	LAA	12	90	97	0	75	48	83
B»	RESOURCE	0.02	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						

TITLE: Weed Control Systems in Roundup-Ready Soybean. SW-1500

TRT NUM	TREATMENT COMPONENT	DOSAGE		ABUTH	CHEAL	GLXMA	SETFA	AMBTR	ABUTH
		RATE	UNIT TM	28 DAT 07/13/10	28 DAT 07/13/10	42 DAT 07/27/10	42 DAT 07/27/10	42 DAT 07/27/10	42 DAT 07/27/10
17A»	RNDUP POWERMAX	0.77	LAA 12	96	95	0	90	62	89
	B»CADET 0.91EC	0.0036	LAA 12						
	C»LIQUID AMS	2.50	PMV 12						
18A»	FLEXSTAR GT 3.	1.24	LAA 12	91	99	0	98	78	88
	B»LIQUID AMS	2.50	PMV 12						
			LSD (0.05)	3.35	1.38	0.00	6.67	12.21	6.00
			STANDARD DEVIATION	1.66	0.684	0.00	3.30	6.00	3.00

TITLE: Weed Control Systems in Roundup-Ready Soybean. SW-1500
CREATED: 05/07/2010 **REVISED:** 10/21/2010 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Dekalb **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT WIDE X 29.00 FT LONG
PLOT AREA: 290.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			CHEAL	YIELD
		RATE	UNIT	TM	42 DAT 07/27/10	BU/A 09/30/10
1A	SONIC 70DF	0.131	LAA	9	98	62.7
B	DURANGO 4AE	0.75	LAA	12		
C	LIQUID AMS	2.50	PMV	12		
2A	SONIC 70DF	0.197	LAA	9	99	61.6
B	DURANGO 4AE	0.75	LAA	12		
C	LIQUID AMS	2.50	PMV	12		
3A	AUTHOR. FIRST	0.14	LAA	9	99	61.6
B	RNDUP POWERMAX	0.77	LAA	12		
C	LIQUID AMS	2.50	PMV	12		
4A	AUTHORITY XL 7	0.14	LAA	9	99	59.4
B	RNDUP POWERMAX	0.77	LAA	12		
C	LIQUID AMS	2.50	PMV	12		
5A	AUTHORITY MTZ	0.31	LAA	9	99	60.2
B	RNDUP POWERMAX	0.77	LAA	12		
C	LIQUID AMS	2.50	PMV	12		
6A	AUTHOR. ASSIST	0.156	LAA	9	99	63.3
B	RNDUP POWERMAX	0.77	LAA	12		
C	LIQUID AMS	2.50	PMV	12		
7A	OPTILL 68WG	0.085	LAA	9	99	62.4
B	RNDUP POWERMAX	0.77	LAA	12		
C	LIQUID AMS	2.50	PMV	12		
8A	FIERCE 76WG	0.14	LAA	9	99	59.2
B	RNDUP POWERMAX	0.77	LAA	12		
C	LIQUID AMS	2.50	PMV	12		
9A	PREFIX 5.32SL	1.33	LAA	9	99	55.3
B	TOUCHDN TOTAL	0.78	LAA	12		
C	LIQUID AMS	2.50	PMV	12		
10A	ENVIVE 41.3SG	0.09	LAA	0	99	62.6
B	CLASSIC 25WG	0.02	LAA	9		
C	HARMONY 50SG	0.006	LAA	9		
D	VALOR 51WG	0.064	LAA	9		
E	ABUNDIT EXTRA	0.75	LAA	12		
F	LIQUID AMS	2.50	PMV	12		
11A	GANGSTER V	0.048	LAA	9	99	60.1
B	GANGSTER FR	0.016	LAA	9		
C	RNDUP POWERMAX	0.77	LAA	12		
D	LIQUID AMS	2.50	PMV	12		
12A	PURSUIT +	0.91	LAA	9	99	61.2
B	RNDUP POWERMAX	0.77	LAA	12		
C	LIQUID AMS	2.50	PMV	12		
13A	DURANGO 4AE	0.75	LAA	12	99	58.7
B	FIRSTRATE 84WG	0.016	LAA	12		
C	LIQUID AMS	2.50	PMV	12		
D	DURANGO 4AE	0.75	LAA	14		
E	LIQUID AMS	2.50	PMV	14		
14A	CHECK	0.00	NA	0	0	24.4
15A	FLEXSTAR GT 3.	0.98	LAA	12	92	55.7
B	LIQUID AMS	2.50	PMV	12		
16A	RNDUP POWERMAX	0.77	LAA	12	95	59.0
B	RESOURCE	0.02	LAA	12		
C	LIQUID AMS	2.50	PMV	12		

