

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: SIX
 PH: 6.1
 %OM: 5.5
 PREV.CROP: GLXMA - SOYBEAN
 %RESIDUE: 0
 PLOT WIDTH: 7.5 X 30 FEET
 PLOT AREA: 225 FEET

DESIGN: RCB
 REPS: 3

APPL. NUMBER	01	02	UNIT
TIMINGS	11	13	
TYPE	LIQMIX	LIQMIX	
APPLICATION DATE	05/19/10	06/04/10	AME
AIR TEMPERATURE	68	77	F
% REL.HUMIDITY	58	73	
WIND DIRECTION	NORTHEAST	SOUTHEAST	
WIND SPEED	5.0	2.0	M/H
CLOUD COVER	CLEAR	PARTCLDY	
DEW	NO	YES	
SOIL MOISTURE	MOIST/MOI	MOIST/MOI	
SOIL CONDITION	---	---	
METHOD	SPRAY	SPRAY	
EQUIPMENT	SPRBAC	SPRBAC	
PROPELLANT	COMCO2	COMCO2	
PLACEMENT	BRFOSO	BRFOSO	
NOZZLE	FLATFAN	FLATFAN	
NOZZLE NUMBER	5	5	
NOZZLE SPACING	18.000	18.000	IN
SCREEN SIZE			
SCREEN SZ DESC	NA	NA	
SWATH WIDTH	7.5	7.5	FT
SPRAY VOLUME	20.00	20.00	
SPRAY VOLUME UNIT	GPA	GPA	
PRESSURE	30.00	30.00	PSI
DILUENT	WATER	WATER	
INC. DATE			AME
INC. START			24H
INC. END			24H
INC. DEPTH			IN
INC. EQUIPMENT	---	---	
	DN/SG/MMZ		
*** CROP ***			
CORN, DENT	---/13	---/17	
P 0916 RR/LL	6.00/6.00	24.0/24.0	IN
04/22/2010			
*** PEST ***			
VELVETLEAF	---/12	---/14	
	1.00/2.00	2.00/4.00	IN
WATERHEMP, COMMO	---/18	---/19	
	1.00/3.00	2.00/8.00	IN
LAMBSQUARTERS, C	---/19	---/19	
	1.00/3.00	2.00/6.00	IN
MORNINGGLORY, TA	---/12	---/19	
	1.00/2.00	2.00/8.00	IN
FOXTAIL, GIANT	---/13	---/15	
	2.00/4.00	3.00/6.00	IN
COCKLEBUR, COMMO	---/12	---/14	
	1.00/3.00	2.00/4.00	IN

* TIMING CODES

11 = ----- / EPOST
 13 = ----- / LPOST

* STAGE CODE

12 = 2ND TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 13 = 3 LEAVES UNFOLDED
 13 = 3 LEAVES UNFOLDED
 14 = 4TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 15 = 5 LEAVES UNFOLDED
 17 = 7 LEAVES UNFOLDED
 18 = 8TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

* STAGE CODE

19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

TITLE: Postemergence Weed Control Systems in RR/LL Corn. as-400
CREATED: 04/14/2010 **REVISED:** 10/19/2010 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			ZEAMD	SETFA	CHEAL	AMATA	ABUTH	XANST
		RATE	UNIT	TM	CON % 05/28/10	CON % 05/28/10	CON % 05/28/10	CON % 05/28/10	CON % 05/28/10	CON % 05/28/10
1A»	HALEX GT 4.38L	1.97	LAA	11	0	99	99	98	99	99
B»	ACTIVATOR 90	0.25	PMV	11						
C»	LIQUID AMS	2.50	PMV	11						
2A»	HALEX GT 4.38L	1.97	LAA	11	0	88	99	99	99	99
B	ATRAZINE DF	0.50	LAA	11						
C»	ACTIVATOR 90	0.25	PMV	11						
D»	LIQUID AMS	2.50	PMV	11						
3A»	RNDUP POWERMAX	0.77	LAA	11	0	92	99	99	99	99
B»	LAUDIS 3.5SC	0.055	LAA	11						
C	ATRAZINE DF	0.50	LAA	11						
D»	LIQUID AMS	2.50	PMV	11						
4A»	DURANGO 4AE	0.75	LAA	11	0	99	99	99	99	99
B»	SURESTART 4.16	0.91	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
5A»	RNDUP POWERMAX	0.77	LAA	11	0	96	99	99	99	99
B»	CAPRENO 3.45 S	0.081	LAA	11						
C	ATRAZINE DF	0.50	LAA	11						
D»	LIQUID AMS	2.50	PMV	11						
6A»	RNDUP POWERMAX	0.77	LAA	11	0	97	99	97	99	98
B»	STATUS 56DG	0.088	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
7A»	RNDUP POWERMAX	0.77	LAA	11	0	93	99	88	92	97
B»	LIQUID AMS	2.50	PMV	11						
8A»	RNDUP POWERMAX	0.77	LAA	11	0	96	99	85	93	96
B»	LIQUID AMS	2.50	PMV	11						
C»	RNDUP POWERMAX	0.77	LAA	13						
D»	LIQUID AMS	2.50	PMV	13						
9A»	TOUCHDN TOTAL	0.78	LAA	11	0	93	99	99	99	99
B	LUMAX	1.48	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
10A»	HALEX GT 4.38L	1.97	LAA	11	0	97	99	99	99	99
B	NORTHSTAR	0.074	LAA	11						
C»	ACTIVATOR 90	0.25	PMV	11						
D»	LIQUID AMS	2.50	PMV	11						
11A»	HALEX GT 4.38L	1.97	LAA	11	0	99	99	99	99	99
B»	STATUS 56DG	0.088	LAA	11						
C»	ACTIVATOR 90	0.25	PMV	11						
D»	LIQUID AMS	2.50	PMV	11						
12A»	IGNITE 2.33SL	0.40	LAA	11	0	99	99	99	99	99
B»	CAPRENO 3.45 S	0.081	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
13A	RESOLVE 25DF	0.019	LAA	11	0	96	99	99	99	99
B»	ISOXADIFEN-ETH	0.0094	LAA	11						
C»	MESOTRIONE 50W	0.078	LAA	11						
D»	ABUNDIT EXTRA	0.75	LAA	11						
E»	LIQUID AMS	2.50	PMV	11						
14A	CHECK	0.00	NA	0	0	0	0	0	0	0
15A»	RNDUP POWERMAX	0.77	LAA	11	3	98	99	90	99	99
B»	CADET 0.91EC	0.0036	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						

TITLE: Postemergence Weed Control Systems in RR/LL Corn. as-400

TRT NUM	TREATMENT COMPONENT	DOSAGE		ZEAMD	SETFA	CHEAL	AMATA	ABUTH	XANST
		RATE	UNIT TM	CON % 05/28/10	CON % 05/28/10	CON % 05/28/10	CON % 05/28/10	CON % 05/28/10	CON % 05/28/10
16A»	RNDUP POWERMAX	0.77	LAA 11	5	98	99	97	99	99
	B RESOURCE (0.86	0.027	LAA 11						
	C»LIQUID AMS	2.50	PMV 11						
			LSD (0.05)	0.241	2.93	0.241	4.88	1.56	1.11
			STANDARD DEVIATION	0.118	1.44	0.118	2.39	0.762	0.545

TITLE: Postemergence Weed Control Systems in RR/LL Corn. as-400
CREATED: 04/14/2010 **REVISED:** 10/19/2010 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			PHBPU CON % 05/28/10	ZEAMD CON % 06/11/10	SETFA CON % 06/11/10	CHEAL CON % 06/11/10	AMATA CON % 06/11/10	ABUTH CON % 06/11/10
		RATE	UNIT	TM						
1A»	HALEX GT 4.38L	1.97	LAA	11	88	0	96	99	96	99
B»	ACTIVATOR 90	0.25	PMV	11						
C»	LIQUID AMS	2.50	PMV	11						
2A»	HALEX GT 4.38L	1.97	LAA	11	97	0	92	99	98	99
B	ATRAZINE DF	0.50	LAA	11						
C»	ACTIVATOR 90	0.25	PMV	11						
D»	LIQUID AMS	2.50	PMV	11						
3A»	RNDUP POWERMAX	0.77	LAA	11	93	0	86	99	95	99
B»	LAUDIS 3.5SC	0.055	LAA	11						
C	ATRAZINE DF	0.50	LAA	11						
D»	LIQUID AMS	2.50	PMV	11						
4A»	DURANGO 4AE	0.75	LAA	11	75	0	97	99	97	99
B»	SURESTART 4.16	0.91	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
5A»	RNDUP POWERMAX	0.77	LAA	11	97	0	92	99	99	99
B»	CAPRENO 3.45 S	0.081	LAA	11						
C	ATRAZINE DF	0.50	LAA	11						
D»	LIQUID AMS	2.50	PMV	11						
6A»	RNDUP POWERMAX	0.77	LAA	11	89	0	86	99	86	97
B»	STATUS 56DG	0.088	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
7A»	RNDUP POWERMAX	0.77	LAA	11	72	0	78	90	68	89
B»	LIQUID AMS	2.50	PMV	11						
8A»	RNDUP POWERMAX	0.77	LAA	11	70	0	99	99	99	99
B»	LIQUID AMS	2.50	PMV	11						
C»	RNDUP POWERMAX	0.77	LAA	13						
D»	LIQUID AMS	2.50	PMV	13						
9A»	TOUCHDN TOTAL	0.78	LAA	11	93	0	96	99	99	99
B	LUMAX	1.48	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
10A»	HALEX GT 4.38L	1.97	LAA	11	87	0	96	99	99	99
B	NORTHSTAR	0.074	LAA	11						
C»	ACTIVATOR 90	0.25	PMV	11						
D»	LIQUID AMS	2.50	PMV	11						
11A»	HALEX GT 4.38L	1.97	LAA	11	94	0	97	99	95	99
B»	STATUS 56DG	0.088	LAA	11						
C»	ACTIVATOR 90	0.25	PMV	11						
D»	LIQUID AMS	2.50	PMV	11						
12A»	IGNITE 2.33SL	0.40	LAA	11	98	0	85	98	97	99
B»	CAPRENO 3.45 S	0.081	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
13A	RESOLVE 25DF	0.019	LAA	11	85	0	83	99	94	99
B»	ISOXADIFEN-ETH	0.0094	LAA	11						
C»	MESOTRIONE 50W	0.078	LAA	11						
D»	ABUNDIT EXTRA	0.75	LAA	11						
E»	LIQUID AMS	2.50	PMV	11						
14A	CHECK	0.00	NA	0	0	0	0	0	0	0
15A»	RNDUP POWERMAX	0.77	LAA	11	97	0	85	91	68	98
B»	CADET 0.91EC	0.0036	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						

TITLE: Postemergence Weed Control Systems in RR/LL Corn. as-400

TRT NUM	TREATMENT COMPONENT	DOSAGE		PHBPU	ZEAMD	SETFA	CHEAL	AMATA	ABUTH
		RATE	UNIT TM	CON % 05/28/10	CON % 06/11/10	CON % 06/11/10	CON % 06/11/10	CON % 06/11/10	CON % 06/11/10
16A»	RNDUP POWERMAX	0.77	LAA 11	98	0	85	96	83	97
	B RESOURCE (0.86	0.027	LAA 11						
	C»LIQUID AMS	2.50	PMV 11						
			LSD (0.05)	5.00	0.00	7.00	1.33	5.15	1.82
			STANDARD DEVIATION	2.46	0.00	3.45	0.651	2.52	0.89

TITLE: Postemergence Weed Control Systems in RR/LL Corn. as-400
CREATED: 04/14/2010 **REVISED:** 10/19/2010 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			XANST	PHBPU	ZEAMD	SETFA	CHEAL	AMATA
		RATE	UNIT	TM	CON % 06/11/10	CON % 06/11/10	CON % 07/12/10	CON % 07/12/10	CON % 07/12/10	CON % 07/12/10
1A»	HALEX GT 4.38L	1.97	LAA	11	98	88	0	92	99	94
B»	ACTIVATOR 90	0.25	PMV	11						
C»	LIQUID AMS	2.50	PMV	11						
2A»	HALEX GT 4.38L	1.97	LAA	11	98	93	0	88	99	98
B	ATRAZINE DF	0.50	LAA	11						
C»	ACTIVATOR 90	0.25	PMV	11						
D»	LIQUID AMS	2.50	PMV	11						
3A»	RNDUP POWERMAX	0.77	LAA	11	92	86	0	83	99	92
B»	LAUDIS 3.5SC	0.055	LAA	11						
C	ATRAZINE DF	0.50	LAA	11						
D»	LIQUID AMS	2.50	PMV	11						
4A»	DURANGO 4AE	0.75	LAA	11	96	85	0	94	99	95
B»	SURESTART 4.16	0.91	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
5A»	RNDUP POWERMAX	0.77	LAA	11	98	89	0	87	99	95
B»	CAPRENO 3.45 S	0.081	LAA	11						
C	ATRAZINE DF	0.50	LAA	11						
D»	LIQUID AMS	2.50	PMV	11						
6A»	RNDUP POWERMAX	0.77	LAA	11	96	89	0	83	99	83
B»	STATUS 56DG	0.088	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
7A»	RNDUP POWERMAX	0.77	LAA	11	87	68	0	72	85	60
B»	LIQUID AMS	2.50	PMV	11						
8A»	RNDUP POWERMAX	0.77	LAA	11	98	92	0	99	99	98
B»	LIQUID AMS	2.50	PMV	11						
C»	RNDUP POWERMAX	0.77	LAA	13						
D»	LIQUID AMS	2.50	PMV	13						
9A»	TOUCHDN TOTAL	0.78	LAA	11	99	93	0	94	99	99
B	LUMAX	1.48	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
10A»	HALEX GT 4.38L	1.97	LAA	11	98	94	0	94	99	98
B	NORTHSTAR	0.074	LAA	11						
C»	ACTIVATOR 90	0.25	PMV	11						
D»	LIQUID AMS	2.50	PMV	11						
11A»	HALEX GT 4.38L	1.97	LAA	11	97	93	0	96	99	95
B»	STATUS 56DG	0.088	LAA	11						
C»	ACTIVATOR 90	0.25	PMV	11						
D»	LIQUID AMS	2.50	PMV	11						
12A»	IGNITE 2.33SL	0.40	LAA	11	94	90	0	78	98	94
B»	CAPRENO 3.45 S	0.081	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
13A	RESOLVE 25DF	0.019	LAA	11	97	88	0	79	99	91
B»	ISOXADIFEN-ETH	0.0094	LAA	11						
C»	MESOTRIONE 50W	0.078	LAA	11						
D»	ABUNDIT EXTRA	0.75	LAA	11						
E»	LIQUID AMS	2.50	PMV	11						
14A	CHECK	0.00	NA	0	0	0	0	0	0	0
15A»	RNDUP POWERMAX	0.77	LAA	11	94	89	0	80	90	63
B»	CADET 0.91EC	0.0036	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						

TITLE: Postemergence Weed Control Systems in RR/LL Corn. as-400

TRT NUM	TREATMENT COMPONENT	DOSAGE		XANST	PHBPU	ZEAMD	SETFA	CHEAL	AMATA
		RATE	UNIT TM	CON % 06/11/10	CON % 06/11/10	CON % 07/12/10	CON % 07/12/10	CON % 07/12/10	CON % 07/12/10
16A»	RNDUP POWERMAX	0.77	LAA 11	95	88	0	82	94	78
	B RESOURCE (0.86	0.027	LAA 11						
	C»LIQUID AMS	2.50	PMV 11						
			LSD (0.05)	5.06	3.83	0.00	9.63	2.67	6.94
			STANDARD DEVIATION	2.48	1.88	0.00	4.71	1.31	3.40

TITLE: Postemergence Weed Control Systems in RR/LL Corn. as-400
CREATED: 04/14/2010 **REVISED:** 10/19/2010 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			ABUTH CON % 07/12/10	XANST CON % 07/12/10	PHBPU CON % 07/12/10	YIELD BU/A 10/14/10
		RATE	UNIT	TM				
1A»	HALEX GT 4.38L	1.97	LAA	11	99	97	83	173.1
B»	ACTIVATOR 90	0.25	PMV	11				
C»	LIQUID AMS	2.50	PMV	11				
2A»	HALEX GT 4.38L	1.97	LAA	11	99	97	91	188.5
B	ATRAZINE DF	0.50	LAA	11				
C»	ACTIVATOR 90	0.25	PMV	11				
D»	LIQUID AMS	2.50	PMV	11				
3A»	RNDUP POWERMAX	0.77	LAA	11	99	89	82	191.5
B»	LAUDIS 3.5SC	0.055	LAA	11				
C	ATRAZINE DF	0.50	LAA	11				
D»	LIQUID AMS	2.50	PMV	11				
4A»	DURANGO 4AE	0.75	LAA	11	98	94	83	184.8
B»	SURESTART 4.16	0.91	LAA	11				
C»	LIQUID AMS	2.50	PMV	11				
5A»	RNDUP POWERMAX	0.77	LAA	11	98	96	86	170.1
B»	CAPRENO 3.45 S	0.081	LAA	11				
C	ATRAZINE DF	0.50	LAA	11				
D»	LIQUID AMS	2.50	PMV	11				
6A»	RNDUP POWERMAX	0.77	LAA	11	95	92	86	168.0
B»	STATUS 56DG	0.088	LAA	11				
C»	LIQUID AMS	2.50	PMV	11				
7A»	RNDUP POWERMAX	0.77	LAA	11	79	79	60	159.8
B»	LIQUID AMS	2.50	PMV	11				
8A»	RNDUP POWERMAX	0.77	LAA	11	99	96	88	199.3
B»	LIQUID AMS	2.50	PMV	11				
C»	RNDUP POWERMAX	0.77	LAA	13				
D»	LIQUID AMS	2.50	PMV	13				
9A»	TOUCHDN TOTAL	0.78	LAA	11	99	98	91	178.6
B	LUMAX	1.48	LAA	11				
C»	LIQUID AMS	2.50	PMV	11				
10A»	HALEX GT 4.38L	1.97	LAA	11	98	97	91	183.8
B	NORTHSTAR	0.074	LAA	11				
C»	ACTIVATOR 90	0.25	PMV	11				
D»	LIQUID AMS	2.50	PMV	11				
11A»	HALEX GT 4.38L	1.97	LAA	11	99	95	90	190.8
B»	STATUS 56DG	0.088	LAA	11				
C»	ACTIVATOR 90	0.25	PMV	11				
D»	LIQUID AMS	2.50	PMV	11				
12A»	IGNITE 2.33SL	0.40	LAA	11	99	91	85	191.9
B»	CAPRENO 3.45 S	0.081	LAA	11				
C»	LIQUID AMS	2.50	PMV	11				
13A	RESOLVE 25DF	0.019	LAA	11	98	96	85	180.0
B»	ISOXADIFEN-ETH	0.0094	LAA	11				
C»	MESOTRIONE 50W	0.078	LAA	11				
D»	ABUNDIT EXTRA	0.75	LAA	11				
E»	LIQUID AMS	2.50	PMV	11				
14A	CHECK	0.00	NA	0	0	0	0	96.3
15A»	RNDUP POWERMAX	0.77	LAA	11	97	90	85	177.7
B»	CADET 0.91EC	0.0036	LAA	11				
C»	LIQUID AMS	2.50	PMV	11				

TITLE: Postemergence Weed Control Systems in RR/LL Corn. as-400

TRT TREATMENT NUM COMPONENT	DOSAGE RATE	UNIT	TM	ABUTH CON % 07/12/10	XANST CON % 07/12/10	PHBPU CON % 07/12/10	YIELD BU/A 10/14/10
16A»RNDUP POWERMAX	0.77	LAA	11	96	93	85	179.8
B RESOURCE (0.86)	0.027	LAA	11				
C»LIQUID AMS	2.50	PMV	11				
	LSLSD (0.05)			3.80	6.08	4.45	27.93
	STANDARD DEVIATION			1.86	3.00	2.18	13.68

» = SUPPLEMENTAL CHEMICAL

* TIMING CODES

00 = ----- / UNTREATED TIMING
11 = ----- / EPOST 05/19/2010(1)
13 = ----- / LPOST 06/04/2010(2)

H#	CUSTOM#1	CUSTOM#2	EV.DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTRT	SS	NOTE
001	ZEAMD	CON %	05/28/2010	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
002	SETFA	CON %	05/28/2010	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
003	CHEAL	CON %	05/28/2010	03	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
004	AMATA	CON %	05/28/2010	04	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
005	ABUTH	CON %	05/28/2010	05	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
006	XANST	CON %	05/28/2010	06	P	XANST		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
007	PHBPU	CON %	05/28/2010	07	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
008	ZEAMD	CON %	06/11/2010	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
009	SETFA	CON %	06/11/2010	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
010	CHEAL	CON %	06/11/2010	03	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
011	AMATA	CON %	06/11/2010	04	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
012	ABUTH	CON %	06/11/2010	05	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
013	XANST	CON %	06/11/2010	06	P	XANST		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
014	PHBPU	CON %	06/11/2010	07	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
015	ZEAMD	CON %	07/12/2010	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
016	SETFA	CON %	07/12/2010	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
017	CHEAL	CON %	07/12/2010	03	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
018	AMATA	CON %	07/12/2010	04	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
019	ABUTH	CON %	07/12/2010	05	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
020	XANST	CON %	07/12/2010	06	P	XANST		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
021	PHBPU	CON %	07/12/2010	07	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
023	YIELD	BU/A	10/14/2010	01	P	ZEAMD		RAW	---	YLD	---	---	0.00 ---	NO	0001	0	Y

* SEE INDIVIDUAL EVALUATION COMMENTS UNDER SPECIFIC TRIAL NOTES

* SPECIES COMMON NAME - VARIETY/SPECIE INFO (IF APPLICABLE)

01 = P 0916 RR/LL