

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: SIL
PH: 6.4
%OM: 4.6
PREV.CROP: ZEAMD - CORN, DENT
%RESIDUE: 0
PLOT WIDTH: 7.5 X 30 FEET
PLOT AREA: 225 FEET

DESIGN: RCB
REPS: 3

APPL. NUMBER	01	02	UNIT
TIMINGS	06	12	
TYPE	LIQMIX	LIQMIX	
APPLICATION DATE	05/13/10	06/14/10	AME
AIR TEMPERATURE	67	78	F
% REL.HUMIDITY	58	83	
WIND DIRECTION	EAST	SOUTHWEST	
WIND SPEED	6.0	3.0	M/H
CLOUD COVER	CLEAR	CLOUDY	
DEW	NO	YES	
SOIL MOISTURE	MOIST/MOI	MOIST/MOI	
SOIL CONDITION	---	---	
METHOD	SPRAY	SPRAY	
EQUIPMENT	SPRBAC	SPRBAC	
PROPELLANT	COMCO2	COMCO2	
PLACEMENT	BRFOSO	BRFOSO	
NOZZLE	FLATFAN	FLATFAN	
NOZZLE NUMBER	5	5	
NOZZLE SPACING	18.000	18.000	IN
SCREEN SIZE			
SCREEN SZ DESC	NA	NA	
SWATH WIDTH	7.5	7.5	FT
SPRAY VOLUME	20.00	20.00	
SPRAY VOLUME UNIT	GPA	GPA	
PRESSURE	30.00	30.00	PSI
DILUENT	WATER	WATER	
INC. DATE			AME
INC. START			24H
INC. END			24H
INC. DEPTH			IN
INC. EQUIPMENT	---	---	
	DN/SG/MMZ		
*** CROP ***			
SOYBEAN		---/14	
A 3402RR		6.00/6.00	IN
*** PEST ***			
LAMBSQUARTERS, C		---/19	
		2.00/6.00	IN
HORSEWEED / MARE		---/19	
		4.00/12.0	IN
HENBIT	---/19	---/19	
	3.00/5.00	4.00/6.00	IN
MORNINGGLORY, TA		---/19	
		2.00/4.00	IN
SMARTWEED, PENNS		---/19	
		3.00/6.00	IN
FOXTAIL, GIANT		---/16	
		2.00/8.00	IN
CHICKWEED, COMMO		---/19	
		2.00/6.00	IN

* TIMING CODES

06 = ----- / EPP 7 DBP
12 = ----- / POST

* STAGE CODE

14 = 4TH LEAF (2ND TRIFOLIATE LEAF) UNFOLDED, 3 NODES
16 = 6 LEAVES UNFOLDED
19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

TITLE: Weed Control in No-till Soybean. N-200
CREATED: 04/20/2010 **REVISED:** 07/27/2010 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT	TREATMENT	DOSAGE	STEME	LAMAM	ERICA	SETFA	CHEAL	POLPY
NUM	COMPONENT	RATE	UNIT	CON %	CON %	CON %	CON %	CON %
			TM	05/19/10	05/19/10	05/19/10	05/19/10	05/19/10
1A»	RNDUP POWERMAX	0.77	LAA 6	57	43	57	60	52
B»	LIQUID AMS	5.00	PMV 6					
C»	RNDUP POWERMAX	0.77	LAA 12					
D»	LIQUID AMS	2.50	PMV 12					
2A»	RNDUP POWERMAX	0.77	LAA 6	58	52	70	62	72
B	(G)2,4-D-ESTER	0.50	LAA 6					
C»	LIQUID AMS	5.00	PMV 6					
D»	RNDUP POWERMAX	0.77	LAA 12					
E»	LIQUID AMS	2.50	PMV 12					
3A»	SHARPEN 2.85L	0.022	LAA 6	98	89	96	89	93
B»	RNDUP POWERMAX	0.77	LAA 6					
C»	MISO	1.00	PMV 6					
D»	LIQUID AMS	5.00	PMV 6					
E»	RNDUP POWERMAX	0.77	LAA 12					
F»	LIQUID AMS	2.50	PMV 12					
4A»	OPTILL 68WG	0.085	LAA 6	95	89	95	90	93
B»	RNDUP POWERMAX	0.77	LAA 6					
C»	MISO	1.00	PMV 6					
D»	LIQUID AMS	5.00	PMV 6					
E»	RNDUP POWERMAX	0.77	LAA 12					
F»	LIQUID AMS	2.50	PMV 12					
5A»	SHARPEN 2.85L	0.022	LAA 6	95	85	92	93	94
B	EXTREME 2.17SL	0.81	LAA 6					
C»	MISO	1.00	PMV 6					
D»	LIQUID AMS	5.00	PMV 6					
E»	RNDUP POWERMAX	0.77	LAA 12					
F»	LIQUID AMS	2.50	PMV 12					
6A»	SHARPEN 2.85L	0.022	LAA 6	92	83	90	84	89
B	PROWL H2O 3.8	1.24	LAA 6					
C»	RNDUP POWERMAX	0.77	LAA 6					
D»	MISO	1.00	PMV 6					
E»	LIQUID AMS	5.00	PMV 6					
F»	RNDUP POWERMAX	0.77	LAA 12					
G»	LIQUID AMS	2.50	PMV 12					
7A»	RNDUP POWERMAX	0.77	LAA 6	97	92	96	91	96
B»	RAGE D-TECH 4L	0.375	LAA 6					
C»	AUTHORITY XL 7	0.175	LAA 6					
D»	COC	1.00	PMV 6					
E»	LIQUID AMS	2.50	PMV 6					
F»	RNDUP POWERMAX	0.77	LAA 12					
G»	LIQUID AMS	2.50	PMV 12					
8A»	IGNITE 2.33SL	0.53	LAA 6	90	88	90	80	83
B»	LIQUID AMS	2.50	PMV 6					
C»	RNDUP POWERMAX	0.77	LAA 12					
D»	LIQUID AMS	2.50	PMV 12					
9A»	IGNITE 2.33SL	0.53	LAA 6	89	84	89	81	90
B	(G)2,4-D-ESTER	0.50	LAA 6					
C»	LIQUID AMS	2.50	PMV 6					
D»	RNDUP POWERMAX	0.77	LAA 12					
E»	LIQUID AMS	2.50	PMV 12					
10A»	IGNITE 2.33SL	0.53	LAA 6	98	97	99	94	97
B»	SHARPEN 2.85L	0.022	LAA 6					
C»	LIQUID AMS	2.50	PMV 6					
D»	RNDUP POWERMAX	0.77	LAA 12					
E»	LIQUID AMS	2.50	PMV 12					

TITLE: Weed Control in No-till Soybean. N-200

TRT	TREATMENT	DOSAGE	STEME	LAMAM	ERICA	SETFA	CHEAL	POLPY		
NUM	COMPONENT	RATE	UNIT	TM	CON %	CON %	CON %	CON %		
					05/19/10	05/19/10	05/19/10	05/19/10		
11A»	IGNITE 2.33SL	0.53	LAA	6	73	63	63	57	75	70
	B SENCOR 75WG	0.375	LAA	6						
	C»LIQUID AMS	2.50	PMV	6						
	D»RNDUP POWERMAX	0.77	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						
12A»	IGNITE 2.33SL	0.53	LAA	6	98	96	96	93	97	96
	B»ENVIVE 41.3SG	0.09	LAA	0						
	C CLASSIC 25WG	0.02	LAA	6						
	D»HARMONY GT 50W	0.006	LAA	6						
	E VALOR 51WG	0.064	LAA	6						
	F»LIQUID AMS	2.50	PMV	6						
	G»RNDUP POWERMAX	0.77	LAA	12						
	H»LIQUID AMS	2.50	PMV	12						
13A»	RNDUP POWERMAX	0.77	LAA	6	96	96	97	93	97	95
	B»RAGE D-TECH 4L	0.375	LAA	6						
	C»AUTHORITY MTZ	0.225	LAA	6						
	D»COC	1.00	PMV	6						
	E»LIQUID AMS	2.50	PMV	6						
	F»RNDUP POWERMAX	0.77	LAA	12						
	G»LIQUID AMS	2.50	PMV	12						
14A»	RNDUP POWERMAX	0.77	LAA	6	89	84	87	83	89	84
	B»VALOR XLT 40WG	0.075	LAA	0						
	C CLASSIC 25WG	0.019	LAA	6						
	D VALOR 51WG	0.056	LAA	6						
	E»LIQUID AMS	2.50	PMV	6						
	F»RNDUP POWERMAX	0.77	LAA	12						
	G»LIQUID AMS	2.50	PMV	12						
15A»	GRAMOX INTEON	0.63	LAA	6	99	98	99	97	98	97
	B»SHARPEN 2.85L	0.022	LAA	6						
	C»ACTIVATOR 90	0.25	PMV	6						
	D»RNDUP POWERMAX	0.77	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						
16A	CHECK	0.00	NA	0	0	0	0	0	0	0
17A»	TACKLE 3.13 AE	0.78	LAA	6	52	43	52	55	75	60
	B»ACTIVATOR 90	0.25	PMV	6						
	C»LIQUID AMS	2.50	PMV	6						
18A»	TACKLE 3.13 AE	0.78	LAA	6	57	47	58	58	67	57
	B»ACTIVATOR 90	0.25	PMV	6						
	C»LIQUID AMS	2.50	PMV	6						
	D»TACKLE 3.13 AE	0.78	LAA	12						
	E»ACTIVATOR 90	0.25	PMV	12						
	F»LIQUID AMS	2.50	PMV	12						
19A»	GLYFOS EXTRA 3	0.75	LAA	6	53	37	47	50	62	33
	B»LIQUID AMS	2.50	PMV	6						
	C»TACKLE 3.13 AE	0.78	LAA	12						
	D»ACTIVATOR 90	0.25	PMV	12						
	E»LIQUID AMS	2.50	PMV	12						
20A»	GLYFOS EXTRA 3	0.75	LAA	6	53	42	50	48	63	40
	B»LIQUID AMS	2.50	PMV	6						
	C»TACKLE 3.13 AE	1.57	LAA	12						
	D»ACTIVATOR 90	0.25	PMV	12						
	E»LIQUID AMS	2.50	PMV	12						
21A»	GLYFOS EXTRA 3	0.75	LAA	6	47	33	53	50	62	37
	B»LIQUID AMS	2.50	PMV	6						
	C EXTREME 2.17SL	0.81	LAA	12						
	D»ACTIVATOR 90	0.25	PMV	12						
	E»LIQUID AMS	2.50	PMV	12						
LSD (0.05)					11.00	12.24	7.43	9.32	7.13	9.70
STANDARD DEVIATION					5.43	6.06	3.68	4.61	3.53	4.80

TITLE: Weed Control in No-till Soybean. N-200
CREATED: 04/20/2010 **REVISED:** 07/27/2010 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT	TREATMENT	DOSAGE		PHBPU	GLXMA	STEME	LAMAM	ERICA	SETFA
NUM	COMPONENT	RATE	UNIT TM	CON %	CON %	CON %	CON %	CON %	CON %
				05/19/10	06/14/10	06/14/10	06/14/10	06/14/10	06/14/10
1A»	RNDUP POWERMAX	0.77	LAA 6	53	0	99	78	81	47
B»	LIQUID AMS	5.00	PMV 6						
C»	RNDUP POWERMAX	0.77	LAA 12						
D»	LIQUID AMS	2.50	PMV 12						
2A»	RNDUP POWERMAX	0.77	LAA 6	70	0	99	99	88	57
B	(G)2,4-D-ESTER	0.50	LAA 6						
C»	LIQUID AMS	5.00	PMV 6						
D»	RNDUP POWERMAX	0.77	LAA 12						
E»	LIQUID AMS	2.50	PMV 12						
3A»	SHARPEN 2.85L	0.022	LAA 6	94	0	99	99	99	62
B»	RNDUP POWERMAX	0.77	LAA 6						
C»	MSO	1.00	PMV 6						
D»	LIQUID AMS	5.00	PMV 6						
E»	RNDUP POWERMAX	0.77	LAA 12						
F»	LIQUID AMS	2.50	PMV 12						
4A»	OPTILL 68WG	0.085	LAA 6	92	0	99	99	99	93
B»	RNDUP POWERMAX	0.77	LAA 6						
C»	MSO	1.00	PMV 6						
D»	LIQUID AMS	5.00	PMV 6						
E»	RNDUP POWERMAX	0.77	LAA 12						
F»	LIQUID AMS	2.50	PMV 12						
5A»	SHARPEN 2.85L	0.022	LAA 6	93	0	99	99	99	96
B	EXTREME 2.17SL	0.81	LAA 6						
C»	MSO	1.00	PMV 6						
D»	LIQUID AMS	5.00	PMV 6						
E»	RNDUP POWERMAX	0.77	LAA 12						
F»	LIQUID AMS	2.50	PMV 12						
6A»	SHARPEN 2.85L	0.022	LAA 6	89	0	99	99	99	75
B	PROWL H2O 3.8	1.24	LAA 6						
C»	RNDUP POWERMAX	0.77	LAA 6						
D»	MSO	1.00	PMV 6						
E»	LIQUID AMS	5.00	PMV 6						
F»	RNDUP POWERMAX	0.77	LAA 12						
G»	LIQUID AMS	2.50	PMV 12						
7A»	RNDUP POWERMAX	0.77	LAA 6	93	0	99	99	99	75
B»	RAGE D-TECH 4L	0.375	LAA 6						
C»	AUTHORITY XL 7	0.175	LAA 6						
D»	COC	1.00	PMV 6						
E»	LIQUID AMS	2.50	PMV 6						
F»	RNDUP POWERMAX	0.77	LAA 12						
G»	LIQUID AMS	2.50	PMV 12						
8A»	IGNITE 2.33SL	0.53	LAA 6	85	0	99	91	78	60
B»	LIQUID AMS	2.50	PMV 6						
C»	RNDUP POWERMAX	0.77	LAA 12						
D»	LIQUID AMS	2.50	PMV 12						
9A»	IGNITE 2.33SL	0.53	LAA 6	87	0	99	99	89	62
B	(G)2,4-D-ESTER	0.50	LAA 6						
C»	LIQUID AMS	2.50	PMV 6						
D»	RNDUP POWERMAX	0.77	LAA 12						
E»	LIQUID AMS	2.50	PMV 12						
10A»	IGNITE 2.33SL	0.53	LAA 6	94	0	99	93	96	62
B»	SHARPEN 2.85L	0.022	LAA 6						
C»	LIQUID AMS	2.50	PMV 6						
D»	RNDUP POWERMAX	0.77	LAA 12						
E»	LIQUID AMS	2.50	PMV 12						

TITLE: Weed Control in No-till Soybean. N-200

TRT	TREATMENT	DOSAGE	PHBPU	GLXMA	STEME	LAMAM	ERICA	SETFA		
NUM	COMPONENT	RATE	UNIT	TM	CON %	CON %	CON %	CON %		
					05/19/10	06/14/10	06/14/10	06/14/10		
11A»	IGNITE 2.33SL	0.53	LAA	6	65	0	99	96	91	67
	B SENCOR 75WG	0.375	LAA	6						
	C»LIQUID AMS	2.50	PMV	6						
	D»RNDUP POWERMAX	0.77	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						
12A»	IGNITE 2.33SL	0.53	LAA	6	94	0	99	99	99	78
	B»ENVIVE 41.3SG	0.09	LAA	0						
	C CLASSIC 25WG	0.02	LAA	6						
	D»HARMONY GT 50W	0.006	LAA	6						
	E VALOR 51WG	0.064	LAA	6						
	F»LIQUID AMS	2.50	PMV	6						
	G»RNDUP POWERMAX	0.77	LAA	12						
	H»LIQUID AMS	2.50	PMV	12						
13A»	RNDUP POWERMAX	0.77	LAA	6	92	0	99	99	99	63
	B»RAGE D-TECH 4L	0.375	LAA	6						
	C»AUTHORITY MTZ	0.225	LAA	6						
	D»COC	1.00	PMV	6						
	E»LIQUID AMS	2.50	PMV	6						
	F»RNDUP POWERMAX	0.77	LAA	12						
	G»LIQUID AMS	2.50	PMV	12						
14A»	RNDUP POWERMAX	0.77	LAA	6	84	0	99	99	98	72
	B»VALOR XLT 40WG	0.075	LAA	0						
	C CLASSIC 25WG	0.019	LAA	6						
	D VALOR 51WG	0.056	LAA	6						
	E»LIQUID AMS	2.50	PMV	6						
	F»RNDUP POWERMAX	0.77	LAA	12						
	G»LIQUID AMS	2.50	PMV	12						
15A»	GRAMOX INTEON	0.63	LAA	6	96	0	99	99	99	60
	B»SHARPEN 2.85L	0.022	LAA	6						
	C»ACTIVATOR 90	0.25	PMV	6						
	D»RNDUP POWERMAX	0.77	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						
16A	CHECK	0.00	NA	0	0	0	0	0	0	0
17A»	TACKLE 3.13 AE	0.78	LAA	6	55	0	99	99	92	85
	B»ACTIVATOR 90	0.25	PMV	6						
	C»LIQUID AMS	2.50	PMV	6						
18A»	TACKLE 3.13 AE	0.78	LAA	6	50	0	99	99	93	88
	B»ACTIVATOR 90	0.25	PMV	6						
	C»LIQUID AMS	2.50	PMV	6						
	D»TACKLE 3.13 AE	0.78	LAA	12						
	E»ACTIVATOR 90	0.25	PMV	12						
	F»LIQUID AMS	2.50	PMV	12						
19A»	GLYFOS EXTRA 3	0.75	LAA	6	43	0	99	83	80	50
	B»LIQUID AMS	2.50	PMV	6						
	C»TACKLE 3.13 AE	0.78	LAA	12						
	D»ACTIVATOR 90	0.25	PMV	12						
	E»LIQUID AMS	2.50	PMV	12						
20A»	GLYFOS EXTRA 3	0.75	LAA	6	50	0	99	79	78	52
	B»LIQUID AMS	2.50	PMV	6						
	C»TACKLE 3.13 AE	1.57	LAA	12						
	D»ACTIVATOR 90	0.25	PMV	12						
	E»LIQUID AMS	2.50	PMV	12						
21A»	GLYFOS EXTRA 3	0.75	LAA	6	43	0	99	83	77	43
	B»LIQUID AMS	2.50	PMV	6						
	C EXTREME 2.17SL	0.81	LAA	12						
	D»ACTIVATOR 90	0.25	PMV	12						
	E»LIQUID AMS	2.50	PMV	12						
LSD (0.05)					7.18	0.00	0.00	5.77	4.89	8.29
STANDARD DEVIATION					3.55	0.00	0.00	2.86	2.42	4.10

TITLE: Weed Control in No-till Soybean. N-200
CREATED: 04/20/2010 **REVISED:** 07/27/2010 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT	TREATMENT	DOSAGE		CHEAL	POLPY	PHBPU	GLXMA	STEME	LAMAM
NUM	COMPONENT	RATE	UNIT TM	CON %	CON %	CON %	CON %	CON %	CON %
				06/14/10	06/14/10	06/14/10	06/29/10	06/29/10	06/29/10
1A»	RNDUP POWERMAX	0.77	LAA 6	60	52	0	0	99	99
B»	LIQUID AMS	5.00	PMV 6						
C»	RNDUP POWERMAX	0.77	LAA 12						
D»	LIQUID AMS	2.50	PMV 12						
2A»	RNDUP POWERMAX	0.77	LAA 6	72	72	0	0	99	99
B	(G)2,4-D-ESTER	0.50	LAA 6						
C»	LIQUID AMS	5.00	PMV 6						
D»	RNDUP POWERMAX	0.77	LAA 12						
E»	LIQUID AMS	2.50	PMV 12						
3A»	SHARPEN 2.85L	0.022	LAA 6	85	87	65	0	99	99
B»	RNDUP POWERMAX	0.77	LAA 6						
C»	MISO	1.00	PMV 6						
D»	LIQUID AMS	5.00	PMV 6						
E»	RNDUP POWERMAX	0.77	LAA 12						
F»	LIQUID AMS	2.50	PMV 12						
4A»	OPTILL 68WG	0.085	LAA 6	99	99	89	0	99	99
B»	RNDUP POWERMAX	0.77	LAA 6						
C»	MISO	1.00	PMV 6						
D»	LIQUID AMS	5.00	PMV 6						
E»	RNDUP POWERMAX	0.77	LAA 12						
F»	LIQUID AMS	2.50	PMV 12						
5A»	SHARPEN 2.85L	0.022	LAA 6	99	99	89	0	99	99
B	EXTREME 2.17SL	0.81	LAA 6						
C»	MISO	1.00	PMV 6						
D»	LIQUID AMS	5.00	PMV 6						
E»	RNDUP POWERMAX	0.77	LAA 12						
F»	LIQUID AMS	2.50	PMV 12						
6A»	SHARPEN 2.85L	0.022	LAA 6	95	93	68	0	99	99
B	PROWL H2O 3.8	1.24	LAA 6						
C»	RNDUP POWERMAX	0.77	LAA 6						
D»	MISO	1.00	PMV 6						
E»	LIQUID AMS	5.00	PMV 6						
F»	RNDUP POWERMAX	0.77	LAA 12						
G»	LIQUID AMS	2.50	PMV 12						
7A»	RNDUP POWERMAX	0.77	LAA 6	99	99	84	0	99	99
B»	RAGE D-TECH 4L	0.375	LAA 6						
C»	AUTHORITY XL 7	0.175	LAA 6						
D»	COC	1.00	PMV 6						
E»	LIQUID AMS	2.50	PMV 6						
F»	RNDUP POWERMAX	0.77	LAA 12						
G»	LIQUID AMS	2.50	PMV 12						
8A»	IGNITE 2.33SL	0.53	LAA 6	65	72	0	0	99	99
B»	LIQUID AMS	2.50	PMV 6						
C»	RNDUP POWERMAX	0.77	LAA 12						
D»	LIQUID AMS	2.50	PMV 12						
9A»	IGNITE 2.33SL	0.53	LAA 6	78	80	27	0	99	99
B	(G)2,4-D-ESTER	0.50	LAA 6						
C»	LIQUID AMS	2.50	PMV 6						
D»	RNDUP POWERMAX	0.77	LAA 12						
E»	LIQUID AMS	2.50	PMV 12						
10A»	IGNITE 2.33SL	0.53	LAA 6	94	91	63	0	99	99
B»	SHARPEN 2.85L	0.022	LAA 6						
C»	LIQUID AMS	2.50	PMV 6						
D»	RNDUP POWERMAX	0.77	LAA 12						
E»	LIQUID AMS	2.50	PMV 12						

TITLE: Weed Control in No-till Soybean. N-200

TRT	TREATMENT	DOSAGE	CHEAL	POLPY	PHBPU	GLXMA	STEME	LAMAM		
NUM	COMPONENT	RATE	UNIT	TM	CON %	CON %	CON %	CON %		
					06/14/10	06/14/10	06/14/10	06/29/10		
					06/29/10	06/29/10	06/29/10	06/29/10		
11A»	IGNITE 2.33SL	0.53	LAA	6	87	83	37	0	99	99
	B SENCOR 75WG	0.375	LAA	6						
	C»LIQUID AMS	2.50	PMV	6						
	D»RNDUP POWERMAX	0.77	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						
12A»	IGNITE 2.33SL	0.53	LAA	6	99	98	73	0	99	99
	B»ENVIVE 41.3SG	0.09	LAA	0						
	C CLASSIC 25WG	0.02	LAA	6						
	D»HARMONY GT 50W	0.006	LAA	6						
	E VALOR 51WG	0.064	LAA	6						
	F»LIQUID AMS	2.50	PMV	6						
	G»RNDUP POWERMAX	0.77	LAA	12						
	H»LIQUID AMS	2.50	PMV	12						
13A»	RNDUP POWERMAX	0.77	LAA	6	98	99	73	0	99	99
	B»RAGE D-TECH 4L	0.375	LAA	6						
	C»AUTHORITY MTZ	0.225	LAA	6						
	D»COC	1.00	PMV	6						
	E»LIQUID AMS	2.50	PMV	6						
	F»RNDUP POWERMAX	0.77	LAA	12						
	G»LIQUID AMS	2.50	PMV	12						
14A»	RNDUP POWERMAX	0.77	LAA	6	99	99	70	0	99	99
	B»VALOR XLT 40WG	0.075	LAA	0						
	C CLASSIC 25WG	0.019	LAA	6						
	D VALOR 51WG	0.056	LAA	6						
	E»LIQUID AMS	2.50	PMV	6						
	F»RNDUP POWERMAX	0.77	LAA	12						
	G»LIQUID AMS	2.50	PMV	12						
15A»	GRAMOX INTEON	0.63	LAA	6	90	89	67	0	99	99
	B»SHARPEN 2.85L	0.022	LAA	6						
	C»ACTIVATOR 90	0.25	PMV	6						
	D»RNDUP POWERMAX	0.77	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						
16A	CHECK	0.00	NA	0	0	0	0	0	0	0
17A»	TACKLE 3.13 AE	0.78	LAA	6	99	98	78	0	99	99
	B»ACTIVATOR 90	0.25	PMV	6						
	C»LIQUID AMS	2.50	PMV	6						
18A»	TACKLE 3.13 AE	0.78	LAA	6	99	97	81	0	99	99
	B»ACTIVATOR 90	0.25	PMV	6						
	C»LIQUID AMS	2.50	PMV	6						
	D»TACKLE 3.13 AE	0.78	LAA	12						
	E»ACTIVATOR 90	0.25	PMV	12						
	F»LIQUID AMS	2.50	PMV	12						
19A»	GLYFOS EXTRA 3	0.75	LAA	6	68	67	0	0	99	99
	B»LIQUID AMS	2.50	PMV	6						
	C»TACKLE 3.13 AE	0.78	LAA	12						
	D»ACTIVATOR 90	0.25	PMV	12						
	E»LIQUID AMS	2.50	PMV	12						
20A»	GLYFOS EXTRA 3	0.75	LAA	6	67	65	0	0	99	99
	B»LIQUID AMS	2.50	PMV	6						
	C»TACKLE 3.13 AE	1.57	LAA	12						
	D»ACTIVATOR 90	0.25	PMV	12						
	E»LIQUID AMS	2.50	PMV	12						
21A»	GLYFOS EXTRA 3	0.75	LAA	6	70	63	0	0	99	99
	B»LIQUID AMS	2.50	PMV	6						
	C EXTREME 2.17SL	0.81	LAA	12						
	D»ACTIVATOR 90	0.25	PMV	12						
	E»LIQUID AMS	2.50	PMV	12						
LSD (0.05)					8.45	9.09	9.20	0.00	0.00	0.00
STANDARD DEVIATION					4.18	4.50	4.55	0.00	0.00	0.00

TITLE: Weed Control in No-till Soybean. N-200
CREATED: 04/20/2010 **REVISED:** 07/27/2010 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT	TREATMENT	DOSAGE		ERICA	SETFA	CHEAL	POLPY	PHBPU	GLXMA
NUM	COMPONENT	RATE	UNIT TM	CON %	CON %	CON %	CON %	CON %	CON %
				06/29/10	06/29/10	06/29/10	06/29/10	06/29/10	07/13/10
1A»	RNDUP POWERMAX	0.77	LAA 6	99	82	99	99	88	0
B»	LIQUID AMS	5.00	PMV 6						
C»	RNDUP POWERMAX	0.77	LAA 12						
D»	LIQUID AMS	2.50	PMV 12						
2A»	RNDUP POWERMAX	0.77	LAA 6	99	83	99	99	89	0
B	(G)2,4-D-ESTER	0.50	LAA 6						
C»	LIQUID AMS	5.00	PMV 6						
D»	RNDUP POWERMAX	0.77	LAA 12						
E»	LIQUID AMS	2.50	PMV 12						
3A»	SHARPEN 2.85L	0.022	LAA 6	99	89	99	99	89	0
B»	RNDUP POWERMAX	0.77	LAA 6						
C»	MISO	1.00	PMV 6						
D»	LIQUID AMS	5.00	PMV 6						
E»	RNDUP POWERMAX	0.77	LAA 12						
F»	LIQUID AMS	2.50	PMV 12						
4A»	OPTILL 68WG	0.085	LAA 6	99	99	99	99	98	0
B»	RNDUP POWERMAX	0.77	LAA 6						
C»	MISO	1.00	PMV 6						
D»	LIQUID AMS	5.00	PMV 6						
E»	RNDUP POWERMAX	0.77	LAA 12						
F»	LIQUID AMS	2.50	PMV 12						
5A»	SHARPEN 2.85L	0.022	LAA 6	99	99	99	99	99	0
B	EXTREME 2.17SL	0.81	LAA 6						
C»	MISO	1.00	PMV 6						
D»	LIQUID AMS	5.00	PMV 6						
E»	RNDUP POWERMAX	0.77	LAA 12						
F»	LIQUID AMS	2.50	PMV 12						
6A»	SHARPEN 2.85L	0.022	LAA 6	99	96	99	99	90	0
B	PROWL H2O 3.8	1.24	LAA 6						
C»	RNDUP POWERMAX	0.77	LAA 6						
D»	MISO	1.00	PMV 6						
E»	LIQUID AMS	5.00	PMV 6						
F»	RNDUP POWERMAX	0.77	LAA 12						
G»	LIQUID AMS	2.50	PMV 12						
7A»	RNDUP POWERMAX	0.77	LAA 6	99	91	99	99	97	0
B»	RAGE D-TECH 4L	0.375	LAA 6						
C»	AUTHORITY XL 7	0.175	LAA 6						
D»	COC	1.00	PMV 6						
E»	LIQUID AMS	2.50	PMV 6						
F»	RNDUP POWERMAX	0.77	LAA 12						
G»	LIQUID AMS	2.50	PMV 12						
8A»	IGNITE 2.33SL	0.53	LAA 6	99	85	99	99	91	0
B»	LIQUID AMS	2.50	PMV 6						
C»	RNDUP POWERMAX	0.77	LAA 12						
D»	LIQUID AMS	2.50	PMV 12						
9A»	IGNITE 2.33SL	0.53	LAA 6	99	89	99	99	94	0
B	(G)2,4-D-ESTER	0.50	LAA 6						
C»	LIQUID AMS	2.50	PMV 6						
D»	RNDUP POWERMAX	0.77	LAA 12						
E»	LIQUID AMS	2.50	PMV 12						
10A»	IGNITE 2.33SL	0.53	LAA 6	99	91	99	99	90	0
B»	SHARPEN 2.85L	0.022	LAA 6						
C»	LIQUID AMS	2.50	PMV 6						
D»	RNDUP POWERMAX	0.77	LAA 12						
E»	LIQUID AMS	2.50	PMV 12						

TITLE: Weed Control in No-till Soybean. N-200

TRT	TREATMENT	DOSAGE		ERICA	SETFA	CHEAL	POLPY	PHBPU	GLXMA
NUM	COMPONENT	RATE	UNIT TM	CON %	CON %	CON %	CON %	CON %	CON %
				06/29/10	06/29/10	06/29/10	06/29/10	06/29/10	07/13/10
11A»	IGNITE 2.33SL	0.53	LAA 6	99	84	99	99	82	0
	B SENCOR 75WG	0.375	LAA 6						
	C»LIQUID AMS	2.50	PMV 6						
	D»RNDUP POWERMAX	0.77	LAA 12						
	E»LIQUID AMS	2.50	PMV 12						
12A»	IGNITE 2.33SL	0.53	LAA 6	99	91	99	99	88	0
	B»ENVIVE 41.3SG	0.09	LAA 0						
	C CLASSIC 25WG	0.02	LAA 6						
	D»HARMONY GT 50W	0.006	LAA 6						
	E VALOR 51WG	0.064	LAA 6						
	F»LIQUID AMS	2.50	PMV 6						
	G»RNDUP POWERMAX	0.77	LAA 12						
	H»LIQUID AMS	2.50	PMV 12						
13A»	RNDUP POWERMAX	0.77	LAA 6	99	89	99	99	89	0
	B»RAGE D-TECH 4L	0.375	LAA 6						
	C»AUTHORITY MTZ	0.225	LAA 6						
	D»COC	1.00	PMV 6						
	E»LIQUID AMS	2.50	PMV 6						
	F»RNDUP POWERMAX	0.77	LAA 12						
	G»LIQUID AMS	2.50	PMV 12						
14A»	RNDUP POWERMAX	0.77	LAA 6	99	96	99	99	93	0
	B»VALOR XLT 40WG	0.075	LAA 0						
	C CLASSIC 25WG	0.019	LAA 6						
	D VALOR 51WG	0.056	LAA 6						
	E»LIQUID AMS	2.50	PMV 6						
	F»RNDUP POWERMAX	0.77	LAA 12						
	G»LIQUID AMS	2.50	PMV 12						
15A»	GRAMOX INTEON	0.63	LAA 6	99	89	99	99	88	0
	B»SHARPEN 2.85L	0.022	LAA 6						
	C»ACTIVATOR 90	0.25	PMV 6						
	D»RNDUP POWERMAX	0.77	LAA 12						
	E»LIQUID AMS	2.50	PMV 12						
16A	CHECK	0.00	NA 0	0	0	0	0	0	0
17A»	TACKLE 3.13 AE	0.78	LAA 6	70	68	99	96	63	0
	B»ACTIVATOR 90	0.25	PMV 6						
	C»LIQUID AMS	2.50	PMV 6						
18A»	TACKLE 3.13 AE	0.78	LAA 6	99	99	99	99	95	0
	B»ACTIVATOR 90	0.25	PMV 6						
	C»LIQUID AMS	2.50	PMV 6						
	D»TACKLE 3.13 AE	0.78	LAA 12						
	E»ACTIVATOR 90	0.25	PMV 12						
	F»LIQUID AMS	2.50	PMV 12						
19A»	GLYFOS EXTRA 3	0.75	LAA 6	99	97	99	99	93	0
	B»LIQUID AMS	2.50	PMV 6						
	C»TACKLE 3.13 AE	0.78	LAA 12						
	D»ACTIVATOR 90	0.25	PMV 12						
	E»LIQUID AMS	2.50	PMV 12						
20A»	GLYFOS EXTRA 3	0.75	LAA 6	99	99	99	99	96	0
	B»LIQUID AMS	2.50	PMV 6						
	C»TACKLE 3.13 AE	1.57	LAA 12						
	D»ACTIVATOR 90	0.25	PMV 12						
	E»LIQUID AMS	2.50	PMV 12						
21A»	GLYFOS EXTRA 3	0.75	LAA 6	99	99	99	99	95	0
	B»LIQUID AMS	2.50	PMV 6						
	C EXTREME 2.17SL	0.81	LAA 12						
	D»ACTIVATOR 90	0.25	PMV 12						
	E»LIQUID AMS	2.50	PMV 12						
LSD (0.05)				1.80	4.25	0.00	1.87	6.35	0.00
STANDARD DEVIATION				0.891	2.10	0.00	0.926	3.14	0.00

TITLE: Weed Control in No-till Soybean. N-200
CREATED: 04/20/2010 **REVISED:** 07/27/2010 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	STEME	LAMAM	ERICA	SETFA	CHEAL	POLPY
		RATE	UNIT		CON % 07/13/10	CON % 07/13/10	CON % 07/13/10	CON % 07/13/10	CON % 07/13/10	CON % 07/13/10
1A»	RNDUP POWERMAX	0.77	LAA	6	99	99	99	86	99	99
	B»LIQUID AMS	5.00	PMV	6						
	C»RNDUP POWERMAX	0.77	LAA	12						
	D»LIQUID AMS	2.50	PMV	12						
2A»	RNDUP POWERMAX	0.77	LAA	6	99	99	99	82	99	99
	B (G)2,4-D-ESTER	0.50	LAA	6						
	C»LIQUID AMS	5.00	PMV	6						
	D»RNDUP POWERMAX	0.77	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						
3A»	SHARPEN 2.85L	0.022	LAA	6	99	99	99	87	99	99
	B»RNDUP POWERMAX	0.77	LAA	6						
	C»MSO	1.00	PMV	6						
	D»LIQUID AMS	5.00	PMV	6						
	E»RNDUP POWERMAX	0.77	LAA	12						
	F»LIQUID AMS	2.50	PMV	12						
4A»	OPTILL 68WG	0.085	LAA	6	99	99	99	97	99	99
	B»RNDUP POWERMAX	0.77	LAA	6						
	C»MSO	1.00	PMV	6						
	D»LIQUID AMS	5.00	PMV	6						
	E»RNDUP POWERMAX	0.77	LAA	12						
	F»LIQUID AMS	2.50	PMV	12						
5A»	SHARPEN 2.85L	0.022	LAA	6	99	99	99	98	99	99
	B EXTREME 2.17SL	0.81	LAA	6						
	C»MSO	1.00	PMV	6						
	D»LIQUID AMS	5.00	PMV	6						
	E»RNDUP POWERMAX	0.77	LAA	12						
	F»LIQUID AMS	2.50	PMV	12						
6A»	SHARPEN 2.85L	0.022	LAA	6	99	99	99	92	99	99
	B PROWL H2O 3.8	1.24	LAA	6						
	C»RNDUP POWERMAX	0.77	LAA	6						
	D»MSO	1.00	PMV	6						
	E»LIQUID AMS	5.00	PMV	6						
	F»RNDUP POWERMAX	0.77	LAA	12						
	G»LIQUID AMS	2.50	PMV	12						
7A»	RNDUP POWERMAX	0.77	LAA	6	99	99	99	91	99	99
	B»RAGE D-TECH 4L	0.375	LAA	6						
	C»AUTHORITY XL 7	0.175	LAA	6						
	D»COC	1.00	PMV	6						
	E»LIQUID AMS	2.50	PMV	6						
	F»RNDUP POWERMAX	0.77	LAA	12						
	G»LIQUID AMS	2.50	PMV	12						
8A»	IGNITE 2.33SL	0.53	LAA	6	99	99	99	86	99	99
	B»LIQUID AMS	2.50	PMV	6						
	C»RNDUP POWERMAX	0.77	LAA	12						
	D»LIQUID AMS	2.50	PMV	12						
9A»	IGNITE 2.33SL	0.53	LAA	6	99	99	99	88	99	99
	B (G)2,4-D-ESTER	0.50	LAA	6						
	C»LIQUID AMS	2.50	PMV	6						
	D»RNDUP POWERMAX	0.77	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						
10A»	IGNITE 2.33SL	0.53	LAA	6	99	99	99	89	99	99
	B»SHARPEN 2.85L	0.022	LAA	6						
	C»LIQUID AMS	2.50	PMV	6						
	D»RNDUP POWERMAX	0.77	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						

TITLE: Weed Control in No-till Soybean. N-200

TRT	TREATMENT	DOSAGE	STEME	LAMAM	ERICA	SETFA	CHEAL	POLPY
NUM	COMPONENT	RATE	UNIT	CON %	CON %	CON %	CON %	CON %
			TM	07/13/10	07/13/10	07/13/10	07/13/10	07/13/10
11A»	IGNITE 2.33SL	0.53	LAA 6	99	99	99	88	99
	B SENCOR 75WG	0.375	LAA 6					
	C»LIQUID AMS	2.50	PMV 6					
	D»RNDUP POWERMAX	0.77	LAA 12					
	E»LIQUID AMS	2.50	PMV 12					
12A»	IGNITE 2.33SL	0.53	LAA 6	99	99	99	93	99
	B»ENVIVE 41.3SG	0.09	LAA 0					
	C CLASSIC 25WG	0.02	LAA 6					
	D»HARMONY GT 50W	0.006	LAA 6					
	E VALOR 51WG	0.064	LAA 6					
	F»LIQUID AMS	2.50	PMV 6					
	G»RNDUP POWERMAX	0.77	LAA 12					
	H»LIQUID AMS	2.50	PMV 12					
13A»	RNDUP POWERMAX	0.77	LAA 6	99	99	99	89	99
	B»RAGE D-TECH 4L	0.375	LAA 6					
	C»AUTHORITY MTZ	0.225	LAA 6					
	D»COC	1.00	PMV 6					
	E»LIQUID AMS	2.50	PMV 6					
	F»RNDUP POWERMAX	0.77	LAA 12					
	G»LIQUID AMS	2.50	PMV 12					
14A»	RNDUP POWERMAX	0.77	LAA 6	99	99	99	93	99
	B»VALOR XLT 40WG	0.075	LAA 0					
	C CLASSIC 25WG	0.019	LAA 6					
	D VALOR 51WG	0.056	LAA 6					
	E»LIQUID AMS	2.50	PMV 6					
	F»RNDUP POWERMAX	0.77	LAA 12					
	G»LIQUID AMS	2.50	PMV 12					
15A»	GRAMOX INTEON	0.63	LAA 6	99	99	99	86	99
	B»SHARPEN 2.85L	0.022	LAA 6					
	C»ACTIVATOR 90	0.25	PMV 6					
	D»RNDUP POWERMAX	0.77	LAA 12					
	E»LIQUID AMS	2.50	PMV 12					
16A	CHECK	0.00	NA 0	0	0	0	0	0
17A»	TACKLE 3.13 AE	0.78	LAA 6	99	99	57	50	96
	B»ACTIVATOR 90	0.25	PMV 6					
	C»LIQUID AMS	2.50	PMV 6					
18A»	TACKLE 3.13 AE	0.78	LAA 6	99	99	99	99	99
	B»ACTIVATOR 90	0.25	PMV 6					
	C»LIQUID AMS	2.50	PMV 6					
	D»TACKLE 3.13 AE	0.78	LAA 12					
	E»ACTIVATOR 90	0.25	PMV 12					
	F»LIQUID AMS	2.50	PMV 12					
19A»	GLYFOS EXTRA 3	0.75	LAA 6	99	99	99	99	99
	B»LIQUID AMS	2.50	PMV 6					
	C»TACKLE 3.13 AE	0.78	LAA 12					
	D»ACTIVATOR 90	0.25	PMV 12					
	E»LIQUID AMS	2.50	PMV 12					
20A»	GLYFOS EXTRA 3	0.75	LAA 6	99	99	99	98	99
	B»LIQUID AMS	2.50	PMV 6					
	C»TACKLE 3.13 AE	1.57	LAA 12					
	D»ACTIVATOR 90	0.25	PMV 12					
	E»LIQUID AMS	2.50	PMV 12					
21A»	GLYFOS EXTRA 3	0.75	LAA 6	99	99	99	99	99
	B»LIQUID AMS	2.50	PMV 6					
	C EXTREME 2.17SL	0.81	LAA 12					
	D»ACTIVATOR 90	0.25	PMV 12					
	E»LIQUID AMS	2.50	PMV 12					
LSD (0.05)				0.00	0.00	2.75	7.00	1.80
STANDARD DEVIATION				0.00	0.00	1.36	3.45	0.891
								0.411

TITLE: Weed Control in No-till Soybean. N-200
CREATED: 04/20/2010 **REVISED:** 07/27/2010 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT	TREATMENT	DOSAGE	PHBPU	CON %
NUM	COMPONENT	RATE	UNIT TM	07/13/10
1A»	RNDUP POWERMAX	0.77	LAA 6	86
B»	LIQUID AMS	5.00	PMV 6	
C»	RNDUP POWERMAX	0.77	LAA 12	
D»	LIQUID AMS	2.50	PMV 12	
2A»	RNDUP POWERMAX	0.77	LAA 6	88
B	(G)2,4-D-ESTER	0.50	LAA 6	
C»	LIQUID AMS	5.00	PMV 6	
D»	RNDUP POWERMAX	0.77	LAA 12	
E»	LIQUID AMS	2.50	PMV 12	
3A»	SHARPEN 2.85L	0.022	LAA 6	84
B»	RNDUP POWERMAX	0.77	LAA 6	
C»	MISO	1.00	PMV 6	
D»	LIQUID AMS	5.00	PMV 6	
E»	RNDUP POWERMAX	0.77	LAA 12	
F»	LIQUID AMS	2.50	PMV 12	
4A»	OPTILL 68WG	0.085	LAA 6	97
B»	RNDUP POWERMAX	0.77	LAA 6	
C»	MISO	1.00	PMV 6	
D»	LIQUID AMS	5.00	PMV 6	
E»	RNDUP POWERMAX	0.77	LAA 12	
F»	LIQUID AMS	2.50	PMV 12	
5A»	SHARPEN 2.85L	0.022	LAA 6	98
B	EXTREME 2.17SL	0.81	LAA 6	
C»	MISO	1.00	PMV 6	
D»	LIQUID AMS	5.00	PMV 6	
E»	RNDUP POWERMAX	0.77	LAA 12	
F»	LIQUID AMS	2.50	PMV 12	
6A»	SHARPEN 2.85L	0.022	LAA 6	91
B	PROWL H2O 3.8	1.24	LAA 6	
C»	RNDUP POWERMAX	0.77	LAA 6	
D»	MISO	1.00	PMV 6	
E»	LIQUID AMS	5.00	PMV 6	
F»	RNDUP POWERMAX	0.77	LAA 12	
G»	LIQUID AMS	2.50	PMV 12	
7A»	RNDUP POWERMAX	0.77	LAA 6	95
B»	RAGE D-TECH 4L	0.375	LAA 6	
C»	AUTHORITY XL 7	0.175	LAA 6	
D»	COC	1.00	PMV 6	
E»	LIQUID AMS	2.50	PMV 6	
F»	RNDUP POWERMAX	0.77	LAA 12	
G»	LIQUID AMS	2.50	PMV 12	
8A»	IGNITE 2.33SL	0.53	LAA 6	92
B»	LIQUID AMS	2.50	PMV 6	
C»	RNDUP POWERMAX	0.77	LAA 12	
D»	LIQUID AMS	2.50	PMV 12	
9A»	IGNITE 2.33SL	0.53	LAA 6	91
B	(G)2,4-D-ESTER	0.50	LAA 6	
C»	LIQUID AMS	2.50	PMV 6	
D»	RNDUP POWERMAX	0.77	LAA 12	
E»	LIQUID AMS	2.50	PMV 12	
10A»	IGNITE 2.33SL	0.53	LAA 6	90
B»	SHARPEN 2.85L	0.022	LAA 6	
C»	LIQUID AMS	2.50	PMV 6	
D»	RNDUP POWERMAX	0.77	LAA 12	
E»	LIQUID AMS	2.50	PMV 12	

TITLE: Weed Control in No-till Soybean. N-200

TRT	TREATMENT	DOSAGE	PHBPU	CON %
NUM	COMPONENT	RATE	UNIT	TM 07/13/10
11A»	IGNITE 2.33SL	0.53	LAA	6
	B SENCOR 75WG	0.375	LAA	6
	C»LIQUID AMS	2.50	PMV	6
	D»RNDUP POWERMAX	0.77	LAA	12
	E»LIQUID AMS	2.50	PMV	12
12A»	IGNITE 2.33SL	0.53	LAA	6
	B»ENVIVE 41.3SG	0.09	LAA	0
	C CLASSIC 25WG	0.02	LAA	6
	D»HARMONY GT 50W	0.006	LAA	6
	E VALOR 51WG	0.064	LAA	6
	F»LIQUID AMS	2.50	PMV	6
	G»RNDUP POWERMAX	0.77	LAA	12
	H»LIQUID AMS	2.50	PMV	12
13A»	RNDUP POWERMAX	0.77	LAA	6
	B»RAGE D-TECH 4L	0.375	LAA	6
	C»AUTHORITY MTZ	0.225	LAA	6
	D»COC	1.00	PMV	6
	E»LIQUID AMS	2.50	PMV	6
	F»RNDUP POWERMAX	0.77	LAA	12
	G»LIQUID AMS	2.50	PMV	12
14A»	RNDUP POWERMAX	0.77	LAA	6
	B»VALOR XLT 40WG	0.075	LAA	0
	C CLASSIC 25WG	0.019	LAA	6
	D VALOR 51WG	0.056	LAA	6
	E»LIQUID AMS	2.50	PMV	6
	F»RNDUP POWERMAX	0.77	LAA	12
	G»LIQUID AMS	2.50	PMV	12
15A»	GRAMOX INTEON	0.63	LAA	6
	B»SHARPEN 2.85L	0.022	LAA	6
	C»ACTIVATOR 90	0.25	PMV	6
	D»RNDUP POWERMAX	0.77	LAA	12
	E»LIQUID AMS	2.50	PMV	12
16A	CHECK	0.00	NA	0
17A»	TACKLE 3.13 AE	0.78	LAA	6
	B»ACTIVATOR 90	0.25	PMV	6
	C»LIQUID AMS	2.50	PMV	6
18A»	TACKLE 3.13 AE	0.78	LAA	6
	B»ACTIVATOR 90	0.25	PMV	6
	C»LIQUID AMS	2.50	PMV	6
	D»TACKLE 3.13 AE	0.78	LAA	12
	E»ACTIVATOR 90	0.25	PMV	12
	F»LIQUID AMS	2.50	PMV	12
19A»	GLYFOS EXTRA 3	0.75	LAA	6
	B»LIQUID AMS	2.50	PMV	6
	C»TACKLE 3.13 AE	0.78	LAA	12
	D»ACTIVATOR 90	0.25	PMV	12
	E»LIQUID AMS	2.50	PMV	12
20A»	GLYFOS EXTRA 3	0.75	LAA	6
	B»LIQUID AMS	2.50	PMV	6
	C»TACKLE 3.13 AE	1.57	LAA	12
	D»ACTIVATOR 90	0.25	PMV	12
	E»LIQUID AMS	2.50	PMV	12
21A»	GLYFOS EXTRA 3	0.75	LAA	6
	B»LIQUID AMS	2.50	PMV	6
	C EXTREME 2.17SL	0.81	LAA	12
	D»ACTIVATOR 90	0.25	PMV	12
	E»LIQUID AMS	2.50	PMV	12
		LSD (0.05)	5.56	
		STANDARD DEVIATION	2.75	

» = SUPPLEMENTAL CHEMICAL

* TIMING CODES

*** CONTINUE ON NEXT PAGE

00 = ----- / UNTREATED TIMING
 00 = ----- / UNTREATED TIMING
 06 = ----- / EPP 7 DBP 05/13/2010(1)
 12 = ----- / POST 06/14/2010(2)

H#	CUSTOM#1	CUSTOM#2	EV. DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C. M	CTRT	SS	NOTE
001	STEME	CON %	05/19/2010	01	P	STEME		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
002	LAMAM	CON %	05/19/2010	02	P	LAMAM		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
003	ERICA	CON %	05/19/2010	03	P	ERICA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
004	SETFA	CON %	05/19/2010	04	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
005	CHEAL	CON %	05/19/2010	05	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
006	POLPY	CON %	05/19/2010	06	P	POLPY		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
007	PHBPU	CON %	05/19/2010	07	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
008	GLXMA	CON %	06/14/2010	08	P	GLXMA	14	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
009	STEME	CON %	06/14/2010	01	P	STEME	19	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
010	LAMAM	CON %	06/14/2010	02	P	LAMAM	19	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
011	ERICA	CON %	06/14/2010	03	P	ERICA	19	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
012	SETFA	CON %	06/14/2010	04	P	SETFA	16	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
013	CHEAL	CON %	06/14/2010	05	P	CHEAL	19	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
014	POLPY	CON %	06/14/2010	06	P	POLPY	19	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
015	PHBPU	CON %	06/14/2010	07	P	PHBPU	19	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
016	GLXMA	CON %	06/29/2010	08	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
017	STEME	CON %	06/29/2010	01	P	STEME		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
018	LAMAM	CON %	06/29/2010	02	P	LAMAM		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
019	ERICA	CON %	06/29/2010	03	P	ERICA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
020	SETFA	CON %	06/29/2010	04	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
021	CHEAL	CON %	06/29/2010	05	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
022	POLPY	CON %	06/29/2010	06	P	POLPY		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
023	PHBPU	CON %	06/29/2010	07	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
024	GLXMA	CON %	07/13/2010	08	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
025	STEME	CON %	07/13/2010	01	P	STEME		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
026	LAMAM	CON %	07/13/2010	02	P	LAMAM		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
027	ERICA	CON %	07/13/2010	03	P	ERICA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
028	SETFA	CON %	07/13/2010	04	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
029	CHEAL	CON %	07/13/2010	05	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
030	POLPY	CON %	07/13/2010	06	P	POLPY		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
031	PHBPU	CON %	07/13/2010	07	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

* SPECIES COMMON NAME - VARIETY/SPECIE INFO (IF APPLICABLE)

08 = A 3402RR

* STAGE CODE

14 = 4TH LEAF (2ND TRIFOLIATE LEAF) UNFOLDED, 3 NODES

16 = 6 LEAVES UNFOLDED

19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED