

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: SIX
 PH: 6.0
 %OM: 6.0
 PREV.CROP: ZEAMD - CORN, DENT
 %RESIDUE: 0
 PLOT WIDTH: 10 X 29 FEET
 PLOT AREA: 290 FEET

DESIGN: RCB
 REPS: 3

APPL. NUMBER	01	02	UNIT
TIMINGS	09	12	
TYPE	LIQMIX	LIQMIX	
APPLICATION DATE	05/24/11	06/25/11	AME
AIR TEMPERATURE	69	74	F
% REL.HUMIDITY	59	50	
WIND DIRECTION	NORTHEAST	SOUTHEAST	
WIND SPEED	11.0	5.0	M/H
CLOUD COVER	PARTCLDY	CLOUDY	
DEW	NO	NO	
SOIL MOISTURE	DRY/MOIST	DRY/MOIST	
SOIL CONDITION	---	---	
METHOD	SPRAY	SPRAY	
EQUIPMENT	SPRBAC	SPRBAC	
PROPELLANT	COMCO2	COMCO2	
PLACEMENT	BRFOSO	BRFOSO	
NOZZLE	FLATFAN	FLATFAN	
NOZZLE NUMBER	6	6	
NOZZLE SPACING	20.000	20.000	IN
SCREEN SIZE			
SCREEN SZ DESC	NA	NA	
SWATH WIDTH	10.0	10.0	FT
SPRAY VOLUME	20.00	20.00	
SPRAY VOLUME UNIT	GPA	GPA	
PRESSURE	32.00	32.00	PSI
DILUENT	WATER	WATER	
INC. DATE			AME
INC. START			24H
INC. END			24H
INC. DEPTH			IN
INC. EQUIPMENT	---	---	
	DN/SG/MMZ		
*** CROP ***			
SOYBEAN		---/15	
AG2531		6.00/7.00	IN
05/22/2011			
*** PEST ***			
VELVETLEAF		---/14	
		1.00/5.00	IN
RAGWEED, GIANT		---/16	
		6.00/12.0	IN
LAMBSQUARTERS, C		---/19	
		2.00/6.00	IN
FOXTAIL, GIANT		---/16	
		4.00/8.00	IN

* TIMING CODES

09 = ----- / PREEMERGENCE
 12 = ----- / POST

* STAGE CODE

14 = 4TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 15 = 5TH LEAF (3RD TRIFOLIATE LEAF) UNFOLDED, 4 NODES
 16 = 6 LEAVES UNFOLDED
 16 = 6TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

TITLE: Weed Control Systems in Roundup-Ready Soybean. SW-1500W
CREATED: 04/28/2011 **REVISED:** 11/07/2011 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: DeKalb **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT WIDE X 29.00 FT LONG
PLOT AREA: 290.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			GLXMA	SETFA	AMBTR	ABUTH	CHEAL	GLXMA
		RATE	UNIT	TM	CON % 06/25/11	CON % 06/25/11	CON % 06/25/11	CON % 06/25/11	CON % 06/25/11	CON % 07/08/11
1A»	PREFIX 5.32SL	1.33	LAA	9	0	94	65	47	96	0
B»	TOUCHDN TOTAL	1.04	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
2A	BOUNDARY 6.5EC	1.63	LAA	9	0	96	50	67	96	0
B»	TOUCHDN TOTAL	1.04	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
3A	BOUNDARY 6.5EC	1.63	LAA	9	0	96	47	75	99	16
B»	FLEXSTAR GT 3.	1.24	LAA	12						
C»	MSO	1.00	PMV	12						
D»	LIQUID AMS	2.50	PMV	12						
4A	BOUNDARY 6.5EC	1.63	LAA	9	0	93	40	62	98	18
B	FLEXSTAR 1.88	0.294	LAA	12						
C»	MSO	1.00	PMV	12						
D»	LIQUID AMS	2.50	PMV	12						
5A	BOUNDARY 6.5EC	1.63	LAA	9	0	98	38	43	99	15
B»	FLEXSTAR GT 3.	1.24	LAA	12						
C»	SUPERSPREAD MS	0.63	PMV	12						
D»	LIQUID AMS	2.50	PMV	12						
6A	BOUNDARY 6.5EC	1.63	LAA	9	0	98	40	67	98	20
B»	FLEXSTAR GT 3.	1.24	LAA	12						
C»	BRIMSTONE	3.00	PMA	12						
D»	SUPERSPREAD MS	0.63	PMV	12						
E»	LIQUID AMS	2.50	PMV	12						
7A»	ENVIVE 41.3SG	0.077	LAA	0	0	72	60	80	99	0
B	CLASSIC 25WG	0.017	LAA	9						
C»	HARMONY GT 50W	0.005	LAA	9						
D	VALOR 51WG	0.055	LAA	9						
E»	ABUNDIT EXTRA	0.75	LAA	12						
F»	LIQUID AMS	2.50	PMV	12						
8A»	ENLITE 47.86WG	0.084	LAA	0	0	63	40	70	96	0
B	CLASSIC 25WG	0.005	LAA	9						
C»	HARMONY GT 50W	0.0155	LAA	9						
D	VALOR 51WG	0.0635	LAA	9						
E»	ABUNDIT EXTRA	0.75	LAA	12						
F»	LIQUID AMS	2.50	PMV	12						
9A»	VALOR XLT 40WG	0.088	LAA	0	0	68	60	70	99	0
B	CLASSIC 25WG	0.023	LAA	9						
C	VALOR 51WG	0.065	LAA	9						
D»	RNDUP POWERMAX	0.77	LAA	12						
E»	LIQUID AMS	2.50	PMV	12						
10A	PROWL H2O 3.8	1.19	LAA	9	0	91	27	53	88	0
B»	ZIDUA 85WG	0.159	LAA	9						
C»	RNDUP POWERMAX	0.77	LAA	12						
D»	LIQUID AMS	2.50	PMV	12						
11A»	AUTHORITY XL 7	0.35	LAA	9	0	86	68	88	99	0
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
12A»	AUTHOR. ASSIST	0.375	LAA	9	0	96	75	97	99	0
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
13A»	FIERCE 76WG	0.14	LAA	9	0	81	37	72	89	0
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						

TITLE: Weed Control Systems in Roundup-Ready Soybean. SW-1500W

TRT NUM	TREATMENT COMPONENT	DOSAGE			GLXMA	SETFA	AMBTR	ABUTH	CHEAL	GLXMA
		RATE	UNIT	TM	CON % 06/25/11	CON % 06/25/11	CON % 06/25/11	CON % 06/25/11	CON % 06/25/11	CON % 07/08/11
14A»	SONIC 70DF	0.197	LAA	9	0	70	73	84	99	0
	B»DURANGO 4AE	0.75	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
15A»	OPTILL 68WG	0.085	LAA	9	0	84	74	87	99	0
	B»TOUCHDN TOTAL	1.04	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
16A	CHECK	0.00	NA	0	0	0	0	0	0	0
17A»	FLEXSTAR GT 3.	1.24	LAA	12	C	C	C	C	C	15
	B»SUPERSPREAD MS	0.63	PMV	12						
	C»LIQUID AMS	2.50	PMV	12						
18A»	FLEXSTAR GT 3.	1.24	LAA	12	C	C	C	C	C	15
	B»BRIMSTONE	3.00	PMA	12						
	C»SUPERSPREAD MS	0.63	PMV	12						
	D»LIQUID AMS	2.50	PMV	12						
19A»	ANTHEM 2.15SE	0.10	LAA	12	C	C	C	C	C	15
	B»RNDUP POWERMAX	0.77	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
20A»	PREFIX 5.32SL	1.33	LAA	12	C	C	C	C	C	17
	B»TOUCHDN TOTAL	1.04	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
21A»	TOUCHDN TOTAL	1.04	LAA	12	C	C	C	C	C	0
	B»LIQUID AMS	2.50	PMV	12						
		LSD (0.05)			0.00	7.34	17.06	19.36	6.00	1.53
		STANDARD DEVIATION			0.00	3.63	8.44	9.58	3.00	0.758

TITLE: Weed Control Systems in Roundup-Ready Soybean. SW-1500W
CREATED: 04/28/2011 **REVISED:** 11/07/2011 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: DeKalb **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT WIDE X 29.00 FT LONG
PLOT AREA: 290.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			SETFA	AMBTR	ABUTH	CHEAL	GLXMA	SETFA
		RATE	UNIT	TM	CON % 07/08/11	CON % 07/08/11	CON % 07/08/11	CON % 07/08/11	CON % 07/21/11	CON % 07/21/11
1A»	PREFIX 5.32SL	1.33	LAA	9	98	97	97	99	0	98
B»	TOUCHDN TOTAL	1.04	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
2A	BOUNDARY 6.5EC	1.63	LAA	9	99	95	96	99	0	98
B»	TOUCHDN TOTAL	1.04	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
3A	BOUNDARY 6.5EC	1.63	LAA	9	99	97	99	99	0	96
B»	FLEXSTAR GT 3.	1.24	LAA	12						
C»	MSO	1.00	PMV	12						
D»	LIQUID AMS	2.50	PMV	12						
4A	BOUNDARY 6.5EC	1.63	LAA	9	90	96	95	99	0	81
B	FLEXSTAR 1.88	0.294	LAA	12						
C»	MSO	1.00	PMV	12						
D»	LIQUID AMS	2.50	PMV	12						
5A	BOUNDARY 6.5EC	1.63	LAA	9	98	98	99	99	0	96
B»	FLEXSTAR GT 3.	1.24	LAA	12						
C»	SUPERSPREAD MS	0.63	PMV	12						
D»	LIQUID AMS	2.50	PMV	12						
6A	BOUNDARY 6.5EC	1.63	LAA	9	98	99	99	99	0	97
B»	FLEXSTAR GT 3.	1.24	LAA	12						
C»	BRIMSTONE	3.00	PMA	12						
D»	SUPERSPREAD MS	0.63	PMV	12						
E»	LIQUID AMS	2.50	PMV	12						
7A»	ENVIVE 41.3SG	0.077	LAA	0	98	92	98	99	0	94
B	CLASSIC 25WG	0.017	LAA	9						
C»	HARMONY GT 50W	0.005	LAA	9						
D	VALOR 51WG	0.055	LAA	9						
E»	ABUNDIT EXTRA	0.75	LAA	12						
F»	LIQUID AMS	2.50	PMV	12						
8A»	ENLITE 47.86WG	0.084	LAA	0	99	91	95	98	0	97
B	CLASSIC 25WG	0.005	LAA	9						
C»	HARMONY GT 50W	0.0155	LAA	9						
D	VALOR 51WG	0.0635	LAA	9						
E»	ABUNDIT EXTRA	0.75	LAA	12						
F»	LIQUID AMS	2.50	PMV	12						
9A»	VALOR XLT 40WG	0.088	LAA	0	97	95	98	99	0	93
B	CLASSIC 25WG	0.023	LAA	9						
C	VALOR 51WG	0.065	LAA	9						
D»	RNDUP POWERMAX	0.77	LAA	12						
E»	LIQUID AMS	2.50	PMV	12						
10A	PROWL H2O 3.8	1.19	LAA	9	98	89	93	98	0	98
B»	ZIDUA 85WG	0.159	LAA	9						
C»	RNDUP POWERMAX	0.77	LAA	12						
D»	LIQUID AMS	2.50	PMV	12						
11A»	AUTHORITY XL 7	0.35	LAA	9	97	94	97	99	0	90
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
12A»	AUTHOR. ASSIST	0.375	LAA	9	99	95	99	99	0	98
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
13A»	FIERCE 76WG	0.14	LAA	9	99	92	96	99	0	93
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						

TITLE: Weed Control Systems in Roundup-Ready Soybean. SW-1500W

TRT NUM	TREATMENT COMPONENT	DOSAGE			SETFA	AMBTR	ABUTH	CHEAL	GLXMA	SETFA	
		RATE	UNIT	TM	CON % 07/08/11	CON % 07/08/11	CON % 07/08/11	CON % 07/08/11	CON % 07/21/11	CON % 07/21/11	
14A»	SONIC 70DF	0.197	LAA	9	97	93	99	99	0	89	
	B»DURANGO 4AE	0.75	LAA	12							
	C»LIQUID AMS	2.50	PMV	12							
15A»	OPTILL 68WG	0.085	LAA	9	98	96	98	99	0	94	
	B»TOUCHDN TOTAL	1.04	LAA	12							
	C»LIQUID AMS	2.50	PMV	12							
16A	CHECK	0.00	NA	0	0	0	0	0	0	0	
17A»	FLEXSTAR GT 3.	1.24	LAA	12	96	96	87	98	0	92	
	B»SUPERSPREAD MS	0.63	PMV	12							
	C»LIQUID AMS	2.50	PMV	12							
18A»	FLEXSTAR GT 3.	1.24	LAA	12	95	87	83	98	0	93	
	B»BRIMSTONE	3.00	PMA	12							
	C»SUPERSPREAD MS	0.63	PMV	12							
	D»LIQUID AMS	2.50	PMV	12							
19A»	ANTHEM 2.15SE	0.10	LAA	12	98	78	89	93	0	96	
	B»RNDUP POWERMAX	0.77	LAA	12							
	C»LIQUID AMS	2.50	PMV	12							
20A»	PREFIX 5.32SL	1.33	LAA	12	98	88	87	99	0	95	
	B»TOUCHDN TOTAL	1.04	LAA	12							
	C»LIQUID AMS	2.50	PMV	12							
21A»	TOUCHDN TOTAL	1.04	LAA	12	98	86	84	98	0	93	
	B»LIQUID AMS	2.50	PMV	12							
					LSD (0.05)	3.00	5.48	3.86	2.75	0.00	4.28
					STANDARD DEVIATION	1.47	2.71	1.91	1.36	0.00	2.12

TITLE: Weed Control Systems in Roundup-Ready Soybean. SW-1500W
CREATED: 04/28/2011 **REVISED:** 11/07/2011 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: DeKalb **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT WIDE X 29.00 FT LONG
PLOT AREA: 290.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			AMBTR CON % 07/21/11	ABUTH CON % 07/21/11	CHEAL CON % 07/21/11	YIELD BU/A 10/11/11
		RATE	UNIT	TM				
1A»	PREFIX 5.32SL	1.33	LAA	9	96	97	98	69.4
B»	TOUCHDN TOTAL	1.04	LAA	12				
C»	LIQUID AMS	2.50	PMV	12				
2A	BOUNDARY 6.5EC	1.63	LAA	9	91	96	99	65.6
B»	TOUCHDN TOTAL	1.04	LAA	12				
C»	LIQUID AMS	2.50	PMV	12				
3A	BOUNDARY 6.5EC	1.63	LAA	9	97	95	98	63.9
B»	FLEXSTAR GT 3.	1.24	LAA	12				
C»	MSO	1.00	PMV	12				
D»	LIQUID AMS	2.50	PMV	12				
4A	BOUNDARY 6.5EC	1.63	LAA	9	93	93	99	67.4
B	FLEXSTAR 1.88	0.294	LAA	12				
C»	MSO	1.00	PMV	12				
D»	LIQUID AMS	2.50	PMV	12				
5A	BOUNDARY 6.5EC	1.63	LAA	9	96	94	99	66.7
B»	FLEXSTAR GT 3.	1.24	LAA	12				
C»	SUPERSPREAD MS	0.63	PMV	12				
D»	LIQUID AMS	2.50	PMV	12				
6A	BOUNDARY 6.5EC	1.63	LAA	9	98	95	99	65.2
B»	FLEXSTAR GT 3.	1.24	LAA	12				
C»	BRIMSTONE	3.00	PMA	12				
D»	SUPERSPREAD MS	0.63	PMV	12				
E»	LIQUID AMS	2.50	PMV	12				
7A»	ENVIVE 41.3SG	0.077	LAA	0	91	97	99	69.2
B	CLASSIC 25WG	0.017	LAA	9				
C»	HARMONY GT 50W	0.005	LAA	9				
D	VALOR 51WG	0.055	LAA	9				
E»	ABUNDIT EXTRA	0.75	LAA	12				
F»	LIQUID AMS	2.50	PMV	12				
8A»	ENLITE 47.86WG	0.084	LAA	0	85	92	95	69.7
B	CLASSIC 25WG	0.005	LAA	9				
C»	HARMONY GT 50W	0.0155	LAA	9				
D	VALOR 51WG	0.0635	LAA	9				
E»	ABUNDIT EXTRA	0.75	LAA	12				
F»	LIQUID AMS	2.50	PMV	12				
9A»	VALOR XLT 40WG	0.088	LAA	0	93	96	99	65.1
B	CLASSIC 25WG	0.023	LAA	9				
C	VALOR 51WG	0.065	LAA	9				
D»	RNDUP POWERMAX	0.77	LAA	12				
E»	LIQUID AMS	2.50	PMV	12				
10A	PROWL H2O 3.8	1.19	LAA	9	87	89	98	C
B»	ZIDUA 85WG	0.159	LAA	9				
C»	RNDUP POWERMAX	0.77	LAA	12				
D»	LIQUID AMS	2.50	PMV	12				
11A»	AUTHORITY XL 7	0.35	LAA	9	93	96	99	65.2
B»	RNDUP POWERMAX	0.77	LAA	12				
C»	LIQUID AMS	2.50	PMV	12				
12A»	AUTHOR. ASSIST	0.375	LAA	9	89	98	99	66.7
B»	RNDUP POWERMAX	0.77	LAA	12				
C»	LIQUID AMS	2.50	PMV	12				
13A»	FIERCE 76WG	0.14	LAA	9	85	97	98	C
B»	RNDUP POWERMAX	0.77	LAA	12				
C»	LIQUID AMS	2.50	PMV	12				

TITLE: Weed Control Systems in Roundup-Ready Soybean. SW-1500W

TRT NUM	TREATMENT COMPONENT	DOSAGE RATE	UNIT	TM	AMBTR CON % 07/21/11	ABUTH CON % 07/21/11	CHEAL CON % 07/21/11	YIELD BU/A 10/11/11
14A»	SONIC 70DF	0.197	LAA	9	90	97	99	65.5
	B»DURANGO 4AE	0.75	LAA	12				
	C»LIQUID AMS	2.50	PMV	12				
15A»	OPTILL 68WG	0.085	LAA	9	92	99	99	67.5
	B»TOUCHDN TOTAL	1.04	LAA	12				
	C»LIQUID AMS	2.50	PMV	12				
16A	CHECK	0.00	NA	0	0	0	0	20.4
17A»	FLEXSTAR GT 3.	1.24	LAA	12	98	73	88	64.7
	B»SUPERSPREAD MS	0.63	PMV	12				
	C»LIQUID AMS	2.50	PMV	12				
18A»	FLEXSTAR GT 3.	1.24	LAA	12	83	62	90	63.7
	B»BRIMSTONE	3.00	PMA	12				
	C»SUPERSPREAD MS	0.63	PMV	12				
	D»LIQUID AMS	2.50	PMV	12				
19A»	ANTHEM 2.15SE	0.10	LAA	12	63	78	78	C
	B»RNDUP POWERMAX	0.77	LAA	12				
	C»LIQUID AMS	2.50	PMV	12				
20A»	PREFIX 5.32SL	1.33	LAA	12	90	70	95	66.2
	B»TOUCHDN TOTAL	1.04	LAA	12				
	C»LIQUID AMS	2.50	PMV	12				
21A»	TOUCHDN TOTAL	1.04	LAA	12	78	72	93	64.2
	B»LIQUID AMS	2.50	PMV	12				
		LSLSD (0.05)			8.93	6.43	4.31	6.90
		STANDARD DEVIATION			4.42	3.18	2.13	3.42

» = SUPPLEMENTAL CHEMICAL

---,M,C,D = MISSING DATA

* TIMING CODES

00 = ----- / UNTREATED TIMING
09 = ----- / PREEMERGENCE 05/24/2011(1)
12 = ----- / POST 06/25/2011(2)

H#	CUSTOM#1	CUSTOM#2	EV.DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTRTR	SS	NOTE
001	GLXMA	CON %	06/25/2011	01	P	GLXMA	15	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
002	SETFA	CON %	06/25/2011	02	P	SETFA	16	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
003	AMBTR	CON %	06/25/2011	03	P	AMBTR	16	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
004	ABUTH	CON %	06/25/2011	04	P	ABUTH	14	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
005	CHEAL	CON %	06/25/2011	05	P	CHEAL	19	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
006	GLXMA	CON %	07/08/2011	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
007	SETFA	CON %	07/08/2011	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
008	AMBTR	CON %	07/08/2011	03	P	AMBTR		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
009	ABUTH	CON %	07/08/2011	04	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
010	CHEAL	CON %	07/08/2011	05	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
011	GLXMA	CON %	07/21/2011	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
012	SETFA	CON %	07/21/2011	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
013	AMBTR	CON %	07/21/2011	03	P	AMBTR		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
014	ABUTH	CON %	07/21/2011	04	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
015	CHEAL	CON %	07/21/2011	05	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
016	YIELD	BU/A	10/11/2011	01	P	GLXMA		RAW	---	YLD	---	---	1.00 ---	NO	0001	0	Y

* SEE INDIVIDUAL EVALUATION COMMENTS UNDER SPECIFIC TRIAL NOTES

* SPECIES COMMON NAME - VARIETY/SPECIE INFO (IF APPLICABLE)

01 = AG2531

* STAGE CODE

14 = 4TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
15 = 5TH LEAF (3RD TRIFOLIATE LEAF) UNFOLDED, 4 NODES
16 = 6 LEAVES UNFOLDED
16 = 6TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED