

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: CL
PH: 6.1
%OM: 1.5
PREV.CROP: ZEAMD - CORN, DENT
%RESIDUE: 0
PLOT WIDTH: 10 X 30 FEET
PLOT AREA: 300 FEET

DESIGN: RCB
REPS: 3

APPL. NUMBER	01	02	03	UNIT
TIMINGS	09	12	13	
TYPE	LIQMIX	LIQMIX	LIQMIX	
APPLICATION DATE	05/03/11	06/06/11	06/11/11	AME
AIR TEMPERATURE	50	89	71	F
% REL.HUMIDITY	50	57	67	
WIND DIRECTION	NORTHWEST	SOUTHWEST	NORTHWEST	
WIND SPEED	10.0	6.0	6.0	M/H
CLOUD COVER	CLEAR	CLEAR	OVERCAST	
DEW	---	NO	NO	
SOIL MOISTURE	DRY/MOIST	MOIST/MOI	MOIST/MOI	
SOIL CONDITION	---	---	---	
METHOD	SPRAY	SPRAY	SPRAY	
EQUIPMENT	SPRBAC	SPRBAC	SPRBAC	
PROPELLANT	COMCO2	COMCO2	COMCO2	
PLACEMENT	BRFOSO	BRFOSO	BRFOSO	
NOZZLE	FLATFAN	FLATFAN	FLATFAN	
NOZZLE NUMBER	6	6	6	
NOZZLE SPACING	20.000	20.000	20.000	IN
SCREEN SIZE				
SCREEN SZ DESC	NA	NA	NA	
SWATH WIDTH	10.0	10.0	10.0	FT
SPRAY VOLUME	20.00	20.00	20.00	
SPRAY VOLUME UNIT	GPA	GPA	GPA	
PRESSURE	32.00	32.00	32.00	PSI
DILUENT	WATER	WATER	WATER	
INC. DATE				AME
INC. START				24H
INC. END				24H
INC. DEPTH				IN
INC. EQUIPMENT	---	---	---	
	DEN/ STG/ MINMAXSZ			
*** CROP ***				
SOYBEAN		---/15	---/16	
CHANNEL 3951		6.00/8.00	7.00/10.0	IN
05/02/2011				
*** PEST ***				
LAMBSQUARTERS, C		---/18	---/19	
		1.00/3.00	1.00/4.00	IN
MORNINGGLORY, IV		---/15	---/17	
		2.00/3.00	2.00/4.00	IN
FOXTAIL, GIANT		---/16	---/17	
		4.00/8.00	4.00/8.00	IN
COCKLEBUR, COMMO		---/16	---/18	
		4.00/8.00	6.00/12.0	IN

* TIMING CODES

09 = ----- / PREEMERGENCE
12 = ----- / POST
13 = ----- / LPOST

* STAGE CODE

15 = 5TH LEAF (3RD TRIFOLIATE LEAF) UNFOLDED, 4 NODES
15 = 5TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
16 = 6 LEAVES UNFOLDED
16 = 6TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
16 = 6TH LEAF (4TH TRIFOLIATE LEAF) UNFOLDED, 5 NODES
17 = 7 LEAVES UNFOLDED
17 = 7TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
18 = 8TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

TITLE: Weed Control Systems in Roundup-Ready Soybean. 3105

CREATED: 04/12/2011 REVISED: 11/14/2011

COMPLETED: N

PROJECT TYPE: HERBICIDE

LOCATION: Perry

RESEARCHED BY: MAXWELL

DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN

PLOT SIZE: 10.00 FT WIDE X 30.00 FT LONG

PLOT AREA: 300.00 SFT

REPS: 03

TRT	TREATMENT	DOSAGE		GLXMA	SETFA	CHEAL	XANST	IPOHE	GLXMA	
NUM	COMPONENT	RATE	UNIT	TM	CON %	CON %	CON %	CON %	14 DAT	
					06/06/11	06/06/11	06/06/11	06/06/11	06/19/11	
1A»	PREFIX 5.32SL	1.33	LAA	9	0	98	98	50	57	2
B»	TOUCHDN TOTAL	1.04	LAA	13						
C»	LIQUID AMS	2.50	PMV	13						
2A	BOUNDARY 6.5EC	1.63	LAA	9	0	99	99	37	37	0
B»	TOUCHDN TOTAL	1.04	LAA	13						
C»	LIQUID AMS	2.50	PMV	13						
3A	BOUNDARY 6.5EC	1.63	LAA	9	0	96	97	32	30	17
B»	FLEXSTAR GT 3.	1.24	LAA	13						
C»	MISO	1.00	PMV	13						
D»	LIQUID AMS	2.50	PMV	13						
4A	BOUNDARY 6.5EC	1.63	LAA	9	0	98	99	37	23	19
B	FLEXSTAR 1.88	0.294	LAA	13						
C»	MISO	1.00	PMV	13						
D»	LIQUID AMS	2.50	PMV	13						
5A	BOUNDARY 6.5EC	1.63	LAA	9	0	97	99	40	30	14
B»	FLEXSTAR GT 3.	1.24	LAA	13						
C»	SUPERSPREAD MS	0.63	PMV	13						
D»	LIQUID AMS	2.50	PMV	13						
6A	BOUNDARY 6.5EC	1.63	LAA	9	0	97	99	40	30	16
B»	FLEXSTAR GT 3.	1.24	LAA	13						
C»	BRIMSTONE	3.00	PMA	13						
D»	SUPERSPREAD MS	0.63	PMV	13						
E»	LIQUID AMS	2.50	PMV	13						
7A»	ENVIVE 41.3SG	0.077	LAA	0	0	78	97	70	83	2
B	CLASSIC 25WG	0.017	LAA	9						
C»	HARMONY GT 50W	0.005	LAA	9						
D	VALOR 51WG	0.055	LAA	9						
E»	ABUNDIT EXTRA	0.75	LAA	13						
F»	LIQUID AMS	2.50	PMV	13						
8A»	ENLITE 47.86WG	0.084	LAA	0	0	80	97	55	75	0
B	CLASSIC 25WG	0.005	LAA	9						
C»	HARMONY GT 50W	0.0155	LAA	9						
D	VALOR 51WG	0.0635	LAA	9						
E»	ABUNDIT EXTRA	0.75	LAA	13						
F»	LIQUID AMS	2.50	PMV	13						
9A	CANOPY 75WG	0.188	LAA	9	0	72	98	73	92	7
B»	ABUNDIT EXTRA	0.75	LAA	13						
C»	LIQUID AMS	2.50	PMV	13						
10A»	VALOR XLT 40WG	0.088	LAA	0	0	83	98	77	92	4
B	CLASSIC 25WG	0.023	LAA	9						
C	VALOR 51WG	0.065	LAA	9						
D»	RNDUP POWERMAX	0.77	LAA	13						
E»	LIQUID AMS	2.50	PMV	13						
11A	PROWL H2O 3.8	1.19	LAA	9	0	90	96	40	58	0
B»	RNDUP POWERMAX	0.77	LAA	13						
C»	LIQUID AMS	2.50	PMV	13						
12A»	AUTHORITY XL 7	0.175	LAA	9	0	83	98	79	99	0
B»	RNDUP POWERMAX	0.77	LAA	13						
C»	LIQUID AMS	2.50	PMV	13						
13A»	AUTHOR. ASSIST	0.156	LAA	9	0	83	98	55	83	0
B»	TOUCHDN TOTAL	1.04	LAA	13						
C»	LIQUID AMS	2.50	PMV	13						

TITLE: Weed Control Systems in Roundup-Ready Soybean. 3105

TRT NUM	TREATMENT COMPONENT	DOSAGE RATE	UNIT	TM	GLXMA CON % 06/06/11	SETFA CON % 06/06/11	CHEAL CON % 06/06/11	XANST CON % 06/06/11	IPOHE CON % 06/06/11	GLXMA 14 DAT 06/19/11
14A»	FIERCE 76WG	0.14	LAA	9	0	93	96	43	80	5
	B»RNDUP POWERMAX	0.77	LAA	13						
	C»LIQUID AMS	2.50	PMV	13						
15A»	SONIC 70DF	0.197	LAA	9	0	77	99	80	95	0
	B»DURANGO 4AE	0.75	LAA	13						
	C»LIQUID AMS	2.50	PMV	13						
16A»	INTRRO 4EC	2.00	LAA	9	0	80	94	22	33	0
	B»TOUCHDN TOTAL	1.04	LAA	13						
	C»LIQUID AMS	2.50	PMV	13						
17A»	ANTHEM 2.15SE	0.134	LAA	9	0	96	95	17	33	0
	B»TOUCHDN TOTAL	1.04	LAA	13						
	C»LIQUID AMS	2.50	PMV	13						
18A»	OPTILL 68WG	0.085	LAA	9	0	92	98	70	90	0
	B»TOUCHDN TOTAL	1.04	LAA	13						
	C»LIQUID AMS	2.50	PMV	13						
19A	CHECK	0.00	NA	0	0	0	0	0	0	0
20A»	FLEXSTAR GT 3.	1.24	LAA	12	C	C	C	C	C	10
	B»SUPERSPREAD MS	0.63	PMV	12						
	C»LIQUID AMS	2.50	PMV	12						
21A»	FLEXSTAR GT 3.	1.24	LAA	12	C	C	C	C	C	12
	B»BRIMSTONE	3.00	PMA	12						
	C»SUPERSPREAD MS	0.63	PMV	12						
	D»LIQUID AMS	2.50	PMV	12						
22A»	ANTHEM 2.15SE	0.10	LAA	12	C	C	C	C	C	7
	B»RNDUP POWERMAX	0.77	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
23A»	PREFIX 5.32SL	1.33	LAA	12	C	C	C	C	C	11
	B»TOUCHDN TOTAL	1.04	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
24A»	TOUCHDN TOTAL	1.04	LAA	12	C	C	C	C	C	0
	B»LIQUID AMS	2.50	PMV	12						
LSD (0.05)					0.00	8.38	3.00	19.29	13.54	2.83
STANDARD DEVIATION					0.00	4.19	1.49	9.64	6.77	1.41

TITLE: Weed Control Systems in Roundup-Ready Soybean. 3105
CREATED: 04/12/2011 **REVISED:** 11/14/2011 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Perry **RESEARCHED BY:** MAXWELL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT WIDE X 30.00 FT LONG
PLOT AREA: 300.00 SFT

REPS: 03

TRT TREATMENT NUM COMPONENT	DOSAGE RATE	UNIT	TM	SETFA 14 DAT 06/19/11	CHEAL 14 DAT 06/19/11	XANST 14 DAT 06/19/11	IPOHE 14 DAT 06/19/11	GLXMA 28 DAT 07/01/11	SETFA 28 DAT 07/01/11
1A»PREFIX 5.32SL	1.33	LAA	9	98	99	91	78	0	95
B»TOUCHDN TOTAL	1.04	LAA	13						
C»LIQUID AMS	2.50	PMV	13						
2A BOUNDARY 6.5EC	1.63	LAA	9	99	99	84	70	0	96
B»TOUCHDN TOTAL	1.04	LAA	13						
C»LIQUID AMS	2.50	PMV	13						
3A BOUNDARY 6.5EC	1.63	LAA	9	98	99	90	83	0	94
B»FLEXSTAR GT 3.	1.24	LAA	13						
C»MSO	1.00	PMV	13						
D»LIQUID AMS	2.50	PMV	13						
4A BOUNDARY 6.5EC	1.63	LAA	9	93	99	83	70	0	84
B FLEXSTAR 1.88	0.294	LAA	13						
C»MSO	1.00	PMV	13						
D»LIQUID AMS	2.50	PMV	13						
5A BOUNDARY 6.5EC	1.63	LAA	9	99	99	87	89	0	97
B»FLEXSTAR GT 3.	1.24	LAA	13						
C»SUPERSPREAD MS	0.63	PMV	13						
D»LIQUID AMS	2.50	PMV	13						
6A BOUNDARY 6.5EC	1.63	LAA	9	99	99	94	84	0	98
B»FLEXSTAR GT 3.	1.24	LAA	13						
C»BRIMSTONE	3.00	PMA	13						
D»SUPERSPREAD MS	0.63	PMV	13						
E»LIQUID AMS	2.50	PMV	13						
7A»ENVIVE 41.3SG	0.077	LAA	0	96	98	90	87	0	90
B CLASSIC 25WG	0.017	LAA	9						
C»HARMONY GT 50W	0.005	LAA	9						
D VALOR 51WG	0.055	LAA	9						
E»ABUNDIT EXTRA	0.75	LAA	13						
F»LIQUID AMS	2.50	PMV	13						
8A»ENLITE 47.86WG	0.084	LAA	0	96	99	87	85	0	91
B CLASSIC 25WG	0.005	LAA	9						
C»HARMONY GT 50W	0.0155	LAA	9						
D VALOR 51WG	0.0635	LAA	9						
E»ABUNDIT EXTRA	0.75	LAA	13						
F»LIQUID AMS	2.50	PMV	13						
9A CANOPY 75WG	0.188	LAA	9	96	99	86	88	0	91
B»ABUNDIT EXTRA	0.75	LAA	13						
C»LIQUID AMS	2.50	PMV	13						
10A»VALOR XLT 40WG	0.088	LAA	0	96	98	86	92	0	89
B CLASSIC 25WG	0.023	LAA	9						
C VALOR 51WG	0.065	LAA	9						
D»RNDUP POWERMAX	0.77	LAA	13						
E»LIQUID AMS	2.50	PMV	13						
11A PROWL H2O 3.8	1.19	LAA	9	99	99	86	79	0	94
B»RNDUP POWERMAX	0.77	LAA	13						
C»LIQUID AMS	2.50	PMV	13						
12A»AUTHORITY XL 7	0.175	LAA	9	98	99	90	94	0	95
B»RNDUP POWERMAX	0.77	LAA	13						
C»LIQUID AMS	2.50	PMV	13						
13A»AUTHOR. ASSIST	0.156	LAA	9	98	99	88	86	0	93
B»TOUCHDN TOTAL	1.04	LAA	13						
C»LIQUID AMS	2.50	PMV	13						

TITLE: Weed Control Systems in Roundup-Ready Soybean. 3105

TRT NUM	TREATMENT COMPONENT	DOSAGE RATE	UNIT	TM	SETFA 14 DAT 06/19/11	CHEAL 14 DAT 06/19/11	XANST 14 DAT 06/19/11	IPOHE 14 DAT 06/19/11	GLXMA 28 DAT 07/01/11	SETFA 28 DAT 07/01/11
14A»	FIERCE 76WG	0.14	LAA	9	97	99	91	85	0	94
	B»RNDUP POWERMAX	0.77	LAA	13						
	C»LIQUID AMS	2.50	PMV	13						
15A»	SONIC 70DF	0.197	LAA	9	97	99	90	89	0	95
	B»DURANGO 4AE	0.75	LAA	13						
	C»LIQUID AMS	2.50	PMV	13						
16A»	INTRRO 4EC	2.00	LAA	9	95	99	85	77	0	82
	B»TOUCHDN TOTAL	1.04	LAA	13						
	C»LIQUID AMS	2.50	PMV	13						
17A»	ANTHEM 2.15SE	0.134	LAA	9	98	98	90	75	0	93
	B»TOUCHDN TOTAL	1.04	LAA	13						
	C»LIQUID AMS	2.50	PMV	13						
18A»	OPTILL 68WG	0.085	LAA	9	97	98	87	88	0	96
	B»TOUCHDN TOTAL	1.04	LAA	13						
	C»LIQUID AMS	2.50	PMV	13						
19A	CHECK	0.00	NA	0	0	0	0	0	0	0
20A»	FLEXSTAR GT 3.	1.24	LAA	12	97	98	88	93	0	94
	B»SUPERSPREAD MS	0.63	PMV	12						
	C»LIQUID AMS	2.50	PMV	12						
21A»	FLEXSTAR GT 3.	1.24	LAA	12	97	99	84	92	0	94
	B»BRIMSTONE	3.00	PMA	12						
	C»SUPERSPREAD MS	0.63	PMV	12						
	D»LIQUID AMS	2.50	PMV	12						
22A»	ANTHEM 2.15SE	0.10	LAA	12	99	99	82	88	0	98
	B»RNDUP POWERMAX	0.77	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
23A»	PREFIX 5.32SL	1.33	LAA	12	99	99	92	94	0	98
	B»TOUCHDN TOTAL	1.04	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
24A»	TOUCHDN TOTAL	1.04	LAA	12	97	98	83	91	0	88
	B»LIQUID AMS	2.50	PMV	12						
LSD (0.05)					2.50	1.12	8.33	10.12	0.00	5.46
STANDARD DEVIATION					1.25	0.561	4.16	5.06	0.00	2.73

TITLE: Weed Control Systems in Roundup-Ready Soybean. 3105
CREATED: 04/12/2011 **REVISED:** 11/14/2011 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Perry **RESEARCHED BY:** MAXWELL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT WIDE X 30.00 FT LONG
PLOT AREA: 300.00 SFT

REPS: 03

TRT TREATMENT NUM COMPONENT	DOSAGE RATE	UNIT	TM	CHEAL 28 DAT 07/01/11	XANST 28 DAT 07/01/11	IPOHE 28 DAT 07/01/11	YIELD BU/A 10/11/11
1A»PREFIX 5.32SL	1.33	LAA	9	99	81	77	36.1
B»TOUCHDN TOTAL	1.04	LAA	13				
C»LIQUID AMS	2.50	PMV	13				
2A BOUNDARY 6.5EC	1.63	LAA	9	98	65	58	45.4
B»TOUCHDN TOTAL	1.04	LAA	13				
C»LIQUID AMS	2.50	PMV	13				
3A BOUNDARY 6.5EC	1.63	LAA	9	96	83	73	39.7
B»FLEXSTAR GT 3.	1.24	LAA	13				
C»MSO	1.00	PMV	13				
D»LIQUID AMS	2.50	PMV	13				
4A BOUNDARY 6.5EC	1.63	LAA	9	99	74	47	42.1
B FLEXSTAR 1.88	0.294	LAA	13				
C»MSO	1.00	PMV	13				
D»LIQUID AMS	2.50	PMV	13				
5A BOUNDARY 6.5EC	1.63	LAA	9	99	81	82	39.5
B»FLEXSTAR GT 3.	1.24	LAA	13				
C»SUPERSPREAD MS	0.63	PMV	13				
D»LIQUID AMS	2.50	PMV	13				
6A BOUNDARY 6.5EC	1.63	LAA	9	99	91	78	40.6
B»FLEXSTAR GT 3.	1.24	LAA	13				
C»BRIMSTONE	3.00	PMA	13				
D»SUPERSPREAD MS	0.63	PMV	13				
E»LIQUID AMS	2.50	PMV	13				
7A»ENVIVE 41.3SG	0.077	LAA	0	95	78	83	41.8
B CLASSIC 25WG	0.017	LAA	9				
C»HARMONY GT 50W	0.005	LAA	9				
D VALOR 51WG	0.055	LAA	9				
E»ABUNDIT EXTRA	0.75	LAA	13				
F»LIQUID AMS	2.50	PMV	13				
8A»ENLITE 47.86WG	0.084	LAA	0	92	77	80	40.6
B CLASSIC 25WG	0.005	LAA	9				
C»HARMONY GT 50W	0.0155	LAA	9				
D VALOR 51WG	0.0635	LAA	9				
E»ABUNDIT EXTRA	0.75	LAA	13				
F»LIQUID AMS	2.50	PMV	13				
9A CANOPY 75WG	0.188	LAA	9	99	73	84	39.7
B»ABUNDIT EXTRA	0.75	LAA	13				
C»LIQUID AMS	2.50	PMV	13				
10A»VALOR XLT 40WG	0.088	LAA	0	99	76	89	38.6
B CLASSIC 25WG	0.023	LAA	9				
C VALOR 51WG	0.065	LAA	9				
D»RNDUP POWERMAX	0.77	LAA	13				
E»LIQUID AMS	2.50	PMV	13				
11A PROWL H2O 3.8	1.19	LAA	9	99	79	75	44.0
B»RNDUP POWERMAX	0.77	LAA	13				
C»LIQUID AMS	2.50	PMV	13				
12A»AUTHORITY XL 7	0.175	LAA	9	98	80	89	42.5
B»RNDUP POWERMAX	0.77	LAA	13				
C»LIQUID AMS	2.50	PMV	13				
13A»AUTHOR. ASSIST	0.156	LAA	9	98	82	87	39.6
B»TOUCHDN TOTAL	1.04	LAA	13				
C»LIQUID AMS	2.50	PMV	13				

TITLE: Weed Control Systems in Roundup-Ready Soybean. 3105

TRT	TREATMENT	DOSAGE		CHEAL	XANST	IPOHE	YIELD	
NUM	COMPONENT	RATE	UNIT	TM	28 DAT	28 DAT	28 DAT	BU/A
					07/01/11	07/01/11	07/01/11	10/11/11
14A»	FIERCE 76WG	0.14	LAA	9	99	82	80	C
	B»RNDUP POWERMAX	0.77	LAA	13				
	C»LIQUID AMS	2.50	PMV	13				
15A»	SONIC 70DF	0.197	LAA	9	99	85	88	38.9
	B»DURANGO 4AE	0.75	LAA	13				
	C»LIQUID AMS	2.50	PMV	13				
16A»	INTRRO 4EC	2.00	LAA	9	96	77	70	41.3
	B»TOUCHDN TOTAL	1.04	LAA	13				
	C»LIQUID AMS	2.50	PMV	13				
17A»	ANTHEM 2.15SE	0.134	LAA	9	98	82	72	C
	B»TOUCHDN TOTAL	1.04	LAA	13				
	C»LIQUID AMS	2.50	PMV	13				
18A»	OPTILL 68WG	0.085	LAA	9	99	83	87	45.2
	B»TOUCHDN TOTAL	1.04	LAA	13				
	C»LIQUID AMS	2.50	PMV	13				
19A	CHECK	0.00	NA	0	0	0	0	11.0
20A»	FLEXSTAR GT 3.	1.24	LAA	12	98	78	83	43.1
	B»SUPERSPREAD MS	0.63	PMV	12				
	C»LIQUID AMS	2.50	PMV	12				
21A»	FLEXSTAR GT 3.	1.24	LAA	12	97	70	84	43.0
	B»BRIMSTONE	3.00	PMA	12				
	C»SUPERSPREAD MS	0.63	PMV	12				
	D»LIQUID AMS	2.50	PMV	12				
22A»	ANTHEM 2.15SE	0.10	LAA	12	99	70	78	C
	B»RNDUP POWERMAX	0.77	LAA	12				
	C»LIQUID AMS	2.50	PMV	12				
23A»	PREFIX 5.32SL	1.33	LAA	12	98	89	89	41.8
	B»TOUCHDN TOTAL	1.04	LAA	12				
	C»LIQUID AMS	2.50	PMV	12				
24A»	TOUCHDN TOTAL	1.04	LAA	12	98	72	80	43.4
	B»LIQUID AMS	2.50	PMV	12				
LSD (0.05)					4.50	12.52	14.61	6.65
STANDARD DEVIATION					2.25	6.26	7.31	3.33

» = SUPPLEMENTAL CHEMICAL

---,M,C,D = MISSING DATA

* TIMING CODES

00 = ----- / UNTREATED TIMING
 09 = ----- / PREEMERGENCE 05/03/2011(1)
 12 = ----- / POST 06/06/2011(2)
 13 = ----- / LPOST 06/11/2011(3)

H#	CUSTOM#1	CUSTOM#2	EV. DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTRT	SS	NOTE
001	GLXMA	CON %	06/06/2011	01	P	GLXMA	15	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
002	SETFA	CON %	06/06/2011	02	P	SETFA	16	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
003	CHEAL	CON %	06/06/2011	03	P	CHEAL	18	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
004	XANST	CON %	06/06/2011	04	P	XANST	16	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
005	IPOHE	CON %	06/06/2011	05	P	IPOHE	15	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
006	GLXMA	14 DAT	06/19/2011	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
007	SETFA	14 DAT	06/19/2011	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
008	CHEAL	14 DAT	06/19/2011	03	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
009	XANST	14 DAT	06/19/2011	04	P	XANST		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
010	IPOHE	14 DAT	06/19/2011	05	P	IPOHE		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
011	GLXMA	28 DAT	07/01/2011	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
012	SETFA	28 DAT	07/01/2011	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
013	CHEAL	28 DAT	07/01/2011	03	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
014	XANST	28 DAT	07/01/2011	04	P	XANST		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
015	IPOHE	28 DAT	07/01/2011	05	P	IPOHE		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
016	YIELD	BU/A	10/11/2011	01	P	GLXMA		RAW	---	YLD	---	---	1.00 ---	NO	0001	0	Y

* SEE INDIVIDUAL EVALUATION COMMENTS UNDER SPECIFIC TRIAL NOTES

*** SPECIES COMMON NAME - VARIETY/SPECIE INFO (IF APPLICABLE)**

01 = CHANNEL 3951

*** STAGE CODE**

15 = 5TH LEAF (3RD TRIFOLIATE LEAF) UNFOLDED, 4 NODES
15 = 5TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
16 = 6 LEAVES UNFOLDED
16 = 6TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
18 = 8TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED