

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: SIL
PH: 6.6
%OM: 4.7
PREV.CROP: GLXMA - SOYBEAN
%RESIDUE: 0
PLOT WIDTH: 7.5 X 30 FEET
PLOT AREA: 225 FEET

DESIGN: RCB
REPS: 3

APPL. NUMBER	01	02	03	04	UNIT
TIMINGS	09	11	12	13	
TYPE	LIQMIX	LIQMIX	LIQMIX	LIQMIX	
APPLICATION DATE	05/11/11	06/03/11	06/09/11	06/16/11	AME
AIR TEMPERATURE	83	84	87	87	F
% REL.HUMIDITY	62	56	52	30	
WIND DIRECTION	SOUTHWEST	SOUTHEAST	SOUTHEAST	EAST	
WIND SPEED	7.0	8.0	5.0	8.0	M/H
CLOUD COVER	CLEAR	PARTCLDY	CLOUDY	PARTCLDY	
DEW	NO	NO	NO	NO	
SOIL MOISTURE	DRY/MOIST	DRY/MOIST	DRY/MOIST	MOIST/MOI	
SOIL CONDITION	---	---	---	---	
METHOD	SPRAY	SPRAY	SPRAY	SPRAY	
EQUIPMENT	SPRBAC	SPRBAC	SPRBAC	SPRBAC	
PROPELLANT	COMCO2	COMCO2	COMCO2	COMCO2	
PLACEMENT	BRFOSO	BRFOSO	BRFOSO	BRFOSO	
NOZZLE	FLATFAN	FLATFAN	FLATFAN	FLATFAN	
NOZZLE NUMBER	5	5	5	5	
NOZZLE SPACING	18.000	18.000	18.000	18.000	IN
SCREEN SIZE					
SCREEN SZ DESC	NA	NA	NA	NA	
SWATH WIDTH	7.5	7.5	7.5	7.5	FT
SPRAY VOLUME	20.00	20.00		20.00	
SPRAY VOLUME UNIT	GPA	GPA		GPA	
PRESSURE	30.00	30.00	30.00	30.00	PSI
DILUENT	WATER	WATER	WATER	WATER	
INC. DATE					AME
INC. START					24H
INC. END					24H
INC. DEPTH					IN
INC. EQUIPMENT	---	---	---	---	
DENSITY /					
*** CROP ***					
CORN, DENT		---/14	---/16	---/17	
P1395XR		8.00/8.00	14.0/14.0	24.0/24.0	IN
05/12/2011					
*** PEST ***					
VELVETLEAF		---/11	---/15	---/12	
		1.00/2.00	2.00/6.00	1.00/1.00	IN
WATERHEMP, COMMO		---/19	---/19	---/15	
		1.00/3.00	2.00/6.00	1.00/1.00	IN
LAMBSQUARTERS, C		---/18	---/19	---/00	
		1.00/2.00	2.00/6.00	/	IN
MORNINGGLORY, TA		---/11	---/16	---/13	
		1.00/1.00	2.00/4.00	1.00/2.00	IN
FOXTAIL, GIANT		---/13	---/16	---/12	
		1.00/4.00	2.00/8.00	1.00/4.00	IN

* TIMING CODES

09 = ----- / PREEMERGENCE
11 = ----- / EPOST
12 = ----- / POST
13 = ----- / LPOST

* STAGE CODE

00 = DRY SEED; DORMANCY
11 = 1ST TRUE LEAF/LEAF PAIR/WHORL UNFOLDED
12 = 2 LEAVES UNFOLDED
12 = 2ND TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
13 = 3 LEAVES UNFOLDED
13 = 3RD TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
14 = 4 LEAVES UNFOLDED
15 = 5TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

* STAGE CODE

16 = 6 LEAVES UNFOLDED
16 = 6 LEAVES UNFOLDED
16 = 6TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
17 = 7 LEAVES UNFOLDED
18 = 8TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

TITLE: Anthem Weed Control Comparisons in RR/LL Corn. AS-200
CREATED: 04/06/2011 **REVISED:** 12/21/2011 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			ZEAMD	SETFA	AMATA	CHEAL	ABUTH	PHBPU
		RATE	UNIT	TM	CON % 05/31/11	CON % 05/31/11	CON % 05/31/11	CON % 05/31/11	CON % 05/31/11	CON % 05/31/11
1A»	ANTHEM 2.15SE	0.134	LAA	9	0	70	82	88	37	47
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
2A»	ANTHEM 2.15SE	0.168	LAA	9	0	73	84	89	45	55
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
3A»	ANTHEM 2.15SE	0.134	LAA	9	0	78	91	93	63	65
B	ATRAZINE DF	1.00	LAA	9						
C»	RNDUP POWERMAX	0.77	LAA	12						
D»	LIQUID AMS	2.50	PMV	12						
4A»	ANTHEM 2.15SE	0.168	LAA	9	0	90	95	97	70	70
B	ATRAZINE DF	1.30	LAA	9						
C»	RNDUP POWERMAX	0.77	LAA	12						
D»	LIQUID AMS	2.50	PMV	12						
5A	DUAL II MAGNUM	1.59	LAA	9	0	88	92	91	37	30
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
6A	BICEP LT II MA	2.63	LAA	9	0	82	93	95	52	43
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
7A»	ZIDUA 85WG	0.19	LAA	9	0	58	84	88	47	55
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
8A»	A17227 3.94SC	1.97	LAA	9	0	89	99	99	99	73
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
9A	HARNESS XTRA	2.10	LAA	9	0	96	98	98	62	55
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
10A»	ANTHEM 2.15SE	0.118	LAA	11	0	C	C	C	C	C
B»	RNDUP POWERMAX	0.77	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
D»	RNDUP POWERMAX	0.77	LAA	13						
E»	LIQUID AMS	2.50	PMV	13						
11A»	ANTHEM 2.15SE	0.151	LAA	11	0	C	C	C	C	C
B»	RNDUP POWERMAX	0.77	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
D»	RNDUP POWERMAX	0.77	LAA	13						
E»	LIQUID AMS	2.50	PMV	13						
12A»	ANTHEM 2.15SE	0.118	LAA	11	0	C	C	C	C	C
B	ATRAZINE DF	0.90	LAA	11						
C»	RNDUP POWERMAX	0.77	LAA	11						
D»	LIQUID AMS	2.50	PMV	11						
E»	RNDUP POWERMAX	0.77	LAA	13						
F»	LIQUID AMS	2.50	PMV	13						
13A»	HALEX GT 4.38L	1.97	LAA	11	0	C	C	C	C	C
B»	ACTIVATOR 90	0.25	PMV	11						
C»	LIQUID AMS	2.50	PMV	11						
D»	RNDUP POWERMAX	0.77	LAA	13						
E»	LIQUID AMS	2.50	PMV	13						
14A	CHECK	0.00	NA	0	0	0	0	0	0	0

TITLE: Anthem Weed Control Comparisons in RR/LL Corn. AS-200

TRT NUM	TREATMENT COMPONENT	DOSAGE		ZEAMD	SETFA	AMATA	CHEAL	ABUTH	PHBPU
		RATE	UNIT TM	CON % 05/31/11	CON % 05/31/11	CON % 05/31/11	CON % 05/31/11	CON % 05/31/11	CON % 05/31/11
15A»	CAPRENO 3.45 S	0.081	LAA 11	0	C	C	C	C	C
B»	RNDUP POWERMAX	0.77	LAA 11						
C»	LIQUID AMS	2.50	PMV 11						
D»	RNDUP POWERMAX	0.77	LAA 13						
E»	LIQUID AMS	2.50	PMV 13						
16A»	RNDUP POWERMAX	0.77	LAA 11	0	C	C	C	C	C
B»	LIQUID AMS	2.50	PMV 11						
C»	RNDUP POWERMAX	0.77	LAA 13						
D»	LIQUID AMS	2.50	PMV 13						
		LSD (0.05)		0.00	5.47	3.56	2.75	8.74	6.61
		STANDARD DEVIATION		0.00	2.68	1.75	1.35	4.28	3.23

TITLE: Anthem Weed Control Comparisons in RR/LL Corn. AS-200
CREATED: 04/06/2011 **REVISED:** 12/21/2011 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			ZEAMD	SETFA	AMATA	CHEAL	ABUTH	PHBPU
		RATE	UNIT	TM	CON % 06/23/11	CON % 06/23/11	CON % 06/23/11	CON % 06/23/11	CON % 06/23/11	CON % 06/23/11
1A»	ANTHEM 2.15SE	0.134	LAA	9	0	99	99	99	99	85
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
2A»	ANTHEM 2.15SE	0.168	LAA	9	0	99	99	99	99	90
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
3A»	ANTHEM 2.15SE	0.134	LAA	9	0	99	99	99	99	93
B	ATRAZINE DF	1.00	LAA	9						
C»	RNDUP POWERMAX	0.77	LAA	12						
D»	LIQUID AMS	2.50	PMV	12						
4A»	ANTHEM 2.15SE	0.168	LAA	9	0	99	99	99	99	93
B	ATRAZINE DF	1.30	LAA	9						
C»	RNDUP POWERMAX	0.77	LAA	12						
D»	LIQUID AMS	2.50	PMV	12						
5A	DUAL II MAGNUM	1.59	LAA	9	0	99	99	99	98	77
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
6A	BICEP LT II MA	2.63	LAA	9	0	99	99	99	97	85
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
7A»	ZIDUA 85WG	0.19	LAA	9	0	99	99	99	98	83
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
8A»	A17227 3.94SC	1.97	LAA	9	0	99	99	99	99	95
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
9A	HARNESS XTRA	2.10	LAA	9	0	99	99	99	96	87
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
10A»	ANTHEM 2.15SE	0.118	LAA	11	0	99	99	99	99	95
B»	RNDUP POWERMAX	0.77	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
D»	RNDUP POWERMAX	0.77	LAA	13						
E»	LIQUID AMS	2.50	PMV	13						
11A»	ANTHEM 2.15SE	0.151	LAA	11	0	99	99	99	99	96
B»	RNDUP POWERMAX	0.77	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
D»	RNDUP POWERMAX	0.77	LAA	13						
E»	LIQUID AMS	2.50	PMV	13						
12A»	ANTHEM 2.15SE	0.118	LAA	11	0	99	99	99	99	96
B	ATRAZINE DF	0.90	LAA	11						
C»	RNDUP POWERMAX	0.77	LAA	11						
D»	LIQUID AMS	2.50	PMV	11						
E»	RNDUP POWERMAX	0.77	LAA	13						
F»	LIQUID AMS	2.50	PMV	13						
13A»	HALEX GT 4.38L	1.97	LAA	11	0	99	99	99	99	96
B»	ACTIVATOR 90	0.25	PMV	11						
C»	LIQUID AMS	2.50	PMV	11						
D»	RNDUP POWERMAX	0.77	LAA	13						
E»	LIQUID AMS	2.50	PMV	13						
14A	CHECK	0.00	NA	0	0	0	0	0	0	0

TITLE: Anthem Weed Control Comparisons in RR/LL Corn. AS-200

TRT NUM	TREATMENT COMPONENT	DOSAGE		ZEAMD	SETFA	AMATA	CHEAL	ABUTH	PHBPU
		RATE	UNIT TM	CON % 06/23/11	CON % 06/23/11	CON % 06/23/11	CON % 06/23/11	CON % 06/23/11	CON % 06/23/11
15A»	CAPRENO 3.45 S	0.081	LAA 11	5	99	99	99	99	94
B»	RNDUP POWERMAX	0.77	LAA 11						
C»	LIQUID AMS	2.50	PMV 11						
D»	RNDUP POWERMAX	0.77	LAA 13						
E»	LIQUID AMS	2.50	PMV 13						
16A»	RNDUP POWERMAX	0.77	LAA 11	0	98	99	99	99	95
B»	LIQUID AMS	2.50	PMV 11						
C»	RNDUP POWERMAX	0.77	LAA 13						
D»	LIQUID AMS	2.50	PMV 13						
	LSD (0.05)			1.00	0.417	0.00	0.00	1.45	5.33
	STANDARD DEVIATION			0.514	0.204	0.00	0.00	0.712	2.61

TITLE: Anthem Weed Control Comparisons in RR/LL Corn. AS-200
CREATED: 04/06/2011 **REVISED:** 12/21/2011 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			ZEAMD	SETFA	AMATA	CHEAL	ABUTH	PHBPU
		RATE	UNIT	TM	CON % 07/10/11	CON % 07/10/11	CON % 07/10/11	CON % 07/10/11	CON % 07/10/11	CON % 07/10/11
1A»	ANTHEM 2.15SE	0.134	LAA	9	0	99	99	99	99	89
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
2A»	ANTHEM 2.15SE	0.168	LAA	9	0	99	99	99	99	91
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
3A»	ANTHEM 2.15SE	0.134	LAA	9	0	99	99	99	99	93
B	ATRAZINE DF	1.00	LAA	9						
C»	RNDUP POWERMAX	0.77	LAA	12						
D»	LIQUID AMS	2.50	PMV	12						
4A»	ANTHEM 2.15SE	0.168	LAA	9	0	99	99	99	99	92
B	ATRAZINE DF	1.30	LAA	9						
C»	RNDUP POWERMAX	0.77	LAA	12						
D»	LIQUID AMS	2.50	PMV	12						
5A	DUAL II MAGNUM	1.59	LAA	9	0	99	99	99	99	91
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
6A	BICEP LT II MA	2.63	LAA	9	0	99	99	99	99	90
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
7A»	ZIDUA 85WG	0.19	LAA	9	0	99	99	99	99	93
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
8A»	A17227 3.94SC	1.97	LAA	9	0	99	99	99	99	94
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
9A	HARNESS XTRA	2.10	LAA	9	0	99	99	99	97	90
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
10A»	ANTHEM 2.15SE	0.118	LAA	11	0	99	99	99	99	96
B»	RNDUP POWERMAX	0.77	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
D»	RNDUP POWERMAX	0.77	LAA	13						
E»	LIQUID AMS	2.50	PMV	13						
11A»	ANTHEM 2.15SE	0.151	LAA	11	0	99	99	99	99	94
B»	RNDUP POWERMAX	0.77	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
D»	RNDUP POWERMAX	0.77	LAA	13						
E»	LIQUID AMS	2.50	PMV	13						
12A»	ANTHEM 2.15SE	0.118	LAA	11	0	99	99	99	99	98
B	ATRAZINE DF	0.90	LAA	11						
C»	RNDUP POWERMAX	0.77	LAA	11						
D»	LIQUID AMS	2.50	PMV	11						
E»	RNDUP POWERMAX	0.77	LAA	13						
F»	LIQUID AMS	2.50	PMV	13						
13A»	HALEX GT 4.38L	1.97	LAA	11	0	99	99	99	99	97
B»	ACTIVATOR 90	0.25	PMV	11						
C»	LIQUID AMS	2.50	PMV	11						
D»	RNDUP POWERMAX	0.77	LAA	13						
E»	LIQUID AMS	2.50	PMV	13						
14A	CHECK	0.00	NA	0	0	0	0	0	0	0

TITLE: Anthem Weed Control Comparisons in RR/LL Corn. AS-200

TRT NUM	TREATMENT COMPONENT	DOSAGE		ZEAMD	SETFA	AMATA	CHEAL	ABUTH	PHBPU
		RATE	UNIT TM	CON % 07/10/11	CON % 07/10/11	CON % 07/10/11	CON % 07/10/11	CON % 07/10/11	CON % 07/10/11
15A»	CAPRENO 3.45 S	0.081	LAA 11	0	99	99	99	99	94
B»	RNDUP POWERMAX	0.77	LAA 11						
C»	LIQUID AMS	2.50	PMV 11						
D»	RNDUP POWERMAX	0.77	LAA 13						
E»	LIQUID AMS	2.50	PMV 13						
16A»	RNDUP POWERMAX	0.77	LAA 11	0	99	99	99	99	91
B»	LIQUID AMS	2.50	PMV 11						
C»	RNDUP POWERMAX	0.77	LAA 13						
D»	LIQUID AMS	2.50	PMV 13						
			LSD (0.05)	0.00	0.00	0.00	0.00	0.834	3.00
			STANDARD DEVIATION	0.00	0.00	0.00	0.00	0.408	1.48

TITLE: Anthem Weed Control Comparisons in RR/LL Corn. AS-200
CREATED: 04/06/2011 **REVISED:** 12/21/2011 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			ZEAMD	SETFA	AMATA	CHEAL	ABUTH	PHBPU
		RATE	UNIT	TM	CON % 08/08/11	CON % 08/08/11	CON % 08/08/11	CON % 08/08/11	CON % 08/08/11	CON % 08/08/11
1A»	ANTHEM 2.15SE	0.134	LAA	9	0	99	99	99	99	86
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
2A»	ANTHEM 2.15SE	0.168	LAA	9	0	99	99	99	99	89
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
3A»	ANTHEM 2.15SE	0.134	LAA	9	0	99	99	99	99	91
B	ATRAZINE DF	1.00	LAA	9						
C»	RNDUP POWERMAX	0.77	LAA	12						
D»	LIQUID AMS	2.50	PMV	12						
4A»	ANTHEM 2.15SE	0.168	LAA	9	0	99	99	99	99	91
B	ATRAZINE DF	1.30	LAA	9						
C»	RNDUP POWERMAX	0.77	LAA	12						
D»	LIQUID AMS	2.50	PMV	12						
5A	DUAL II MAGNUM	1.59	LAA	9	0	99	99	99	99	90
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
6A	BICEP LT II MA	2.63	LAA	9	0	99	99	99	99	86
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
7A»	ZIDUA 85WG	0.19	LAA	9	0	99	99	99	99	91
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
8A»	A17227 3.94SC	1.97	LAA	9	0	99	99	99	99	93
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
9A	HARNESS XTRA	2.10	LAA	9	0	99	99	99	97	89
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
10A»	ANTHEM 2.15SE	0.118	LAA	11	0	99	99	99	99	95
B»	RNDUP POWERMAX	0.77	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
D»	RNDUP POWERMAX	0.77	LAA	13						
E»	LIQUID AMS	2.50	PMV	13						
11A»	ANTHEM 2.15SE	0.151	LAA	11	0	99	99	99	99	93
B»	RNDUP POWERMAX	0.77	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
D»	RNDUP POWERMAX	0.77	LAA	13						
E»	LIQUID AMS	2.50	PMV	13						
12A»	ANTHEM 2.15SE	0.118	LAA	11	0	99	99	99	99	96
B	ATRAZINE DF	0.90	LAA	11						
C»	RNDUP POWERMAX	0.77	LAA	11						
D»	LIQUID AMS	2.50	PMV	11						
E»	RNDUP POWERMAX	0.77	LAA	13						
F»	LIQUID AMS	2.50	PMV	13						
13A»	HALEX GT 4.38L	1.97	LAA	11	0	99	99	99	99	96
B»	ACTIVATOR 90	0.25	PMV	11						
C»	LIQUID AMS	2.50	PMV	11						
D»	RNDUP POWERMAX	0.77	LAA	13						
E»	LIQUID AMS	2.50	PMV	13						
14A	CHECK	0.00	NA	0	0	0	0	0	0	0

TITLE: Anthem Weed Control Comparisons in RR/LL Corn. AS-200

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	ZEAMD	SETFA	AMATA	CHEAL	ABUTH	PHBPU
		RATE	UNIT		CON % 08/08/11	CON % 08/08/11	CON % 08/08/11	CON % 08/08/11	CON % 08/08/11	CON % 08/08/11
15A»	CAPRENO 3.45 S	0.081	LAA	11	0	99	99	99	99	90
	B»RNDUP POWERMAX	0.77	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
	D»RNDUP POWERMAX	0.77	LAA	13						
	E»LIQUID AMS	2.50	PMV	13						
16A»	RNDUP POWERMAX	0.77	LAA	11	0	99	99	99	99	88
	B»LIQUID AMS	2.50	PMV	11						
	C»RNDUP POWERMAX	0.77	LAA	13						
	D»LIQUID AMS	2.50	PMV	13						
		LSD (0.05)			0.00	0.00	0.00	0.00	0.834	4.00
		STANDARD DEVIATION			0.00	0.00	0.00	0.00	0.408	2.00

» = SUPPLEMENTAL CHEMICAL

---,M,C,D = MISSING DATA

* TIMING CODES

- 00 = ----- / UNTREATED TIMING
- 09 = ----- / PREEMERGENCE 05/11/2011(1)
- 11 = ----- / EPOST 06/03/2011(2)
- 12 = ----- / POST 06/09/2011(3)
- 13 = ----- / LPOST 06/16/2011(4)

H#	CUSTOM#1	CUSTOM#2	EV.DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTR	SS	NOTE
001	ZEAMD	CON %	05/31/2011	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
002	SETFA	CON %	05/31/2011	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
003	AMATA	CON %	05/31/2011	03	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
004	CHEAL	CON %	05/31/2011	04	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
005	ABUTH	CON %	05/31/2011	05	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
006	PHBPU	CON %	05/31/2011	06	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
007	ZEAMD	CON %	06/23/2011	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
008	SETFA	CON %	06/23/2011	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
009	AMATA	CON %	06/23/2011	03	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
010	CHEAL	CON %	06/23/2011	04	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
011	ABUTH	CON %	06/23/2011	05	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
012	PHBPU	CON %	06/23/2011	06	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
013	ZEAMD	CON %	07/10/2011	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
014	SETFA	CON %	07/10/2011	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
015	AMATA	CON %	07/10/2011	03	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
016	CHEAL	CON %	07/10/2011	04	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
017	ABUTH	CON %	07/10/2011	05	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
018	PHBPU	CON %	07/10/2011	06	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
019	ZEAMD	CON %	08/08/2011	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
020	SETFA	CON %	08/08/2011	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
021	AMATA	CON %	08/08/2011	03	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
022	CHEAL	CON %	08/08/2011	04	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
023	ABUTH	CON %	08/08/2011	05	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
024	PHBPU	CON %	08/08/2011	06	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

* SPECIES COMMON NAME - VARIETY/SPECIE INFO (IF APPLICABLE)

01 = P1395XR