

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: SIL
 PH: 6.7
 %OM: 1.5
 PREV.CROP: GLXMA - SOYBEAN
 %RESIDUE: 0
 PLOT WIDTH: 10 X 30 FEET
 PLOT AREA: 300 FEET

DESIGN: RCB
 REPS: 3

APPL. NUMBER	01	02	03	UNIT
TIMINGS	09	11	12	
TYPE	LIQMIX	LIQMIX	LIQMIX	
APPLICATION DATE	04/27/12	05/24/12	06/07/12	AME
AIR TEMPERATURE	58	73	75	F
% REL.HUMIDITY	28	66	42	
WIND DIRECTION	EAST	SOUTHWEST	WEST	
WIND SPEED	6.0	4.0	4.0	M/H
CLOUD COVER	PARTCLDY	PARTCLDY	CLEAR	
DEW	NO	NO	NO	
SOIL MOISTURE	DRY/MOIST	DRY/MOIST	DRY/DRY	
SOIL CONDITION	---	---	---	
METHOD	SPRAY	SPRAY	SPRAY	
EQUIPMENT	SPRBAC	SPRBAC	SPRBAC	
PROPELLANT	COMCO2	COMCO2	COMCO2	
PLACEMENT	BRFOSO	BRFOSO	BRFOSO	
NOZZLE	FLATFAN	FLATFAN	FLATFAN	
NOZZLE NUMBER	6	6	6	
NOZZLE SPACING	20.000	20.000	20.000	IN
SCREEN SIZE				
SCREEN SZ DESC	NA	NA	NA	
SWATH WIDTH	10.0	10.0	10.0	FT
SPRAY VOLUME	20.00	20.00	20.00	
SPRAY VOLUME UNIT	GPA	GPA	GPA	
PRESSURE	32.00	32.00	32.00	PSI
DILUENT	WATER	WATER	WATER	
INC. DATE				AME
INC. START				24H
INC. END				24H
INC. DEPTH				IN
INC. EQUIPMENT	---	---	---	
DEN/ STG/ MINMAXSZ				
*** CROP ***				
CORN, DENT		---/13	---/16	
PIONEER 1395HR		8.00/8.00	14.0/24.0	IN
04/27/2012				
*** PEST ***				
WATERHEMP, COMMO		---/19	---/19	
		3.00/5.00	8.00/12.0	IN
RAGWEED, COMMON		---/13	---/17	
		3.00/5.00	6.00/12.0	IN
LAMBSQUARTERS, C		---/19	---/19	
		1.00/3.00	3.00/5.00	IN
PANICUM, FALL		---/14	---/16	
		3.00/4.00	8.00/12.0	IN
MORNINGGLORY, TA		---/17	---/19	
		1.00/4.00	4.00/6.00	IN

* TIMING CODES

09 = ----- / PREEMERGENCE
 11 = ----- / EPOST
 12 = ----- / POST

* STAGE CODE

13 = 3 LEAVES UNFOLDED
 13 = 3RD TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 14 = 4 LEAVES UNFOLDED
 16 = 6 LEAVES UNFOLDED
 16 = 6 LEAVES UNFOLDED
 17 = 7TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

TITLE: Herbicide Systems for Weed Control in RR/LL Corn. E3
CREATED: 04/22/2012 **REVISED:** 11/06/2012 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Brownstown **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT WIDE X 30.00 FT LONG
PLOT AREA: 300.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			ZEAMD	PANDI	AMBEL	AMATA	CHEAL	PHBPU
		RATE	UNIT	TM	CON % 05/24/12	CON % 05/24/12	CON % 05/24/12	CON % 05/24/12	CON % 05/24/12	CON % 05/24/12
1A»	LUMAX EZ 3.67S	2.29	LAA	9	0	99	99	99	99	95
2A»	LEXAR EZ 3.7SC	2.31	LAA	9	0	99	99	99	99	95
3A»	GUARDS MAX 5L	1.88	LAA	9	0	99	99	99	99	96
	B»SHARPEN 2.85L	0.044	LAA	9						
4A»	CORVUS 2.6SC	0.091	LAA	9	0	98	99	99	99	94
	B ATRAZINE DF	1.00	LAA	9						
5A»	VERDICT 5.57L	0.653	LAA	9	0	98	99	99	99	98
	B ATRAZINE DF	1.00	LAA	9						
6A»	LUMAX EZ 3.67S	2.29	LAA	9	0	99	99	99	99	96
	B»TOUCHDN TOTAL	1.04	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
7A	BICEP II MAG	1.79	LAA	9	0	99	98	99	99	89
	B»TOUCHDN TOTAL	1.04	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
8A	BICEP II MAG	1.79	LAA	9	0	99	99	99	99	90
	B»HALEX GT 4.38L	1.97	LAA	12						
	C ATRAZINE DF	0.50	LAA	12						
	D»ACTIVATOR 90	0.25	PMV	12						
	E»LIQUID AMS	2.50	PMV	12						
9A»	LEXAR EZ 3.7SC	1.85	LAA	9	0	99	99	99	99	94
	B»HALEX GT 4.38L	1.97	LAA	12						
	C ATRAZINE DF	0.50	LAA	12						
	D»ACTIVATOR 90	0.25	PMV	12						
	E»LIQUID AMS	2.50	PMV	12						
10A	BREAKFREE ATZ	1.97	LAA	9	0	99	99	99	99	95
	B»REALM Q	0.00	LAA	0						
	C RESOLVE 25DF	0.0188	LAA	12						
	D»MESOTRIONE 50W	0.078	LAA	12						
	E»ISOXADIFEN-ETH	0.0094	LAA	12						
	F»ABUNDIT EXTRA	0.75	LAA	12						
	G ATRAZINE DF	0.50	LAA	12						
	H»LIQUID AMS	2.50	PMV	12						
11A»	PREQUEL 45WG	0.00	LAA	0	0	99	99	99	99	86
	B RESOLVE 25DF	0.016	LAA	9						
	C»ISOXAFLOTOLE 7	0.031	LAA	9						
	D ATRAZINE DF	1.00	LAA	9						
	E»REALM Q	0.00	LAA	0						
	F RESOLVE 25DF	0.0188	LAA	12						
	G»MESOTRIONE 50W	0.078	LAA	12						
	H»ISOXADIFEN-ETH	0.0094	LAA	12						
	I»ABUNDIT EXTRA	0.75	LAA	12						
	J ATRAZINE DF	0.50	LAA	12						
	K»LIQUID AMS	2.50	PMV	12						
12A»	VERDICT 5.57L	0.57	LAA	9	0	99	99	99	99	97
	B»RNDUP POWERMAX	0.77	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
13A»	CORVUS 2.6SC	0.061	LAA	9	0	99	99	99	99	91
	B»RNDUP POWERMAX	0.77	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
14A	HARNESS XTRA	2.10	LAA	9	0	99	99	98	99	92
	B»RNDUP POWERMAX	0.77	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						

TITLE: Herbicide Systems for Weed Control in RR/LL Corn. E3

TRT NUM	TREATMENT COMPONENT	DOSAGE		ZEAMD	PANDI	AMBEL	AMATA	CHEAL	PHBPU
		RATE	UNIT TM	CON % 05/24/12	CON % 05/24/12	CON % 05/24/12	CON % 05/24/12	CON % 05/24/12	CON % 05/24/12
15A»	HALEX GT 4.38L	1.97	LAA 11	0	C	C	C	C	C
	B ATRAZINE DF	0.50	LAA 11						
	C»ACTIVATOR 90	0.25	PMV 11						
	D»LIQUID AMS	2.50	PMV 11						
16A»	TOUCHDN TOTAL	1.04	LAA 11	0	C	C	C	C	C
	B»CALLISTO XTRA	0.58	LAA 11						
	C»LIQUID AMS	2.50	PMV 11						
17A	CHECK	0.00	NA 0	0	0	0	0	0	0
18A»	RNDUP POWERMAX	0.77	LAA 11	0	C	C	C	C	C
	B»ARMEZON 2.8SC	0.016	LAA 11						
	C ATRAZINE DF	0.50	LAA 11						
	D»LIQUID AMS	2.50	PMV 11						
19A»	RNDUP POWERMAX	0.77	LAA 11	0	C	C	C	C	C
	B»LAUDIS 3.5SC	0.082	LAA 11						
	C ATRAZINE DF	0.50	LAA 11						
	D»LIQUID AMS	2.50	PMV 11						
20A»	LIBERTY 2.34L	0.40	LAA 11	0	C	C	C	C	C
	B»CAPRENO 3.45 S	0.054	LAA 11						
	C ATRAZINE DF	1.00	LAA 11						
	D»LIQUID AMS	2.50	PMV 11						
		LSD (0.05)		0.00	0.538	0.356	0.57	0.00	3.23
		STANDARD DEVIATION		0.00	0.266	0.176	0.282	0.00	1.60

TITLE: Herbicide Systems for Weed Control in RR/LL Corn. E3
CREATED: 04/22/2012 **REVISED:** 11/06/2012 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Brownstown **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT WIDE X 30.00 FT LONG
PLOT AREA: 300.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			ZEAMD	PHBPU	AMBEL	PANDI	AMATA	CHEAL
		RATE	UNIT	TM	CON % 06/19/12	CON % 06/19/12	CON % 06/19/12	CON % 06/19/12	CON % 06/19/12	CON % 06/19/12
1A»	LUMAX EZ 3.67S	2.29	LAA	9	0	99	99	99	99	99
2A»	LEXAR EZ 3.7SC	2.31	LAA	9	0	99	98	84	99	99
3A»	GUARDS MAX 5L	1.88	LAA	9	0	99	99	84	99	99
	B»SHARPEN 2.85L	0.044	LAA	9						
4A»	CORVUS 2.6SC	0.091	LAA	9	0	99	99	83	94	93
	B ATRAZINE DF	1.00	LAA	9						
5A»	VERDICT 5.57L	0.653	LAA	9	0	99	99	72	91	99
	B ATRAZINE DF	1.00	LAA	9						
6A»	LUMAX EZ 3.67S	2.29	LAA	9	0	99	99	99	99	99
	B»TOUCHDN TOTAL	1.04	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
7A	BICEP II MAG	1.79	LAA	9	0	99	99	99	99	99
	B»TOUCHDN TOTAL	1.04	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
8A	BICEP II MAG	1.79	LAA	9	0	99	99	99	99	99
	B»HALEX GT 4.38L	1.97	LAA	12						
	C ATRAZINE DF	0.50	LAA	12						
	D»ACTIVATOR 90	0.25	PMV	12						
	E»LIQUID AMS	2.50	PMV	12						
9A»	LEXAR EZ 3.7SC	1.85	LAA	9	0	99	99	99	99	99
	B»HALEX GT 4.38L	1.97	LAA	12						
	C ATRAZINE DF	0.50	LAA	12						
	D»ACTIVATOR 90	0.25	PMV	12						
	E»LIQUID AMS	2.50	PMV	12						
10A	BREAKFREE ATZ	1.97	LAA	9	0	99	99	99	99	99
	B»REALM Q	0.00	LAA	0						
	C RESOLVE 25DF	0.0188	LAA	12						
	D»MESOTRIONE 50W	0.078	LAA	12						
	E»ISOXADIFEN-ETH	0.0094	LAA	12						
	F»ABUNDIT EXTRA	0.75	LAA	12						
	G ATRAZINE DF	0.50	LAA	12						
	H»LIQUID AMS	2.50	PMV	12						
11A»	PREQUEL 45WG	0.00	LAA	0	0	99	99	99	99	99
	B RESOLVE 25DF	0.016	LAA	9						
	C»ISOXAFLUTOLE 7	0.031	LAA	9						
	D ATRAZINE DF	1.00	LAA	9						
	E»REALM Q	0.00	LAA	0						
	F RESOLVE 25DF	0.0188	LAA	12						
	G»MESOTRIONE 50W	0.078	LAA	12						
	H»ISOXADIFEN-ETH	0.0094	LAA	12						
	I»ABUNDIT EXTRA	0.75	LAA	12						
	J ATRAZINE DF	0.50	LAA	12						
	K»LIQUID AMS	2.50	PMV	12						
12A»	VERDICT 5.57L	0.57	LAA	9	0	99	99	99	99	99
	B»RNDUP POWERMAX	0.77	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
13A»	CORVUS 2.6SC	0.061	LAA	9	0	99	99	99	99	99
	B»RNDUP POWERMAX	0.77	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
14A	HARNESS XTRA	2.10	LAA	9	0	99	99	99	99	99
	B»RNDUP POWERMAX	0.77	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						

TITLE: Herbicide Systems for Weed Control in RR/LL Corn. E3

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	ZEAMD	PHBPU	AMBEL	PANDI	AMATA	CHEAL
		RATE	UNIT		CON % 06/19/12	CON % 06/19/12	CON % 06/19/12	CON % 06/19/12	CON % 06/19/12	CON % 06/19/12
15A»	HALEX GT 4.38L	1.97	LAA	11	0	99	99	99	99	99
	B ATRAZINE DF	0.50	LAA	11						
	C»ACTIVATOR 90	0.25	PMV	11						
	D»LIQUID AMS	2.50	PMV	11						
16A»	TOUCHDN TOTAL	1.04	LAA	11	0	99	99	99	99	99
	B»CALLISTO XTRA	0.58	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
17A	CHECK	0.00	NA	0	0	0	0	0	0	0
18A»	RNDUP POWERMAX	0.77	LAA	11	0	99	99	99	99	99
	B»ARMEZON 2.8SC	0.016	LAA	11						
	C ATRAZINE DF	0.50	LAA	11						
	D»LIQUID AMS	2.50	PMV	11						
19A»	RNDUP POWERMAX	0.77	LAA	11	0	99	99	99	99	99
	B»LAUDIS 3.5SC	0.082	LAA	11						
	C ATRAZINE DF	0.50	LAA	11						
	D»LIQUID AMS	2.50	PMV	11						
20A»	LIBERTY 2.34L	0.40	LAA	11	0	99	99	99	99	99
	B»CAPRENO 3.45 S	0.054	LAA	11						
	C ATRAZINE DF	1.00	LAA	11						
	D»LIQUID AMS	2.50	PMV	11						
		LSD (0.05)			0.00	0.391	0.867	4.24	4.52	4.00
		STANDARD DEVIATION			0.00	0.193	0.429	2.10	2.24	2.00

TITLE: Herbicide Systems for Weed Control in RR/LL Corn. E3
CREATED: 04/22/2012 **REVISED:** 11/06/2012 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Brownstown **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT WIDE X 30.00 FT LONG
PLOT AREA: 300.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			ZEAMD CON % 07/03/12	PHBPU CON % 07/03/12	PANDI CON % 07/03/12	AMBEL CON % 07/03/12	AMATA CON % 07/03/12	CHEAL CON % 07/03/12
		RATE	UNIT	TM						
1A»	LUMAX EZ 3.67S	2.29	LAA	9	0	98	89	99	99	99
2A»	LEXAR EZ 3.7SC	2.31	LAA	9	0	92	88	80	90	89
3A»	GUARDS MAX 5L	1.88	LAA	9	0	99	91	99	96	99
	B»SHARPEN 2.85L	0.044	LAA	9						
4A»	CORVUS 2.6SC	0.091	LAA	9	0	98	96	98	95	99
	B ATRAZINE DF	1.00	LAA	9						
5A»	VERDICT 5.57L	0.653	LAA	9	0	99	78	99	99	99
	B ATRAZINE DF	1.00	LAA	9						
6A»	LUMAX EZ 3.67S	2.29	LAA	9	0	99	99	99	99	99
	B»TOUCHDN TOTAL	1.04	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
7A	BICEP II MAG	1.79	LAA	9	0	99	99	99	99	99
	B»TOUCHDN TOTAL	1.04	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
8A	BICEP II MAG	1.79	LAA	9	0	99	99	99	99	99
	B»HALEX GT 4.38L	1.97	LAA	12						
	C ATRAZINE DF	0.50	LAA	12						
	D»ACTIVATOR 90	0.25	PMV	12						
	E»LIQUID AMS	2.50	PMV	12						
9A»	LEXAR EZ 3.7SC	1.85	LAA	9	0	99	99	99	99	99
	B»HALEX GT 4.38L	1.97	LAA	12						
	C ATRAZINE DF	0.50	LAA	12						
	D»ACTIVATOR 90	0.25	PMV	12						
	E»LIQUID AMS	2.50	PMV	12						
10A	BREAKFREE ATZ	1.97	LAA	9	0	99	99	99	99	99
	B»REALM Q	0.00	LAA	0						
	C RESOLVE 25DF	0.0188	LAA	12						
	D»MESOTRIONE 50W	0.078	LAA	12						
	E»ISOXADIFEN-ETH	0.0094	LAA	12						
	F»ABUNDIT EXTRA	0.75	LAA	12						
	G ATRAZINE DF	0.50	LAA	12						
	H»LIQUID AMS	2.50	PMV	12						
11A»	PREQUEL 45WG	0.00	LAA	0	0	99	99	99	99	99
	B RESOLVE 25DF	0.016	LAA	9						
	C»ISOXAFLUTOLE 7	0.031	LAA	9						
	D ATRAZINE DF	1.00	LAA	9						
	E»REALM Q	0.00	LAA	0						
	F RESOLVE 25DF	0.0188	LAA	12						
	G»MESOTRIONE 50W	0.078	LAA	12						
	H»ISOXADIFEN-ETH	0.0094	LAA	12						
	I»ABUNDIT EXTRA	0.75	LAA	12						
	J ATRAZINE DF	0.50	LAA	12						
	K»LIQUID AMS	2.50	PMV	12						
12A»	VERDICT 5.57L	0.57	LAA	9	0	99	99	99	99	99
	B»RNDUP POWERMAX	0.77	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
13A»	CORVUS 2.6SC	0.061	LAA	9	0	99	99	99	99	99
	B»RNDUP POWERMAX	0.77	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
14A	HARNESS XTRA	2.10	LAA	9	0	99	99	99	99	99
	B»RNDUP POWERMAX	0.77	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						

TITLE: Herbicide Systems for Weed Control in RR/LL Corn. E3

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	ZEAMD	PHBPU	PANDI	AMBEL	AMATA	CHEAL	
		RATE	UNIT		CON % 07/03/12	CON % 07/03/12	CON % 07/03/12	CON % 07/03/12	CON % 07/03/12	CON % 07/03/12	
15A	HALEX GT 4.38L	1.97	LAA	11	0	99	99	99	99	99	
	B ATRAZINE DF	0.50	LAA	11							
	C>ACTIVATOR 90	0.25	PMV	11							
	D>LIQUID AMS	2.50	PMV	11							
16A	TOUCHDN TOTAL	1.04	LAA	11	0	99	99	99	99	99	
	B>CALLISTO XTRA	0.58	LAA	11							
	C>LIQUID AMS	2.50	PMV	11							
17A	CHECK	0.00	NA	0	0	0	0	0	0	0	
18A	RNDUP POWERMAX	0.77	LAA	11	0	99	99	99	99	99	
	B>ARMEZON 2.8SC	0.016	LAA	11							
	C ATRAZINE DF	0.50	LAA	11							
	D>LIQUID AMS	2.50	PMV	11							
19A	RNDUP POWERMAX	0.77	LAA	11	0	99	99	99	99	99	
	B>LAUDIS 3.5SC	0.082	LAA	11							
	C ATRAZINE DF	0.50	LAA	11							
	D>LIQUID AMS	2.50	PMV	11							
20A	LIBERTY 2.34L	0.40	LAA	11	0	99	99	99	99	99	
	B>CAPRENO 3.45 S	0.054	LAA	11							
	C ATRAZINE DF	1.00	LAA	11							
	D>LIQUID AMS	2.50	PMV	11							
					LSD (0.05)	0.00	3.91	6.82	3.72	5.60	4.61
					STANDARD DEVIATION	0.00	1.94	3.38	1.84	2.77	2.28

>> = SUPPLEMENTAL CHEMICAL

---,M,C,D = MISSING DATA

* TIMING CODES

- 00 = ----- / UNTREATED TIMING
- 09 = ----- / PREEMERGENCE 04/27/2012(1)
- 11 = ----- / EPOST 05/24/2012(2)
- 12 = ----- / POST 06/07/2012(3)

H#	CUSTOM#1	CUSTOM#2	EV.DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTR	SS	NOTE
001	ZEAMD	CON %	05/24/2012	01	P	ZEAMD	13	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
002	PANDI	CON %	05/24/2012	02	P	PANDI	14	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
003	AMBEL	CON %	05/24/2012	03	P	AMBEL	13	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
004	AMATA	CON %	05/24/2012	04	P	AMATA	19	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
005	CHEAL	CON %	05/24/2012	05	P	CHEAL	19	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
006	PHBPU	CON %	05/24/2012	06	P	PHBPU	17	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
007	ZEAMD	CON %	06/19/2012	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
008	PHBPU	CON %	06/19/2012	06	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
009	AMBEL	CON %	06/19/2012	03	P	AMBEL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
010	PANDI	CON %	06/19/2012	02	P	PANDI		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
011	AMATA	CON %	06/19/2012	04	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
012	CHEAL	CON %	06/19/2012	05	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
013	ZEAMD	CON %	07/03/2012	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
014	PHBPU	CON %	07/03/2012	06	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
015	PANDI	CON %	07/03/2012	02	P	PANDI		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
016	AMBEL	CON %	07/03/2012	03	P	AMBEL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
017	AMATA	CON %	07/03/2012	04	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
018	CHEAL	CON %	07/03/2012	05	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

* SPECIES COMMON NAME - VARIETY/SPECIE INFO (IF APPLICABLE)
01 = PIONEER 1395HR

* STAGE CODE

- 13 = 3 LEAVES UNFOLDED
- 13 = 3RD TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
- 14 = 4 LEAVES UNFOLDED
- 17 = 7TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
- 19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED