

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: SIX  
 PH: 6.0  
 %OM: 6.0  
 PREV.CROP: GLXMA - SOYBEAN  
 %RESIDUE: 0  
 PLOT WIDTH: 10 X 29 FEET  
 PLOT AREA: 290 FEET

DESIGN: RCB  
 REPS: 3

APPL. NUMBER	01	02	03	UNIT
TIMINGS	09	11	12	
TYPE	LIQMIX	LIQMIX	LIQMIX	
APPLICATION DATE	04/26/12	05/25/12	06/03/12	AME
AIR TEMPERATURE	53	80	76	F
% REL.HUMIDITY	60	30	34	
WIND DIRECTION	NORTH	NORTHEAST	WEST	
WIND SPEED	15.0	3.0	8.0	M/H
CLOUD COVER	OVERCAST	PARTCLDY	CLEAR	
DEW	---	NO	NO	
SOIL MOISTURE	DRY/MOIST	DRY/MOIST	DRY/MOIST	
SOIL CONDITION	---	---	---	
METHOD	SPRAY	SPRAY	SPRAY	
EQUIPMENT	SPRBAC	SPRBAC	SPRBAC	
PROPELLANT	COMCO2	COMCO2	COMCO2	
PLACEMENT	BRFOSO	BRFOSO	BRFOSO	
NOZZLE	FLATFAN	FLATFAN	FLATFAN	
NOZZLE NUMBER	6	6	6	
NOZZLE SPACING	20.000	20.000	20.000	IN
SCREEN SIZE				
SCREEN SZ DESC	NA	NA	NA	
SWATH WIDTH	10.0	10.0	10.0	FT
SPRAY VOLUME	20.00	20.00	20.00	
SPRAY VOLUME UNIT	GPA	GPA	GPA	
PRESSURE	32.00	32.00	32.00	PSI
DILUENT	WATER	WATER	WATER	
INC. DATE				AME
INC. START				24H
INC. END				24H
INC. DEPTH				IN
INC. EQUIPMENT	---	---	---	
DEN/ STG/ MINMAXSZ				
*** CROP ***				
CORN, DENT		---/13	---/16	
84A40 3000GT		5.00/7.00	12.0/14.0	IN
04/25/2012				
*** PEST ***				
VELVETLEAF		---/13	---/14	
		0.50/2.00	1.00/3.00	IN
RAGWEED, GIANT		---/14	---/18	
		2.00/4.00	2.00/7.00	IN
LAMBSQUARTERS, C		---/16	---/19	
		0.50/1.50	1.00/2.00	IN
FOXTAIL, GIANT		---/14	---/15	
		1.00/3.00	2.00/5.00	IN

\* TIMING CODES

09 = ----- / PREEMERGENCE  
 11 = ----- / EPOST  
 12 = ----- / POST

\* STAGE CODE

13 = 3 LEAVES UNFOLDED  
 13 = 3RD TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED  
 14 = 4 LEAVES UNFOLDED  
 14 = 4TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED  
 15 = 5 LEAVES UNFOLDED  
 16 = 6TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED  
 16 = 6 LEAVES UNFOLDED  
 18 = 8TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED  
 19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

**TITLE:** Herbicide Systems for Weed Control in RR/LL Corn I. SW-1500W  
**CREATED:** 04/11/2012 **REVISED:** 10/31/2012 **COMPLETED:** N  
**PROJECT TYPE:** HERBICIDE  
**LOCATION:** Dekalb **RESEARCHED BY:** UNIV. OF ILL  
**DESIGN:** RANDOMIZED COMPLETE BLOCK DESIGN  
**PLOT SIZE:** 10.00 FT WIDE X 29.00 FT LONG  
**PLOT AREA:** 290.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			ZEAMD	SETFA	AMBTR	ABUTH	CHEAL	ZEAMD
		RATE	UNIT	TM	PRE 06/03/12	PRE 06/03/12	PRE 06/03/12	PRE 06/03/12	PRE 06/03/12	10 DAT 06/12/12
1A»	VERDICT 5.57L	0.696	LAA	9	0	89	72	98	99	0
2A»	VERDICT 5.57L	0.696	LAA	9	0	95	77	98	98	0
	B»RNDUP POWERMAX	0.77	LAA	12						
	C»ACTIVATOR 90	0.25	PMV	12						
	D»LIQUID AMS	2.50	PMV	12						
3A»	LUMAX EZ 3.67S	2.06	LAA	9	0	96	70	97	99	0
4A»	LUMAX EZ 3.67S	2.06	LAA	9	0	97	73	99	99	0
	B»TOUCHDN TOTAL	0.78	LAA	12						
	C»ACTIVATOR 90	0.25	PMV	12						
	D»LIQUID AMS	2.50	PMV	12						
5A»	CORVUS 2.6SC	0.114	LAA	9	0	90	86	98	99	0
	B ATRAZINE DF	1.00	LAA	9						
6A»	CORVUS 2.6SC	0.114	LAA	9	0	84	78	96	99	0
	B ATRAZINE DF	1.00	LAA	9						
	C»RNDUP POWERMAX	0.77	LAA	12						
	D»ACTIVATOR 90	0.25	PMV	12						
	E»LIQUID AMS	2.50	PMV	12						
7A	HARNESS XTRA	3.15	LAA	9	0	90	57	88	99	0
8A	HARNESS XTRA	3.15	LAA	9	0	89	62	86	98	0
	B»RNDUP POWERMAX	0.77	LAA	12						
	C»ACTIVATOR 90	0.25	PMV	12						
	D»LIQUID AMS	2.50	PMV	12						
9A»	SURESTART 4.16	1.04	LAA	9	0	98	72	92	99	0
	B»RNDUP POWERMAX	0.77	LAA	12						
	C»ACTIVATOR 90	0.25	PMV	12						
	D»LIQUID AMS	2.50	PMV	12						
10A»	LUMAX EZ 3.67S	2.98	LAA	9	0	99	88	99	99	0
11A	BREAKFREE ATZ	1.97	LAA	9	0	96	50	82	99	1
	B»REALM Q	0.097	LAA	12						
	C RESOLVE 25DF	0.0188	LAA	12						
	D»MESOTRIONE 50W	0.078	LAA	12						
	E»ISOXADIFEN-ETH	0.0094	LAA	12						
	F»ABUNDIT EXTRA	0.75	LAA	12						
	G ATRAZINE DF	0.50	LAA	12						
	H»LIQUID AMS	2.50	PMV	12						
12A»	PREQUEL 45WG	0.047	LAA	0	0	80	70	95	99	1
	B RESOLVE 25DF	0.016	LAA	9						
	C»ISOXAFLUTOLE 7	0.031	LAA	9						
	D ATRAZINE DF	1.00	LAA	9						
	E»REALM Q	0.097	LAA	0						
	F RESOLVE 25DF	0.0188	LAA	12						
	G»MESOTRIONE 50W	0.078	LAA	12						
	H»ISOXADIFEN-ETH	0.0094	LAA	12						
	I»ABUNDIT EXTRA	0.75	LAA	12						
	J ATRAZINE DF	0.50	LAA	12						
	K»LIQUID AMS	2.50	PMV	12						
13A	BICEP II MAG	1.79	LAA	9	0	63	23	27	98	0
	B»TOUCHDN TOTAL	1.04	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
14A	BICEP II MAG	1.79	LAA	9	0	88	57	47	99	0
	B»HALEX GT 4.38L	1.97	LAA	12						
	C ATRAZINE DF	0.50	LAA	12						
	D»ACTIVATOR 90	0.25	PMV	12						
	E»LIQUID AMS	2.50	PMV	12						

## TITLE: Herbicide Systems for Weed Control in RR/LL Corn I. SW-1500W

TRT NUM	TREATMENT COMPONENT	DOSAGE			ZEAMD	SETFA	AMBTR	ABUTH	CHEAL	ZEAMD
		RATE	UNIT	TM	PRE 06/03/12	PRE 06/03/12	PRE 06/03/12	PRE 06/03/12	PRE 06/03/12	10 DAT 06/12/12
15A	CHECK	0.00	NA	0	0	0	0	0	0	0
16A	»LEXAR EZ 3.7SC	1.85	LAA	9	0	87	60	95	99	0
	B»HALEX GT 4.38L	1.97	LAA	12						
	C ATRAZINE DF	0.50	LAA	12						
	D»ACTIVATOR 90	0.25	PMV	12						
	E»LIQUID AMS	2.50	PMV	12						
17A	»HALEX GT 4.38L	1.97	LAA	11	0	C	C	C	C	0
	B ATRAZINE DF	0.50	LAA	11						
	C»ACTIVATOR 90	0.25	PMV	11						
	D»LIQUID AMS	2.50	PMV	11						
18A	»TOUCHDN TOTAL	1.04	LAA	11	0	C	C	C	C	0
	B»CALLISTO XTRA	0.58	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
19A	»RNDUP POWERMAX	1.02	LAA	11	0	C	C	C	C	0
	B»ARMEZON 2.8SC	0.016	LAA	11						
	C ATRAZINE DF	0.50	LAA	11						
	D»MSO	0.50	PMV	11						
	E»LIQUID AMS	2.50	PMV	11						
20A	»RNDUP POWERMAX	1.02	LAA	11	0	C	C	C	C	0
	B»LAUDIS 3.5SC	0.082	LAA	11						
	C ATRAZINE DF	0.50	LAA	11						
	D»LIQUID AMS	2.50	PMV	11						
		LSD (0.05)			0.00	14.50	20.78	12.51	0.738	0.88
		STANDARD DEVIATION			0.00	7.17	10.28	6.19	0.365	0.435

**TITLE:** Herbicide Systems for Weed Control in RR/LL Corn I. SW-1500W  
**CREATED:** 04/11/2012 **REVISED:** 10/31/2012 **COMPLETED:** N  
**PROJECT TYPE:** HERBICIDE  
**LOCATION:** Dekalb **RESEARCHED BY:** UNIV. OF ILL  
**DESIGN:** RANDOMIZED COMPLETE BLOCK DESIGN  
**PLOT SIZE:** 10.00 FT WIDE X 29.00 FT LONG  
**PLOT AREA:** 290.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			SETFA	AMBTR	ABUTH	CHEAL	ZEAMD	SETFA
		RATE	UNIT	TM	10 DAT 06/12/12	10 DAT 06/12/12	10 DAT 06/12/12	10 DAT 06/12/12	30 DAT 07/03/12	30 DAT 07/03/12
1A»	VERDICT 5.57L	0.696	LAA	9	70	47	94	99	0	67
2A»	VERDICT 5.57L	0.696	LAA	9	99	97	96	99	0	97
	B»RNDUP POWERMAX	0.77	LAA	12						
	C»ACTIVATOR 90	0.25	PMV	12						
	D»LIQUID AMS	2.50	PMV	12						
3A»	LUMAX EZ 3.67S	2.06	LAA	9	97	40	96	99	0	85
4A»	LUMAX EZ 3.67S	2.06	LAA	9	99	95	99	99	0	97
	B»TOUCHDN TOTAL	0.78	LAA	12						
	C»ACTIVATOR 90	0.25	PMV	12						
	D»LIQUID AMS	2.50	PMV	12						
5A»	CORVUS 2.6SC	0.114	LAA	9	81	74	93	99	0	80
	B ATRAZINE DF	1.00	LAA	9						
6A»	CORVUS 2.6SC	0.114	LAA	9	98	96	97	99	0	89
	B ATRAZINE DF	1.00	LAA	9						
	C»RNDUP POWERMAX	0.77	LAA	12						
	D»ACTIVATOR 90	0.25	PMV	12						
	E»LIQUID AMS	2.50	PMV	12						
7A	HARNESS XTRA	3.15	LAA	9	75	23	88	99	0	68
8A	HARNESS XTRA	3.15	LAA	9	98	95	94	99	0	89
	B»RNDUP POWERMAX	0.77	LAA	12						
	C»ACTIVATOR 90	0.25	PMV	12						
	D»LIQUID AMS	2.50	PMV	12						
9A»	SURESTART 4.16	1.04	LAA	9	99	95	95	99	0	98
	B»RNDUP POWERMAX	0.77	LAA	12						
	C»ACTIVATOR 90	0.25	PMV	12						
	D»LIQUID AMS	2.50	PMV	12						
10A»	LUMAX EZ 3.67S	2.98	LAA	9	99	78	98	99	0	99
11A	BREAKFREE ATZ	1.97	LAA	9	99	97	93	99	0	98
	B»REALM Q	0.097	LAA	12						
	C RESOLVE 25DF	0.0188	LAA	12						
	D»MESOTRIONE 50W	0.078	LAA	12						
	E»ISOXADIFEN-ETH	0.0094	LAA	12						
	F»ABUNDIT EXTRA	0.75	LAA	12						
	G ATRAZINE DF	0.50	LAA	12						
	H»LIQUID AMS	2.50	PMV	12						
12A»	PREQUEL 45WG	0.047	LAA	0	97	98	97	99	0	92
	B RESOLVE 25DF	0.016	LAA	9						
	C»ISOXAFLOTOLE 7	0.031	LAA	9						
	D ATRAZINE DF	1.00	LAA	9						
	E»REALM Q	0.097	LAA	0						
	F RESOLVE 25DF	0.0188	LAA	12						
	G»MESOTRIONE 50W	0.078	LAA	12						
	H»ISOXADIFEN-ETH	0.0094	LAA	12						
	I»ABUNDIT EXTRA	0.75	LAA	12						
	J ATRAZINE DF	0.50	LAA	12						
	K»LIQUID AMS	2.50	PMV	12						
13A	BICEP II MAG	1.79	LAA	9	98	94	91	99	0	85
	B»TOUCHDN TOTAL	1.04	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
14A	BICEP II MAG	1.79	LAA	9	98	98	93	99	0	97
	B»HALEX GT 4.38L	1.97	LAA	12						
	C ATRAZINE DF	0.50	LAA	12						
	D»ACTIVATOR 90	0.25	PMV	12						
	E»LIQUID AMS	2.50	PMV	12						

## TITLE: Herbicide Systems for Weed Control in RR/LL Corn I. SW-1500W

TRT NUM	TREATMENT COMPONENT	DOSAGE			SETFA	AMBTR	ABUTH	CHEAL	ZEAMD	SETFA
		RATE	UNIT	TM	10 DAT 06/12/12	10 DAT 06/12/12	10 DAT 06/12/12	10 DAT 06/12/12	30 DAT 07/03/12	30 DAT 07/03/12
15A	CHECK	0.00	NA	0	0	0	0	0	0	0
16A	»LEXAR EZ 3.7SC	1.85	LAA	9	98	96	97	99	0	97
	B»HALEX GT 4.38L	1.97	LAA	12						
	C ATRAZINE DF	0.50	LAA	12						
	D»ACTIVATOR 90	0.25	PMV	12						
	E»LIQUID AMS	2.50	PMV	12						
17A	»HALEX GT 4.38L	1.97	LAA	11	98	98	98	98	0	98
	B ATRAZINE DF	0.50	LAA	11						
	C»ACTIVATOR 90	0.25	PMV	11						
	D»LIQUID AMS	2.50	PMV	11						
18A	»TOUCHDN TOTAL	1.04	LAA	11	99	99	99	98	0	95
	B»CALLISTO XTRA	0.58	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
19A	»RNDUP POWERMAX	1.02	LAA	11	97	98	98	96	0	96
	B»ARMEZON 2.8SC	0.016	LAA	11						
	C ATRAZINE DF	0.50	LAA	11						
	D»MSO	0.50	PMV	11						
	E»LIQUID AMS	2.50	PMV	11						
20A	»RNDUP POWERMAX	1.02	LAA	11	99	98	99	97	0	96
	B»LAUDIS 3.5SC	0.082	LAA	11						
	C ATRAZINE DF	0.50	LAA	11						
	D»LIQUID AMS	2.50	PMV	11						
		LSD (0.05)			13.06	14.07	5.25	1.30	0.00	16.74
		STANDARD DEVIATION			6.46	7.00	2.60	0.642	0.00	8.28

**TITLE:** Herbicide Systems for Weed Control in RR/LL Corn I. SW-1500W  
**CREATED:** 04/11/2012 **REVISED:** 10/31/2012 **COMPLETED:** N  
**PROJECT TYPE:** HERBICIDE  
**LOCATION:** Dekalb **RESEARCHED BY:** UNIV. OF ILL  
**DESIGN:** RANDOMIZED COMPLETE BLOCK DESIGN  
**PLOT SIZE:** 10.00 FT WIDE X 29.00 FT LONG  
**PLOT AREA:** 290.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			AMBTR	ABUTH	CHEAL	YIELD
		RATE	UNIT	TM	30 DAT 07/03/12	30 DAT 07/03/12	30 DAT 07/03/12	BU/A 10/16/12
1A	»VERDICT 5.57L	0.696	LAA	9	40	85	99	113.1
2A	»VERDICT 5.57L	0.696	LAA	9	92	88	98	148.5
	B»RNDUP POWERMAX	0.77	LAA	12				
	C»ACTIVATOR 90	0.25	PMV	12				
	D»LIQUID AMS	2.50	PMV	12				
3A	»LUMAX EZ 3.67S	2.06	LAA	9	40	98	99	136.1
4A	»LUMAX EZ 3.67S	2.06	LAA	9	91	99	99	136.6
	B»TOUCHDN TOTAL	0.78	LAA	12				
	C»ACTIVATOR 90	0.25	PMV	12				
	D»LIQUID AMS	2.50	PMV	12				
5A	»CORVUS 2.6SC	0.114	LAA	9	63	92	99	168.5
	B ATRAZINE DF	1.00	LAA	9				
6A	»CORVUS 2.6SC	0.114	LAA	9	90	92	99	155.1
	B ATRAZINE DF	1.00	LAA	9				
	C»RNDUP POWERMAX	0.77	LAA	12				
	D»ACTIVATOR 90	0.25	PMV	12				
	E»LIQUID AMS	2.50	PMV	12				
7A	HARNESS XTRA	3.15	LAA	9	23	73	97	87.6
8A	HARNESS XTRA	3.15	LAA	9	87	73	99	152.5
	B»RNDUP POWERMAX	0.77	LAA	12				
	C»ACTIVATOR 90	0.25	PMV	12				
	D»LIQUID AMS	2.50	PMV	12				
9A	»SURESTART 4.16	1.04	LAA	9	86	77	99	153.3
	B»RNDUP POWERMAX	0.77	LAA	12				
	C»ACTIVATOR 90	0.25	PMV	12				
	D»LIQUID AMS	2.50	PMV	12				
10A	»LUMAX EZ 3.67S	2.98	LAA	9	63	93	99	139.3
11A	BREAKFREE ATZ	1.97	LAA	9	94	73	99	145.4
	B»REALM Q	0.097	LAA	12				
	C RESOLVE 25DF	0.0188	LAA	12				
	D»MESOTRIONE 50W	0.078	LAA	12				
	E»ISOXADIFEN-ETH	0.0094	LAA	12				
	F»ABUNDIT EXTRA	0.75	LAA	12				
	G ATRAZINE DF	0.50	LAA	12				
	H»LIQUID AMS	2.50	PMV	12				
12A	»PREQUEL 45WG	0.047	LAA	0	96	90	99	144.5
	B RESOLVE 25DF	0.016	LAA	9				
	C»ISOXAFLOTOLE 7	0.031	LAA	9				
	D ATRAZINE DF	1.00	LAA	9				
	E»REALM Q	0.097	LAA	0				
	F RESOLVE 25DF	0.0188	LAA	12				
	G»MESOTRIONE 50W	0.078	LAA	12				
	H»ISOXADIFEN-ETH	0.0094	LAA	12				
	I»ABUNDIT EXTRA	0.75	LAA	12				
	J ATRAZINE DF	0.50	LAA	12				
	K»LIQUID AMS	2.50	PMV	12				
13A	BICEP II MAG	1.79	LAA	9	84	67	99	149.4
	B»TOUCHDN TOTAL	1.04	LAA	12				
	C»LIQUID AMS	2.50	PMV	12				
14A	BICEP II MAG	1.79	LAA	9	96	72	99	147.1
	B»HALEX GT 4.38L	1.97	LAA	12				
	C ATRAZINE DF	0.50	LAA	12				
	D»ACTIVATOR 90	0.25	PMV	12				
	E»LIQUID AMS	2.50	PMV	12				

TITLE: Herbicide Systems for Weed Control in RR/LL Corn I. SW-1500W

TRT NUM	TREATMENT COMPONENT	DOSAGE			AMBTR	ABUTH	CHEAL	YIELD
		RATE	UNIT	TM	30 DAT 07/03/12	30 DAT 07/03/12	30 DAT 07/03/12	BU/A 10/16/12
15A	CHECK	0.00	NA	0	0	0	0	63.3
16A	»LEXAR EZ 3.7SC	1.85	LAA	9	94	96	99	161.6
	B»HALEX GT 4.38L	1.97	LAA	12				
	C ATRAZINE DF	0.50	LAA	12				
	D»ACTIVATOR 90	0.25	PMV	12				
	E»LIQUID AMS	2.50	PMV	12				
17A	»HALEX GT 4.38L	1.97	LAA	11	96	94	99	139.3
	B ATRAZINE DF	0.50	LAA	11				
	C»ACTIVATOR 90	0.25	PMV	11				
	D»LIQUID AMS	2.50	PMV	11				
18A	»TOUCHDN TOTAL	1.04	LAA	11	99	92	99	136.1
	B»CALLISTO XTRA	0.58	LAA	11				
	C»LIQUID AMS	2.50	PMV	11				
19A	»RNDUP POWERMAX	1.02	LAA	11	96	74	93	148.9
	B»ARMEZON 2.8SC	0.016	LAA	11				
	C ATRAZINE DF	0.50	LAA	11				
	D»MSO	0.50	PMV	11				
	E»LIQUID AMS	2.50	PMV	11				
20A	»RNDUP POWERMAX	1.02	LAA	11	98	84	96	145.8
	B»LAUDIS 3.5SC	0.082	LAA	11				
	C ATRAZINE DF	0.50	LAA	11				
	D»LIQUID AMS	2.50	PMV	11				
		LSD (0.05)			19.00	10.90	4.20	29.71
		STANDARD DEVIATION			9.39	5.39	2.08	14.70

» = SUPPLEMENTAL CHEMICAL

---,M,C,D = MISSING DATA

\* TIMING CODES

- 00 = ----- / UNTREATED TIMING
- 09 = ----- / PREEMERGENCE 04/26/2012(1)
- 11 = ----- / EPOST 05/25/2012(2)
- 12 = ----- / POST 06/03/2012(3)

H#	CUSTOM#1	CUSTOM#2	EV.DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTRT	SS	NOTE
001	ZEAMD	PRE	06/03/2012	01	P	ZEAMD	16	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
002	SETFA	PRE	06/03/2012	02	P	SETFA	15	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
003	AMBTR	PRE	06/03/2012	03	P	AMBTR	18	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
004	ABUTH	PRE	06/03/2012	04	P	ABUTH	14	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
005	CHEAL	PRE	06/03/2012	05	P	CHEAL	19	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
006	ZEAMD	10 DAT	06/12/2012	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
007	SETFA	10 DAT	06/12/2012	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
008	AMBTR	10 DAT	06/12/2012	03	P	AMBTR		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
009	ABUTH	10 DAT	06/12/2012	04	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
010	CHEAL	10 DAT	06/12/2012	05	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
011	ZEAMD	30 DAT	07/03/2012	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
012	SETFA	30 DAT	07/03/2012	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
013	AMBTR	30 DAT	07/03/2012	03	P	AMBTR		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
014	ABUTH	30 DAT	07/03/2012	04	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
015	CHEAL	30 DAT	07/03/2012	05	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
016	YIELD	BU/A	10/16/2012	01	P	ZEAMD		RAW	---	YLD	---	---	1.00 ---	NO	0001	0	Y

\* SEE INDIVIDUAL EVALUATION COMMENTS UNDER SPECIFIC TRIAL NOTES

\* SPECIES COMMON NAME - VARIETY/SPECIE INFO (IF APPLICABLE)

01 = 84A40 3000GT

\* STAGE CODE

- 14 = 4TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
- 15 = 5 LEAVES UNFOLDED
- 16 = 6 LEAVES UNFOLDED
- 18 = 8TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
- 19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED