

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: SIX  
 PH: 6.0  
 %OM: 6.0  
 PREV.CROP: GLXMA - SOYBEAN  
 %RESIDUE: 0  
 PLOT WIDTH: 10 X 29 FEET  
 PLOT AREA: 290 FEET

DESIGN: RCB  
 REPS: 3

APPL. NUMBER	01	02	03	04	UNIT
TIMINGS	09	11	12	13	
TYPE	LIQMIX	LIQMIX	LIQMIX	LIQMIX	
APPLICATION DATE	04/26/12	05/22/12	06/03/12	06/08/12	AME
AIR TEMPERATURE	53	71	76	84	F
% REL.HUMIDITY	60	29	34	30	
WIND DIRECTION	NORTH	NORTH	WEST	SOUTHWEST	
WIND SPEED	15.0	7.0	8.0	7.0	M/H
CLOUD COVER	OVERCAST	CLEAR	CLEAR	PARTCLDY	
DEW	---	NO	NO	NO	
SOIL MOISTURE	DRY/MOIST	DRY/MOIST	DRY/MOIST	DRY/MOIST	
SOIL CONDITION	---	---	---	---	
METHOD	SPRAY	SPRAY	SPRAY	SPRAY	
EQUIPMENT	SPRBAC	SPRBAC	SPRBAC	SPRBAC	
PROPELLANT	COMCO2	COMCO2	COMCO2	COMCO2	
PLACEMENT	BRFOSO	BRFOSO	BRFOSO	BRFOSO	
NOZZLE	FLATFAN	FLATFAN	FLATFAN	---	
NOZZLE NUMBER	6	6	6	6	
NOZZLE SPACING	20.000	20.000	20.000	20.000	IN
SCREEN SIZE					
SCREEN SZ DESC	NA	NA	NA	NA	
SWATH WIDTH	10.0	10.0	10.0	10.0	FT
SPRAY VOLUME	20.00	20.00	20.00	20.00	
SPRAY VOLUME UNIT	GPA	GPA	GPA	GPA	
PRESSURE	32.00	32.00	32.00	32.00	PSI
DILUENT	WATER	WATER	WATER	WATER	
INC. DATE					AME
INC. START					24H
INC. END					24H
INC. DEPTH					IN
INC. EQUIPMENT	---	---	---	---	
DENSITY /					
*** CROP ***					
CORN, DENT		---/13	---/16	---/17	
84A40 3000GT		4.00/5.00	12.0/14.0	16.0/20.0	IN
04/25/2012					
*** PEST ***					
VELVETLEAF		---/12	---/14	---/11	
		1.00/2.00	1.00/3.00	0.50/1.50	IN
RAGWEED, GIANT		---/14	---/18	---/12	
		1.00/3.00	2.00/7.00	1.00/1.50	IN
LAMBSQUARTERS, C		---/16	---/19	---/19	
		0.50/1.50	1.00/2.00	1.00/5.00	IN
FOXTAIL, GIANT		---/14	---/15	---/14	
		1.00/3.00	2.00/5.00	2.00/4.00	IN

\* TIMING CODES

09 = ----- / PREEMERGENCE  
 11 = ----- / EPOST  
 12 = ----- / POST  
 13 = ----- / LPOST

\* STAGE CODE

11 = 1ST TRUE LEAF/LEAF PAIR/WHORL UNFOLDED  
 12 = 2ND TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED  
 13 = 3 LEAVES UNFOLDED  
 14 = 4 LEAVES UNFOLDED  
 14 = 4TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED  
 15 = 5 LEAVES UNFOLDED  
 16 = 6TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED  
 16 = 6 LEAVES UNFOLDED  
 17 = 7 LEAVES UNFOLDED  
 18 = 8TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED  
 19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

**TITLE:** Anthem Weed Control Comparisons in RR/LL Corn. SW-1500W  
**CREATED:** 04/11/2012 **REVISED:** 10/31/2012 **COMPLETED:** N  
**PROJECT TYPE:** HERBICIDE  
**LOCATION:** Dekalb **RESEARCHED BY:** UNIV. OF ILL  
**DESIGN:** RANDOMIZED COMPLETE BLOCK DESIGN  
**PLOT SIZE:** 10.00 FT WIDE X 29.00 FT LONG  
**PLOT AREA:** 290.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			ZEAMD	ZEAMD	SETFA	AMBTR	ABUTH	CHEAL
		RATE	UNIT	TM	CON % 05/18/12	CON % 05/28/12	CON % 05/28/12	CON % 05/28/12	CON % 05/28/12	CON % 05/28/12
1A	»ANTHEM ATZ 4.5	1.125	LAA	9	0	0	98	83	98	99
	B»RNDUP POWERMAX	0.77	LAA	12						
	C IMPACT 2.8SC	0.016	LAA	12						
	D ATRAZINE DF	0.50	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						
2A	»ANTHEM ATZ 4.5	1.125	LAA	9	0	0	91	79	98	99
	B»SHARPEN 2.85L	0.022	LAA	9						
	C»RNDUP POWERMAX	0.77	LAA	12						
	D IMPACT 2.8SC	0.016	LAA	12						
	E ATRAZINE DF	0.50	LAA	12						
	F»LIQUID AMS	2.50	PMV	12						
3A	BICEP LT II MA	2.25	LAA	9	0	0	94	89	71	99
	B»RNDUP POWERMAX	0.77	LAA	12						
	C IMPACT 2.8SC	0.016	LAA	12						
	D ATRAZINE DF	0.50	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						
4A	HARNESS XTRA	3.45	LAA	9	0	0	98	78	83	99
	B»RNDUP POWERMAX	0.77	LAA	12						
	C IMPACT 2.8SC	0.016	LAA	12						
	D ATRAZINE DF	0.50	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						
5A	»ZEMAX 3.67L	2.20	LAA	9	0	0	91	73	99	99
	B»RNDUP POWERMAX	0.77	LAA	12						
	C IMPACT 2.8SC	0.016	LAA	12						
	D ATRAZINE DF	0.50	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						
6A	»VERDICT 5.57L	0.696	LAA	9	0	0	89	96	99	93
	B»RNDUP POWERMAX	0.77	LAA	12						
	C IMPACT 2.8SC	0.016	LAA	12						
	D ATRAZINE DF	0.50	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						
7A	»CORVUS 2.6SC	0.114	LAA	9	0	0	87	99	96	98
	B»RNDUP POWERMAX	0.77	LAA	12						
	C IMPACT 2.8SC	0.016	LAA	12						
	D ATRAZINE DF	0.50	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						
8A	»SURESTART 4.16	1.04	LAA	9	0	0	95	83	96	99
	B»RNDUP POWERMAX	0.77	LAA	12						
	C IMPACT 2.8SC	0.016	LAA	12						
	D ATRAZINE DF	0.50	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						
9A	»ANTHEM ATZ 4.5	0.98	LAA	11	C	6	99	99	99	99
	B»RNDUP POWERMAX	0.77	LAA	11						
	C CALLISTO 4SC	0.047	LAA	11						
	D»LIQUID AMS	2.50	PMV	11						
	E»RNDUP POWERMAX	0.77	LAA	13						
	F IMPACT 2.8SC	0.016	LAA	13						
	G»LIQUID AMS	2.50	PMV	13						
10A	»ANTHEM ATZ 4.5	0.98	LAA	11	C	5	98	99	98	98
	B»RNDUP POWERMAX	0.77	LAA	11						
	C»STATUS 56DG	0.088	LAA	11						
	D»LIQUID AMS	2.50	PMV	11						
	E»RNDUP POWERMAX	0.77	LAA	13						
	F IMPACT 2.8SC	0.016	LAA	13						
	G»LIQUID AMS	2.50	PMV	13						

## TITLE: Anthem Weed Control Comparisons in RR/LL Corn. SW-1500W

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	ZEAMD CON % 05/18/12	ZEAMD CON % 05/28/12	SETFA CON % 05/28/12	AMBTR CON % 05/28/12	ABUTH CON % 05/28/12	CHEAL CON % 05/28/12
		RATE	UNIT							
11A	»ANTHEM ATZ 4.5	1.125	LAA	11	C	6	98	98	99	97
	B»RNDUP POWERMAX	0.77	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
	D»RNDUP POWERMAX	0.77	LAA	13						
	E IMPACT 2.8SC	0.016	LAA	13						
	F»LIQUID AMS	2.50	PMV	13						
12A	»HALEX GT 4.38L	1.97	LAA	11	C	5	98	98	98	95
	B»ACTIVATOR 90	0.25	PMV	11						
	C»LIQUID AMS	2.50	PMV	11						
	D»RNDUP POWERMAX	0.77	LAA	13						
	E IMPACT 2.8SC	0.016	LAA	13						
	F»LIQUID AMS	2.50	PMV	13						
13A	CHECK	0.00	NA	0	0	0	0	0	0	0
14A	»RNDUP POWERMAX	0.77	LAA	11	C	0	98	96	99	86
	B»LIQUID AMS	2.50	PMV	11						
	C»RNDUP POWERMAX	0.77	LAA	13						
	D IMPACT 2.8SC	0.016	LAA	13						
	E»LIQUID AMS	2.50	PMV	13						
15A	»CAPRENO 3.45 S	0.081	LAA	11	C	2	99	97	98	95
	B»RNDUP POWERMAX	0.77	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
	D»RNDUP POWERMAX	0.77	LAA	13						
	E IMPACT 2.8SC	0.016	LAA	13						
	F»LIQUID AMS	2.50	PMV	13						
		LSD (0.05)			0.00	1.27	9.27	22.61	10.24	6.45
		STANDARD DEVIATION			0.00	0.619	4.53	11.00	5.00	3.15

**TITLE:** Anthem Weed Control Comparisons in RR/LL Corn. SW-1500W  
**CREATED:** 04/11/2012 **REVISED:** 10/31/2012 **COMPLETED:** N  
**PROJECT TYPE:** HERBICIDE  
**LOCATION:** Dekalb **RESEARCHED BY:** UNIV. OF ILL  
**DESIGN:** RANDOMIZED COMPLETE BLOCK DESIGN  
**PLOT SIZE:** 10.00 FT WIDE X 29.00 FT LONG  
**PLOT AREA:** 290.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			ZEAMD	SETFA	AMBTR	ABUTH	CHEAL	ZEAMD
		RATE	UNIT	TM	10 DAT 06/12/12	10 DAT 06/12/12	10 DAT 06/12/12	10 DAT 06/12/12	10 DAT 06/12/12	CON % 06/26/12
1A	»ANTHEM ATZ 4.5	1.125	LAA	9	0	99	98	97	99	0
B	»RNDUP POWERMAX	0.77	LAA	12						
C	»IMPACT 2.8SC	0.016	LAA	12						
D	»ATRAZINE DF	0.50	LAA	12						
E	»LIQUID AMS	2.50	PMV	12						
2A	»ANTHEM ATZ 4.5	1.125	LAA	9	0	98	98	98	99	0
B	»SHARPEN 2.85L	0.022	LAA	9						
C	»RNDUP POWERMAX	0.77	LAA	12						
D	»IMPACT 2.8SC	0.016	LAA	12						
E	»ATRAZINE DF	0.50	LAA	12						
F	»LIQUID AMS	2.50	PMV	12						
3A	BICEP LT II MA	2.25	LAA	9	0	99	98	95	99	0
B	»RNDUP POWERMAX	0.77	LAA	12						
C	»IMPACT 2.8SC	0.016	LAA	12						
D	»ATRAZINE DF	0.50	LAA	12						
E	»LIQUID AMS	2.50	PMV	12						
4A	HARNESS XTRA	3.45	LAA	9	0	99	98	96	99	0
B	»RNDUP POWERMAX	0.77	LAA	12						
C	»IMPACT 2.8SC	0.016	LAA	12						
D	»ATRAZINE DF	0.50	LAA	12						
E	»LIQUID AMS	2.50	PMV	12						
5A	»ZEMAX 3.67L	2.20	LAA	9	0	98	96	98	99	0
B	»RNDUP POWERMAX	0.77	LAA	12						
C	»IMPACT 2.8SC	0.016	LAA	12						
D	»ATRAZINE DF	0.50	LAA	12						
E	»LIQUID AMS	2.50	PMV	12						
6A	»VERDICT 5.57L	0.696	LAA	9	0	96	98	98	99	0
B	»RNDUP POWERMAX	0.77	LAA	12						
C	»IMPACT 2.8SC	0.016	LAA	12						
D	»ATRAZINE DF	0.50	LAA	12						
E	»LIQUID AMS	2.50	PMV	12						
7A	»CORVUS 2.6SC	0.114	LAA	9	0	95	99	98	99	0
B	»RNDUP POWERMAX	0.77	LAA	12						
C	»IMPACT 2.8SC	0.016	LAA	12						
D	»ATRAZINE DF	0.50	LAA	12						
E	»LIQUID AMS	2.50	PMV	12						
8A	»SURESTART 4.16	1.04	LAA	9	0	98	98	98	99	0
B	»RNDUP POWERMAX	0.77	LAA	12						
C	»IMPACT 2.8SC	0.016	LAA	12						
D	»ATRAZINE DF	0.50	LAA	12						
E	»LIQUID AMS	2.50	PMV	12						
9A	»ANTHEM ATZ 4.5	0.98	LAA	11	0	99	99	99	99	0
B	»RNDUP POWERMAX	0.77	LAA	11						
C	»CALLISTO 4SC	0.047	LAA	11						
D	»LIQUID AMS	2.50	PMV	11						
E	»RNDUP POWERMAX	0.77	LAA	13						
F	»IMPACT 2.8SC	0.016	LAA	13						
G	»LIQUID AMS	2.50	PMV	13						
10A	»ANTHEM ATZ 4.5	0.98	LAA	11	0	98	99	98	98	0
B	»RNDUP POWERMAX	0.77	LAA	11						
C	»STATUS 56DG	0.088	LAA	11						
D	»LIQUID AMS	2.50	PMV	11						
E	»RNDUP POWERMAX	0.77	LAA	13						
F	»IMPACT 2.8SC	0.016	LAA	13						
G	»LIQUID AMS	2.50	PMV	13						

## TITLE: Anthem Weed Control Comparisons in RR/LL Corn. SW-1500W

TRT NUM	TREATMENT COMPONENT	DOSAGE		ZEAMD	SETFA	AMBTR	ABUTH	CHEAL	ZEAMD
		RATE	UNIT	10 DAT 06/12/12	10 DAT 06/12/12	10 DAT 06/12/12	10 DAT 06/12/12	10 DAT 06/12/12	CON % 06/26/12
11A	»ANTHEM ATZ 4.5	1.125	LAA 11	0	99	99	98	98	0
	B»RNDUP POWERMAX	0.77	LAA 11						
	C»LIQUID AMS	2.50	PMV 11						
	D»RNDUP POWERMAX	0.77	LAA 13						
	E IMPACT 2.8SC	0.016	LAA 13						
	F»LIQUID AMS	2.50	PMV 13						
12A	»HALEX GT 4.38L	1.97	LAA 11	0	98	99	99	99	0
	B»ACTIVATOR 90	0.25	PMV 11						
	C»LIQUID AMS	2.50	PMV 11						
	D»RNDUP POWERMAX	0.77	LAA 13						
	E IMPACT 2.8SC	0.016	LAA 13						
	F»LIQUID AMS	2.50	PMV 13						
13A	CHECK	0.00	NA 0	0	0	0	0	0	0
14A	»RNDUP POWERMAX	0.77	LAA 11	0	98	99	98	86	0
	B»LIQUID AMS	2.50	PMV 11						
	C»RNDUP POWERMAX	0.77	LAA 13						
	D IMPACT 2.8SC	0.016	LAA 13						
	E»LIQUID AMS	2.50	PMV 13						
15A	»CAPRENO 3.45 S	0.081	LAA 11	0	98	98	98	98	0
	B»RNDUP POWERMAX	0.77	LAA 11						
	C»LIQUID AMS	2.50	PMV 11						
	D»RNDUP POWERMAX	0.77	LAA 13						
	E IMPACT 2.8SC	0.016	LAA 13						
	F»LIQUID AMS	2.50	PMV 13						
		LSD (0.05)		0.00	2.00	2.26	1.67	4.87	0.00
		STANDARD DEVIATION		0.00	1.00	1.10	0.814	2.38	0.00

**TITLE:** Anthem Weed Control Comparisons in RR/LL Corn. SW-1500W  
**CREATED:** 04/11/2012 **REVISED:** 10/31/2012 **COMPLETED:** N  
**PROJECT TYPE:** HERBICIDE  
**LOCATION:** Dekalb **RESEARCHED BY:** UNIV. OF ILL  
**DESIGN:** RANDOMIZED COMPLETE BLOCK DESIGN  
**PLOT SIZE:** 10.00 FT WIDE X 29.00 FT LONG  
**PLOT AREA:** 290.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			SETFA	AMBTR	ABUTH	CHEAL	ZEAMD	SETFA
		RATE	UNIT	TM	CON % 06/26/12	CON % 06/26/12	CON % 06/26/12	CON % 06/26/12	CON % 07/20/12	CON % 07/20/12
1A	»ANTHEM ATZ 4.5	1.125	LAA	9	98	96	94	99	0	98
	B»RNDUP POWERMAX	0.77	LAA	12						
	C IMPACT 2.8SC	0.016	LAA	12						
	D ATRAZINE DF	0.50	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						
2A	»ANTHEM ATZ 4.5	1.125	LAA	9	96	95	98	99	0	96
	B»SHARPEN 2.85L	0.022	LAA	9						
	C»RNDUP POWERMAX	0.77	LAA	12						
	D IMPACT 2.8SC	0.016	LAA	12						
	E ATRAZINE DF	0.50	LAA	12						
	F»LIQUID AMS	2.50	PMV	12						
3A	BICEP LT II MA	2.25	LAA	9	98	99	87	99	0	96
	B»RNDUP POWERMAX	0.77	LAA	12						
	C IMPACT 2.8SC	0.016	LAA	12						
	D ATRAZINE DF	0.50	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						
4A	HARNESS XTRA	3.45	LAA	9	99	97	92	99	0	99
	B»RNDUP POWERMAX	0.77	LAA	12						
	C IMPACT 2.8SC	0.016	LAA	12						
	D ATRAZINE DF	0.50	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						
5A	»ZEMAX 3.67L	2.20	LAA	9	95	87	97	99	0	94
	B»RNDUP POWERMAX	0.77	LAA	12						
	C IMPACT 2.8SC	0.016	LAA	12						
	D ATRAZINE DF	0.50	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						
6A	»VERDICT 5.57L	0.696	LAA	9	94	96	96	98	0	87
	B»RNDUP POWERMAX	0.77	LAA	12						
	C IMPACT 2.8SC	0.016	LAA	12						
	D ATRAZINE DF	0.50	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						
7A	»CORVUS 2.6SC	0.114	LAA	9	90	99	98	99	0	86
	B»RNDUP POWERMAX	0.77	LAA	12						
	C IMPACT 2.8SC	0.016	LAA	12						
	D ATRAZINE DF	0.50	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						
8A	»SURESTART 4.16	1.04	LAA	9	95	98	96	99	0	92
	B»RNDUP POWERMAX	0.77	LAA	12						
	C IMPACT 2.8SC	0.016	LAA	12						
	D ATRAZINE DF	0.50	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						
9A	»ANTHEM ATZ 4.5	0.98	LAA	11	98	99	99	99	0	98
	B»RNDUP POWERMAX	0.77	LAA	11						
	C CALLISTO 4SC	0.047	LAA	11						
	D»LIQUID AMS	2.50	PMV	11						
	E»RNDUP POWERMAX	0.77	LAA	13						
	F IMPACT 2.8SC	0.016	LAA	13						
	G»LIQUID AMS	2.50	PMV	13						
10A	»ANTHEM ATZ 4.5	0.98	LAA	11	98	99	98	98	0	98
	B»RNDUP POWERMAX	0.77	LAA	11						
	C»STATUS 56DG	0.088	LAA	11						
	D»LIQUID AMS	2.50	PMV	11						
	E»RNDUP POWERMAX	0.77	LAA	13						
	F IMPACT 2.8SC	0.016	LAA	13						
	G»LIQUID AMS	2.50	PMV	13						

## TITLE: Anthem Weed Control Comparisons in RR/LL Corn. SW-1500W

TRT NUM	TREATMENT COMPONENT	DOSAGE		SETFA	AMBTR	ABUTH	CHEAL	ZEAMD	SETFA
		RATE	UNIT TM	CON % 06/26/12	CON % 06/26/12	CON % 06/26/12	CON % 06/26/12	CON % 07/20/12	CON % 07/20/12
11A	»ANTHEM ATZ 4.5	1.125	LAA 11	98	99	98	98	0	97
	B»RNDUP POWERMAX	0.77	LAA 11						
	C»LIQUID AMS	2.50	PMV 11						
	D»RNDUP POWERMAX	0.77	LAA 13						
	E IMPACT 2.8SC	0.016	LAA 13						
	F»LIQUID AMS	2.50	PMV 13						
12A	»HALEX GT 4.38L	1.97	LAA 11	96	99	98	99	0	88
	B»ACTIVATOR 90	0.25	PMV 11						
	C»LIQUID AMS	2.50	PMV 11						
	D»RNDUP POWERMAX	0.77	LAA 13						
	E IMPACT 2.8SC	0.016	LAA 13						
	F»LIQUID AMS	2.50	PMV 13						
13A	CHECK	0.00	NA 0	0	0	0	0	0	0
14A	»RNDUP POWERMAX	0.77	LAA 11	96	99	98	88	0	95
	B»LIQUID AMS	2.50	PMV 11						
	C»RNDUP POWERMAX	0.77	LAA 13						
	D IMPACT 2.8SC	0.016	LAA 13						
	E»LIQUID AMS	2.50	PMV 13						
15A	»CAPRENO 3.45 S	0.081	LAA 11	98	99	98	98	0	98
	B»RNDUP POWERMAX	0.77	LAA 11						
	C»LIQUID AMS	2.50	PMV 11						
	D»RNDUP POWERMAX	0.77	LAA 13						
	E IMPACT 2.8SC	0.016	LAA 13						
	F»LIQUID AMS	2.50	PMV 13						
		LSD (0.05)		5.39	6.51	3.37	4.37	0.00	10.12
		STANDARD DEVIATION		2.63	3.18	1.64	2.13	0.00	4.94

**TITLE:** Anthem Weed Control Comparisons in RR/LL Corn. SW-1500W  
**CREATED:** 04/11/2012 **REVISED:** 10/31/2012 **COMPLETED:** N  
**PROJECT TYPE:** HERBICIDE  
**LOCATION:** Dekalb **RESEARCHED BY:** UNIV. OF ILL  
**DESIGN:** RANDOMIZED COMPLETE BLOCK DESIGN  
**PLOT SIZE:** 10.00 FT WIDE X 29.00 FT LONG  
**PLOT AREA:** 290.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			AMBTR CON % 07/20/12	ABUTH CON % 07/20/12	CHEAL CON % 07/20/12	YIELD BU/A 10/16/12
		RATE	UNIT	TM				
1A	»ANTHEM ATZ 4.5	1.125	LAA	9	98	93	99	149.6
	B»RNDUP POWERMAX	0.77	LAA	12				
	C IMPACT 2.8SC	0.016	LAA	12				
	D ATRAZINE DF	0.50	LAA	12				
	E»LIQUID AMS	2.50	PMV	12				
2A	»ANTHEM ATZ 4.5	1.125	LAA	9	95	96	99	161.1
	B»SHARPEN 2.85L	0.022	LAA	9				
	C»RNDUP POWERMAX	0.77	LAA	12				
	D IMPACT 2.8SC	0.016	LAA	12				
	E ATRAZINE DF	0.50	LAA	12				
	F»LIQUID AMS	2.50	PMV	12				
3A	BICEP LT II MA	2.25	LAA	9	99	77	99	172.6
	B»RNDUP POWERMAX	0.77	LAA	12				
	C IMPACT 2.8SC	0.016	LAA	12				
	D ATRAZINE DF	0.50	LAA	12				
	E»LIQUID AMS	2.50	PMV	12				
4A	HARNESS XTRA	3.45	LAA	9	98	86	99	156.5
	B»RNDUP POWERMAX	0.77	LAA	12				
	C IMPACT 2.8SC	0.016	LAA	12				
	D ATRAZINE DF	0.50	LAA	12				
	E»LIQUID AMS	2.50	PMV	12				
5A	»ZEMAX 3.67L	2.20	LAA	9	86	98	99	167.6
	B»RNDUP POWERMAX	0.77	LAA	12				
	C IMPACT 2.8SC	0.016	LAA	12				
	D ATRAZINE DF	0.50	LAA	12				
	E»LIQUID AMS	2.50	PMV	12				
6A	»VERDICT 5.57L	0.696	LAA	9	96	95	99	157.6
	B»RNDUP POWERMAX	0.77	LAA	12				
	C IMPACT 2.8SC	0.016	LAA	12				
	D ATRAZINE DF	0.50	LAA	12				
	E»LIQUID AMS	2.50	PMV	12				
7A	»CORVUS 2.6SC	0.114	LAA	9	99	97	99	146.9
	B»RNDUP POWERMAX	0.77	LAA	12				
	C IMPACT 2.8SC	0.016	LAA	12				
	D ATRAZINE DF	0.50	LAA	12				
	E»LIQUID AMS	2.50	PMV	12				
8A	»SURESTART 4.16	1.04	LAA	9	98	96	99	164.0
	B»RNDUP POWERMAX	0.77	LAA	12				
	C IMPACT 2.8SC	0.016	LAA	12				
	D ATRAZINE DF	0.50	LAA	12				
	E»LIQUID AMS	2.50	PMV	12				
9A	»ANTHEM ATZ 4.5	0.98	LAA	11	99	99	99	152.8
	B»RNDUP POWERMAX	0.77	LAA	11				
	C CALLISTO 4SC	0.047	LAA	11				
	D»LIQUID AMS	2.50	PMV	11				
	E»RNDUP POWERMAX	0.77	LAA	13				
	F IMPACT 2.8SC	0.016	LAA	13				
	G»LIQUID AMS	2.50	PMV	13				
10A	»ANTHEM ATZ 4.5	0.98	LAA	11	99	98	98	166.2
	B»RNDUP POWERMAX	0.77	LAA	11				
	C»STATUS 56DG	0.088	LAA	11				
	D»LIQUID AMS	2.50	PMV	11				
	E»RNDUP POWERMAX	0.77	LAA	13				
	F IMPACT 2.8SC	0.016	LAA	13				
	G»LIQUID AMS	2.50	PMV	13				



