

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: SIX
PH: 6.0
%OM: 6.0
PREV.CROP: ZEAMD - CORN, DENT
%RESIDUE: 0
PLOT WIDTH: 10 X 29 FEET
PLOT AREA: 290 FEET

DESIGN: RCB
REPS: 3

APPL. NUMBER	01	02	03	UNIT
TIMINGS	09	12	14	
TYPE	LIQMIX	LIQMIX	LIQMIX	
APPLICATION DATE	05/15/12	06/10/12	06/26/12	AME
AIR TEMPERATURE	85	74	74	F
% REL.HUMIDITY	24	58	40	
WIND DIRECTION	WEST	SOUTH	SOUTHEAST	
WIND SPEED	15.0	6.0	5.0	M/H
CLOUD COVER	CLEAR	CLEAR	CLEAR	
DEW	---	NO	NO	
SOIL MOISTURE	DRY/MOIST	DRY/MOIST	DRY/DRY	
SOIL CONDITION	---	---	---	
METHOD	SPRAY	SPRAY	SPRAY	
EQUIPMENT	SPRBAC	SPRBAC	SPRBAC	
PROPELLANT	COMCO2	COMCO2	COMCO2	
PLACEMENT	BRFOSO	BRFOSO	BRFOSO	
NOZZLE	FLATFAN	FLATFAN	FLATFAN	
NOZZLE NUMBER	6	6	6	
NOZZLE SPACING	20.000	20.000	20.000	IN
SCREEN SIZE				
SCREEN SZ DESC	NA	NA	NA	
SWATH WIDTH	10.0	10.0	10.0	FT
SPRAY VOLUME	20.00	20.00	20.00	
SPRAY VOLUME UNIT	GPA	GPA	GPA	
PRESSURE	32.00	32.00	32.00	PSI
DILUENT	WATER	WATER	WATER	
INC. DATE				AME
INC. START				24H
INC. END				24H
INC. DEPTH				IN
INC. EQUIPMENT	---	---	---	
	DEN/ STG/ MINMAXSZ			
*** CROP ***				
SOYBEAN		---/14	---/17	
NK S28-K1	4.00/6.00	12.0/14.0		IN
05/14/2012				
*** PEST ***				
VELVETLEAF		---/15	---/13	
	1.00/4.00	1.00/2.00		IN
RAGWEED, GIANT		---/18	---/16	
	3.00/9.00	2.00/4.00		IN
LAMBSQUARTERS, C		---/18		
	1.00/2.00			IN
FOXTAIL, GIANT		---/16	---/14	
	2.00/6.00	2.00/4.00		IN

* TIMING CODES

09 = ----- / PREEMERGENCE
12 = ----- / POST
14 = ----- / VLPOST

* STAGE CODE

13 = 3RD TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
14 = 4TH LEAF (2ND TRIFOLIATE LEAF) UNFOLDED, 3 NODES
14 = 4 LEAVES UNFOLDED
15 = 5TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
16 = 6 LEAVES UNFOLDED
16 = 6TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
17 = 7TH LEAF (5TH TRIFOLIATE LEAF) UNFOLDED, 6 NODES
18 = 8TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

TITLE: Weed Control Systems in RR Soybean. SW-1500W
CREATED: 04/22/2012 **REVISED:** 10/25/2012 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: DeKalb **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT WIDE X 29.00 FT LONG
PLOT AREA: 290.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	GLXMA	SETFA	AMBTR	ABUTH	GLXMA	SETFA
		RATE	UNIT		PRE 06/10/12	PRE 06/10/12	PRE 06/10/12	PRE 06/10/12	10 DAT 06/22/12	10 DAT 06/22/12
1A»	PREFIX 5.32SL	1.33	LAA	9	0	53	27	23	0	97
	B»TOUCHDN TOTAL	0.78	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
2A	BOUNDARY 6.5EC	1.42	LAA	9	0	47	20	47	8	96
	B»TOUCHDN TOTAL	0.78	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
3A	BOUNDARY 6.5EC	1.42	LAA	9	0	60	33	47	13	96
	B»FLEXSTAR GT 3.	1.23	LAA	12						
	C»MSO	1.00	PMV	12						
	D»LIQUID AMS	2.50	PMV	12						
4A»	PREFIX 5.32SL	1.33	LAA	9	0	60	37	43	0	96
	B»SHARPEN 2.85L	0.022	LAA	9						
	C»TOUCHDN TOTAL	0.78	LAA	12						
	D»LIQUID AMS	2.50	PMV	12						
5A»	FIERCE 76WG	0.14	LAA	9	0	47	20	62	7	96
	B»RNDUP POWERMAX	0.77	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
6A»	FIERCE XLT	0.075	LAA	0	0	40	13	33	0	97
	B»V-10206 85 WG	0.053	LAA	9						
	C CLASSIC 25WG	0.019	LAA	9						
	D»VALOR SX 51WDG	0.056	LAA	9						
	E»RNDUP POWERMAX	0.77	LAA	12						
	F»LIQUID AMS	2.50	PMV	12						
7A»	VERDICT 5.57L	0.22	LAA	9	0	30	27	27	0	96
	B»RNDUP POWERMAX	0.77	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
8A»	OPTILL PRO	0.00	LAA	0	0	43	17	43	13	99
	B»OPTILL 68WG	0.085	LAA	9						
	C OUTLOOK 6EC	0.47	LAA	9						
	D»RNDUP POWERMAX	0.77	LAA	12						
	E»LIQUID AMS	2.50	PMV	12						
9A»	OPTILL 68WG	0.085	LAA	9	0	57	23	30	0	98
	B»ZIDUA 85WG	0.106	LAA	9						
	C»RNDUP POWERMAX	0.77	LAA	12						
	D»LIQUID AMS	2.50	PMV	12						
10A»	VALOR XLT 40WG	0.075	LAA	0	0	60	43	33	3	98
	B CLASSIC 25WG	0.019	LAA	9						
	C»VALOR SX 51WDG	0.056	LAA	9						
	D»WEATHERMAX 4.5	1.125	LAA	12						
	E»WARRANT 3L	1.125	LAA	12						
	F»LIQUID AMS	2.50	PMV	12						
11A»	AUTHORITY XL 7	0.175	LAA	9	0	56	10	33	3	97
	B»RNDUP POWERMAX	1.125	LAA	12						
	C»WARRANT 3L	1.125	LAA	12						
	D»LIQUID AMS	2.50	PMV	12						
12A»	WARRANT 3L	1.125	LAA	9	0	57	30	23	4	98
	B»RNDUP POWERMAX	1.125	LAA	12						
	C»WARRANT 3L	1.125	LAA	12						
	D»LIQUID AMS	2.50	PMV	12						
13A»	FIERCE 76WG	0.14	LAA	9	0	57	30	53	9	98
	B»RNDUP POWERMAX	1.125	LAA	12						
	C»WARRANT 3L	1.125	LAA	12						
	D»LIQUID AMS	2.50	PMV	12						

TITLE: Weed Control Systems in RR Soybean. SW-1500W

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	GLXMA	SETFA	AMBTR	ABUTH	GLXMA	SETFA
		RATE	UNIT		PRE 06/10/12	PRE 06/10/12	PRE 06/10/12	PRE 06/10/12	10 DAT 06/22/12	10 DAT 06/22/12
14A»	SONIC 70DF	0.131	LAA	9	0	30	43	17	0	96
	B»DURANGO 4AE	0.75	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
15A»	ENVIVE 41.3SG	0.064	LAA	0	0	27	13	33	7	95
	B CLASSIC 25WG	0.014	LAA	9						
	C»HARMONY GT 50W	0.004	LAA	9						
	D»VALOR SX 51WDG	0.046	LAA	9						
	E»ABUNDIT EXTRA	0.75	LAA	12						
	F ASSURE II (0.8	0.034	LAA	12						
	G»LIQUID AMS	2.50	PMV	12						
16A	CHECK	0.00	NA	0	0	0	0	0	0	0
17A»	ENLITE 47.86WG	0.085	LAA	0	0	40	30	40	32	97
	B CLASSIC 25WG	0.005	LAA	9						
	C»HARMONY GT 50W	0.016	LAA	9						
	D»VALOR SX 51WDG	0.064	LAA	9						
	E»ABUNDIT EXTRA	0.75	LAA	12						
	F CINCH	0.96	LAA	12						
	G SYNCHRONY XP	0.0067	LAA	12						
	H»LIQUID AMS	2.50	PMV	12						
18A»	ENLITE 47.86WG	0.085	LAA	0	0	40	20	33	21	97
	B CLASSIC 25WG	0.005	LAA	9						
	C»HARMONY GT 50W	0.016	LAA	9						
	D»VALOR SX 51WDG	0.064	LAA	9						
	E»ABUNDIT EXTRA	0.75	LAA	12						
	F COBRA 2EC	0.125	LAA	12						
	G CINCH	0.96	LAA	12						
	H»LIQUID AMS	2.50	PMV	12						
19A»	OPTILL PRO	0.00	LAA	0	0	40	7	37	24	98
	B»OPTILL 68WG	0.085	LAA	9						
	C OUTLOOK 6EC	0.47	LAA	9						
	D»RNDUP POWERMAX	0.77	LAA	12						
	E ULTRA BLAZER	0.313	LAA	12						
	F»ZIDUA 85WG	0.106	LAA	12						
	G»LIQUID AMS	2.50	PMV	12						
20A»	DURANGO 4AE	0.75	LAA	12	C	C	C	C	0	98
	B»LIQUID AMS	2.50	PMV	12						
	C»DURANGO 4AE	0.75	LAA	14						
	D»LIQUID AMS	2.50	PMV	14						
21A	DUAL MAGNUM	1.59	LAA	9	0	40	20	30	16	98
	B»AUTHORITY XL 7	0.28	LAA	9						
	C»FLEXSTAR GT 3.	1.23	LAA	12						
	D»MSO	1.00	PMV	12						
	E»LIQUID AMS	2.50	PMV	12						
		LSD (0.05)			0.00	32.19	27.21	29.78	2.90	2.44
		STANDARD DEVIATION			0.00	15.93	13.46	14.73	1.43	1.20

TITLE: Weed Control Systems in RR Soybean. SW-1500W
CREATED: 04/22/2012 **REVISED:** 10/25/2012 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: DeKalb **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT WIDE X 29.00 FT LONG
PLOT AREA: 290.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	AMBTR	ABUTH	GLXMA	SETFA	AMBTR	ABUTH
		RATE	UNIT		10 DAT 06/22/12	10 DAT 06/22/12	30 DAT 07/10/12	30 DAT 07/10/12	30 DAT 07/10/12	30 DAT 07/10/12
1A»	PREFIX 5.32SL	1.33	LAA	9	88	97	0	90	91	93
B»	TOUCHDN TOTAL	0.78	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
2A	BOUNDARY 6.5EC	1.42	LAA	9	88	96	0	89	83	88
B»	TOUCHDN TOTAL	0.78	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
3A	BOUNDARY 6.5EC	1.42	LAA	9	95	96	0	93	93	88
B»	FLEXSTAR GT 3.	1.23	LAA	12						
C»	MISO	1.00	PMV	12						
D»	LIQUID AMS	2.50	PMV	12						
4A»	PREFIX 5.32SL	1.33	LAA	9	94	97	0	94	94	96
B»	SHARPEN 2.85L	0.022	LAA	9						
C»	TOUCHDN TOTAL	0.78	LAA	12						
D»	LIQUID AMS	2.50	PMV	12						
5A»	FIERCE 76WG	0.14	LAA	9	86	97	0	94	90	95
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
6A»	FIERCE XLT	0.075	LAA	0	85	96	0	94	87	93
B»	V-10206 85 WG	0.053	LAA	9						
C	CLASSIC 25WG	0.019	LAA	9						
D»	VALOR SX 51WDG	0.056	LAA	9						
E»	RNDUP POWERMAX	0.77	LAA	12						
F»	LIQUID AMS	2.50	PMV	12						
7A»	VERDICT 5.57L	0.22	LAA	9	92	97	0	93	93	91
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
8A»	OPTILL PRO	0.00	LAA	0	87	94	0	97	93	96
B»	OPTILL 68WG	0.085	LAA	9						
C	OUTLOOK 6EC	0.47	LAA	9						
D»	RNDUP POWERMAX	0.77	LAA	12						
E»	LIQUID AMS	2.50	PMV	12						
9A»	OPTILL 68WG	0.085	LAA	9	89	98	0	94	90	96
B»	ZIDUA 85WG	0.106	LAA	9						
C»	RNDUP POWERMAX	0.77	LAA	12						
D»	LIQUID AMS	2.50	PMV	12						
10A»	VALOR XLT 40WG	0.075	LAA	0	96	96	0	96	98	93
B	CLASSIC 25WG	0.019	LAA	9						
C»	VALOR SX 51WDG	0.056	LAA	9						
D»	WEATHERMAX 4.5	1.125	LAA	12						
E»	WARRANT 3L	1.125	LAA	12						
F»	LIQUID AMS	2.50	PMV	12						
11A»	AUTHORITY XL 7	0.175	LAA	9	86	96	0	94	85	95
B»	RNDUP POWERMAX	1.125	LAA	12						
C»	WARRANT 3L	1.125	LAA	12						
D»	LIQUID AMS	2.50	PMV	12						
12A»	WARRANT 3L	1.125	LAA	9	92	96	0	98	94	94
B»	RNDUP POWERMAX	1.125	LAA	12						
C»	WARRANT 3L	1.125	LAA	12						
D»	LIQUID AMS	2.50	PMV	12						
13A»	FIERCE 76WG	0.14	LAA	9	90	96	0	97	94	90
B»	RNDUP POWERMAX	1.125	LAA	12						
C»	WARRANT 3L	1.125	LAA	12						
D»	LIQUID AMS	2.50	PMV	12						

TITLE: Weed Control Systems in RR Soybean. SW-1500W

TRT NUM	TREATMENT COMPONENT	DOSAGE			AMBTR	ABUTH	GLXMA	SETFA	AMBTR	ABUTH
		RATE	UNIT	TM	10 DAT 06/22/12	10 DAT 06/22/12	30 DAT 07/10/12	30 DAT 07/10/12	30 DAT 07/10/12	30 DAT 07/10/12
14A»	SONIC 70DF	0.131	LAA	9	92	97	0	90	94	92
	B»DURANGO 4AE	0.75	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
15A»	ENVIVE 41.3SG	0.064	LAA	0	89	96	0	85	87	89
	B CLASSIC 25WG	0.014	LAA	9						
	C»HARMONY GT 50W	0.004	LAA	9						
	D»VALOR SX 51WDG	0.046	LAA	9						
	E»ABUNDIT EXTRA	0.75	LAA	12						
	F ASSURE II (0.8	0.034	LAA	12						
	G»LIQUID AMS	2.50	PMV	12						
16A	CHECK	0.00	NA	0	0	0	0	0	0	0
17A»	ENLITE 47.86WG	0.085	LAA	0	88	96	0	92	85	91
	B CLASSIC 25WG	0.005	LAA	9						
	C»HARMONY GT 50W	0.016	LAA	9						
	D»VALOR SX 51WDG	0.064	LAA	9						
	E»ABUNDIT EXTRA	0.75	LAA	12						
	F CINCH	0.96	LAA	12						
	G SYNCHRONY XP	0.0067	LAA	12						
	H»LIQUID AMS	2.50	PMV	12						
18A»	ENLITE 47.86WG	0.085	LAA	0	85	96	0	94	85	88
	B CLASSIC 25WG	0.005	LAA	9						
	C»HARMONY GT 50W	0.016	LAA	9						
	D»VALOR SX 51WDG	0.064	LAA	9						
	E»ABUNDIT EXTRA	0.75	LAA	12						
	F COBRA 2EC	0.125	LAA	12						
	G CINCH	0.96	LAA	12						
	H»LIQUID AMS	2.50	PMV	12						
19A»	OPTILL PRO	0.00	LAA	0	86	98	0	96	81	96
	B»OPTILL 68WG	0.085	LAA	9						
	C OUTLOOK 6EC	0.47	LAA	9						
	D»RNDUP POWERMAX	0.77	LAA	12						
	E ULTRA BLAZER	0.313	LAA	12						
	F»ZIDUA 85WG	0.106	LAA	12						
	G»LIQUID AMS	2.50	PMV	12						
20A»	DURANGO 4AE	0.75	LAA	12	94	97	0	95	98	96
	B»LIQUID AMS	2.50	PMV	12						
	C»DURANGO 4AE	0.75	LAA	14						
	D»LIQUID AMS	2.50	PMV	14						
21A	DUAL MAGNUM	1.59	LAA	9	96	95	0	98	93	88
	B»AUTHORITY XL 7	0.28	LAA	9						
	C»FLEXSTAR GT 3.	1.23	LAA	12						
	D»MSO	1.00	PMV	12						
	E»LIQUID AMS	2.50	PMV	12						
		LSD (0.05)			5.72	3.58	0.00	9.73	13.41	8.57
		STANDARD DEVIATION			2.83	1.77	0.00	4.81	6.63	4.24

TITLE: Weed Control Systems in RR Soybean. SW-1500W
CREATED: 04/22/2012 **REVISED:** 10/25/2012 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: DeKalb **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 10.00 FT WIDE X 29.00 FT LONG
PLOT AREA: 290.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			GLXMA
		RATE	UNIT	TM	CON % 10/09/12
1A»	PREFIX 5.32SL	1.33	LAA	9	47.7
B»	TOUCHDN TOTAL	0.78	LAA	12	
C»	LIQUID AMS	2.50	PMV	12	
2A	BOUNDARY 6.5EC	1.42	LAA	9	48.4
B»	TOUCHDN TOTAL	0.78	LAA	12	
C»	LIQUID AMS	2.50	PMV	12	
3A	BOUNDARY 6.5EC	1.42	LAA	9	46.7
B»	FLEXSTAR GT 3.	1.23	LAA	12	
C»	MISO	1.00	PMV	12	
D»	LIQUID AMS	2.50	PMV	12	
4A»	PREFIX 5.32SL	1.33	LAA	9	49.1
B»	SHARPEN 2.85L	0.022	LAA	9	
C»	TOUCHDN TOTAL	0.78	LAA	12	
D»	LIQUID AMS	2.50	PMV	12	
5A»	FIERCE 76WG	0.14	LAA	9	47.2
B»	RNDUP POWERMAX	0.77	LAA	12	
C»	LIQUID AMS	2.50	PMV	12	
6A»	FIERCE XLT	0.075	LAA	0	47.3
B»	V-10206 85 WG	0.053	LAA	9	
C	CLASSIC 25WG	0.019	LAA	9	
D»	VALOR SX 51WDG	0.056	LAA	9	
E»	RNDUP POWERMAX	0.77	LAA	12	
F»	LIQUID AMS	2.50	PMV	12	
7A»	VERDICT 5.57L	0.22	LAA	9	46.7
B»	RNDUP POWERMAX	0.77	LAA	12	
C»	LIQUID AMS	2.50	PMV	12	
8A»	OPTILL PRO	0.00	LAA	0	49.0
B»	OPTILL 68WG	0.085	LAA	9	
C	OUTLOOK 6EC	0.47	LAA	9	
D»	RNDUP POWERMAX	0.77	LAA	12	
E»	LIQUID AMS	2.50	PMV	12	
9A»	OPTILL 68WG	0.085	LAA	9	44.3
B»	ZIDUA 85WG	0.106	LAA	9	
C»	RNDUP POWERMAX	0.77	LAA	12	
D»	LIQUID AMS	2.50	PMV	12	
10A»	VALOR XLT 40WG	0.075	LAA	0	48.4
B	CLASSIC 25WG	0.019	LAA	9	
C»	VALOR SX 51WDG	0.056	LAA	9	
D»	WEATHERMAX 4.5	1.125	LAA	12	
E»	WARRANT 3L	1.125	LAA	12	
F»	LIQUID AMS	2.50	PMV	12	
11A»	AUTHORITY XL 7	0.175	LAA	9	44.5
B»	RNDUP POWERMAX	1.125	LAA	12	
C»	WARRANT 3L	1.125	LAA	12	
D»	LIQUID AMS	2.50	PMV	12	
12A»	WARRANT 3L	1.125	LAA	9	48.4
B»	RNDUP POWERMAX	1.125	LAA	12	
C»	WARRANT 3L	1.125	LAA	12	
D»	LIQUID AMS	2.50	PMV	12	
13A»	FIERCE 76WG	0.14	LAA	9	49.7
B»	RNDUP POWERMAX	1.125	LAA	12	
C»	WARRANT 3L	1.125	LAA	12	
D»	LIQUID AMS	2.50	PMV	12	

TITLE: Weed Control Systems in RR Soybean. SW-1500W

TRT NUM	TREATMENT COMPONENT	DOSAGE RATE	UNIT	TM	GLXMA CON % 10/09/12
14A»	SONIC 70DF	0.131	LAA	9	48.4
	B»DURANGO 4AE	0.75	LAA	12	
	C»LIQUID AMS	2.50	PMV	12	
15A»	ENVIVE 41.3SG	0.064	LAA	0	51.7
	B CLASSIC 25WG	0.014	LAA	9	
	C»HARMONY GT 50W	0.004	LAA	9	
	D»VALOR SX 51WDG	0.046	LAA	9	
	E»ABUNDIT EXTRA	0.75	LAA	12	
	F ASSURE II (0.8	0.034	LAA	12	
	G»LIQUID AMS	2.50	PMV	12	
16A	CHECK	0.00	NA	0	24.7
17A»	ENLITE 47.86WG	0.085	LAA	0	41.3
	B CLASSIC 25WG	0.005	LAA	9	
	C»HARMONY GT 50W	0.016	LAA	9	
	D»VALOR SX 51WDG	0.064	LAA	9	
	E»ABUNDIT EXTRA	0.75	LAA	12	
	F CINCH	0.96	LAA	12	
	G SYNCHRONY XP	0.0067	LAA	12	
	H»LIQUID AMS	2.50	PMV	12	
18A»	ENLITE 47.86WG	0.085	LAA	0	46.4
	B CLASSIC 25WG	0.005	LAA	9	
	C»HARMONY GT 50W	0.016	LAA	9	
	D»VALOR SX 51WDG	0.064	LAA	9	
	E»ABUNDIT EXTRA	0.75	LAA	12	
	F COBRA 2EC	0.125	LAA	12	
	G CINCH	0.96	LAA	12	
	H»LIQUID AMS	2.50	PMV	12	
19A»	OPTILL PRO	0.00	LAA	0	47.7
	B»OPTILL 68WG	0.085	LAA	9	
	C OUTLOOK 6EC	0.47	LAA	9	
	D»RNDUP POWERMAX	0.77	LAA	12	
	E ULTRA BLAZER	0.313	LAA	12	
	F»ZIDUA 85WG	0.106	LAA	12	
	G»LIQUID AMS	2.50	PMV	12	
20A»	DURANGO 4AE	0.75	LAA	12	49.3
	B»LIQUID AMS	2.50	PMV	12	
	C»DURANGO 4AE	0.75	LAA	14	
	D»LIQUID AMS	2.50	PMV	14	
21A	DUAL MAGNUM	1.59	LAA	9	46.0
	B»AUTHORITY XL 7	0.28	LAA	9	
	C»FLEXSTAR GT 3.	1.23	LAA	12	
	D»MSO	1.00	PMV	12	
	E»LIQUID AMS	2.50	PMV	12	
	LSD (0.05)				5.45
	STANDARD DEVIATION				2.70

» = SUPPLEMENTAL CHEMICAL

---,M,C,D = MISSING DATA

* TIMING CODES

00 = ----- / UNTREATED TIMING
09 = ----- / PREEMERGENCE 05/15/2012(1)
12 = ----- / POST 06/10/2012(2)
14 = ----- / VLPOST 06/26/2012(3)

H#	CUSTOM#1	CUSTOM#2	EV.DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTRT	SS	NOTE
001	GLXMA	PRE	06/10/2012	01	P	GLXMA	14	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
002	SETFA	PRE	06/10/2012	02	P	SETFA	16	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
003	AMBTR	PRE	06/10/2012	03	P	AMBTR	18	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
004	ABUTH	PRE	06/10/2012	04	P	ABUTH	15	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
005	GLXMA	10 DAT	06/22/2012	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
006	SETFA	10 DAT	06/22/2012	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
007	AMBTR	10 DAT	06/22/2012	03	P	AMBTR		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

TITLE: Weed Control Systems in RR Soybean. SW-1500W

H#	CUSTOM#1	CUSTOM#2	EV.DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTR1	SS	NOTE
008	ABUTH	10 DAT	06/22/2012	04	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
009	GLXMA	30 DAT	07/10/2012	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
010	SETFA	30 DAT	07/10/2012	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
011	AMBTR	30 DAT	07/10/2012	03	P	AMBTR		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
012	ABUTH	30 DAT	07/10/2012	04	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
013	GLXMA	CON %	10/09/2012	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

* SPECIES COMMON NAME - VARIETY/SPECIE INFO (IF APPLICABLE)

01 = NK S28-K1

* STAGE CODE

14 = 4TH LEAF (2ND TRIFOLIATE LEAF) UNFOLDED, 3 NODES

15 = 5TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

16 = 6 LEAVES UNFOLDED

18 = 8TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED