

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: SIX
PH: 6.1
%OM: 5.5
PREV.CROP: GLXMA - SOYBEAN
%RESIDUE: 0
PLOT WIDTH: 7.5 X 30 FEET
PLOT AREA: 225 FEET

DESIGN: RCB
REPS: 3

APPL. NUMBER	01	02	03	UNIT
TIMINGS	09	11	12	
TYPE	LIQMIX	LIQMIX	LIQMIX	
APPLICATION DATE	04/19/12	05/16/12	05/23/12	AME
AIR TEMPERATURE	66	75	76	F
% REL.HUMIDITY	31	28	32	
WIND DIRECTION	SOUTHWEST	NORTH	SOUTHEAST	
WIND SPEED	8.0	8.0	3.0	M/H
CLOUD COVER	PARTCLDY	CLEAR	CLEAR	
DEW	NO	NO	NO	
SOIL MOISTURE	DRY/MOIST	DRY/MOIST	DRY/MOIST	
SOIL CONDITION	---	---	---	
METHOD	SPRAY	SPRAY	SPRAY	
EQUIPMENT	SPRBAC	SPRBAC	SPRBAC	
PROPELLANT	COMCO2	COMCO2	COMCO2	
PLACEMENT	BRFOSO	BRFOSO	BRFOSO	
NOZZLE	FLATFAN	FLATFAN	FLATFAN	
NOZZLE NUMBER	5	5	5	
NOZZLE SPACING	18.000	18.000	18.000	IN
SCREEN SIZE				
SCREEN SZ DESC	NA	NA	NA	
SWATH WIDTH	7.5	7.5	7.5	FT
SPRAY VOLUME	20.00	20.00	20.00	
SPRAY VOLUME UNIT	GPA	GPA	GPA	
PRESSURE	30.00	30.00	30.00	PSI
DILUENT	WATER	WATER	WATER	
INC. DATE				AME
INC. START				24H
INC. END				24H
INC. DEPTH				IN
INC. EQUIPMENT	---	---	---	
	DEN/ STG/ MINMAXSZ			
*** CROP ***				
CORN, DENT		---/14	---/15	
N72F3000GT		8.00/8.00	16.0/16.0	IN
04/19/2012				
*** PEST ***				
VELVETLEAF		---/12	---/14	
		2.00/4.00	2.00/6.00	IN
WATERHEMP, COMMO		---/19	---/19	
		1.00/3.00	1.00/6.00	IN
LAMBSQUARTERS, C		---/19	---/19	
		1.00/4.00	2.00/8.00	IN
MORNINGGLORY, TA		---/13	---/16	
		1.00/3.00	1.00/4.00	IN
FOXTAIL, GIANT		---/14	---/17	
		1.00/5.00	2.00/8.00	IN
COCKLEBUR, COMMO		---/14	---/16	
		2.00/6.00	2.00/8.00	IN

* TIMING CODES

09 = ----- / PREEMERGENCE
11 = ----- / EPOST
12 = ----- / POST

* STAGE CODE

12 = 2ND TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
13 = 3RD TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
14 = 4 LEAVES UNFOLDED
14 = 4 LEAVES UNFOLDED
14 = 4TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
15 = 5 LEAVES UNFOLDED

* STAGE CODE

16 = 6TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
17 = 7 LEAVES UNFOLDED
19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

TITLE: Anthem Weed Control Comparisons in RR/LL Corn. AS-400
CREATED: 04/07/2012 **REVISED:** 09/11/2012 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			ZEAMD CON % 05/23/12	SETFA CON % 05/23/12	CHEAL CON % 05/23/12	AMATA CON % 05/23/12	ABUTH CON % 05/23/12	XANST CON % 05/23/12
		RATE	UNIT	TM						
1A	»ANTHEM 2.15SE	0.168	LAA	9	0	86	86	92	55	33
	B»RNDUP POWERMAX	0.77	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
2A	»ANTHEM ATZ 4.5	1.125	LAA	9	0	91	98	97	78	53
	B»RNDUP POWERMAX	0.77	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
3A	»ANTHEM 2.15SE	0.168	LAA	9	0	78	84	89	63	37
	B HORNET 68.5WG	0.128	LAA	12						
	C»COC	1.00	PMV	12						
4A	HARNESS (7EC)	2.36	LAA	9	0	96	99	99	57	40
	B HORNET 68.5WG	0.128	LAA	12						
	C»COC	1.00	PMV	12						
5A	DUAL II MAGNUM	1.59	LAA	9	0	84	90	92	27	20
	B HORNET 68.5WG	0.128	LAA	12						
	C»COC	1.00	PMV	12						
6A	»ANTHEM ATZ 4.5	1.125	LAA	9	0	80	96	92	65	53
	B HORNET 68.5WG	0.128	LAA	12						
	C»COC	1.00	PMV	12						
7A	BICEP LT II MA	2.25	LAA	9	0	76	95	93	47	43
	B HORNET 68.5WG	0.128	LAA	12						
	C»COC	1.00	PMV	12						
8A	HARNESS XTRA	3.45	LAA	9	0	97	99	99	67	53
	B HORNET 68.5WG	0.128	LAA	12						
	C»COC	1.00	PMV	12						
9A	»ZEMAX 3.67L	2.20	LAA	9	0	78	99	99	99	62
	B HORNET 68.5WG	0.128	LAA	12						
	C»COC	1.00	PMV	12						
10A	»VERDICT 5.57L	0.696	LAA	9	0	84	98	98	89	89
	B HORNET 68.5WG	0.128	LAA	12						
	C»COC	1.00	PMV	12						
11A	CHECK	0.00	NA	0	0	0	0	0	0	0
12A	»ANTHEM ATZ 4.5	1.125	LAA	11	7	92	96	96	93	92
	B»RNDUP POWERMAX	0.77	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
13A	»HALEX GT 4.38L	1.97	LAA	11	0	94	95	94	94	91
	B»ACTIVATOR 90	0.25	PMV	11						
	C»LIQUID AMS	2.50	PMV	11						
14A	»CAPRENO 3.45 S	0.081	LAA	11	0	95	94	89	94	91
	B»RNDUP POWERMAX	0.77	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
15A	»WARRANT 3L	1.125	LAA	11	0	92	73	83	75	82
	B»RNDUP POWERMAX	0.77	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
16A	»RNDUP POWERMAX	0.77	LAA	11	0	93	77	85	72	82
	B»LIQUID AMS	2.50	PMV	11						
	LSD (0.05)				0.722	4.83	4.54	4.72	6.49	8.45
	STANDARD DEVIATION				0.354	2.36	2.23	2.31	3.18	4.14

TITLE: Anthem Weed Control Comparisons in RR/LL Corn. AS-400
CREATED: 04/07/2012 **REVISED:** 09/11/2012 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			PHBPU CON % 05/23/12	ZEAMD CON % 06/06/12	SETFA CON % 06/06/12	CHEAL CON % 06/06/12	AMATA CON % 06/06/12	ABUTH CON % 06/06/12
		RATE	UNIT	TM						
1A»	ANTHEM 2.15SE	0.168	LAA	9	33	0	99	99	99	99
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
2A»	ANTHEM ATZ 4.5	1.125	LAA	9	60	0	99	99	99	99
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
3A»	ANTHEM 2.15SE	0.168	LAA	9	40	0	70	98	70	99
B	HORNET 68.5WG	0.128	LAA	12						
C»	COC	1.00	PMV	12						
4A	HARNESS (7EC)	2.36	LAA	9	33	0	96	99	99	99
B	HORNET 68.5WG	0.128	LAA	12						
C»	COC	1.00	PMV	12						
5A	DUAL II MAGNUM	1.59	LAA	9	20	0	77	80	82	92
B	HORNET 68.5WG	0.128	LAA	12						
C»	COC	1.00	PMV	12						
6A»	ANTHEM ATZ 4.5	1.125	LAA	9	55	0	70	99	87	98
B	HORNET 68.5WG	0.128	LAA	12						
C»	COC	1.00	PMV	12						
7A	BICEP LT II MA	2.25	LAA	9	40	0	70	99	90	93
B	HORNET 68.5WG	0.128	LAA	12						
C»	COC	1.00	PMV	12						
8A	HARNESS XTRA	3.45	LAA	9	55	0	94	99	99	95
B	HORNET 68.5WG	0.128	LAA	12						
C»	COC	1.00	PMV	12						
9A»	ZEMAX 3.67L	2.20	LAA	9	57	0	67	99	99	99
B	HORNET 68.5WG	0.128	LAA	12						
C»	COC	1.00	PMV	12						
10A»	VERDICT 5.57L	0.696	LAA	9	89	0	73	99	98	98
B	HORNET 68.5WG	0.128	LAA	12						
C»	COC	1.00	PMV	12						
11A	CHECK	0.00	NA	0	0	0	0	0	0	0
12A»	ANTHEM ATZ 4.5	1.125	LAA	11	84	0	99	99	96	99
B»	RNDUP POWERMAX	0.77	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
13A»	HALEX GT 4.38L	1.97	LAA	11	77	0	98	99	99	99
B»	ACTIVATOR 90	0.25	PMV	11						
C»	LIQUID AMS	2.50	PMV	11						
14A»	CAPRENO 3.45 S	0.081	LAA	11	78	0	97	99	92	99
B»	RNDUP POWERMAX	0.77	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
15A»	WARRANT 3L	1.125	LAA	11	60	0	97	84	87	96
B»	RNDUP POWERMAX	0.77	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
16A»	RNDUP POWERMAX	0.77	LAA	11	50	0	94	98	86	93
B»	LIQUID AMS	2.50	PMV	11						
LSD (0.05)					10.15	0.00	5.71	6.66	9.06	2.61
STANDARD DEVIATION					5.00	0.00	2.80	3.26	4.44	1.28

TITLE: Anthem Weed Control Comparisons in RR/LL Corn. AS-400
CREATED: 04/07/2012 **REVISED:** 09/11/2012 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			XANST CON % 06/06/12	PHBPU CON % 06/06/12	ZEAMD CON % 06/20/12	SETFA CON % 06/20/12	CHEAL CON % 06/20/12	AMATA CON % 06/20/12
		RATE	UNIT	TM						
1A»	ANTHEM 2.15SE	0.168	LAA	9	99	86	0	99	99	99
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
2A»	ANTHEM ATZ 4.5	1.125	LAA	9	99	92	0	99	99	99
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
3A»	ANTHEM 2.15SE	0.168	LAA	9	99	80	0	63	99	77
B	HORNET 68.5WG	0.128	LAA	12						
C»	COC	1.00	PMV	12						
4A	HARNESS (7EC)	2.36	LAA	9	99	82	0	94	99	99
B	HORNET 68.5WG	0.128	LAA	12						
C»	COC	1.00	PMV	12						
5A	DUAL II MAGNUM	1.59	LAA	9	97	72	0	72	87	81
B	HORNET 68.5WG	0.128	LAA	12						
C»	COC	1.00	PMV	12						
6A»	ANTHEM ATZ 4.5	1.125	LAA	9	99	86	0	70	96	86
B	HORNET 68.5WG	0.128	LAA	12						
C»	COC	1.00	PMV	12						
7A	BICEP LT II MA	2.25	LAA	9	99	83	0	70	99	99
B	HORNET 68.5WG	0.128	LAA	12						
C»	COC	1.00	PMV	12						
8A	HARNESS XTRA	3.45	LAA	9	99	85	0	91	99	99
B	HORNET 68.5WG	0.128	LAA	12						
C»	COC	1.00	PMV	12						
9A»	ZEMAX 3.67L	2.20	LAA	9	99	86	0	67	99	98
B	HORNET 68.5WG	0.128	LAA	12						
C»	COC	1.00	PMV	12						
10A»	VERDICT 5.57L	0.696	LAA	9	99	96	0	83	99	99
B	HORNET 68.5WG	0.128	LAA	12						
C»	COC	1.00	PMV	12						
11A	CHECK	0.00	NA	0	0	0	0	0	0	0
12A»	ANTHEM ATZ 4.5	1.125	LAA	11	99	93	0	99	99	99
B»	RNDUP POWERMAX	0.77	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
13A»	HALEX GT 4.38L	1.97	LAA	11	99	90	0	96	99	96
B»	ACTIVATOR 90	0.25	PMV	11						
C»	LIQUID AMS	2.50	PMV	11						
14A»	CAPRENO 3.45 S	0.081	LAA	11	98	91	0	98	99	92
B»	RNDUP POWERMAX	0.77	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
15A»	WARRANT 3L	1.125	LAA	11	97	87	0	96	79	88
B»	RNDUP POWERMAX	0.77	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
16A»	RNDUP POWERMAX	0.77	LAA	11	96	83	0	88	98	83
B»	LIQUID AMS	2.50	PMV	11						
LSD (0.05)					2.50	6.70	0.00	4.90	6.65	7.82
STANDARD DEVIATION					1.23	3.28	0.00	2.40	3.26	3.83

TITLE: Anthem Weed Control Comparisons in RR/LL Corn. AS-400
CREATED: 04/07/2012 **REVISED:** 09/11/2012 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			ABUTH CON % 06/20/12	XANST CON % 06/20/12	PHBPU CON % 06/20/12	ZEAMD CON % 07/03/12	SETFA CON % 07/03/12	CHEAL CON % 07/03/12
		RATE	UNIT	TM						
1A»	ANTHEM 2.15SE	0.168	LAA	9	99	99	73	0	98	99
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
2A»	ANTHEM ATZ 4.5	1.125	LAA	9	99	99	88	0	99	99
B»	RNDUP POWERMAX	0.77	LAA	12						
C»	LIQUID AMS	2.50	PMV	12						
3A»	ANTHEM 2.15SE	0.168	LAA	9	99	99	81	0	60	99
B	HORNET 68.5WG	0.128	LAA	12						
C»	COC	1.00	PMV	12						
4A	HARNESS (7EC)	2.36	LAA	9	99	99	78	0	92	99
B	HORNET 68.5WG	0.128	LAA	12						
C»	COC	1.00	PMV	12						
5A	DUAL II MAGNUM	1.59	LAA	9	99	99	65	0	63	84
B	HORNET 68.5WG	0.128	LAA	12						
C»	COC	1.00	PMV	12						
6A»	ANTHEM ATZ 4.5	1.125	LAA	9	99	99	83	0	65	94
B	HORNET 68.5WG	0.128	LAA	12						
C»	COC	1.00	PMV	12						
7A	BICEP LT II MA	2.25	LAA	9	99	99	77	0	65	99
B	HORNET 68.5WG	0.128	LAA	12						
C»	COC	1.00	PMV	12						
8A	HARNESS XTRA	3.45	LAA	9	99	99	83	0	89	99
B	HORNET 68.5WG	0.128	LAA	12						
C»	COC	1.00	PMV	12						
9A»	ZEMAX 3.67L	2.20	LAA	9	99	99	79	0	63	99
B	HORNET 68.5WG	0.128	LAA	12						
C»	COC	1.00	PMV	12						
10A»	VERDICT 5.57L	0.696	LAA	9	99	99	94	0	79	99
B	HORNET 68.5WG	0.128	LAA	12						
C»	COC	1.00	PMV	12						
11A	CHECK	0.00	NA	0	0	0	0	0	0	0
12A»	ANTHEM ATZ 4.5	1.125	LAA	11	99	99	88	0	99	99
B»	RNDUP POWERMAX	0.77	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
13A»	HALEX GT 4.38L	1.97	LAA	11	99	99	82	0	94	99
B»	ACTIVATOR 90	0.25	PMV	11						
C»	LIQUID AMS	2.50	PMV	11						
14A»	CAPRENO 3.45 S	0.081	LAA	11	99	99	86	0	98	99
B»	RNDUP POWERMAX	0.77	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
15A»	WARRANT 3L	1.125	LAA	11	98	99	83	0	94	77
B»	RNDUP POWERMAX	0.77	LAA	11						
C»	LIQUID AMS	2.50	PMV	11						
16A»	RNDUP POWERMAX	0.77	LAA	11	93	96	72	0	86	98
B»	LIQUID AMS	2.50	PMV	11						
LSD (0.05)					1.38	1.10	8.00	0.00	6.51	7.88
STANDARD DEVIATION					0.676	0.54	3.92	0.00	3.19	3.86

TITLE: Anthem Weed Control Comparisons in RR/LL Corn. AS-400
CREATED: 04/07/2012 **REVISED:** 09/11/2012 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE			AMATA CON % 07/03/12	ABUTH CON % 07/03/12	XANST CON % 07/03/12	PHBPU CON % 07/03/12
		RATE	UNIT	TM				
1A»	ANTHEM 2.15SE	0.168	LAA	9	99	99	99	72
	B»RNDUP POWERMAX	0.77	LAA	12				
	C»LIQUID AMS	2.50	PMV	12				
2A»	ANTHEM ATZ 4.5	1.125	LAA	9	99	99	99	85
	B»RNDUP POWERMAX	0.77	LAA	12				
	C»LIQUID AMS	2.50	PMV	12				
3A»	ANTHEM 2.15SE	0.168	LAA	9	72	99	99	78
	B HORNET 68.5WG	0.128	LAA	12				
	C»COC	1.00	PMV	12				
4A	HARNESS (7EC)	2.36	LAA	9	99	99	99	73
	B HORNET 68.5WG	0.128	LAA	12				
	C»COC	1.00	PMV	12				
5A	DUAL II MAGNUM	1.59	LAA	9	72	99	99	60
	B HORNET 68.5WG	0.128	LAA	12				
	C»COC	1.00	PMV	12				
6A»	ANTHEM ATZ 4.5	1.125	LAA	9	83	99	99	79
	B HORNET 68.5WG	0.128	LAA	12				
	C»COC	1.00	PMV	12				
7A	BICEP LT II MA	2.25	LAA	9	99	99	99	73
	B HORNET 68.5WG	0.128	LAA	12				
	C»COC	1.00	PMV	12				
8A	HARNESS XTRA	3.45	LAA	9	99	99	99	79
	B HORNET 68.5WG	0.128	LAA	12				
	C»COC	1.00	PMV	12				
9A»	ZEMAX 3.67L	2.20	LAA	9	96	99	99	75
	B HORNET 68.5WG	0.128	LAA	12				
	C»COC	1.00	PMV	12				
10A»	VERDICT 5.57L	0.696	LAA	9	99	99	99	85
	B HORNET 68.5WG	0.128	LAA	12				
	C»COC	1.00	PMV	12				
11A	CHECK	0.00	NA	0	0	0	0	0
12A»	ANTHEM ATZ 4.5	1.125	LAA	11	99	99	99	85
	B»RNDUP POWERMAX	0.77	LAA	11				
	C»LIQUID AMS	2.50	PMV	11				
13A»	HALEX GT 4.38L	1.97	LAA	11	92	99	99	78
	B»ACTIVATOR 90	0.25	PMV	11				
	C»LIQUID AMS	2.50	PMV	11				
14A»	CAPRENO 3.45 S	0.081	LAA	11	88	99	99	80
	B»RNDUP POWERMAX	0.77	LAA	11				
	C»LIQUID AMS	2.50	PMV	11				
15A»	WARRANT 3L	1.125	LAA	11	88	97	99	78
	B»RNDUP POWERMAX	0.77	LAA	11				
	C»LIQUID AMS	2.50	PMV	11				
16A»	RNDUP POWERMAX	0.77	LAA	11	77	89	94	70
	B»LIQUID AMS	2.50	PMV	11				
		LSD (0.05)			9.00	1.49	1.50	10.51
		STANDARD DEVIATION			4.40	0.73	0.736	5.14

» = SUPPLEMENTAL CHEMICAL

* TIMING CODES

*** CONTINUE ON NEXT PAGE

00 = ----- / UNTREATED TIMING
 00 = ----- / UNTREATED TIMING
 09 = ----- / PREEMERGENCE 04/19/2012(1)
 11 = ----- / EPOST 05/16/2012(2)
 12 = ----- / POST 05/23/2012(3)

H#	CUSTOM#1	CUSTOM#2	EV.DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTRTR	SS	NOTE
001	ZEAMD	CON %	05/23/2012	01	P	ZEAMD	15	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
002	SETFA	CON %	05/23/2012	02	P	SETFA	17	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
003	CHEAL	CON %	05/23/2012	03	P	CHEAL	19	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
004	AMATA	CON %	05/23/2012	04	P	AMATA	19	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
005	ABUTH	CON %	05/23/2012	05	P	ABUTH	14	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
006	XANST	CON %	05/23/2012	06	P	XANST	16	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
007	PHBPU	CON %	05/23/2012	07	P	PHBPU	16	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
008	ZEAMD	CON %	06/06/2012	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
009	SETFA	CON %	06/06/2012	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
010	CHEAL	CON %	06/06/2012	03	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
011	AMATA	CON %	06/06/2012	04	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
012	ABUTH	CON %	06/06/2012	05	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
013	XANST	CON %	06/06/2012	06	P	XANST		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
014	PHBPU	CON %	06/06/2012	07	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
015	ZEAMD	CON %	06/20/2012	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
016	SETFA	CON %	06/20/2012	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
017	CHEAL	CON %	06/20/2012	03	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
018	AMATA	CON %	06/20/2012	04	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
019	ABUTH	CON %	06/20/2012	05	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
020	XANST	CON %	06/20/2012	06	P	XANST		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
021	PHBPU	CON %	06/20/2012	07	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
022	ZEAMD	CON %	07/03/2012	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
023	SETFA	CON %	07/03/2012	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
024	CHEAL	CON %	07/03/2012	03	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
025	AMATA	CON %	07/03/2012	04	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
026	ABUTH	CON %	07/03/2012	05	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
027	XANST	CON %	07/03/2012	06	P	XANST		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
028	PHBPU	CON %	07/03/2012	07	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

* SPECIES COMMON NAME - VARIETY/SPECIE INFO (IF APPLICABLE)

01 = N72F3000GT

* STAGE CODE

14 = 4TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 15 = 5 LEAVES UNFOLDED
 16 = 6TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
 17 = 7 LEAVES UNFOLDED
 19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED