

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: CL
PH: 6.1
%OM: 1.5
PREV.CROP: ZEAMD - CORN, DENT
%RESIDUE: 0
PLOT WIDTH: 7.5 X 30 FEET
PLOT AREA: 225 FEET

DESIGN: RCB
REPS: 3

APPL. NUMBER	01	02	UNIT
TIMINGS	09	13	
TYPE	LIQMIX	LIQMIX	
APPLICATION DATE	05/17/13	07/02/13	AME
AIR TEMPERATURE	78	66	F
% REL.HUMIDITY	51	62	
WIND DIRECTION	SOUTHEAST	NORTH	
WIND SPEED	5.0	7.0	M/H
CLOUD COVER	CLOUDY	PARTCLDY	
DEW	---	NO	
SOIL MOISTURE	DRY/MOIST	DRY/MOIST	
SOIL CONDITION	---	---	
METHOD	SPRAY	SPRAY	
EQUIPMENT	BACKPACK/	BACKPACK/	
PROPELLANT	COMPRESSE	COMPRESSE	
PLACEMENT	BROADCAST	BROADCAST	
NOZZLE	FLATFAN	FLATFAN	
NOZZLE DESCRIPTION	TeeJet AI	TeeJet AI	
NOZZLE NUMBER	5	5	
NOZZLE SPACING	18.000	18.000	IN
SCREEN SIZE	50	50	
SCREEN SZ DESC	MES	MES	
SWATH WIDTH	7.5	7.5	FT
SPRAY VOLUME	20.00	20.00	
SPRAY VOLUME UNIT	GPA	GPA	
PRESSURE	30.00	30.00	PSI
DILUENT	WATER	WATER	
INC. DATE			AME
INC. START			24H
INC. END			24H
INC. DEPTH			IN
INC. EQUIPMENT	---	---	
FOLIAGE HEIGHT			FT
FOLIAGE WIDTH			FT
ROW WIDTH			FT
SPRAY VOL LWA/TRV			
S VOL LWA/TRV UNIT			
LEAF WALL AREA			M2H
TREE ROW VOLUME			M3H
SPECIE AND STAGE	DEN / STG MIN / MAX	DEN / STG MIN / MAX	
CROP *			
P, SOYBEAN		---/19	
ASGROW 3931 RR2		7.00/12.0	IN
(PLANTED) 05/17/2011		777 DAP	
PEST *			
P, PIGWEED, SMOOTH		---/19 3.00/5.00	IN
P, WATERHEMP, COMMO		---/19 3.00/7.00	IN
P, LAMBSQUARTERS, C		---/19 2.00/6.00	IN
P, MORNINGGLORY, IV		---/15 2.00/4.00	IN
P, FOXTAIL, GIANT		---/15 2.00/8.00	IN

* TIMING CODES

09 = ----- / PREEMERGENCE

*** TIMING CODES**

13 = ----- / LPOST

*** STAGE CODE**

15 = 5 LEAVES UNFOLDED

15 = 5TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

19 = 9 OR MORE LEAVES UNFOLDED, 8 OR MORE NODES

19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

TITLE: Weed Control Systems in Roundup-Ready Soybean. 2404
CREATED: 04/25/2013 **REVISED:** 11/12/2013 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Perry **RESEARCHED BY:** MAXWELL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT TREATMENT NUM COMPONENT	DOSAGE RATE	UNIT	TM	GLXMA CON % 06/27/13	SETFA CON % 06/27/13	IPOHE CON % 06/27/13	AMACH CON % 06/27/13	AMATA CON % 06/27/13	CHEAL CON % 06/27/13
1A»PREFIX 5.32SL	1.33	LAA	9	0	98	62	99	99	98
B»TOUCHDN TOTAL	1.04	LAA	13						
C»LIQUID AMS	2.50	PMV	13						
2A BOUNDARY 6.5EC	1.42	LAA	9	0	99	30	98	98	98
B»TOUCHDN TOTAL	1.04	LAA	13						
C»LIQUID AMS	2.50	PMV	13						
3A BOUNDARY 6.5EC	1.42	LAA	9	0	99	33	99	99	96
B»FLEXSTAR GT 3.	1.24	LAA	13						
C»MSO	1.00	PMV	13						
D»LIQUID AMS	2.50	PMV	13						
4A»FIERCE XLT	3.00	OMA	0	0	99	97	99	99	99
B CLASSIC 25WG	0.013	LAA	9						
C VALOR 51WG	0.046	LAA	9						
D»V-10206 85 WG	0.058	LAA	9						
E»RNDUP POWERMAX	1.125	LAA	13						
F»LIQUID AMS	2.50	PMV	13						
5A»VERDICT 5.57L	0.22	LAA	9	0	99	96	99	99	99
B»ZIDUA 85WG	0.106	LAA	9						
C»RNDUP POWERMAX	1.125	LAA	13						
D»LIQUID AMS	2.50	PMV	13						
6A»ENLITE 47.86WG	0.084	LAA	0	0	97	81	99	99	98
B CLASSIC 25WG	0.005	LAA	9						
C»HARMONY GT 50W	0.0155	LAA	9						
D VALOR 51WG	0.0635	LAA	9						
E»ABUNDIT EXTRA	0.75	LAA	13						
F SYNCHRONY XP	0.0067	LAA	13						
G»LIQUID AMS	2.50	PMV	13						
7A»ENVIVE 41.3SG	0.065	LAA	0	0	93	91	99	99	99
B CLASSIC 25WG	0.015	LAA	9						
C»HARMONY GT 50W	0.004	LAA	9						
D VALOR 51WG	0.046	LAA	9						
E»ABUNDIT EXTRA	0.75	LAA	13						
F»LIQUID AMS	2.50	PMV	13						
8A»OPTILL PRO	0.00	LAA	0	0	99	99	99	99	99
B»OPTILL 68WG	0.085	LAA	9						
C OUTLOOK 6EC	0.47	LAA	9						
D»RNDUP POWERMAX	1.125	LAA	13						
E»LIQUID AMS	2.50	PMV	13						
9A»SONIC 70DF	0.131	LAA	9	0	96	95	99	99	99
B»DURANGO 4AE	0.75	LAA	13						
C»LIQUID AMS	2.50	PMV	13						
10A»SONIC 70DF	0.197	LAA	9	0	94	98	99	99	99
B»DURANGO 4AE	0.75	LAA	13						
C»LIQUID AMS	2.50	PMV	13						
11A»SONIC 70DF	0.263	LAA	9	0	98	96	99	98	99
B»DURANGO 4AE	0.75	LAA	13						
C»LIQUID AMS	2.50	PMV	13						
12A»OPTILL 68WG	0.085	LAA	9	0	98	98	99	93	99
B»RNDUP POWERMAX	1.125	LAA	13						
C»WARRANT 3L	1.125	LAA	13						
D»LIQUID AMS	2.50	PMV	13						
13A»AUTHORITY XL 7	0.175	LAA	9	0	97	99	99	99	99
B»RNDUP POWERMAX	1.125	LAA	13						
C»LIQUID AMS	2.50	PMV	13						

TITLE: Weed Control Systems in Roundup-Ready Soybean. 2404

TRT	TREATMENT	DOSAGE		GLXMA	SETFA	IPOHE	AMACH	AMATA	CHEAL
NUM	COMPONENT	RATE	UNIT TM	CON %	CON %	CON %	CON %	CON %	CON %
				06/27/13	06/27/13	06/27/13	06/27/13	06/27/13	06/27/13
14A»	AUTHOR. ASSIST	0.156	LAA 9	0	97	99	99	98	99
	B»RNDUP POWERMAX	1.125	LAA 13						
	C»LIQUID AMS	2.50	PMV 13						
15A	CHECK	0.00	NA 0	0	0	0	0	0	0
16A»	WARRANT 3L	1.125	LAA 9	0	83	33	86	88	80
	B»RNDUP POWERMAX	0.77	LAA 13						
	C»LIQUID AMS	2.50	PMV 13						
17A»	SONIC 70DF	0.131	LAA 9	0	97	95	99	99	99
	B FIRSTRATE 84WG	0.016	LAA 13						
	C»DURANGO 4AE	0.75	LAA 13						
	D»LIQUID AMS	2.50	PMV 13						
18A»	VALOR XLT 40WG	3.50	OMA 0	0	98	92	99	99	99
	B CLASSIC 25WG	0.023	LAA 9						
	C VALOR 51WG	0.065	LAA 9						
	D»RNDUP POWERMAX	1.125	LAA 13						
	E»LIQUID AMS	2.50	PMV 13						
LSD (0.05)				0.00	5.46	15.21	1.00	1.80	3.81
STANDARD DEVIATION				0.00	2.70	7.52	0.491	0.89	1.88

TITLE: Weed Control Systems in Roundup-Ready Soybean. 2404
CREATED: 04/25/2013 **REVISED:** 11/12/2013 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Perry **RESEARCHED BY:** MAXWELL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT TREATMENT NUM COMPONENT	DOSAGE RATE	UNIT	TM	GLXMA CON % 07/12/13	SETFA CON % 07/12/13	IPOHE CON % 07/12/13	AMACH CON % 07/12/13	AMATA CON % 07/12/13	CHEAL CON % 07/12/13
1A»PREFIX 5.32SL	1.33	LAA	9	0	99	63	99	99	99
B»TOUCHDN TOTAL	1.04	LAA	13						
C»LIQUID AMS	2.50	PMV	13						
2A BOUNDARY 6.5EC	1.42	LAA	9	0	99	53	99	99	99
B»TOUCHDN TOTAL	1.04	LAA	13						
C»LIQUID AMS	2.50	PMV	13						
3A BOUNDARY 6.5EC	1.42	LAA	9	16	99	72	99	99	99
B»FLEXSTAR GT 3.	1.24	LAA	13						
C»MSO	1.00	PMV	13						
D»LIQUID AMS	2.50	PMV	13						
4A»FIERCE XLT	3.00	OMA	0	0	99	94	99	99	99
B CLASSIC 25WG	0.013	LAA	9						
C VALOR 51WG	0.046	LAA	9						
D»V-10206 85 WG	0.058	LAA	9						
E»RNDUP POWERMAX	1.125	LAA	13						
F»LIQUID AMS	2.50	PMV	13						
5A»VERDICT 5.57L	0.22	LAA	9	0	99	95	99	99	99
B»ZIDUA 85WG	0.106	LAA	9						
C»RNDUP POWERMAX	1.125	LAA	13						
D»LIQUID AMS	2.50	PMV	13						
6A»ENLITE 47.86WG	0.084	LAA	0	4	99	78	99	99	98
B CLASSIC 25WG	0.005	LAA	9						
C»HARMONY GT 50W	0.0155	LAA	9						
D VALOR 51WG	0.0635	LAA	9						
E»ABUNDIT EXTRA	0.75	LAA	13						
F SYNCHRONY XP	0.0067	LAA	13						
G»LIQUID AMS	2.50	PMV	13						
7A»ENVIVE 41.3SG	0.065	LAA	0	0	99	88	99	99	99
B CLASSIC 25WG	0.015	LAA	9						
C»HARMONY GT 50W	0.004	LAA	9						
D VALOR 51WG	0.046	LAA	9						
E»ABUNDIT EXTRA	0.75	LAA	13						
F»LIQUID AMS	2.50	PMV	13						
8A»OPTILL PRO	0.00	LAA	0	0	99	99	99	99	99
B»OPTILL 68WG	0.085	LAA	9						
C OUTLOOK 6EC	0.47	LAA	9						
D»RNDUP POWERMAX	1.125	LAA	13						
E»LIQUID AMS	2.50	PMV	13						
9A»SONIC 70DF	0.131	LAA	9	0	99	94	99	99	99
B»DURANGO 4AE	0.75	LAA	13						
C»LIQUID AMS	2.50	PMV	13						
10A»SONIC 70DF	0.197	LAA	9	0	99	99	99	99	99
B»DURANGO 4AE	0.75	LAA	13						
C»LIQUID AMS	2.50	PMV	13						
11A»SONIC 70DF	0.263	LAA	9	0	99	94	99	98	99
B»DURANGO 4AE	0.75	LAA	13						
C»LIQUID AMS	2.50	PMV	13						
12A»OPTILL 68WG	0.085	LAA	9	4	99	98	99	97	99
B»RNDUP POWERMAX	1.125	LAA	13						
C»WARRANT 3L	1.125	LAA	13						
D»LIQUID AMS	2.50	PMV	13						
13A»AUTHORITY XL 7	0.175	LAA	9	0	99	99	99	99	99
B»RNDUP POWERMAX	1.125	LAA	13						
C»LIQUID AMS	2.50	PMV	13						

TITLE: Weed Control Systems in Roundup-Ready Soybean. 2404

TRT	TREATMENT	DOSAGE		GLXMA	SETFA	IPOHE	AMACH	AMATA	CHEAL
NUM	COMPONENT	RATE	UNIT TM	CON %	CON %	CON %	CON %	CON %	CON %
				07/12/13	07/12/13	07/12/13	07/12/13	07/12/13	07/12/13
14A»	AUTHOR. ASSIST	0.156	LAA 9	0	99	98	99	99	99
	B»RNDUP POWERMAX	1.125	LAA 13						
	C»LIQUID AMS	2.50	PMV 13						
15A	CHECK	0.00	NA 0	0	0	0	0	0	0
16A»	WARRANT 3L	1.125	LAA 9	0	98	43	99	96	97
	B»RNDUP POWERMAX	0.77	LAA 13						
	C»LIQUID AMS	2.50	PMV 13						
17A»	SONIC 70DF	0.131	LAA 9	5	99	94	99	99	99
	B FIRSTRATE 84WG	0.016	LAA 13						
	C»DURANGO 4AE	0.75	LAA 13						
	D»LIQUID AMS	2.50	PMV 13						
18A»	VALOR XLT 40WG	3.50	OMA 0	0	99	90	99	99	99
	B CLASSIC 25WG	0.023	LAA 9						
	C VALOR 51WG	0.065	LAA 9						
	D»RNDUP POWERMAX	1.125	LAA 13						
	E»LIQUID AMS	2.50	PMV 13						
LSD (0.05)				0.793	0.508	10.93	0.00	1.29	1.16
STANDARD DEVIATION				0.392	0.251	5.41	0.00	0.64	0.573

TITLE: Weed Control Systems in Roundup-Ready Soybean. 2404
CREATED: 04/25/2013 **REVISED:** 11/12/2013 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Perry **RESEARCHED BY:** MAXWELL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT TREATMENT NUM COMPONENT	DOSAGE RATE	UNIT	TM	GLXMA CON % 07/31/13	SETFA CON % 07/31/13	IPOHE CON % 07/31/13	AMACH CON % 07/31/13	AMATA CON % 07/31/13	CHEAL CON % 07/31/13
1A»PREFIX 5.32SL	1.33	LAA	9	0	99	60	99	99	99
B»TOUCHDN TOTAL	1.04	LAA	13						
C»LIQUID AMS	2.50	PMV	13						
2A BOUNDARY 6.5EC	1.42	LAA	9	0	99	50	99	99	99
B»TOUCHDN TOTAL	1.04	LAA	13						
C»LIQUID AMS	2.50	PMV	13						
3A BOUNDARY 6.5EC	1.42	LAA	9	0	99	43	99	99	98
B»FLEXSTAR GT 3.	1.24	LAA	13						
C»MSO	1.00	PMV	13						
D»LIQUID AMS	2.50	PMV	13						
4A»FIERCE XLT	3.00	OMA	0	0	99	91	99	99	99
B CLASSIC 25WG	0.013	LAA	9						
C VALOR 51WG	0.046	LAA	9						
D»V-10206 85 WG	0.058	LAA	9						
E»RNDUP POWERMAX	1.125	LAA	13						
F»LIQUID AMS	2.50	PMV	13						
5A»VERDICT 5.57L	0.22	LAA	9	0	99	91	99	99	99
B»ZIDUA 85WG	0.106	LAA	9						
C»RNDUP POWERMAX	1.125	LAA	13						
D»LIQUID AMS	2.50	PMV	13						
6A»ENLITE 47.86WG	0.084	LAA	0	0	99	68	99	99	98
B CLASSIC 25WG	0.005	LAA	9						
C»HARMONY GT 50W	0.0155	LAA	9						
D VALOR 51WG	0.0635	LAA	9						
E»ABUNDIT EXTRA	0.75	LAA	13						
F SYNCHRONY XP	0.0067	LAA	13						
G»LIQUID AMS	2.50	PMV	13						
7A»ENVIVE 41.3SG	0.065	LAA	0	0	99	82	99	99	99
B CLASSIC 25WG	0.015	LAA	9						
C»HARMONY GT 50W	0.004	LAA	9						
D VALOR 51WG	0.046	LAA	9						
E»ABUNDIT EXTRA	0.75	LAA	13						
F»LIQUID AMS	2.50	PMV	13						
8A»OPTILL PRO	0.00	LAA	0	0	99	97	99	99	99
B»OPTILL 68WG	0.085	LAA	9						
C OUTLOOK 6EC	0.47	LAA	9						
D»RNDUP POWERMAX	1.125	LAA	13						
E»LIQUID AMS	2.50	PMV	13						
9A»SONIC 70DF	0.131	LAA	9	0	99	90	99	99	99
B»DURANGO 4AE	0.75	LAA	13						
C»LIQUID AMS	2.50	PMV	13						
10A»SONIC 70DF	0.197	LAA	9	0	99	96	99	99	99
B»DURANGO 4AE	0.75	LAA	13						
C»LIQUID AMS	2.50	PMV	13						
11A»SONIC 70DF	0.263	LAA	9	0	99	95	99	96	99
B»DURANGO 4AE	0.75	LAA	13						
C»LIQUID AMS	2.50	PMV	13						
12A»OPTILL 68WG	0.085	LAA	9	0	99	96	99	97	99
B»RNDUP POWERMAX	1.125	LAA	13						
C»WARRANT 3L	1.125	LAA	13						
D»LIQUID AMS	2.50	PMV	13						
13A»AUTHORITY XL 7	0.175	LAA	9	0	99	98	99	99	99
B»RNDUP POWERMAX	1.125	LAA	13						
C»LIQUID AMS	2.50	PMV	13						

TITLE: Weed Control Systems in Roundup-Ready Soybean. 2404

TRT	TREATMENT	DOSAGE		GLXMA	SETFA	IPOHE	AMACH	AMATA	CHEAL
NUM	COMPONENT	RATE	UNIT TM	CON %	CON %	CON %	CON %	CON %	CON %
				07/31/13	07/31/13	07/31/13	07/31/13	07/31/13	07/31/13
14A»	AUTHOR. ASSIST	0.156	LAA 9	0	99	98	99	99	99
	B»RNDUP POWERMAX	1.125	LAA 13						
	C»LIQUID AMS	2.50	PMV 13						
15A	CHECK	0.00	NA 0	0	0	0	0	0	0
16A»	WARRANT 3L	1.125	LAA 9	0	99	43	99	96	96
	B»RNDUP POWERMAX	0.77	LAA 13						
	C»LIQUID AMS	2.50	PMV 13						
17A»	SONIC 70DF	0.131	LAA 9	0	99	93	99	99	99
	B FIRSTRATE 84WG	0.016	LAA 13						
	C»DURANGO 4AE	0.75	LAA 13						
	D»LIQUID AMS	2.50	PMV 13						
18A»	VALOR XLT 40WG	3.50	OMA 0	0	99	88	99	99	99
	B CLASSIC 25WG	0.023	LAA 9						
	C VALOR 51WG	0.065	LAA 9						
	D»RNDUP POWERMAX	1.125	LAA 13						
	E»LIQUID AMS	2.50	PMV 13						
LSD (0.05)				0.00	0.225	14.37	0.00	2.24	2.16
STANDARD DEVIATION				0.00	0.111	7.11	0.00	1.11	1.07

TITLE: Weed Control Systems in Roundup-Ready Soybean. 2404
CREATED: 04/25/2013 **REVISED:** 11/12/2013 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Perry **RESEARCHED BY:** MAXWELL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE		YIELD BU/A 10/17/13
		RATE	UNIT TM	
1A»	PREFIX 5.32SL	1.33	LAA 9	47.9
B»	TOUCHDN TOTAL	1.04	LAA 13	
C»	LIQUID AMS	2.50	PMV 13	
2A	BOUNDARY 6.5EC	1.42	LAA 9	48.4
B»	TOUCHDN TOTAL	1.04	LAA 13	
C»	LIQUID AMS	2.50	PMV 13	
3A	BOUNDARY 6.5EC	1.42	LAA 9	50.3
B»	FLEXSTAR GT 3.	1.24	LAA 13	
C»	MISO	1.00	PMV 13	
D»	LIQUID AMS	2.50	PMV 13	
4A»	FIERCE XLT	3.00	OMA 0	49.8
B	CLASSIC 25WG	0.013	LAA 9	
C	VALOR 51WG	0.046	LAA 9	
D»	V-10206 85 WG	0.058	LAA 9	
E»	RNDUP POWERMAX	1.125	LAA 13	
F»	LIQUID AMS	2.50	PMV 13	
5A»	VERDICT 5.57L	0.22	LAA 9	48.7
B»	ZIDUA 85WG	0.106	LAA 9	
C»	RNDUP POWERMAX	1.125	LAA 13	
D»	LIQUID AMS	2.50	PMV 13	
6A»	ENLITE 47.86WG	0.084	LAA 0	48.7
B	CLASSIC 25WG	0.005	LAA 9	
C»	HARMONY GT 50W	0.0155	LAA 9	
D	VALOR 51WG	0.0635	LAA 9	
E»	ABUNDIT EXTRA	0.75	LAA 13	
F	SYNCHRONY XP	0.0067	LAA 13	
G»	LIQUID AMS	2.50	PMV 13	
7A»	ENVIVE 41.3SG	0.065	LAA 0	46.9
B	CLASSIC 25WG	0.015	LAA 9	
C»	HARMONY GT 50W	0.004	LAA 9	
D	VALOR 51WG	0.046	LAA 9	
E»	ABUNDIT EXTRA	0.75	LAA 13	
F»	LIQUID AMS	2.50	PMV 13	
8A»	OPTILL PRO	0.00	LAA 0	47.1
B»	OPTILL 68WG	0.085	LAA 9	
C	OUTLOOK 6EC	0.47	LAA 9	
D»	RNDUP POWERMAX	1.125	LAA 13	
E»	LIQUID AMS	2.50	PMV 13	
9A»	SONIC 70DF	0.131	LAA 9	47.4
B»	DURANGO 4AE	0.75	LAA 13	
C»	LIQUID AMS	2.50	PMV 13	
10A»	SONIC 70DF	0.197	LAA 9	51.9
B»	DURANGO 4AE	0.75	LAA 13	
C»	LIQUID AMS	2.50	PMV 13	
11A»	SONIC 70DF	0.263	LAA 9	47.9
B»	DURANGO 4AE	0.75	LAA 13	
C»	LIQUID AMS	2.50	PMV 13	
12A»	OPTILL 68WG	0.085	LAA 9	47.4
B»	RNDUP POWERMAX	1.125	LAA 13	
C»	WARRANT 3L	1.125	LAA 13	
D»	LIQUID AMS	2.50	PMV 13	
13A»	AUTHORITY XL 7	0.175	LAA 9	45.4
B»	RNDUP POWERMAX	1.125	LAA 13	
C»	LIQUID AMS	2.50	PMV 13	

TITLE: Weed Control Systems in Roundup-Ready Soybean. 2404

TRT	TREATMENT	DOSAGE	YIELD		
NUM	COMPONENT	RATE	UNIT	TM	BU/A
					10/17/13
14A»	AUTHOR. ASSIST	0.156	LAA	9	48.9
	B»RNDUP POWERMAX	1.125	LAA	13	
	C»LIQUID AMS	2.50	PMV	13	
15A	CHECK	0.00	NA	0	24.1
16A»	WARRANT 3L	1.125	LAA	9	46.6
	B»RNDUP POWERMAX	0.77	LAA	13	
	C»LIQUID AMS	2.50	PMV	13	
17A»	SONIC 70DF	0.131	LAA	9	46.6
	B FIRSTRATE 84WG	0.016	LAA	13	
	C»DURANGO 4AE	0.75	LAA	13	
	D»LIQUID AMS	2.50	PMV	13	
18A»	VALOR XLT 40WG	3.50	OMA	0	49.5
	B CLASSIC 25WG	0.023	LAA	9	
	C VALOR 51WG	0.065	LAA	9	
	D»RNDUP POWERMAX	1.125	LAA	13	
	E»LIQUID AMS	2.50	PMV	13	
	LSD (0.05)				4.90
	STANDARD DEVIATION				2.42

» = SUPPLEMENTAL CHEMICAL

* TIMING CODES

00 = ----- / UNTREATED TIMING

09 = ----- / PREEMERGENCE 05/17/2013(1)

13 = ----- / LPOST 07/02/2013(2)

H#	CUSTOM#1	CUSTOM#2	EV. DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTRT	SS	NOTE
001	GLXMA	CON %	06/27/2013	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
002	SETFA	CON %	06/27/2013	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
003	IPOHE	CON %	06/27/2013	03	P	IPOHE		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
004	AMACH	CON %	06/27/2013	04	P	AMACH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
005	AMATA	CON %	06/27/2013	05	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
006	CHEAL	CON %	06/27/2013	06	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
007	GLXMA	CON %	07/12/2013	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
008	SETFA	CON %	07/12/2013	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
009	IPOHE	CON %	07/12/2013	03	P	IPOHE		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
010	AMACH	CON %	07/12/2013	04	P	AMACH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
011	AMATA	CON %	07/12/2013	05	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
012	CHEAL	CON %	07/12/2013	06	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
013	GLXMA	CON %	07/31/2013	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
014	SETFA	CON %	07/31/2013	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
015	IPOHE	CON %	07/31/2013	03	P	IPOHE		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
016	AMACH	CON %	07/31/2013	04	P	AMACH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
017	AMATA	CON %	07/31/2013	05	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
018	CHEAL	CON %	07/31/2013	06	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
019	YIELD	BU/A	10/17/2013	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

* SPECIES COMMON NAME - VARIETY/SPECIE INFO (IF APPLICABLE)

01 = ASGROW 3931 RR2