

SOIL INFORMATION

TEXTURE: SIL
 PH: 6.6
 %OM: 4.7
 PREV.CROP: ZEAMD - CORN, DENT
 %RESIDUE: 0
 PLOT WIDTH: 7.5 X 30 FEET
 PLOT AREA: 225 FEET

TRIAL INFORMATION

DESIGN: RCB
 REPS: 3

APPL. NUMBER	01	02	UNIT
TIMINGS	09	12	
TYPE	LIQMIX	LIQMIX	
APPLICATION DATE	06/06/13	07/03/13	AME
AIR TEMPERATURE	62	70	F
% REL.HUMIDITY	56	68	
WIND DIRECTION	NORTHEAST	WEST	
WIND SPEED	2.0	2.0	M/H
CLOUD COVER	PARTCLDY	PARTCLDY	
DEW	NO	NO	
SOIL MOISTURE	DRY/MOIST	MOIST/MOI	
SOIL CONDITION	---	---	
METHOD	SPRAY	SPRAY	
EQUIPMENT	BACKPACK/	BACKPACK/	
PROPELLANT	COMPRESSE	COMPRESSE	
PLACEMENT	BROADCAST	BROADCAST	
NOZZLE	FLATFAN	FLATFAN	
NOZZLE DESCRIPTION			
NOZZLE NUMBER	5	5	
NOZZLE SPACING	18.000	18.000	IN
SCREEN SIZE			
SCREEN SZ DESC	NA	NA	
SWATH WIDTH	7.5	7.5	FT
SPRAY VOLUME	20.00	20.00	
SPRAY VOLUME UNIT	GPA	GPA	
PRESSURE	30.00	30.00	PSI
DILUENT	WATER	WATER	
INC. DATE			AME
INC. START			24H
INC. END			24H
INC. DEPTH			IN
INC. EQUIPMENT	---	---	
FOLIAGE HEIGHT			FT
FOLIAGE WIDTH			FT
ROW WIDTH			FT
SPRAY VOL LWA/TRV			
S VOL LWA/TRV UNIT			
LEAF WALL AREA			M2H
TREE ROW VOLUME			M3H
SPECIE AND STAGE	DEN / STG MIN / MAX	DEN / STG MIN / MAX	
CROP *			
P, SOYBEAN		---/15	
N-74R		8.00/8.00	IN
(PLANTED) 06/05/2013		28 DAP	
PEST *			
P, WATERHEMP, COMMO		---/18	
		2.00/4.00	IN
P, LAMBSQUARTERS, C		---/19	
		1.00/3.00	IN
P, MORNINGGLORY, TA		---/17	
		2.00/6.00	IN
P, FOXTAIL, GIANT		---/17	
		2.00/6.00	IN

* TIMING CODES

09 = ----- / PREEMERGENCE
 12 = ----- / POST

* STAGE CODE

15 = 5TH LEAF (3RD TRIFOLIATE LEAF) UNFOLDED, 4 NODES
 17 = 7 LEAVES UNFOLDED

* STAGE CODE

17 = 7TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
18 = 8TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

TITLE: Weed Control Systems in RR Soybean I. AS-100

CREATED: 04/29/2013 REVISED: 11/04/2013

COMPLETED: N

PROJECT TYPE: HERBICIDE

LOCATION: Urbana

RESEARCHED BY: UNIV. OF ILL

DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN

PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG

PLOT AREA: 225.00 SFT

REPS: 03

TRT TREATMENT NUM COMPONENT	DOSAGE RATE	UNIT	TM	GLXMA CON % 07/01/13	SETFA CON % 07/01/13	CHEAL CON % 07/01/13	AMATA CON % 07/01/13	PHBPU CON % 07/01/13	GLXMA CON % 07/13/13
1A»PREFIX 5.32SL	1.33	LAA	9	0	84	99	96	63	0
B»TOUCHDN TOTAL	1.04	LAA	12						
C»LIQUID AMS	2.50	PMV	12						
2A BOUNDARY 6.5EC	1.42	LAA	9	0	84	98	93	42	0
B»TOUCHDN TOTAL	1.04	LAA	12						
C»LIQUID AMS	2.50	PMV	12						
3A BOUNDARY 6.5EC	1.42	LAA	9	0	81	96	92	33	18
B»FLEXSTAR GT 3.	1.41	LAA	12						
C»MSO	1.00	PMV	12						
D»LIQUID AMS	2.50	PMV	12						
4A»FIERCE XLT	3.75	OMA	0	0	72	99	99	65	2
B»V-10206 85 WG	0.073	LAA	9						
C CLASSIC 25WG	0.016	LAA	9						
D»VALOR SX 51WDG	0.058	LAA	9						
E»RNDUP POWERMAX	1.05	LAA	12						
F»LIQUID AMS	2.50	PMV	12						
5A»VERDICT 5.57L	0.22	LAA	9	0	86	99	99	68	0
B»ZIDUA 85WG	0.106	LAA	9						
C»RNDUP POWERMAX	1.05	LAA	12						
D»LIQUID AMS	2.50	PMV	12						
6A»OPTILL PRO	0.00	LAA	0	0	83	99	99	73	0
B»OPTILL 68WG	0.085	LAA	9						
C OUTLOOK 6EC	0.47	LAA	9						
D»RNDUP POWERMAX	1.05	LAA	12						
E»LIQUID AMS	2.50	PMV	12						
7A»OPTILL 68WG	0.085	LAA	9	0	85	98	94	75	0
B»RNDUP POWERMAX	1.05	LAA	12						
C»LIQUID AMS	2.50	PMV	12						
8A»VALOR XLT 40WG	3.50	OMA	0	0	57	99	98	63	0
B CLASSIC 25WG	0.023	LAA	9						
C»VALOR SX 51WDG	0.065	LAA	9						
D»WEATHERMAX 4.5	1.05	LAA	12						
E»LIQUID AMS	2.50	PMV	12						
9A»AUTHORITY XL 7	0.175	LAA	9	0	77	99	98	79	0
B»RNDUP POWERMAX	1.05	LAA	12						
C»WARRANT 3L	1.125	LAA	12						
D»LIQUID AMS	2.50	PMV	12						
10A»SONIC 70DF	0.131	LAA	9	0	52	99	99	67	0
B»DURANGO 4AE	0.75	LAA	12						
C»LIQUID AMS	2.50	PMV	12						
11A»SONIC 70DF	0.197	LAA	9	0	70	99	99	82	0
B»DURANGO 4AE	0.75	LAA	12						
C»LIQUID AMS	2.50	PMV	12						
12A»SONIC 70DF	0.263	LAA	9	0	74	99	96	88	0
B»DURANGO 4AE	0.75	LAA	12						
C»LIQUID AMS	2.50	PMV	12						
13A»SONIC 70DF	0.131	LAA	9	0	67	99	95	72	0
B FIRSTRATE 84WG	0.016	LAA	12						
C»DURANGO 4AE	0.75	LAA	12						
D»LIQUID AMS	2.50	PMV	12						
14A»ANTHEM 2.15SE	0.135	LAA	9	0	77	99	96	53	0
B»RNDUP POWERMAX	1.05	LAA	12						
C»LIQUID AMS	2.50	PMV	12						

TITLE: Weed Control Systems in RR Soybean I. AS-100

TRT	TREATMENT	DOSAGE	GLXMA	SETFA	CHEAL	AMATA	PHBPU	GLXMA		
NUM	COMPONENT	RATE	UNIT	TM	CON %	CON %	CON %	CON %		
					07/01/13	07/01/13	07/01/13	07/13/13		
15A»	ENVIVE 41.3SG	0.064	LAA	0	0	43	98	93	57	33
	B CLASSIC 25WG	0.014	LAA	9						
	C»HARMONY GT 50W	0.004	LAA	9						
	D»VALOR SX 51WDG	0.046	LAA	9						
	E»ABUNDIT EXTRA	0.75	LAA	12						
	F CINCH	0.96	LAA	12						
	G SYNCHRONY XP	0.0067	LAA	12						
	H»LIQUID AMS	2.50	PMV	12						
16A»	ENLITE 47.86WG	0.085	LAA	0	0	50	98	89	45	38
	B CLASSIC 25WG	0.005	LAA	9						
	C»HARMONY GT 50W	0.016	LAA	9						
	D»VALOR SX 51WDG	0.064	LAA	9						
	E»ABUNDIT EXTRA	0.75	LAA	12						
	F CINCH	0.96	LAA	12						
	G SYNCHRONY XP	0.0067	LAA	12						
	H»LIQUID AMS	2.50	PMV	12						
17A	CHECK	0.00	NA	0	0	0	0	0	0	0
18A»	FIERCE 76WG	0.14	LAA	9	0	76	99	99	68	0
	B»RNDUP POWERMAX	1.05	LAA	12						
	C»WARRANT 3L	1.125	LAA	12						
	D»LIQUID AMS	2.50	PMV	12						
19A»	WARRANT 3L	1.125	LAA	9	0	72	98	96	55	0
	B»RNDUP POWERMAX	1.05	LAA	12						
	C»WARRANT 3L	1.125	LAA	12						
	D»LIQUID AMS	2.50	PMV	12						
20A»	VALOR XLT 40WG	3.00	OMA	0	0	43	99	99	57	12
	B CLASSIC 25WG	0.019	LAA	9						
	C»VALOR SX 51WDG	0.056	LAA	9						
	D»ANTHEM 2.15SE	0.101	LAA	12						
	E»WEATHERMAX 4.5	1.05	LAA	12						
	F»LIQUID AMS	2.50	PMV	12						
LSD (0.05)					0.00	12.18	1.77	7.81	12.86	3.22
STANDARD DEVIATION					0.00	6.00	0.877	3.86	6.36	1.59

TITLE: Weed Control Systems in RR Soybean I. AS-100

CREATED: 04/29/2013 REVISED: 11/04/2013

COMPLETED: N

PROJECT TYPE: HERBICIDE

LOCATION: Urbana

RESEARCHED BY: UNIV. OF ILL

DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN

PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG

PLOT AREA: 225.00 SFT

REPS: 03

TRT TREATMENT NUM COMPONENT	DOSAGE RATE	UNIT	TM	SETFA CON % 07/13/13	CHEAL CON % 07/13/13	AMATA CON % 07/13/13	PHBPU CON % 07/13/13	GLXMA CON % 08/02/13	SETFA CON % 08/02/13
1A»PREFIX 5.32SL	1.33	LAA	9	99	99	99	95	0	98
B»TOUCHDN TOTAL	1.04	LAA	12						
C»LIQUID AMS	2.50	PMV	12						
2A BOUNDARY 6.5EC	1.42	LAA	9	99	99	99	90	0	99
B»TOUCHDN TOTAL	1.04	LAA	12						
C»LIQUID AMS	2.50	PMV	12						
3A BOUNDARY 6.5EC	1.42	LAA	9	99	99	99	99	6	99
B»FLEXSTAR GT 3.	1.41	LAA	12						
C»MSO	1.00	PMV	12						
D»LIQUID AMS	2.50	PMV	12						
4A»FIERCE XLT	3.75	OMA	0	99	99	99	96	0	98
B»V-10206 85 WG	0.073	LAA	9						
C CLASSIC 25WG	0.016	LAA	9						
D»VALOR SX 51WDG	0.058	LAA	9						
E»RNDUP POWERMAX	1.05	LAA	12						
F»LIQUID AMS	2.50	PMV	12						
5A»VERDICT 5.57L	0.22	LAA	9	99	99	99	95	0	99
B»ZIDUA 85WG	0.106	LAA	9						
C»RNDUP POWERMAX	1.05	LAA	12						
D»LIQUID AMS	2.50	PMV	12						
6A»OPTILL PRO	0.00	LAA	0	99	99	99	94	2	98
B»OPTILL 68WG	0.085	LAA	9						
C OUTLOOK 6EC	0.47	LAA	9						
D»RNDUP POWERMAX	1.05	LAA	12						
E»LIQUID AMS	2.50	PMV	12						
7A»OPTILL 68WG	0.085	LAA	9	99	99	99	96	0	99
B»RNDUP POWERMAX	1.05	LAA	12						
C»LIQUID AMS	2.50	PMV	12						
8A»VALOR XLT 40WG	3.50	OMA	0	99	99	99	96	0	98
B CLASSIC 25WG	0.023	LAA	9						
C»VALOR SX 51WDG	0.065	LAA	9						
D»WEATHERMAX 4.5	1.05	LAA	12						
E»LIQUID AMS	2.50	PMV	12						
9A»AUTHORITY XL 7	0.175	LAA	9	99	99	99	97	0	99
B»RNDUP POWERMAX	1.05	LAA	12						
C»WARRANT 3L	1.125	LAA	12						
D»LIQUID AMS	2.50	PMV	12						
10A»SONIC 70DF	0.131	LAA	9	99	99	99	97	0	99
B»DURANGO 4AE	0.75	LAA	12						
C»LIQUID AMS	2.50	PMV	12						
11A»SONIC 70DF	0.197	LAA	9	99	99	99	98	0	99
B»DURANGO 4AE	0.75	LAA	12						
C»LIQUID AMS	2.50	PMV	12						
12A»SONIC 70DF	0.263	LAA	9	99	99	99	98	0	98
B»DURANGO 4AE	0.75	LAA	12						
C»LIQUID AMS	2.50	PMV	12						
13A»SONIC 70DF	0.131	LAA	9	99	99	99	97	0	99
B FIRSTRATE 84WG	0.016	LAA	12						
C»DURANGO 4AE	0.75	LAA	12						
D»LIQUID AMS	2.50	PMV	12						
14A»ANTHEM 2.15SE	0.135	LAA	9	99	99	99	92	0	99
B»RNDUP POWERMAX	1.05	LAA	12						
C»LIQUID AMS	2.50	PMV	12						

TRT	TREATMENT	DOSAGE		SETFA	CHEAL	AMATA	PHBPU	GLXMA	SETFA
NUM	COMPONENT	RATE	UNIT TM	CON % 07/13/13	CON % 07/13/13	CON % 07/13/13	CON % 07/13/13	CON % 08/02/13	CON % 08/02/13
15A»	ENVIVE 41.3SG	0.064	LAA 0	99	99	99	93	10	99
B	CLASSIC 25WG	0.014	LAA 9						
C»	HARMONY GT 50W	0.004	LAA 9						
D»	VALOR SX 51WDG	0.046	LAA 9						
E»	ABUNDIT EXTRA	0.75	LAA 12						
F	CINCH	0.96	LAA 12						
G	SYNCHRONY XP	0.0067	LAA 12						
H»	LIQUID AMS	2.50	PMV 12						
16A»	ENLITE 47.86WG	0.085	LAA 0	99	99	99	91	12	99
B	CLASSIC 25WG	0.005	LAA 9						
C»	HARMONY GT 50W	0.016	LAA 9						
D»	VALOR SX 51WDG	0.064	LAA 9						
E»	ABUNDIT EXTRA	0.75	LAA 12						
F	CINCH	0.96	LAA 12						
G	SYNCHRONY XP	0.0067	LAA 12						
H»	LIQUID AMS	2.50	PMV 12						
17A	CHECK	0.00	NA 0	0	0	0	0	0	0
18A»	FIERCE 76WG	0.14	LAA 9	99	99	99	96	0	99
B»	RNDUP POWERMAX	1.05	LAA 12						
C»	WARRANT 3L	1.125	LAA 12						
D»	LIQUID AMS	2.50	PMV 12						
19A»	WARRANT 3L	1.125	LAA 9	99	99	99	92	0	99
B»	RNDUP POWERMAX	1.05	LAA 12						
C»	WARRANT 3L	1.125	LAA 12						
D»	LIQUID AMS	2.50	PMV 12						
20A»	VALOR XLT 40WG	3.00	OMA 0	99	99	99	99	3	99
B	CLASSIC 25WG	0.019	LAA 9						
C»	VALOR SX 51WDG	0.056	LAA 9						
D»	ANTHEM 2.15SE	0.101	LAA 12						
E»	WEATHERMAX 4.5	1.05	LAA 12						
F»	LIQUID AMS	2.50	PMV 12						
		LSD (0.05)		0.00	0.00	0.00	3.45	2.42	0.949
		STANDARD DEVIATION		0.00	0.00	0.00	1.71	1.20	0.47

TITLE: Weed Control Systems in RR Soybean I. AS-100
CREATED: 04/29/2013 **REVISED:** 11/04/2013 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT TREATMENT NUM COMPONENT	DOSAGE RATE	UNIT	TM	CHEAL CON % 08/02/13	AMATA CON % 08/02/13	PHBPU CON % 08/02/13	YIELD BU/A 10/21/13
1A»PREFIX 5.32SL	1.33	LAA	9	99	99	92	59.2
B»TOUCHDN TOTAL	1.04	LAA	12				
C»LIQUID AMS	2.50	PMV	12				
2A BOUNDARY 6.5EC	1.42	LAA	9	99	99	86	59.9
B»TOUCHDN TOTAL	1.04	LAA	12				
C»LIQUID AMS	2.50	PMV	12				
3A BOUNDARY 6.5EC	1.42	LAA	9	99	99	96	55.2
B»FLEXSTAR GT 3.	1.41	LAA	12				
C»MSO	1.00	PMV	12				
D»LIQUID AMS	2.50	PMV	12				
4A»FIERCE XLT	3.75	OMA	0	99	99	92	54.5
B»V-10206 85 WG	0.073	LAA	9				
C CLASSIC 25WG	0.016	LAA	9				
D»VALOR SX 51WDG	0.058	LAA	9				
E»RNDUP POWERMAX	1.05	LAA	12				
F»LIQUID AMS	2.50	PMV	12				
5A»VERDICT 5.57L	0.22	LAA	9	99	99	94	59.4
B»ZIDUA 85WG	0.106	LAA	9				
C»RNDUP POWERMAX	1.05	LAA	12				
D»LIQUID AMS	2.50	PMV	12				
6A»OPTILL PRO	0.00	LAA	0	99	99	93	59.6
B»OPTILL 68WG	0.085	LAA	9				
C OUTLOOK 6EC	0.47	LAA	9				
D»RNDUP POWERMAX	1.05	LAA	12				
E»LIQUID AMS	2.50	PMV	12				
7A»OPTILL 68WG	0.085	LAA	9	99	99	96	58.5
B»RNDUP POWERMAX	1.05	LAA	12				
C»LIQUID AMS	2.50	PMV	12				
8A»VALOR XLT 40WG	3.50	OMA	0	99	99	93	55.9
B CLASSIC 25WG	0.023	LAA	9				
C»VALOR SX 51WDG	0.065	LAA	9				
D»WEATHERMAX 4.5	1.05	LAA	12				
E»LIQUID AMS	2.50	PMV	12				
9A»AUTHORITY XL 7	0.175	LAA	9	99	99	94	57.4
B»RNDUP POWERMAX	1.05	LAA	12				
C»WARRANT 3L	1.125	LAA	12				
D»LIQUID AMS	2.50	PMV	12				
10A»SONIC 70DF	0.131	LAA	9	99	99	95	58.0
B»DURANGO 4AE	0.75	LAA	12				
C»LIQUID AMS	2.50	PMV	12				
11A»SONIC 70DF	0.197	LAA	9	99	99	96	58.5
B»DURANGO 4AE	0.75	LAA	12				
C»LIQUID AMS	2.50	PMV	12				
12A»SONIC 70DF	0.263	LAA	9	99	99	96	60.6
B»DURANGO 4AE	0.75	LAA	12				
C»LIQUID AMS	2.50	PMV	12				
13A»SONIC 70DF	0.131	LAA	9	99	99	97	60.9
B FIRSTRATE 84WG	0.016	LAA	12				
C»DURANGO 4AE	0.75	LAA	12				
D»LIQUID AMS	2.50	PMV	12				
14A»ANTHEM 2.15SE	0.135	LAA	9	99	99	94	61.4
B»RNDUP POWERMAX	1.05	LAA	12				
C»LIQUID AMS	2.50	PMV	12				

TITLE: Weed Control Systems in RR Soybean I. AS-100

TRT	TREATMENT	DOSAGE	CHEAL	AMATA	PHBPU	YIELD		
NUM	COMPONENT	RATE	UNIT	TM	CON %	CON %	CON %	BU/A
					08/02/13	08/02/13	08/02/13	10/21/13
15A	»ENVIVE 41.3SG	0.064	LAA	0	99	99	80	54.5
	B CLASSIC 25WG	0.014	LAA	9				
	C»HARMONY GT 50W	0.004	LAA	9				
	D»VALOR SX 51WDG	0.046	LAA	9				
	E»ABUNDIT EXTRA	0.75	LAA	12				
	F CINCH	0.96	LAA	12				
	G SYNCHRONY XP	0.0067	LAA	12				
	H»LIQUID AMS	2.50	PMV	12				
16A	»ENLITE 47.86WG	0.085	LAA	0	99	99	80	52.3
	B CLASSIC 25WG	0.005	LAA	9				
	C»HARMONY GT 50W	0.016	LAA	9				
	D»VALOR SX 51WDG	0.064	LAA	9				
	E»ABUNDIT EXTRA	0.75	LAA	12				
	F CINCH	0.96	LAA	12				
	G SYNCHRONY XP	0.0067	LAA	12				
	H»LIQUID AMS	2.50	PMV	12				
17A	CHECK	0.00	NA	0	0	0	0	39.8
18A	»FIERCE 76WG	0.14	LAA	9	99	99	97	53.9
	B»RNDUP POWERMAX	1.05	LAA	12				
	C»WARRANT 3L	1.125	LAA	12				
	D»LIQUID AMS	2.50	PMV	12				
19A	»WARRANT 3L	1.125	LAA	9	99	99	91	53.5
	B»RNDUP POWERMAX	1.05	LAA	12				
	C»WARRANT 3L	1.125	LAA	12				
	D»LIQUID AMS	2.50	PMV	12				
20A	»VALOR XLT 40WG	3.00	OMA	0	99	99	96	54.4
	B CLASSIC 25WG	0.019	LAA	9				
	C»VALOR SX 51WDG	0.056	LAA	9				
	D»ANTHEM 2.15SE	0.101	LAA	12				
	E»WEATHERMAX 4.5	1.05	LAA	12				
	F»LIQUID AMS	2.50	PMV	12				
LSD (0.05)					0.00	0.00	4.23	7.73
STANDARD DEVIATION					0.00	0.00	2.09	3.83

» = SUPPLEMENTAL CHEMICAL

* TIMING CODES

00 = ----- / UNTREATED TIMING

09 = ----- / PREEMERGENCE 06/06/2013(1)

12 = ----- / POST 07/03/2013(2)

H#	CUSTOM#1	CUSTOM#2	EV. DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTRT	SS	NOTE
001	GLXMA	CON %	07/01/2013	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
002	SETFA	CON %	07/01/2013	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
003	CHEAL	CON %	07/01/2013	03	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
004	AMATA	CON %	07/01/2013	04	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
005	PHBPU	CON %	07/01/2013	05	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
006	GLXMA	CON %	07/13/2013	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
007	SETFA	CON %	07/13/2013	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
008	CHEAL	CON %	07/13/2013	03	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
009	AMATA	CON %	07/13/2013	04	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
010	PHBPU	CON %	07/13/2013	05	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
011	GLXMA	CON %	08/02/2013	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
012	SETFA	CON %	08/02/2013	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
013	CHEAL	CON %	08/02/2013	03	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
014	AMATA	CON %	08/02/2013	04	P	AMATA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
015	PHBPU	CON %	08/02/2013	05	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
016	YIELD	BU/A	10/21/2013	01	P	GLXMA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

* SPECIES COMMON NAME - VARIETY/SPECIE INFO (IF APPLICABLE)

01 = N-74R