

SOIL INFORMATION

TEXTURE: SIL
 PH: 6.6
 %OM: 4.7
 PREV.CROP: ZEAMD - CORN, DENT
 %RESIDUE: 0
 PLOT WIDTH: 7.5 X 30 FEET
 PLOT AREA: 225 FEET

TRIAL INFORMATION

DESIGN: RCB
 REPS: 3

APPL. NUMBER	01	02	UNIT
TIMINGS	09	13	
TYPE	LIQMIX	LIQMIX	
APPLICATION DATE	06/06/13	07/12/13	AME
AIR TEMPERATURE	66	77	F
% REL.HUMIDITY	51	53	
WIND DIRECTION	NORTHEAST	NORTHEAST	
WIND SPEED	3.0	5.0	M/H
CLOUD COVER	PARTCLDY	CLEAR	
DEW	NO	NO	
SOIL MOISTURE	DRY/MOIST	DRY/MOIST	
SOIL CONDITION	---	---	
METHOD	SPRAY	SPRAY	
EQUIPMENT	BACKPACK/	BACKPACK/	
PROPELLANT	COMPRESSE	COMPRESSE	
PLACEMENT	BROADCAST	BROADCAST	
NOZZLE	FLATFAN	FLATFAN	
NOZZLE DESCRIPTION			
NOZZLE NUMBER	5	5	
NOZZLE SPACING	18.000	18.000	IN
SCREEN SIZE			
SCREEN SZ DESC	NA	NA	
SWATH WIDTH	7.5	7.5	FT
SPRAY VOLUME	20.00	20.00	
SPRAY VOLUME UNIT	GPA	GPA	
PRESSURE	30.00	30.00	PSI
DILUENT	WATER	WATER	
INC. DATE			AME
INC. START			24H
INC. END			24H
INC. DEPTH			IN
INC. EQUIPMENT	---	---	
FOLIAGE HEIGHT			FT
FOLIAGE WIDTH			FT
ROW WIDTH			FT
SPRAY VOL LWA/TRV			
S VOL LWA/TRV UNIT			
LEAF WALL AREA			M2H
TREE ROW VOLUME			M3H
SPECIE AND STAGE	DEN / STG MIN / MAX	DEN / STG MIN / MAX	
CROP *			
P, SOYBEAN		---/18	
N-74R		12.0/12.0	IN
(PLANTED) 06/05/2013		37 DAP	
PEST *			
P, VELVETLEAF		---/16	
		2.00/6.00	IN
P, WATERHEMP, COMMO		---/19	
		2.00/10.0	IN
P, LAMBSQUARTERS, C		---/19	
		1.00/6.00	IN
P, MORNINGGLORY, TA		---/19	
		1.00/6.00	IN
P, FOXTAIL, GIANT		---/18	
		2.00/10.0	IN
P, COCKLEBUR, COMMO		---/18	
		6.00/12.0	IN

*** TIMING CODES**

09 = ----- / PREEMERGENCE
13 = ----- / LPOST

*** STAGE CODE**

16 = 6TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
18 = 8TH LEAF (6TH TRIFOLIATE LEAF) UNFOLDED, 7 NODES
18 = 8 LEAVES UNFOLDED
18 = 8TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED
19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

TITLE: Warrant Tank-Mixes for Weed Control Systems in RR Soybean. AS-100
CREATED: 05/02/2013 **REVISED:** 09/03/2013 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT	TREATMENT	DOSAGE		GLXMA	SETFA	CHEAL	AMATA	ABUTH	PHBPU
NUM	COMPONENT	RATE	UNIT TM	CON %	CON %	CON %	CON %	CON %	CON %
				06/28/13	06/28/13	06/28/13	06/28/13	06/28/13	06/28/13
1A»	WARRANT 3L	1.125	LAA 9	0	67	83	87	33	27
B»	RNDUP POWERMAX	1.125	LAA 13						
C»	LIQUID AMS	2.50	PMV 13						
2A	VALOR 51WG	0.094	LAA 9	2	61	95	96	68	73
B»	RNDUP POWERMAX	1.125	LAA 13						
C»	LIQUID AMS	2.50	PMV 13						
3A»	WARRANT 3L	1.125	LAA 9	16	76	99	99	86	87
B	VALOR 51WG	0.094	LAA 9						
C»	RNDUP POWERMAX	1.125	LAA 13						
D»	LIQUID AMS	2.50	PMV 13						
4A»	AUTHORITY MTZ	0.31	LAA 9	0	47	99	99	72	77
B»	RNDUP POWERMAX	1.125	LAA 13						
C»	LIQUID AMS	2.50	PMV 13						
5A»	WARRANT 3L	1.125	LAA 9	0	65	99	99	80	82
B»	AUTHORITY MTZ	0.31	LAA 9						
C»	RNDUP POWERMAX	1.125	LAA 13						
D»	LIQUID AMS	2.50	PMV 13						
6A»	VALOR XLT 40WG	4.00	OMA 0	0	57	99	99	73	68
B	CLASSIC 25WG	0.026	LAA 9						
C	VALOR 51WG	0.074	LAA 9						
D»	RNDUP POWERMAX	1.125	LAA 13						
E»	LIQUID AMS	2.50	PMV 13						
7A»	WARRANT 3L	1.125	LAA 9	13	73	99	99	97	85
B»	VALOR XLT 40WG	4.00	OMA 0						
C	CLASSIC 25WG	0.026	LAA 9						
D	VALOR 51WG	0.074	LAA 9						
E»	RNDUP POWERMAX	1.125	LAA 13						
F»	LIQUID AMS	2.50	PMV 13						
8A	AUTHORITY FIRS	0.28	LAA 9	0	57	99	99	94	82
B»	RNDUP POWERMAX	1.125	LAA 13						
C»	LIQUID AMS	2.50	PMV 13						
9A»	WARRANT 3L	1.125	LAA 9	0	73	99	99	97	94
B	AUTHORITY FIRS	0.28	LAA 9						
C»	RNDUP POWERMAX	1.125	LAA 13						
D»	LIQUID AMS	2.50	PMV 13						
10A»	AUTHOR. ASSIST	0.313	LAA 9	0	57	99	99	91	88
B»	RNDUP POWERMAX	1.125	LAA 13						
C»	LIQUID AMS	2.50	PMV 13						
11A»	WARRANT 3L	1.125	LAA 9	0	62	98	99	99	92
B»	AUTHOR. ASSIST	0.313	LAA 9						
C»	RNDUP POWERMAX	1.125	LAA 13						
D»	LIQUID AMS	2.50	PMV 13						
12A	SENCOR 75WG	0.25	LAA 9	0	20	74	78	50	27
B»	RNDUP POWERMAX	1.125	LAA 13						
C»	LIQUID AMS	2.50	PMV 13						
13A»	WARRANT 3L	1.125	LAA 9	0	67	99	99	77	58
B	SENCOR 75WG	0.25	LAA 9						
C»	RNDUP POWERMAX	1.125	LAA 13						
D»	LIQUID AMS	2.50	PMV 13						
14A	CHECK	0.00	NA 0	0	0	0	0	0	0
15A»	SHARPEN 2.85L	0.033	LAA 9	0	27	95	95	81	73
B»	RNDUP POWERMAX	1.125	LAA 13						
C»	LIQUID AMS	2.50	PMV 13						

TITLE: Warrant Tank-Mixes for Weed Control Systems in RR Soybean. AS-100

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	GLXMA	SETFA	CHEAL	AMATA	ABUTH	PHBPU
		RATE	UNIT		CON % 06/28/13	CON % 06/28/13	CON % 06/28/13	CON % 06/28/13	CON % 06/28/13	CON % 06/28/13
16A	WARRANT 3L	1.125	LAA	9	0	53	99	99	84	67
	B»SHARPEN 2.85L	0.033	LAA	9						
	C»RNDUP POWERMAX	1.125	LAA	13						
	D»LIQUID AMS	2.50	PMV	13						
		LSD (0.05)			3.13	19.64	8.18	5.40	11.00	11.21
		STANDARD DEVIATION			1.53	9.62	4.00	2.64	5.36	5.49

TITLE: Warrant Tank-Mixes for Weed Control Systems in RR Soybean. AS-100
CREATED: 05/02/2013 **REVISED:** 09/03/2013 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT	TREATMENT	DOSAGE			XANST	GLXMA	SETFA	CHEAL	AMATA	ABUTH
NUM	COMPONENT	RATE	UNIT	TM	CON %	CON %	CON %	CON %	CON %	CON %
					06/28/13	07/05/13	07/05/13	07/05/13	07/05/13	07/05/13
1A»	WARRANT 3L	1.125	LAA	9	20	0	50	65	75	30
B»	RNDUP POWERMAX	1.125	LAA	13						
C»	LIQUID AMS	2.50	PMV	13						
2A	VALOR 51WG	0.094	LAA	9	53	2	50	93	98	55
B»	RNDUP POWERMAX	1.125	LAA	13						
C»	LIQUID AMS	2.50	PMV	13						
3A»	WARRANT 3L	1.125	LAA	9	77	27	67	99	99	72
B	VALOR 51WG	0.094	LAA	9						
C»	RNDUP POWERMAX	1.125	LAA	13						
D»	LIQUID AMS	2.50	PMV	13						
4A»	AUTHORITY MTZ	0.31	LAA	9	60	0	30	99	99	62
B»	RNDUP POWERMAX	1.125	LAA	13						
C»	LIQUID AMS	2.50	PMV	13						
5A»	WARRANT 3L	1.125	LAA	9	58	0	62	99	99	70
B»	AUTHORITY MTZ	0.31	LAA	9						
C»	RNDUP POWERMAX	1.125	LAA	13						
D»	LIQUID AMS	2.50	PMV	13						
6A»	VALOR XLT 40WG	4.00	OMA	0	50	0	42	99	99	72
B	CLASSIC 25WG	0.026	LAA	9						
C	VALOR 51WG	0.074	LAA	9						
D»	RNDUP POWERMAX	1.125	LAA	13						
E»	LIQUID AMS	2.50	PMV	13						
7A»	WARRANT 3L	1.125	LAA	9	77	14	60	99	99	87
B»	VALOR XLT 40WG	4.00	OMA	0						
C	CLASSIC 25WG	0.026	LAA	9						
D	VALOR 51WG	0.074	LAA	9						
E»	RNDUP POWERMAX	1.125	LAA	13						
F»	LIQUID AMS	2.50	PMV	13						
8A	AUTHORITY FIRS	0.28	LAA	9	83	0	43	99	99	84
B»	RNDUP POWERMAX	1.125	LAA	13						
C»	LIQUID AMS	2.50	PMV	13						
9A»	WARRANT 3L	1.125	LAA	9	84	0	45	99	99	96
B	AUTHORITY FIRS	0.28	LAA	9						
C»	RNDUP POWERMAX	1.125	LAA	13						
D»	LIQUID AMS	2.50	PMV	13						
10A»	AUTHOR. ASSIST	0.313	LAA	9	62	0	40	99	99	88
B»	RNDUP POWERMAX	1.125	LAA	13						
C»	LIQUID AMS	2.50	PMV	13						
11A»	WARRANT 3L	1.125	LAA	9	75	0	68	99	99	91
B»	AUTHOR. ASSIST	0.313	LAA	9						
C»	RNDUP POWERMAX	1.125	LAA	13						
D»	LIQUID AMS	2.50	PMV	13						
12A	SENCOR 75WG	0.25	LAA	9	23	0	17	76	81	37
B»	RNDUP POWERMAX	1.125	LAA	13						
C»	LIQUID AMS	2.50	PMV	13						
13A»	WARRANT 3L	1.125	LAA	9	40	0	60	92	96	57
B	SENCOR 75WG	0.25	LAA	9						
C»	RNDUP POWERMAX	1.125	LAA	13						
D»	LIQUID AMS	2.50	PMV	13						
14A	CHECK	0.00	NA	0	0	0	0	0	0	0
15A»	SHARPEN 2.85L	0.033	LAA	9	50	0	17	67	72	53
B»	RNDUP POWERMAX	1.125	LAA	13						
C»	LIQUID AMS	2.50	PMV	13						

TITLE: Warrant Tank-Mixes for Weed Control Systems in RR Soybean. AS-100

TRT	TREATMENT	DOSAGE			XANST	GLXMA	SETFA	CHEAL	AMATA	ABUTH
NUM	COMPONENT	RATE	UNIT	TM	CON %	CON %	CON %	CON %	CON %	CON %
					06/28/13	07/05/13	07/05/13	07/05/13	07/05/13	07/05/13
16A»	WARRANT 3L	1.125	LAA	9	53	0	50	89	93	63
	B»SHARPEN 2.85L	0.033	LAA	9						
	C»RNDUP POWERMAX	1.125	LAA	13						
	D»LIQUID AMS	2.50	PMV	13						
		LSD (0.05)			12.34	5.34	20.55	7.88	4.12	7.93
		STANDARD DEVIATION			6.00	2.62	10.06	3.86	2.00	3.88

TITLE: Warrant Tank-Mixes for Weed Control Systems in RR Soybean. AS-100
CREATED: 05/02/2013 **REVISED:** 09/03/2013 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT NUM	TREATMENT COMPONENT	DOSAGE RATE	UNIT	TM	PHBPU CON % 07/05/13	XANST CON % 07/05/13	GLXMA CON % 07/22/13	SETFA CON % 07/22/13	CHEAL CON % 07/22/13	AMATA CON % 07/22/13
1A»	WARRANT 3L	1.125	LAA	9	23	17	0	99	99	99
B»	RNDUP POWERMAX	1.125	LAA	13						
C»	LIQUID AMS	2.50	PMV	13						
2A	VALOR 51WG	0.094	LAA	9	63	33	0	99	99	99
B»	RNDUP POWERMAX	1.125	LAA	13						
C»	LIQUID AMS	2.50	PMV	13						
3A»	WARRANT 3L	1.125	LAA	9	70	40	0	99	99	99
B	VALOR 51WG	0.094	LAA	9						
C»	RNDUP POWERMAX	1.125	LAA	13						
D»	LIQUID AMS	2.50	PMV	13						
4A»	AUTHORITY MTZ	0.31	LAA	9	63	27	0	98	96	97
B»	RNDUP POWERMAX	1.125	LAA	13						
C»	LIQUID AMS	2.50	PMV	13						
5A»	WARRANT 3L	1.125	LAA	9	72	30	0	99	98	98
B»	AUTHORITY MTZ	0.31	LAA	9						
C»	RNDUP POWERMAX	1.125	LAA	13						
D»	LIQUID AMS	2.50	PMV	13						
6A»	VALOR XLT 40WG	4.00	OMA	0	63	40	0	98	98	98
B	CLASSIC 25WG	0.026	LAA	9						
C	VALOR 51WG	0.074	LAA	9						
D»	RNDUP POWERMAX	1.125	LAA	13						
E»	LIQUID AMS	2.50	PMV	13						
7A»	WARRANT 3L	1.125	LAA	9	81	57	0	99	99	99
B»	VALOR XLT 40WG	4.00	OMA	0						
C	CLASSIC 25WG	0.026	LAA	9						
D	VALOR 51WG	0.074	LAA	9						
E»	RNDUP POWERMAX	1.125	LAA	13						
F»	LIQUID AMS	2.50	PMV	13						
8A	AUTHORITY FIRS	0.28	LAA	9	92	70	0	99	99	99
B»	RNDUP POWERMAX	1.125	LAA	13						
C»	LIQUID AMS	2.50	PMV	13						
9A»	WARRANT 3L	1.125	LAA	9	95	71	0	99	99	99
B	AUTHORITY FIRS	0.28	LAA	9						
C»	RNDUP POWERMAX	1.125	LAA	13						
D»	LIQUID AMS	2.50	PMV	13						
10A»	AUTHOR. ASSIST	0.313	LAA	9	90	52	0	99	99	99
B»	RNDUP POWERMAX	1.125	LAA	13						
C»	LIQUID AMS	2.50	PMV	13						
11A»	WARRANT 3L	1.125	LAA	9	90	52	0	99	99	99
B»	AUTHOR. ASSIST	0.313	LAA	9						
C»	RNDUP POWERMAX	1.125	LAA	13						
D»	LIQUID AMS	2.50	PMV	13						
12A	SENCOR 75WG	0.25	LAA	9	13	10	0	99	97	96
B»	RNDUP POWERMAX	1.125	LAA	13						
C»	LIQUID AMS	2.50	PMV	13						
13A»	WARRANT 3L	1.125	LAA	9	55	33	0	99	99	99
B	SENCOR 75WG	0.25	LAA	9						
C»	RNDUP POWERMAX	1.125	LAA	13						
D»	LIQUID AMS	2.50	PMV	13						
14A	CHECK	0.00	NA	0	0	0	0	0	0	0
15A»	SHARPEN 2.85L	0.033	LAA	9	50	27	0	98	96	97
B»	RNDUP POWERMAX	1.125	LAA	13						
C»	LIQUID AMS	2.50	PMV	13						

TITLE: Warrant Tank-Mixes for Weed Control Systems in RR Soybean. AS-100

TRT NUM	TREATMENT COMPONENT	DOSAGE		TM	PHBPU	XANST	GLXMA	SETFA	CHEAL	AMATA
		RATE	UNIT		CON % 07/05/13	CON % 07/05/13	CON % 07/22/13	CON % 07/22/13	CON % 07/22/13	CON % 07/22/13
16A	WARRANT 3L	1.125	LAA	9	60	37	0	99	99	99
	B»SHARPEN 2.85L	0.033	LAA	9						
	C»RNDUP POWERMAX	1.125	LAA	13						
	D»LIQUID AMS	2.50	PMV	13						
		LSD (0.05)			15.35	10.85	0.00	0.774	2.76	3.15
		STANDARD DEVIATION			7.52	5.32	0.00	0.379	1.35	1.54

TITLE: Warrant Tank-Mixes for Weed Control Systems in RR Soybean. AS-100
CREATED: 05/02/2013 **REVISED:** 09/03/2013 **COMPLETED:** N
PROJECT TYPE: HERBICIDE
LOCATION: Urbana **RESEARCHED BY:** UNIV. OF ILL
DESIGN: RANDOMIZED COMPLETE BLOCK DESIGN
PLOT SIZE: 7.50 FT WIDE X 30.00 FT LONG
PLOT AREA: 225.00 SFT

REPS: 03

TRT	TREATMENT	DOSAGE	ABUTH	PHBPU	XANST
NUM	COMPONENT	RATE	UNIT	CON %	CON %
			TM	07/22/13	07/22/13
1A»	WARRANT 3L	1.125	LAA 9	99	70
B»	RNDUP POWERMAX	1.125	LAA 13		99
C»	LIQUID AMS	2.50	PMV 13		
2A	VALOR 51WG	0.094	LAA 9	99	83
B»	RNDUP POWERMAX	1.125	LAA 13		99
C»	LIQUID AMS	2.50	PMV 13		
3A»	WARRANT 3L	1.125	LAA 9	99	87
B	VALOR 51WG	0.094	LAA 9		99
C»	RNDUP POWERMAX	1.125	LAA 13		
D»	LIQUID AMS	2.50	PMV 13		
4A»	AUTHORITY MTZ	0.31	LAA 9	96	77
B»	RNDUP POWERMAX	1.125	LAA 13		99
C»	LIQUID AMS	2.50	PMV 13		
5A»	WARRANT 3L	1.125	LAA 9	98	82
B»	AUTHORITY MTZ	0.31	LAA 9		99
C»	RNDUP POWERMAX	1.125	LAA 13		
D»	LIQUID AMS	2.50	PMV 13		
6A»	VALOR XLT 40WG	4.00	OMA 0	99	84
B	CLASSIC 25WG	0.026	LAA 9		99
C	VALOR 51WG	0.074	LAA 9		
D»	RNDUP POWERMAX	1.125	LAA 13		
E»	LIQUID AMS	2.50	PMV 13		
7A»	WARRANT 3L	1.125	LAA 9	99	91
B»	VALOR XLT 40WG	4.00	OMA 0		99
C	CLASSIC 25WG	0.026	LAA 9		
D	VALOR 51WG	0.074	LAA 9		
E»	RNDUP POWERMAX	1.125	LAA 13		
F»	LIQUID AMS	2.50	PMV 13		
8A	AUTHORITY FIRS	0.28	LAA 9	99	96
B»	RNDUP POWERMAX	1.125	LAA 13		99
C»	LIQUID AMS	2.50	PMV 13		
9A»	WARRANT 3L	1.125	LAA 9	99	98
B	AUTHORITY FIRS	0.28	LAA 9		99
C»	RNDUP POWERMAX	1.125	LAA 13		
D»	LIQUID AMS	2.50	PMV 13		
10A»	AUTHOR. ASSIST	0.313	LAA 9	99	98
B»	RNDUP POWERMAX	1.125	LAA 13		99
C»	LIQUID AMS	2.50	PMV 13		
11A»	WARRANT 3L	1.125	LAA 9	99	99
B»	AUTHOR. ASSIST	0.313	LAA 9		99
C»	RNDUP POWERMAX	1.125	LAA 13		
D»	LIQUID AMS	2.50	PMV 13		
12A	SENCOR 75WG	0.25	LAA 9	96	72
B»	RNDUP POWERMAX	1.125	LAA 13		99
C»	LIQUID AMS	2.50	PMV 13		
13A»	WARRANT 3L	1.125	LAA 9	99	75
B	SENCOR 75WG	0.25	LAA 9		99
C»	RNDUP POWERMAX	1.125	LAA 13		
D»	LIQUID AMS	2.50	PMV 13		
14A	CHECK	0.00	NA 0	0	0
15A»	SHARPEN 2.85L	0.033	LAA 9	99	72
B»	RNDUP POWERMAX	1.125	LAA 13		98
C»	LIQUID AMS	2.50	PMV 13		

TITLE: Warrant Tank-Mixes for Weed Control Systems in RR Soybean. AS-100

TRT TREATMENT NUM COMPONENT	DOSAGE RATE	UNIT	TM	ABUTH CON % 07/22/13	PHBPU CON % 07/22/13	XANST CON % 07/22/13
16A»WARRANT 3L	1.125	LAA	9	99	84	99
B»SHARPEN 2.85L	0.033	LAA	9			
C»RNDUP POWERMAX	1.125	LAA	13			
D»LIQUID AMS	2.50	PMV	13			
LSD (0.05)				3.14	7.74	0.481
STANDARD DEVIATION				1.54	3.79	0.236

» = SUPPLEMENTAL CHEMICAL

* TIMING CODES

00 = ----- / UNTREATED TIMING

09 = ----- / PREEMERGENCE 06/06/2013(1)

13 = ----- / LPOST 07/12/2013(2)

H#	CUSTOM#1	CUSTOM#2	EV. DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTR	SS	NOTE
001	GLXMA	CON %	06/28/2013	01	P	GLXMA		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
002	SETFA	CON %	06/28/2013	02	P	SETFA		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
003	CHEAL	CON %	06/28/2013	03	P	CHEAL		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
004	AMATA	CON %	06/28/2013	04	P	AMATA		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
005	ABUTH	CON %	06/28/2013	05	P	ABUTH		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
006	PHBPU	CON %	06/28/2013	06	P	PHBPU		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
007	XANST	CON %	06/28/2013	07	P	XANST		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
008	GLXMA	CON %	07/05/2013	01	P	GLXMA		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
009	SETFA	CON %	07/05/2013	02	P	SETFA		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
010	CHEAL	CON %	07/05/2013	03	P	CHEAL		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
011	AMATA	CON %	07/05/2013	04	P	AMATA		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
012	ABUTH	CON %	07/05/2013	05	P	ABUTH		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
013	PHBPU	CON %	07/05/2013	06	P	PHBPU		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
014	XANST	CON %	07/05/2013	07	P	XANST		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
015	GLXMA	CON %	07/22/2013	01	P	GLXMA		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
016	SETFA	CON %	07/22/2013	02	P	SETFA		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
017	CHEAL	CON %	07/22/2013	03	P	CHEAL		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
018	AMATA	CON %	07/22/2013	04	P	AMATA		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
019	ABUTH	CON %	07/22/2013	05	P	ABUTH		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
020	PHBPU	CON %	07/22/2013	06	P	PHBPU		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N
021	XANST	CON %	07/22/2013	07	P	XANST		RAW	ALL	CON %	---	---	1.00 PL	NO	0001	0	N

* SPECIES COMMON NAME - VARIETY/SPECIE INFO (IF APPLICABLE)

01 = N-74R