

SOIL INFORMATION

TRIAL INFORMATION

TEXTURE: SIL  
 PH: 6.4  
 %OM: 4.8  
 PREV.CROP: GLXMA - SOYBEAN  
 %RESIDUE: 0  
 PLOT WIDTH: 7.5 X 32 FEET  
 PLOT AREA: 240 FEET

DESIGN: RCB  
 REPS: 4

APPL. NUMBER	01	02	UNIT
TIMINGS	11	12	
TYPE	LIQMIX	LIQMIX	
APPLICATION DATE	05/30/09	06/06/14	AME
AIR TEMPERATURE	82	77	F
% REL.HUMIDITY	39	47	
WIND DIRECTION	EAST	SOUTHEAST	
WIND SPEED	6.0	3.0	M/H
CLOUD COVER	CLEAR	CLEAR	
DEW	NO	NO	
SOIL MOISTURE	MOIST/MOI	MOIST/MOI	
SOIL CONDITION	---	---	
METHOD	SPRAY	SPRAY	
EQUIPMENT	BACKPACK/	BACKPACK/	
PROPELLANT	COMPRESSE	COMPRESSE	
PLACEMENT	BROADCAST	BROADCAST	
NOZZLE	FLATFAN	FLATFAN	
NOZZLE DESCRIPTION			
NOZZLE NUMBER	5	5	
NOZZLE SPACING	18.000	18.000	IN
SCREEN SIZE			
SCREEN SZ DESC	NA	NA	
SWATH WIDTH	7.5	7.5	FT
SPRAY VOLUME	15.00	15.00	
SPRAY VOLUME UNIT	GPA	GPA	
PRESSURE	32.00	30.00	PSI
DILUENT	WATER	WATER	
INC. DATE			AME
INC. START			24H
INC. END			24H
INC. DEPTH			IN
INC. EQUIPMENT	---	---	
FOLIAGE HEIGHT			FT
FOLIAGE WIDTH			FT
ROW WIDTH			FT
SPRAY VOL LWA/TRV			
S VOL LWA/TRV UNIT			
LEAF WALL AREA			M2H
TREE ROW VOLUME			M3H
SPECIE AND STAGE	DEN / STG MIN / MAX	DEN / STG MIN / MAX	
CROP *			
P, CORN, DENT		---/15	
ENLIST CORN		16.0/18.0	IN
(PLANTED) 05/09/2014		28 DAP	
PEST *			
P, VELVETLEAF		---/15 2.00/6.00	IN
P, AMARANTH, PALMER		---/19 2.00/10.0	IN
P, LAMBSQUARTERS, C		---/19 1.00/4.00	IN
P, MORNINGGLORY, TA		---/15 1.00/4.00	IN
P, FOXTAIL, GIANT		---/15 2.00/8.00	IN

\* TIMING CODES

11 = ----- / EPOST

\* TIMING CODES

12 = ----- / POST

\* STAGE CODE

15 = 5 LEAVES UNFOLDED

15 = 5 LEAVES UNFOLDED

15 = 5TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED

**TITLE:** Enlist Duo Postemergence Systems for Weed Control in Enlist Corn. VC-2  
**CREATED:** 04/15/2014 **REVISED:** 07/25/2014 **COMPLETED:** N  
**PROJECT TYPE:** HERBICIDE  
**LOCATION:** Urbana **RESEARCHED BY:** UNIV. OF ILL  
**DESIGN:** RANDOMIZED COMPLETE BLOCK DESIGN  
**PLOT SIZE:** 7.50 FT WIDE X 32.00 FT LONG  
**PLOT AREA:** 240.00 SFT

REPS: 04

TRT NUM	TREATMENT COMPONENT	DOSAGE			ZEAMD	SETFA	AMAPA	CHEAL	ABUTH	PHBPU
		RATE	UNIT	TM	CON % 06/06/14	CON % 06/06/14	CON % 06/06/14	CON % 06/06/14	CON % 06/06/14	CON % 06/06/14
1A	CHECK	0.00	NA	0	0	0	0	0	0	0
2A	»SURESTART II 4	1.04	LAA	11	0	99	98	99	99	97
	B»DURANGO 4AE	1.00	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
3A	»SURESTART II 4	0.78	LAA	11	3	99	99	99	99	99
	B»ENLIST DUO 3.3	1.46	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
4A	»SURESTART II 4	0.78	LAA	11	2	99	99	99	99	99
	B»ENLIST DUO 3.3	1.94	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
5A	HARNES XTRA	2.10	LAA	11	7	99	99	99	99	99
	B»RNDUP POWERMAX	1.00	LAA	11						
	C CLARITY	0.50	LAA	11						
	D»LIQUID AMS	2.50	PMV	11						
6A	»RNDUP POWERMAX	1.00	LAA	11	9	99	99	99	99	99
	B CLARITY	0.50	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
7A	»CORVUS 2.6SC	0.102	LAA	11	24	99	99	99	99	99
	B»DURANGO 4AE	1.00	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
8A	»HALEX GT 4.38L	1.97	LAA	11	0	99	99	99	99	99
	B»ACTIVATOR 90	0.25	PMV	11						
	C»LIQUID AMS	2.50	PMV	11						
9A	»SURESTART II 4	1.04	LAA	12	C	C	C	C	C	C
	B»DURANGO 4AE	1.00	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
10A	»SURESTART II 4	0.78	LAA	12	C	C	C	C	C	C
	B»ENLIST DUO 3.3	1.46	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
11A	»SURESTART II 4	0.78	LAA	12	C	C	C	C	C	C
	B»ENLIST DUO 3.3	1.94	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
12A	»HALEX GT 4.38L	1.97	LAA	12	C	C	C	C	C	C
	B»ACTIVATOR 90	0.25	PMV	12						
	C»LIQUID AMS	2.50	PMV	12						
13A	»DURANGO 4AE	1.00	LAA	12	C	C	C	C	C	C
	B»LIQUID AMS	2.50	PMV	12						
14A	»ENLIST DUO 3.3	1.46	LAA	12	C	C	C	C	C	C
	B»LIQUID AMS	2.50	PMV	12						
15A	»ENLIST DUO 3.3	1.97	LAA	12	C	C	C	C	C	C
	B»LIQUID AMS	2.50	PMV	12						
16A	HARNES XTRA	2.10	LAA	12	C	C	C	C	C	C
	B»RNDUP POWERMAX	1.00	LAA	12						
	C CLARITY	0.50	LAA	12						
	D»LIQUID AMS	2.50	PMV	12						
17A	»RNDUP POWERMAX	1.00	LAA	12	C	C	C	C	C	C
	B CLARITY	0.50	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						

**TITLE:** Enlist Duo Postemergence Systems for Weed Control in Enlist Corn. VC-2

TRT NUM	TREATMENT COMPONENT	DOSAGE		ZEAMD	SETFA	AMAPA	CHEAL	ABUTH	PHBPU
		RATE	UNIT TM	CON % 06/06/14	CON % 06/06/14	CON % 06/06/14	CON % 06/06/14	CON % 06/06/14	CON % 06/06/14
18A	OUTLOOK 6EC	0.47	LAA 12	C	C	C	C	C	C
	B»RNDUP POWERMAX	1.00	LAA 12						
	C»ENGENIA 5L	0.50	LAA 12						
	D»LIQUID AMS	2.50	PMV 12						
		LSD (0.05)		2.34	0.00	0.319	0.00	0.00	0.544
		STANDARD DEVIATION		1.17	0.00	0.16	0.00	0.00	0.272

**TITLE:** Enlist Duo Postemergence Systems for Weed Control in Enlist Corn. VC-2  
**CREATED:** 04/15/2014 **REVISED:** 07/25/2014 **COMPLETED:** N  
**PROJECT TYPE:** HERBICIDE  
**LOCATION:** Urbana **RESEARCHED BY:** UNIV. OF ILL  
**DESIGN:** RANDOMIZED COMPLETE BLOCK DESIGN  
**PLOT SIZE:** 7.50 FT WIDE X 32.00 FT LONG  
**PLOT AREA:** 240.00 SFT

REPS: 04

TRT NUM	TREATMENT COMPONENT	DOSAGE			ZEAMD	SETFA	AMAPA	CHEAL	ABUTH	PHBPU
		RATE	UNIT	TM	CON % 06/13/14	CON % 06/13/14	CON % 06/13/14	CON % 06/13/14	CON % 06/13/14	CON % 06/13/14
1A	CHECK	0.00	NA	0	0	0	0	0	0	0
2A	SURESTART II 4	1.04	LAA	11	0	99	99	99	99	99
	B>>DURANGO 4AE	1.00	LAA	11						
	C>>LIQUID AMS	2.50	PMV	11						
3A	SURESTART II 4	0.78	LAA	11	0	99	99	99	99	99
	B>>ENLIST DUO 3.3	1.46	LAA	11						
	C>>LIQUID AMS	2.50	PMV	11						
4A	SURESTART II 4	0.78	LAA	11	0	99	99	99	99	99
	B>>ENLIST DUO 3.3	1.94	LAA	11						
	C>>LIQUID AMS	2.50	PMV	11						
5A	HARNES XTRA	2.10	LAA	11	0	99	99	99	99	99
	B>>RNDUP POWERMAX	1.00	LAA	11						
	C CLARITY	0.50	LAA	11						
	D>>LIQUID AMS	2.50	PMV	11						
6A	RNDUP POWERMAX	1.00	LAA	11	0	99	98	99	99	99
	B CLARITY	0.50	LAA	11						
	C>>LIQUID AMS	2.50	PMV	11						
7A	CORVUS 2.6SC	0.102	LAA	11	0	99	99	99	99	99
	B>>DURANGO 4AE	1.00	LAA	11						
	C>>LIQUID AMS	2.50	PMV	11						
8A	HALEX GT 4.38L	1.97	LAA	11	0	99	99	99	99	99
	B>>ACTIVATOR 90	0.25	PMV	11						
	C>>LIQUID AMS	2.50	PMV	11						
9A	SURESTART II 4	1.04	LAA	12	0	99	99	99	99	99
	B>>DURANGO 4AE	1.00	LAA	12						
	C>>LIQUID AMS	2.50	PMV	12						
10A	SURESTART II 4	0.78	LAA	12	0	99	99	99	99	99
	B>>ENLIST DUO 3.3	1.46	LAA	12						
	C>>LIQUID AMS	2.50	PMV	12						
11A	SURESTART II 4	0.78	LAA	12	2	99	99	99	99	99
	B>>ENLIST DUO 3.3	1.94	LAA	12						
	C>>LIQUID AMS	2.50	PMV	12						
12A	HALEX GT 4.38L	1.97	LAA	12	0	99	88	99	99	99
	B>>ACTIVATOR 90	0.25	PMV	12						
	C>>LIQUID AMS	2.50	PMV	12						
13A	DURANGO 4AE	1.00	LAA	12	0	99	93	99	99	99
	B>>LIQUID AMS	2.50	PMV	12						
14A	ENLIST DUO 3.3	1.46	LAA	12	0	99	99	99	99	99
	B>>LIQUID AMS	2.50	PMV	12						
15A	ENLIST DUO 3.3	1.97	LAA	12	0	99	99	99	99	99
	B>>LIQUID AMS	2.50	PMV	12						
16A	HARNES XTRA	2.10	LAA	12	0	99	99	99	99	99
	B>>RNDUP POWERMAX	1.00	LAA	12						
	C CLARITY	0.50	LAA	12						
	D>>LIQUID AMS	2.50	PMV	12						
17A	RNDUP POWERMAX	1.00	LAA	12	18	99	99	99	99	99
	B CLARITY	0.50	LAA	12						
	C>>LIQUID AMS	2.50	PMV	12						

**TITLE:** Enlist Duo Postemergence Systems for Weed Control in Enlist Corn. VC-2

TRT NUM	TREATMENT COMPONENT	DOSAGE		ZEAMD	SETFA	AMAPA	CHEAL	ABUTH	PHBPU
		RATE	UNIT TM	CON % 06/13/14	CON % 06/13/14	CON % 06/13/14	CON % 06/13/14	CON % 06/13/14	CON % 06/13/14
18A	OUTLOOK 6EC	0.47	LAA 12	19	99	99	99	99	99
	B»RNDUP POWERMAX	1.00	LAA 12						
	C»ENGENIA 5L	0.50	LAA 12						
	D»LIQUID AMS	2.50	PMV 12						
		LSD (0.05)		2.27	0.167	3.58	0.00	0.00	0.00
		STANDARD DEVIATION		1.13	0.083	1.79	0.00	0.00	0.00

**TITLE:** Enlist Duo Postemergence Systems for Weed Control in Enlist Corn. VC-2  
**CREATED:** 04/15/2014 **REVISED:** 07/25/2014 **COMPLETED:** N  
**PROJECT TYPE:** HERBICIDE  
**LOCATION:** Urbana **RESEARCHED BY:** UNIV. OF ILL  
**DESIGN:** RANDOMIZED COMPLETE BLOCK DESIGN  
**PLOT SIZE:** 7.50 FT WIDE X 32.00 FT LONG  
**PLOT AREA:** 240.00 SFT

REPS: 04

TRT NUM	TREATMENT COMPONENT	DOSAGE			ZEAMD	SETFA	AMAPA	CHEAL	ABUTH	PHBPU
		RATE	UNIT	TM	CON % 06/19/14	CON % 06/19/14	CON % 06/19/14	CON % 06/19/14	CON % 06/19/14	CON % 06/19/14
1A	CHECK	0.00	NA	0	0	0	0	0	0	0
2A	SURESTART II 4	1.04	LAA	11	0	99	99	99	99	99
	B»DURANGO 4AE	1.00	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
3A	SURESTART II 4	0.78	LAA	11	1	99	99	99	99	99
	B»ENLIST DUO 3.3	1.46	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
4A	SURESTART II 4	0.78	LAA	11	1	99	99	99	99	99
	B»ENLIST DUO 3.3	1.94	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
5A	HARNES XTRA	2.10	LAA	11	9	99	99	99	99	99
	B»RNDUP POWERMAX	1.00	LAA	11						
	C CLARITY	0.50	LAA	11						
	D»LIQUID AMS	2.50	PMV	11						
6A	RNDUP POWERMAX	1.00	LAA	11	9	99	99	99	99	99
	B CLARITY	0.50	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
7A	CORVUS 2.6SC	0.102	LAA	11	3	99	99	99	99	99
	B»DURANGO 4AE	1.00	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
8A	HALEX GT 4.38L	1.97	LAA	11	0	99	99	99	99	99
	B»ACTIVATOR 90	0.25	PMV	11						
	C»LIQUID AMS	2.50	PMV	11						
9A	SURESTART II 4	1.04	LAA	12	0	99	92	99	99	99
	B»DURANGO 4AE	1.00	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
10A	SURESTART II 4	0.78	LAA	12	1	99	99	99	99	99
	B»ENLIST DUO 3.3	1.46	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
11A	SURESTART II 4	0.78	LAA	12	15	99	99	99	99	99
	B»ENLIST DUO 3.3	1.94	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
12A	HALEX GT 4.38L	1.97	LAA	12	0	99	97	99	99	99
	B»ACTIVATOR 90	0.25	PMV	12						
	C»LIQUID AMS	2.50	PMV	12						
13A	DURANGO 4AE	1.00	LAA	12	0	99	93	99	99	99
	B»LIQUID AMS	2.50	PMV	12						
14A	ENLIST DUO 3.3	1.46	LAA	12	0	99	99	99	99	99
	B»LIQUID AMS	2.50	PMV	12						
15A	ENLIST DUO 3.3	1.97	LAA	12	2	99	99	99	99	99
	B»LIQUID AMS	2.50	PMV	12						
16A	HARNES XTRA	2.10	LAA	12	2	99	99	99	99	99
	B»RNDUP POWERMAX	1.00	LAA	12						
	C CLARITY	0.50	LAA	12						
	D»LIQUID AMS	2.50	PMV	12						
17A	RNDUP POWERMAX	1.00	LAA	12	21	99	99	99	99	99
	B CLARITY	0.50	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						

**TITLE:** Enlist Duo Postemergence Systems for Weed Control in Enlist Corn. VC-2

TRT NUM	TREATMENT COMPONENT	DOSAGE		ZEAMD	SETFA	AMAPA	CHEAL	ABUTH	PHBPU
		RATE	UNIT TM	CON % 06/19/14	CON % 06/19/14	CON % 06/19/14	CON % 06/19/14	CON % 06/19/14	CON % 06/19/14
18A	OUTLOOK 6EC	0.47	LAA 12	26	99	99	99	99	99
	B»RNDUP POWERMAX	1.00	LAA 12						
	C»ENGENIA 5L	0.50	LAA 12						
	D»LIQUID AMS	2.50	PMV 12						
		LSD (0.05)		4.65	0.167	6.48	0.00	0.00	0.167
		STANDARD DEVIATION		2.33	0.083	3.24	0.00	0.00	0.083

**TITLE:** Enlist Duo Postemergence Systems for Weed Control in Enlist Corn. VC-2  
**CREATED:** 04/15/2014 **REVISED:** 07/25/2014 **COMPLETED:** N  
**PROJECT TYPE:** HERBICIDE  
**LOCATION:** Urbana **RESEARCHED BY:** UNIV. OF ILL  
**DESIGN:** RANDOMIZED COMPLETE BLOCK DESIGN  
**PLOT SIZE:** 7.50 FT WIDE X 32.00 FT LONG  
**PLOT AREA:** 240.00 SFT

REPS: 04

TRT NUM	TREATMENT COMPONENT	DOSAGE			ZEAMD	SETFA	AMAPA	CHEAL	ABUTH	PHBPU
		RATE	UNIT	TM	CON % 07/03/14	CON % 07/03/14	CON % 07/03/14	CON % 07/03/14	CON % 07/03/14	CON % 07/03/14
1A	CHECK	0.00	NA	0	0	0	0	0	0	0
2A	»SURESTART II 4	1.04	LAA	11	0	99	99	99	99	99
	B»DURANGO 4AE	1.00	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
3A	»SURESTART II 4	0.78	LAA	11	0	98	99	99	99	99
	B»ENLIST DUO 3.3	1.46	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
4A	»SURESTART II 4	0.78	LAA	11	0	99	99	99	99	99
	B»ENLIST DUO 3.3	1.94	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
5A	HARNES XTRA	2.10	LAA	11	0	99	99	99	99	99
	B»RNDUP POWERMAX	1.00	LAA	11						
	C CLARITY	0.50	LAA	11						
	D»LIQUID AMS	2.50	PMV	11						
6A	»RNDUP POWERMAX	1.00	LAA	11	0	97	99	99	99	98
	B CLARITY	0.50	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
7A	»CORVUS 2.6SC	0.102	LAA	11	0	99	99	99	99	99
	B»DURANGO 4AE	1.00	LAA	11						
	C»LIQUID AMS	2.50	PMV	11						
8A	»HALEX GT 4.38L	1.97	LAA	11	0	99	99	99	99	99
	B»ACTIVATOR 90	0.25	PMV	11						
	C»LIQUID AMS	2.50	PMV	11						
9A	»SURESTART II 4	1.04	LAA	12	0	99	94	99	99	99
	B»DURANGO 4AE	1.00	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
10A	»SURESTART II 4	0.78	LAA	12	0	99	99	99	99	99
	B»ENLIST DUO 3.3	1.46	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
11A	»SURESTART II 4	0.78	LAA	12	0	99	99	99	99	99
	B»ENLIST DUO 3.3	1.94	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						
12A	»HALEX GT 4.38L	1.97	LAA	12	0	99	95	99	99	99
	B»ACTIVATOR 90	0.25	PMV	12						
	C»LIQUID AMS	2.50	PMV	12						
13A	»DURANGO 4AE	1.00	LAA	12	0	97	92	99	99	99
	B»LIQUID AMS	2.50	PMV	12						
14A	»ENLIST DUO 3.3	1.46	LAA	12	0	99	99	99	99	99
	B»LIQUID AMS	2.50	PMV	12						
15A	»ENLIST DUO 3.3	1.97	LAA	12	0	99	99	99	99	99
	B»LIQUID AMS	2.50	PMV	12						
16A	HARNES XTRA	2.10	LAA	12	0	99	99	99	99	99
	B»RNDUP POWERMAX	1.00	LAA	12						
	C CLARITY	0.50	LAA	12						
	D»LIQUID AMS	2.50	PMV	12						
17A	»RNDUP POWERMAX	1.00	LAA	12	0	99	99	99	99	99
	B CLARITY	0.50	LAA	12						
	C»LIQUID AMS	2.50	PMV	12						

TITLE: Enlist Duo Postemergence Systems for Weed Control in Enlist Corn. VC-2

TRT TREATMENT NUM COMPONENT	DOSAGE RATE	UNIT	TM	ZEAMD CON % 07/03/14	SETFA CON % 07/03/14	AMAPA CON % 07/03/14	CHEAL CON % 07/03/14	ABUTH CON % 07/03/14	PHBPU CON % 07/03/14
18A OUTLOOK 6EC	0.47	LAA	12	0	99	99	99	99	99
B»RNDUP POWERMAX	1.00	LAA	12						
C»ENGENIA 5L	0.50	LAA	12						
D»LIQUID AMS	2.50	PMV	12						
	LSLSD (0.05)			0.00	1.00	4.09	0.00	0.00	0.319
	STANDARD DEVIATION			0.00	0.497	2.00	0.00	0.00	0.16

>> = SUPPLEMENTAL CHEMICAL

---,M,C,D = MISSING DATA

\* TIMING CODES

00 = ----- / UNTREATED TIMING  
11 = ----- / EPOST 05/30/2009(1)  
12 = ----- / POST 06/06/2014(2)

H#	CUSTOM#1	CUSTOM#2	EV.DATE	S#	TYP	SPECIE	STAGE	RAW	PRT	SYM	MTH	CNF	BASIS	C.M	CTRT	SS	NOTE
001	ZEAMD	CON %	06/06/2014	01	P	ZEAMD	15	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
002	SETFA	CON %	06/06/2014	02	P	SETFA	15	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
003	AMAPA	CON %	06/06/2014	03	P	AMAPA	19	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
004	CHEAL	CON %	06/06/2014	04	P	CHEAL	19	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
005	ABUTH	CON %	06/06/2014	05	P	ABUTH	15	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
006	PHBPU	CON %	06/06/2014	06	P	PHBPU	15	RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
007	ZEAMD	CON %	06/13/2014	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
008	SETFA	CON %	06/13/2014	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
009	AMAPA	CON %	06/13/2014	03	P	AMAPA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
010	CHEAL	CON %	06/13/2014	04	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
011	ABUTH	CON %	06/13/2014	05	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
012	PHBPU	CON %	06/13/2014	06	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
013	ZEAMD	CON %	06/19/2014	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
014	SETFA	CON %	06/19/2014	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
015	AMAPA	CON %	06/19/2014	03	P	AMAPA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
016	CHEAL	CON %	06/19/2014	04	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
017	ABUTH	CON %	06/19/2014	05	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
018	PHBPU	CON %	06/19/2014	06	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
019	ZEAMD	CON %	07/03/2014	01	P	ZEAMD		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
020	SETFA	CON %	07/03/2014	02	P	SETFA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
021	AMAPA	CON %	07/03/2014	03	P	AMAPA		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
022	CHEAL	CON %	07/03/2014	04	P	CHEAL		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
023	ABUTH	CON %	07/03/2014	05	P	ABUTH		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N
024	PHBPU	CON %	07/03/2014	06	P	PHBPU		RAW	ALL	CON	%	---	1.00 PL	NO	0001	0	N

\* SPECIES COMMON NAME - VARIETY/SPECIE INFO (IF APPLICABLE)

01 = ENLIST CORN

\* STAGE CODE

15 = 5 LEAVES UNFOLDED  
15 = 5 LEAVES UNFOLDED  
15 = 5TH TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED  
19 = >8 TRUE LEAVES/LEAF PAIRS/WHORLS UNFOLDED